

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____ 722'	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland 787', 1955'	T. Penn. "C" _____
B. Salt _____	T. Atoka _____	T. Pictured Cliffs _____ 2282'	T. Penn. "D" _____
T. Yates _____	T. Miss _____	T. Cliff House _____ CH-3084' MV-3872'	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____ 4086'	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____ 4532'	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____ 5032'	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____	T. Ignacio Otzte _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Delaware Sand _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Bone Springs _____	T. Entrada _____	T. _____
T. Abo _____	T. _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology
722'	787'	65	Ojo Alamo
787'	1955'	168	Kirtland
1955'	2282'	327	Fruitland
2282'	3084'	802	Pic. Cliffs
3084'	3872'	788	Chacra
3872'	4086'	214	Mesa Verde
4086'	4532'	446	Menefee
4532'	5032'	500	Pt. Lockout
5032'	5109'	77	Mancos

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____ 722'	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland 787', 1955'	T. Penn. "C" _____
B. Salt _____	T. Atoka _____	T. Pictured Cliffs _____ 2282'	T. Penn. "D" _____
T. Yates _____	T. Miss _____	T. Cliff House _____ CH-3084' MV-3872'	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____ 4086'	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____ 4532'	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____ 5032'	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____	T. Ignacio Otzte _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Delaware Sand _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Bone Springs _____	T. Entrada _____	T. _____
T. Abo _____	T. _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology
722'	787'	65	Ojo Alamo
787'	1955'	168	Kirtland
1955'	2282'	327	Fruitland
2282'	3084'	802	Pic. Cliffs
3084'	3872'	788	Chacra
3872'	4086'	214	Mesa Verde
4086'	4532'	446	Menefee
4532'	5032'	500	Pt. Lockout
5032'	5109'	77	Mancos

#26) 1st Stage - 4751', 4769', 4781', 4803', 4807', 4864', 4876, 1/SPZ.
2nd Stage - 4536', 4541', 4548', 4554', 4558', 4570', 4574', 4584',
4588', 4595', 4606', 4615', 4620', 4625', 4632', 4636',
4642', 4667', 4673', 4688', 4694', 4698', 1/SPZ.
3rd Stage - 4266', 4279', 4284', 4366', 4374', 4411', 4420', 4451',
4462', 1/SPZ.

#27) 1st Stage - 4751'-4876' 34,000# sand; 61,938 gals. wtr.
2nd Stage - 4536'-4698' 84,000# sand; 142,810 gals. wtr.
3rd Stage - 4266'-4462' 47,800# sand; 78,000 gals. wtr.