UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on	n Wells
	5. Lease Number SF-078215A
1. Type of Well GAS	6. If Indian, All. or Tribe Name
	7. Unit Agreement Name
2. Name of Operator MERIDIAN OIL	
	8. Well Name & Number
3. Address & Phone No. of Operator PO Box 4289, Farmington, NM 87499 (505) 326-9	Vanderslice #101 9700 9. API Well No. 30-045-26889
4. Location of Well, Footage, Sec., T, R, M	10. Field and Pool
1190'FSL, 1600'FWL, Sec.19, T-32-N, R-10-W, NME	
	11. County and State San Juan Co, NM
12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NO	
	of Action
X Notice of Intent Abandonment	Change of Plans
Subsequent Report Plugging Back	New Construction Non-Routine Fracturing
Casing Repair	Water Shut off
	ing Conversion to Injection
13. Describe Proposed or Completed Operations	
It is intended to recavitate the subject wel	ll in the following manner:
	3/8" tubing. Surge with gas until the 2" liner and 2 3/8" tubing. Return the
	TAREAN TON NAMED IN THE PARTY OF THE PARTY O
	JAN 1 2 1200 12 13 13 13 13 13 13 13 13 13 13 13 13 13
	JAN 1 2 1000
	OIL GOM, DIV.
14. I hereby certify that the foregoing is true	and garregt
	ulatory Administrator Date 1/3/96
(This space for Federal or State Office use)	
APPROVED BY Title CONDITION OF APPROVAL, if any:	APPROVED
•	0.9:4000

NMOCD

VANDERSLICE #101

Current -- 1/03/96


Cedar Hill Fruitland Basal Coal

1190' FSL,1600' FWL Sec. 19, T32N, R10W, San Juan Co., NM

Spud: 4-22-88 Completed: 5-15-88 Elevation: 6200' GL KB: 12.5'

Ojo Alamo @ 1160' Kirtland @ 1270'

Fruitland @ 2570'



Pertinent Data Sheet

VANDERSLICE #101

Location: SE/4 SW/4, Section 19, T32N, R10W, 1190' FSL, 1600' FWL,

Lat. 36.966720, Long. 107.926640 by TDG

San Juan, NM

Field: Cedar Hill Fruitland Basal Coal Elevation: 6200' GL TD: 2978'

KB: 12.5

Spud Date: 04-22-88 **Completed:** 05-15-88

<u>DP No:</u> 3043A <u>Prop. No:</u> 002029902 <u>Fed. No:</u> SF-078215A

Casing/Liner Record:

Hole Size	Csq Size	Wt. & Grade	Depth Set	Cement	Top/Cement
121/4"	9 5/8*	36# K-55	225'	110 sx	to surface
8¾"	7"	20# K-55	2705'	485 sx	TOC 240' (TS)
6¼"	51/2" Liner*	23# P-110	2645'-2965'	0	did not cement

Tubing Record: 2 3/8" 4.7# J-55 tubing set at 2939'. F Nipple set at 2905'.

Formation Tops:

Ojo Alamo: 1160' Fruitland: 2570'

Kirtland: 1270'

Logging Record: GR-N, I-D.

^{*}Liner pre-perfed 2728-2770, 2855-2897, 2940-2964.