Form 3160—3 (November 1983) (formerly 9-331C)

SUBMIT IN TRIPLICATE. (Other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0136
Expires August 31, 1985

DEPARTMENT OF	THE	INTER	OR: V	'ED
			- 養養 赤 註:	DOOM
BUPEAU OF LAND	MAN	AGEMENT		

DELLATION FOR PERMIT TO DRILL, DESPEN, DR-POUS BACK TYPE OF WALL DEEPEN ASKINGTON RESPLUG AGK FAMINISTON NEW MEXAGE PORO MALLIA GAS COMPANY ADDRESS MALLIA GAS COMPANY LOCKING OF WALL (Report location deserty and in accordance with any State requirements.) At proposed gred. Lose DEFENCE IN WILLS AND DISSECTION FOR WALLIAND THOSE FOR A PLANE TO	APPLICATION FOR PERMIT TO DRILL, DEEPEN, DB-PLUS BACK TYPE OF WAR. DEEPEN ADMINISTRA RES PLUS BACK FARM STATE OF THE ST	BUREAU OF LAND MANAGEMENT MAIL ROOM					ATION AND BREIAL NO.		
DEPENDENT NOT PROMISE TO SHEET	DELLATION FOR PERMIT 10 DRILL, DEFENDING RECRUS ACCOUNTS AND MARKET RECRUSION AND MARKET RECRUS ACCOUNTS AND MARKET RECRUS ACCOUNTS AND MARKET RECRUSION AND MARKET RECRUS ACCOUNTS AND MARKET RECRUSION AND MARKET RECRUS ACCOUNTS AND MARKET RECRUS ACCOUNTS AND MARKET RECRUS ACCOUNTS AND MARKET RECRUSION AND MARKET RECRUSION AND MARKET RECRUS ACCOUNTS AND MARKET RECRUSION AND MARKET RECR						SF-078459B		
DEPENDENT OF SEASON OF SEA	DEFFNAE MIGGER RECRUS BACK TYPE OF WALL OTHER FARMING TON M.	APPLICATION FOR PERMIT	TO DRILL, DE	PEN DR PLUS	BACK	6. IF INDIAN, AL.	LOTTES OR TRIBE NAME		
TYPE OF WILL FAMINIOTON NEW MICHIGAN STATE STAT	THE OF BULL 12 OFFICE ALL STATES OF	. TYPE OF WORK				7. UNIT AGREEM	ENT NAME		
AND PAGE OF PRINTING STATE OF OPERATOR FINANCIA OF PRINTING FOR BOX 4289, Parmington, NM 87499 FOR BOX 4289, Parmington, NM 87499 TO FINANCIA CARREST TO THE STATE OF THE	Allison Unit BY PASO STATUTA BY PASO S		DRILL 4 DEEPENFARMINGTON RESIDENCE ARTINCE						
ENT POR SO MAILTAI GAS COMPANY PO BOX 4289, Parmington, NM 87499 1028 1028 1038 104 1058	Allison Unit Bi Paso Matural Gas Company 100 No. 4289, Farmington, NM 87499 100 No. 4289, Farmington, NM		/AA7	SINGLE X MULT	IPLE -	i			
DO BOX 4289, Farmington, NM 87499 100 SOX 4289, Farmington, NM 87499 11. SOX 4289, Farmington, NM 87499 12. Sox 4289, Farmington, NM 87499 13. Sox 4289, Farmington, NM 87499 14. Sox 4289, Farmington, NM 87499 15. Sox 4289, Farmington, NM 87499 16. Sox 07 SOX 4288, Farmington, NM NM 87499 17. Sox 4288, Farmington, NM 87499 18. Sox 4289, Farmington, NM 87499 19. Sox 4289, Farming	B-PAGE ANALYZE CASE COMPANY PO Box 4289, Farmington, NM 87499 100 Box 4289, Farmington, NM 87499 110 Box 4289, Farmington, NM 87499 111 Box 72, Farmington, NM 87499 112 Box 72, Farmington, NM 87499 113 Box 72, Farmington, NM 87499 114 Box 72, Farmington, NM 87499 115 Box 72, Farmington, NM 87499 115 Box 72, Farmington, NM 87499 116 Box 72, Farmington, NM 87499 117 Box 72, Farmington, NM 87499 118 Box 72, Farmington, NM 87499 119 Box 72, Farmington, NM 87499 120 Box 72, Farmington, NM 87499 130 Box 72, Farmingt						Unit		
DO BOX 4289, Farmington, NM 87499 10 Courting of while Registr location dearly and in accordance with any State requirements." 10 Courting of while Registr location dearly and in accordance with any State requirements." 11	DO BOX 4289, Farmington, NM 87499 TOTALIST OF WILL (Report location descript and in accordance with any State requirements.) At proposed prod. tone B miles from Allison, Colorado TO THIS STATE TO THE TONE ALLISON, COLORADO DOCATION TO MARKET TOWN OF PORT OF THE TONE ALLISON TO THIS STATE SAME USE. TO THIS STATE	Fl Paso Natural Gas				·			
PO Box 4289, Farmington, NM 87499 Location of wait (Report location desir) and in accordance with any State requirement." At proposed prod. some At proposed prod. some B miles from Allison, Colorado B miles from Figure (Lass Life) (Lass Life	DO BOX 4288, Farmington, NM 87499 TOTALO OF WELL (Report location desiry and in accordance with any State requirements.) At proposed prod. tone At proposed prod. tone OUTSTANCE DIM PROPERTY OF FROM NEARIST TOW OR PORT OFFICE' 8 miles from Allison, Colorado 15. No. of access in states 17. NMPM 17. NMPM 19. NO OF ACCESS IN LANG. 18. NO. OF ACCESS IN LANG. 18. NO. OF ACCESS IN LANG. 18. NO. OF ACCESS IN LANG. 19. NOT ACCESS ASSISTED TO THE						128		
The Fruitland coal formation will be completed. A 3000 psi WP and 6000 psi test double gate preventer equipped with blind and pipe rams will be used for blow out prevention on this well. The SE/4 of Section 15 is dedicated to preventer based of February proposed are productive some and proposed are productive space to distinct the space for Federal or State of Section 15 is dedicated to preventer proposed are productive some and proposed are productive proposed in to drill or deepen directionally, give pertinent data on authorized location (This space for Federal or State of Rectains). PRESENTED THE STATE OF CASHING THE STATE OF STATE	AN INTERIOR OF WILL (Report location clerity and in accordance with any State requirements.*) At proposed prof. some At proposed prof. some At proposed prof. some OPERANCE IN MILES AND DIRECTION FROM MALASET TOWN OF FORT OFFICE* 8 miles from Allison, Colorado OPERANCE IN MILES AND DIRECTION FROM MALASET TOWN OF FORT OFFICE* 12 control to Malaset III. 13 floor of the proposed in the Life any. 14 Just 2. The Colorado III. 15 floor of the Colorado III. 16 floor of the Colorado III. 17 floor of the Colorado III. 18 floor of the Colorado III. 19 floor of the III. 19 floor of the III. 19 floor of the III. 10 floor of the III. 10 floor of the III. 11 floor of the III. 12 floor of the III. 13 floor of the III. 14 floor of the III. 15 floor of the III. 16 floor of the III. 17 floor of the III. 18 floor of the III. 19 floor of the III. 19 floor of the III. 10 floor of the III. 10 floor of the III. 11 floor of the III. 12 floor of the III. 13 floor of the III. 14 floor of the III. 15 floor of the III. 16 floor of the III. 17 floor of the III. 18 floor of the III. 19 floor of the III. 19 floor of the III. 19 floor of the III. 10 floor of the III. 11 floor of the III. 12 floor of the III. 13 floor of the III. 14 floor of the III. 15 floor of the III. 16 floor of the III. 17 floor of the III. 18 floor of the III. 19 floor of the III. 19 floor of the III. 19 floor of the III. 10 floor of the III. 11 floor of the III. 12 floor of the III. 13 floor of the III. 14 floor of the III. 15 floor of the III. 16 floor of the III. 17 floor of the III. 18 floor of the III. 19 floor of the III. 19 floor of the III. 10 floor of the III. 10 floor of the III. 11 floor of the III. 12 floor of the III. 13 floor of the III. 14 floor of the III. 15 floor of the III. 16 floor of the III. 17 floor of the III. 18 floor of the III. 19 floor of the III. 19 floor of the III. 10 floor of the III. 10 floor of the III. 10 floor of the III. 11 floor of the III. 12 floor of th						10. FIELD AND POOL OR WINDOAT		
At proposed prod. 1006 At proposed prod. 1006 B miles from Allison, Colorado Distract Haw Hiles and discriber from Allison, Colorado San Juan NM San Juan NM 12 correct prove received properties San Juan NM 18 miles from Allison, Colorado DISTRACT FROM FROM FROM FROM FROM FROM FROM FROM	At proceed proof took At proceed proof took See C. 1974 C. 22 - N, R-07-1 NPM J Distract is Milias and Direction From Allison, Colorado Similar from Allison, Colorado Similar from Allison, Colorado Distract From Allison, Colorado Similar from Allison, Colorado Distract From Allison, Colorado Distract From From From Colorado Distract From From From Colorado Distract From From From From From From From From								
DIRTARCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 8 miles from Allison, Colorado 15 No. of ACRES IN LEASE 17 COUNTY OF PARISH 13 STATE 8 miles from Allison, Colorado 15 No. of ACRES IN LEASE 17 COUNTY OF PARISH 13 STATE 8 miles from Allison, Colorado 18 No. of ACRES IN LEASE 17 OF THE PARISH 13 STATE 18 COUNTY OF PARISH 13 STATE 19 COUNTY OF PARISH 13 STATE 10 COUNTY OF PARISH 13 STATE 11 COUNTY OF PARISH 13 STATE 12 COUNTY OF PARISH 13 STATE 13 STATE 14 STATE 15 COUNTY OF PARISH 13 STATE 16 COUNTY OF PARISH 13 STATE 17 THE PARISH 13 STATE 18 STATE 10 COUNTY OF PARISH 13 STATE 19 COUNTY OF PARISH 13 STATE 10 STATE 14 STATE 10 STATE 14 STATE 11 COUNTY OF PARISH 13 STATE 12 COUNTY OF PARISH 14 STATE 12 COUNTY OF PARISH 14 CASH 14 CA	DISPANCE IN LESS AND DISECTION FROM MALASSET TOWN OR POST OFFICE* 8 miles from Allison, Colorado 12 count of Fallis 13 state 13 miles from Allison, Colorado 14 miles from Allison, Colorado 15 miles from Allison, Colorado 16 miles from Allison, Colorado 17 miles from Allison, Colorado 18 miles from Allison, Colorado 19 miles from Allison, Colorado 10 m	At *17765'S, 1715'E							
Site of Role State of Casing S	B miles from Allison, Colorado San Juan 13. State 12. Colorado 12. Colorado 12. Colorado 13. State 13. State 13. State 14. State 14. State 14. State 15. State	At proposed Brod rope				Sec. 15-T-32-N, R-07-W			
8 miles from Allison, Colorado Distance From Proposed Pr	8 miles from Allison, Colorado DESTANCE PROVEDOR PROPERTY PROPERTY PROPERTY PROPERTY PROPERTY OF LEASE IN LEASE DESTANCE PROPERTY PROPERTY PROPERTY PROPERTY PROPERTY PROPERTY OF LEASE IN LEASE AND VERSET WILL SELLING, THE LAND, TO STATE TO THE PROPERTY OF SETUE PROPERTY OF LAND THE PROPERTY OF LAND	At proposed prod. sode				NMPM J			
DIRECTOR PROPERTY TO SEASON PROPERTY TO SEASON PROPERTY TO SEASON PROPERTY OF ACCRETATION ASSESSMENT TO SEASON PROPERTY TO SEASON PROPERTY DECEMBER TO SEASON PROPERTY DEC	DEPLICATION FOOT PROPERTY TO ALREADY TRANSPART OR LARGE IT THE PROPERTY OR LARGE IT AND THE PROPERTY OF ALLES IT AND THE PROPERTY OF ALLES IT AND THE LARGE IT AND THE PROPERTY OF ALLES IT AND THE PROPERTY OF A PROPERTY OF	DISTANCE IN MILES AND DIRECTION FROM NE	AREST TOWN OR POST OF	FICE*		12. COUNTY OF F	ARISH 13. STATE		
DOCATION TO TREASERS TO THE PROPOSED LOCATION TO THE PROPOSED LOCATION TO THE PROPOSED LOCATION TO THE PROPOSED LOCATION TO NAME THE PROPOSED LOCATION OF THE PROPOSED LOCATION	THE Fruitland coal formation will be completed. A 3000 psi WP and 6000 psi test double gate preventer equipped with blind and pipe rams will be used for blow out prevention on this well. This gas is dedicated. The SE/4 of Section 15 is dedicated to proposal is to deepen or plug back, give and formation of this could be proposed in the delication of the section	8 miles from Allison,	Colorado			San Juan	NM		
DEPLIES THE PROPERTY PROPERTY PROPERTY PROPERTY PROPERTY PROPERTY ON SPECIAL PROPERTY PROPERT	DETERMINE SELVE DESCRIPTS PROPOSED PROCEASE. If APRIL DELIVER OF SECRET PROPOSED LASING TITLE PROPOSED LASING THE PROPOSED LAS			NO. OF ACRES IN LEASE	17. NO.	OF ACRES ASSIGNED			
DEPLIES THE PROPERTY PROPERTY PROPERTY PROPERTY PROPERTY PROPERTY ON SPECIAL PROPERTY PROPERT	CONSTITUTE FROM PROPERTY PROPERTY OF STATE OF ST	PROPERTY OR LEASE LINE, FT.	1705	1975.05	101	~160°/55	273		
The Fruitland coal formation will be completed. A 3000 psi WP and 6000 psi test double gate preventer equipped with blind and pipe rams will be used for blow out prevention on this well. This gas is dedicated. The SE/4 of Section 15 is dedicated to pipe back, given a subscript some and proposed new productive wenter program. If proposal is to deepen or plug back, given a subscript some and proposed new productive wenter program. If proposal is to deepen or plug back, given a subscript program. If proposal is to drill or deepen directionally, give pertinent data on subscript program. If proposal is to drill or deepen directionally, give pertinent data on subscript program. If proposal is to drill or deepen directionally, give pertinent data on subscript program. If proposal is to drill or deepen directionally, give pertinent data on subscript program. If proposal is to drill or deepen directionally, give pertinent data on subscript program. If proposal is to drill or deepen directionally, give pertinent data on subscript program. If proposed is to drill or deepen directionally, give pertinent data on subscript program. If proposed is to drill or deepen directionally, give pertinent data on subscript program. If proposed is to drill or deepen directionally, give pertinent data on subscript program. If proposed is to drill or deepen directionally, give pertinent data on subscript program. If proposed is to drill or deepen directionally, give pertinent data on subscript program. If proposed program is to deepen directionally, give pertinent data on subscript program. If proposed program is to deepen directionally, give pertinent data on subscript program. If proposed program is to deepen directionally, give pertinent data on subscript program. If proposed program is to deepen directionally, give pertinent data on subscript program is to deepen directionally, give pertinent data on subscript program is to deepen directionally, give pertinent data on subscript program is to deepen directionally give pertinent data	The Fruitland coal formation will be completed. A 3000 psi WP and 6000 psi test double gate preventer equipped with blind and pipe rams will be used for blow out prevention on this well. This gas is dedicated. The SE/4 of Section 15 is dedicated to be specified by proposal is to deepen or plug back, give data of the proposal is to deepen or plug back, give data of the proposal is to deepen or plug back, give data of the proposal is to deepen or plug back, give data of the proposal is to deepen or plug back, give data of the proposal is to deepen or plug back, give data of the proposal is to deepen or plug back, give data of the proposal is to deepen or plug back, give data of the proposal is to deepen or plug back, give data of the proposal is to deepen or plug back, give data of the proposal is to deepen or plug back, give data of the proposal is to deepen or plug back, give data of the proposal is to deepen or plug back, give data of the proposal is to deepen or plug back, give data of the proposal is to deepen or plug back, give data of the proposal is to deepen or plug back, give data of the proposal is to deepen or plug back, give data of the proposal is to deepen or plug back, give data of the proposal deepen or plug back, give data of the proposal deep data of t	DISTANCE SPON PROPOSED LOCATIONS	19	PROPOSED DEPTH					
SIER OF ROLE SI	SHEROTE CASHING AND ATTACHED. PROPOSED CASING AND CREATING PROGRAM-COCCURS to localize to technical and PROPOSED CASING AND CREATING DEPTH CONSTITUTOR WITH ACCOUNT ACCOUNTS OF APPROVAL DATE. SIER OF MOLE SIES OF CASING WEIGHT PER FOOT SETTING DEPTH CONSTITUTOR COLD ACCOUNTS OF APPROVAL DATE. SIER OF MOLE SIES OF CASING WEIGHT PER FOOT SETTING DEPTH CONSTITUTOR COLD ACCOUNTS OF CASHING ACCOUNTS OF APPROVAL IF ANT: SIER OF MOLE SIES OF CASING WEIGHT PER FOOT SETTING DEPTH CONSTITUTOR COLD ACCOUNTS OF CASHING ACCOUNTS OF APPROVAL IF ANT: SIER OF MOLE SIES OF CASING AND COLD ACCOUNTS OF CASHING ACC	TO NEAREST WELL, DRILLING, COMPLETED, 7	mile	3520 '		Rotary			
PROPOSED CASING INC EMBERTING PROCRAFT COURT IN A CFR CISC. SIZE OF HOLE SIZE OF CASING VEIGHT PER FOOT SETTING PROPER PROCRAFT COURT OF CASING IN A CFR CISC. 12 1/4" 9 5/8" 32.3# 200' 130 cf.circulated 8 3/4" 7" 20.0# 3405' 249 cf cover 0jo Alamo 6 1/4" 5 1/2"liner 23.0# 3520' do not cement The Fruitland coal formation will be completed. A 3000 psi WP and 6000 psi test double gate preventer equipped with blind and pipe rams will be used for blow out prevention on this well. This gas is dedicated. The SE/4 of Section 15 is dedicated to NOV 0 91388 ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plus back, pix the 3th Prevent Productive some and proposed new productive venter program. If any of the proposed is to delil or deepen directionally, give pertinent data on subsurface location Dispendent and true vertical depths. Give blowous venter program. If any of the proposed is to delil or deepen directionally, give pertinent data on subsurface location Dispendent and true vertical depths. Give blowous venter program. If any of the proposed of the proposed of the proposed of the program of the proposed of the pr	PROPOSED CASING INCCEMENTING PROGRAM—Recibel to scholar and CFP 4000 proposed as a CFP 4000 proposed propo	. ELEVATIONS (Show whether DF, RT, GR, etc.)	DRILLING OPER	ATIONS AUTHORIZED AR	E	22. APPROX. DA	TE WORK WILL START"		
SIZE OF HOLE SIZE OF ROLE SIZE OF CASINO SI	SIES OF ROLE SIES OF ROLE SIES OF CASING SIES OF CASING SIES OF CASING SIES OF ROLE SIES OF CASING SIES OF CASING SIES OF CASING SIES OF ROLE SIES OF CASING SIES OF CASING SIES OF CASING SIES OF ROLE SIES OF CASING SIES OF CASING SIES OF ROLE SIES OF ROLE SIES OF ROLE SIES OF CASING SIES OF CASING	6839'GL	SUBJECT TO CO	PAPLIANCE WITH ATTACH	HED		. testanicai end		
SIZE OF ROLE SIZE OF CASING WEIGHT CER FOOT SETTING DEPTH QUANTITY OF CHERTY	SIZE OF NOLE SIZE OF CASINO WEIGHT CRE FOOT SETTING DEPTH QUANTITY OF CHMENT 12 1/4" 9 5/8" 32.3# 200' 130 cf.circulated 8 3/4" 7" 20.0# 3405' 249 cf cover Ojo Alamo 6 1/4" 5 1/2"liner 23.0# 3520' do not cement The Fruitland coal formation will be completed. A 3000 psi WP and 6000 psi test double gate preventer equipped with blind and pipe rams will be used for blow out prevention on this well. This gas is dedicated. The SE/4 of Section 15 is dedicated to NOV 0 9 1388 NOV 0 9 1388 LABOVE SPACE DESCRIPE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data of proposed new productive some and proposed new productive some is to drill or deepen directionally, give pertinent data on subsurface location Dispersal data of the vertical depths. Give blowout senter program, if ADAL ALE REQUILATORY Affairs DATE 10-14-88 APPROVAL DATE TITLE REQUILATORY AFFAOVAL IF ANY:		PROPOSED CASING	NO DENENTING PROC	This ac	ilon is surject u Test racinus nucci	1071 to 48 OFR 0165		
12 1/4" 9 5/8" 32.3# 200' 130 cf.circulated 8 3/4" 7" 20.0# 3405' 249 cf cover Ojo Alamo 6 1/4" 5 1/2"liner 23.0# 3520' do not cement The Fruitland coal formation will be completed. A 3000 psi WP and 6000 psi test double gate preventer equipped with blind and pipe rams will be used for blow out prevention on this well. This gas is dedicated. The SE/4 of Section 15 is dedicated to NOV 091388 ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give a formation productive some and proposed new productive seventer program, if any street of the proposal is to deepen or plug back, give pretinent data on subsurface location productive some and proposed new productive seventer program, if any street of the proposal is to deepen or plug back, give productive some and proposed new productive seventer program, if any street of the proposed of the proposed new productive seventer program, if any street of the proposed new productive some and proposed new productive seventer program. APPROVAL DATE APPROVAL DATE APPROVAL DATE	3 3/4" 7" 20.0# 3405' 249 cf cover Ojo Alamo 6 1/4" 5 1/2"liner 23.0# 3520' do not cement The Fruitland coal formation will be completed. A 3000 psi WP and 6000 psi test double gate prewenter equipped with blind and pipe rams will be used for blow out prevention on this well. This gas is dedicated. The SE/4 of Section 15 is dedicated to NOV 091388 ABOVE SPACE DESCRIBE PROFOSED PROGRAM: If proposal is to deepen or plug back, give acts of private productive some and proposed new productive not. If proposal is to drill or deepen directionally, give pertinent data on subsurface location play productive some and proposed new productive not. If proposal is to drill or deepen directionally, give pertinent data on subsurface location play productive some and proposed new productive not. If proposal is to drill or deepen directionally, give pertinent data on subsurface location play productive some and proposed new productive notes and proposed new				rent as	negir etgsuset t te	48 CFR 3163.4.		
8 3/4 7 20.0# 3405 249 cf cover Ojo Alamo 6 1/4 5 1/2*liner 23.0# 3520' do not cement The Fruitland coal formation will be completed. A 3000 psi WP and 6000 psi test double gate preventer equipped with blind and pipe rams will be used for blow out prevention on this well. This gas is dedicated. The SE/4 of Section 15 is dedicated to NOV 091888 ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give out of Prevent productive some and proposed new productive cone. If proposal is to drill or deepen directionally, give pertinent data on subsurface location of prevent and true vertical depths. Give blowout eventer program. If ADV. Regulatory Affairs DATE 10-14-88	8 3/4" 6 1/4" 5 1/2"liner 23.0# 3520' do not cement The Fruitland coal formation will be completed. A 3000 psi WP and 6000 psi test double gate preventer equipped with blind and pipe rams will be used for blow out prevention on this well. This gas is dedicated. The SE/4 of Section 15 is dedicated to NOV 0 91988 ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, graden or productive some and proposed new productive one. If proposal is to drill or deepen directionally, give pertinent data on subsurface location DIS Productive some and proposed new productive verencer program, if ABJ. (This space for Federal or State office use) PERMIT NO. APPROVAL DATE TITLE PAPEROVAL DATE TITLE APPROVAL DATE TITLE PAPEROVAL DATE APPROVAL DATE TITLE APPROVAL DATE								
The Fruitland coal formation will be completed. A 3000 psi WP and 6000 psi test double gate preventer equipped with blind and pipe rams will be used for blow out prevention on this well. This gas is dedicated. The SE/4 of Section 15 is dedicated to NOV 0 91388 ABOVE SPACE DESCRIBE PROPOSED PROGEN: If proposal is to deepen or plug back, give data of Proposed new productive some and proposed new productive rener. If proposal is to drill or deepen directionally, give pertinent data on subsurface location of proposed and true vertical depths. SILVED REQUILITY OF PROPOSED PROGENES. GIVE DATE APPROVAL DATE APPROVAL DATE TITLE REQUILITY Affairs DATE APPROVAL DATE	The Fruitland coal formation will be completed. A 3000 psi WP and 6000 psi test double gate preventer equipped with blind and pipe rams will be used for blow out prevention on this well. This gas is dedicated. The SE/4 of Section 15 is dedicated to NOV 0 91888 ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, given the proposed new productive some and proposed new productive receiver program if any of the complete of the proposal is to deliberate of the proposal is to deepen or plug back, give the proposal is to deliberate of the proposal is to deliberate		_ '						
The Fruitland coal formation will be completed. A 3000 psi WP and 6000 psi test double gate preventer equipped with blind and pipe rams will be used for blow out prevention on this well. This gas is dedicated. The SE/4 of Section 15 is dedicated to NOV 0 9 1388 ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on prevent productive sone and proposed new productive. It proposal is to drill or deepen directionally, give pertinent data on subsurface location of preducted and true vertical depths. Give blowous eventer program, if Any SIGNED. Regulatory Affairs DATE APPROVAL DATE APPROVAL DATE APPROVAL DATE	The Fruitland coal formation will be completed. A 3000 psi WP and 6000 psi test double gate preventer equipped with blind and pipe rams will be used for blow out prevention on this well. This gas is dedicated. The SE/4 of Section 15 is dedicated to NOV 0 91388 ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plus back, give out of present productive some and proposed new productive ene. If proposal is to drill or deepen directionally, give pertinent data on subsurface location Did preduced and true vertical depths. Give blowous eventer program. If any. SIGNED. Regulatory Affairs DATE 10-14-88 APPROVED ST. APPROVED ST. TITLE REGULATORY AFFAIRS DATE APPROVED ST. TITLE PROPOVAL DATE TITLE DATE DA	0 0/1					JO Alamo_		
ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive sone and proposed new productive ne. If proposal is to drill or deepen directionally, give pertinent data on subsurface location in the proposed new productive new productive sone and proposed new productive ne. If proposal is to drill or deepen directionally, give pertinent data on subsurface location in the proposed new productive new product	ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive sone and proposed new productive ne. If proposal is to drill or deepen directionally, give pertinent data on subsurface location of presented and true vertical depths. Give blowous eventer program, if any. Regulatory Affairs DATE 10-14-88	A 3000 psi WP and 600 blind and pipe rams w	00 psi test d vill be used	double gate pr for blow out	evente prever	ition on t			
AFFROY BU DI	CONDITIONS OF APPROVAL, IF ANY:	(This space for Federal or State office use)		or plug back, gived a suita on subsurface location Regulator	Dig bie ent	ductive sone and pred and true vertice	i depths. Give blowou		
CONDITIONS OF APPROVAL, IF ANY:			TITLE			DATE	<u> </u>		
	Mild I was For NSP	CONDITIONS OF APPROVAL, IF ANY:				× ×			

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the

*See Instructions On Reverse Side

MEN MENTED OIL CONSERANTION COMMISSION

WELL LOCATION AND ÁCREAGE DEDICATION PLAT

Ser /rs C-13: Elle: 134-66

All distances must be from the outer boundaries of the Section Yell No. andian Oil Tree. EL PASO NATURAL GAS (SF - 078459B)UNIT 128 Section Township 32 NORTH SAN JUAN 7 WEST Actual Footage Location of Wells 1705 SOUTH feet free the Ground Level Cler. Fruitland Coal 6839 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease in dedicated to the well, outline each and identify the ownership thereof (both an to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? unitization If answer is "yes," type of consolidation ___ Yes If answer is "an," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.), No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commis-CERTIFICATION I bereby certify that the information (2)Drilling Clerk El Paso Natural Gas Co (5)11 12 JUNE 3, 1988 13 Resistance Professional Engineer NEALE C. EDWARDS Cortificate No. 6857

