

submitted in lieu of Form 3160-5

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator

**BURLINGTON
RESOURCES**

OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

1615'FNL 915'FEL, Sec.28, T-32-N, R-9-W, NMPM

5. Lease Number
SF-078268

6. If Indian, All. or
Tribe Name

7. Unit Agreement Name
San Juan 32-9 Unit

8. Well Name & Number
San Juan 32-9 U#274

9. API Well No.
30-045-28410

10. Field and Pool
Basin Fruitland Coal

11. County and State
San Juan Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment

Type of Action

☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other -
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut off
☐ Conversion to Injection

13. Describe Proposed or Completed Operations

It is intended to install a pump in the subject well according to the attached procedure and wellbore diagram.

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] (EJG) Title Regulatory Administrator Date 1/29/99
TLW

(This space for Federal or State Office use)

APPROVED BY /s/ Duane W. Spencer Title Team Lead, Petroleum Management Date FEB 25 1999

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOC

San Juan 32-9 Unit #274
PUMPING UNIT INSTALLATION PROCEDURE
1/26/99

Unit H, Section 28, T32N, R09W, San Juan County, New Mexico
Aircare Lat. 36 57.51'
Aircare Long. 107 46.72'

1. MIRU PULLING UNIT.
2. BLOW DOWN TBG. KILL WELL W/ WATER ONLY IF NECESSARY.
3. NDWH / NUBOP.
4. PU AT LEAST 1 JT. OF TBG. - TIH TO TAG FOR FILL.
5. TOH STANDING BACK 2-3/8" TBG., PCP PUMP AND ASSOCIATED ASSEMBLY (TBG. IS SET @ 3567'. THERE ARE 113 JTS. OF 2-3/8" 4.7# J-55 W/ 1-6' PUP JT., 1-13' STATOR. 1-1' X-OVER. 1-6' PERF SUB).
6. PU 4-3/4" BIT ON TBG. AND TIH TO COTB. CIRC. HOLE CLEAN. TOH W/ SAME.
7. TIH W/ 2-3/8" TBG. STRING AND LAND TBG. @ 3589'. PURGE VALVE WILL BE ON BOTTOM W/ 2-3/8"x10' PUP JOINT(3579'-3589'), 2-3/8"x6' PUP JOINT(3573'-3579'). 2-3/8"x4' PERFORATED SUB(3569'-3573') AND 2-3/8" SN @ 3569'.
8. HANG TBG. IN DONUT. NDBOP / NUWH.
9. TIH W/ NEW TOP HOLD DOWN ROD PUMP (2"x1-1/4"x10"x14' RHAC-Z). 4' SECTION CUP TYPE PLUNGER. RUN THREE - 1-1/4" SINKER BARS, APPROX. 120 - 3/4" GRADE D SUCKER RODS (W/ SPRAY METAL COUPLINGS), A SET OF 3/4" PONY RODS (2' .4' .6' .8') TO SPACE OUT. ONE - 1-1/4"x 22 - 3/4" PIN POLISHED ROD AND ONE - 1-1/4"x1-1/2"x10' POLISHED ROD LINER.
10. SEAT THE DOWNHOLE PUMP, HANG HORSES HEAD ON, SPACE PUMP.
11. LOAD TBG. . PRESSURE TEST.
12. START PUMPING UNIT. AND TEST OK (ADJUST SPACING IF NEEDED).
13. RDMO.

COMPLY WITH ALL FEDERAL. STATE AND LOCAL RULES AND REGULATIONS RELATING TO OIL AND GAS OPERATIONS.

E. J. Giles 1-26-99
Prepared: E.J. Giles
Office: 326-9584
Home: 325-8164

Bruce W. Boyes 1-27-99
Approved: Drilling Supt.

San Juan 32-9 Unit #274
(Current)
Basin Fruitland Coal
Unit H, Section 28, T32N, R9W, San Juan County, New Mexico

Completed: 4/10/91
 Recavitated: 11/1/94

