ADMINISTRATIVE ORDER DHC-2714

Burlington Resources Oil & Gas Company P.O. Box 4289 Farmington, New Mexico 87499

Attention: Ms. Peggy Cole

Moore No. 1
API No. 30-045-13214
Unit H, Section 35, Township 32 North, Range 12 West, NMPM,
San Juan County, New Mexico.
Blanco-Mesaverde (Prorated Gas - 72319) and
Basin-Dakota (Prorated Gas - 71599) Pools

Dear Ms. Cole:

Reference is made to your recent application for an exception to Rule 303.A. of the Division Rules and Regulations to permit the above described well to commingle production from the subject pools in the wellbore.

It appearing that the subject well qualifies for approval for such exception pursuant to the provisions of Rule 303.C., and that reservoir damage or waste will not result from such downhole commingling, and correlative rights will not be violated thereby, you are hereby authorized to commingle the production as described above and any Division Order which authorized the dual completion and required separation of the zones is hereby placed in abeyance.

The maximum amount of gas which may be produced daily from the well shall be determined by Division Rules and Regulations or by the gas allowable for each respective prorated pool as printed in the Division's San Juan Basin Gas Proration Schedule.

The applicant shall consult with the supervisor of the Aztec District Office of the Division upon completion and testing of the well in order to establish a fixed allocation of production from each of the commingled zones. Upon approval by the Division's Aztec District Office, the applicant shall submit the allocation formula to the Santa Fe Office of the Division.

REMARKS: The operator shall notify the Aztec District Office of the Division upon implementation of the commingling process.

Pursuant to Rule 303.H., the commingling authority granted herein may be rescinded by the Division Director if conservation is not being best served by such commingling.

Approved at Santa Fe, New Mexico on this 24th day of April, 2000.

STATE OF NEW MEXICO

OIL CONSERVATION DIVISION

LORI WROTENBERY

Director

SEAL

LW/DRC

cc: Oil Conservation Division - Aztec

Bureau of Land Management-Farmington

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

2. Name of Operator PESOURCES OIL & GAS COMPANY 3. Address & Phone No. of Operator PO Box 4289, Farmington, NM 87499 (505) 326-9700 4. Location of Well, Footage, Sec., T. R. M 1650'FNL, 990'FEL, Sec.35, T-32-N, R-12-W, NMFM 1650'FNL, 990'FEL, Sec.35, T-32-N, R-12-W, NMFM 12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA Type of Submission Type of Action Notice of Intent Recompletion Plugging Back Non-Routine Fracturing Casing Repair Water Shut off Final Abandonment Altering Casing Conversion to Injection Conversion to Injection Conversion to Injection Conversion to Injection Tober of the head & replace. S-2-00 Install new they head NU BOP. To be head to 1000 psi, OK. Ris RBP & TOOH. THE Willl. Mill up Model "D" pkr & chase. TOOH w/pkr & mill. TiH w/mill. S-3-00 CO to 7580'. TOOH w/mill. TIH w/mill, CO to PBTD & 7660'. Blow well clean. TOOH w/mill. Well will operate as a Mesaverde/Dakota commingle under DHC-2714. Well will operate as a Mesaverde/Dakota commingle under DHC-2714. Title Regulatory Supervisor Date 5/19/00 TIM WCEPTIED FOR RECOMPRESS Title Date OCCEPTIED FOR RECOMPRESS Title Date **CCEPTIED FOR RECOMPRESS Title Date**		BUREAU	OF LAND MANAGEMEI	NT .	• 0	, /
SF-078146 I. Type of Well GAS OIL & GAS COMPANY 3. Address & Phone No. of Operator PO Box 4289, Farmington, NM 87499 (505) 326-9700 4. Location of Well, Footage, Sec., T, R, M 1650'FNL, 990'FEL, Sec.35, T-32-N, R-12-W, NMFM 12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA Type of Submission Notice of Intent Abandonment Abandonment Change of Plans Recompletion Non-Routine Fracturing Casing Repair Altering Casing Water Shut off Final Abandonment Altering Casing Conversion to Injection The Will Name & Number Moore #1 13. Describe Proposed or Completed Operations 5-1-00 MIRU. ND WH. NU BOP. TOOH w/2 3/8" tbg. TIH w/RBP, set & 2000'. ND BOP. Brk off tbg head & replace. 5-2-00 Install new tbg head. NU BOP. PT tbg head to 1000 psi, OK. RIs RBP & TOOH. TIH w/mill. Mill up Model "D" pkr & chase. TOOH w/pkr & mill. TIH w/mill. 5-3-00 CO to 7580'. TOOH w/mill. TIH w/mill, CO to PBTD & 7660'. Blow well clean. TOOH w/mill. TIH w/arill. Sec. Signed Well will operate as a Mesaverde/Dakota commingle under DHC-2714. This space for Federal or State Office use) Approved BY Title Title Regulatory Supervisor Date 5/19/00 TIW CEPTED FOR REC Title Date		Sundry Not	ices and Reports	on Wells		
1. Type of Well GAS 6. If Indian, All. or Tribe Name 7. Unit Agreement Name 8. Well Name & Number Moore #1 9. Apt Well No. of Operator 10. PO Box 4289, Farmington, NM 87499 (505) 326-9700 4. Location of Well, Footage, Sec., T, R, M 1650'FNL, 990'FEL, Sec.35, T-32-N, R-12-W, NMFM 11. County and State San Juan Co, NM 12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA Type of Action Notice of Intent Abandonment Recompletion Non-Routine Fracturing Casing Repair Altering Casing Altering Casing Set Shut off Conversion to Injection 13. Describe Proposed or Completed Operations 5-1-00 MIRU. ND WH. NU BOP. TOOH w/2 3/8" tbg. TIH w/RBP, set @ 2000'. ND BOP. Brk off tbg head & replace. 5-2-00 Install new tbg head. NU BOP. FT tbg head to 1000 psi, OK. RIs RBP & TOOH. TH w/mill. Mill up Model 'D' pkr & chase. TOOH w/pkr & mill. TIH w/mill. 5-3-00 CO to 7580'. TOOH w/mill. TIH w/mill, CO to PETD @ 7660'. Blow well clean. TOOH w/mill. 5-4-00 TIH w/247 jts 2 3/8" 4.7# J-55 tbg, set @ 7605'. ND BOP. NU WH. RD. Rig released. Title Regulatory Supervisor Date 5/19/00 TLW CEPTED FOR REC Title Title Title Toth Title The Date TIM TITLE TITLE TITLE TITLE TOTH TITLE TOTH TITLE TOTH TITLE TOTH TITLE TOTH TITLE TOTH TOTH TITLE TOTH TITLE TOTH THE THE					5.	
OIL & GAS COMPANY 3. Address & Phone No. of Operator PO Box 4289, Farmington, NM 87499 (505) 326-9700 4. Location of Well, Footage, Sec., T. R. M 1650'FNL, 990'FEL, Sec.35, T-32-N, R-12-W, NMPM 11. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA Type of Submission Notice of Intent Recompletion Non-Routine Fracturing Casing Repair Pinal Abandonment Altering Casing Final Abandonment Altering Casing Submission Type of Action Non-Routine Fracturing Casing Repair Water Shut off Conversion to Injection Tother Completed Operations 5-1-00 MIRU. ND WH. NU BOP. TOOH w/2 3/8" tbg. TIH w/RBP, set © 2000'. ND BOP. Brk off tbg head & replace. 5-2-00 Install new tbg head. NU BOP. FT bg head to 1000 psi, OK. Rls RBP & TOOH. THH w/mill. Mill up Model "D" pkr & chase. TOOH w/pkr & mill. TH w/mill. 5-3-00 CO to 7580'. TOOH w/mill. TH w/mill, CO to PBTD © 7660'. Blow well clean. TOOH w/mill. 5-4-00 TH w/247 jts 2 3/8" 4.7# J-55 tbg, set © 7605'. ND BOP. NU WH. RD. Rig released. Well will operate as a Mesaverde/Dakota commingle under DHC-2714. Title Regulatory Supervisor Date 5/19/00 TITL W/APPROVED BY Title Date 8. Well Name & Number Moore #10.00 1	- -				6.	If Indian, All. or
2. Name of Operator PESOURCES OIL & GAS COMPANY 3. Address & Phone No. of Operator FO Box 4289, Farmington, NM 87499 (505) 326-9700 4. Location of Well, Footage, Sec., T. R. M 1650'FNL, 990'FEL, Sec.35, T-32-N, R-12-W, NMFM 12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA Type of Submission Type of Action Notice of Intent Recompletion Pinal Abandonment Recompletion Pinal Abandonment Altering Casing Casing Repair Final Abandonment Altering Casing Conversion to Injection Conversion to Injection Conversion to Injection Conversion to Injection Toeh will Nu Bop. Tooh w/2 3/8" tbg. TIH w/RBP, set © 2000'. ND Bop. Brk off tbg head & replace. 5-2-00 Install new tbg head. NU BOP. FT bg head to 1000 psi, OK. RIS RBP & TOOH. THE Will II Mill up Model "D" pkr & chase. Tood w/pkr & mill, TIH w/mill. 5-3-00 CO to 7580'. TOOH w/mill. TIH w/mill, CO to PBTD © 7660'. Blow well clean. TOOH w/mill. Well will operate as a Mesaverde/Dakota commingle under DHC-2714. Well will operate as a Mesaverde/Dakota commingle under DHC-2714. Title Regulatory Supervisor Date 5/19/00 TIM ACCEPTIED FOR RECOMPRECA ACCEPTIED FOR RECOMPRECA **CONTRIBUTED** **CONTRIBUT			ء ان المو	13300 M	7.	Unit Agreement Name
3. Address & Phone No. of Operator PO Box 4289, Farmington, NM 87499 (505) 326-9700 4. Location of Well, Footage, Sec., T, R, M 1. Location of Well, Footage, Sec., T, R, M 1. County and State San Juan Co, NM 12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA Type of Submission Type of Submission Abandonment Recompletion New Construction Plugging Back Recompletion Pinal Abandonment Altering Casing Repair Altering Casing Conversion to Injection 13. Describe Proposed or Completed Operations 5-1-00 MIRU. ND WH. NU BOP. TOOH w/2 3/8" tbg. TIH w/RBP, set @ 2000'. ND BOP. Brk off tbg head & replace. 5-2-00 Install new tbg head. NU BOP. PT tbg head to 1000 psi, OK. Rls RBP & TOOH. TH w/mill. Mill up Model "D" pkr & chase. TOOH w/pkr & mill. TIH w/mill. 5-3-00 CO to 7580'. TOOH w/mill. TIH w/mill, CO to PBTD @ 7660'. Blow well clean. TOOH w/mill. Well will operate as a Mesaverde/Dakota commingle under DHC-2714. 14. I hereby certify that the foregoing is true and correct. Signed Title Requilatory Supervisor Date 5/19/00 TLW COEPTED FOR REC TITLE Date Moore #1 API Well No. 30-045-13214 10. Field and Fool 10. Field and Fool 10. Chapte of Action 11. County and State 12. Check Approvers Date 5/19/00 TLW 20-045-13214 10. Field and Fool 11. County and State 12. Check Approvers Date 5/19/00 TLW 20-045-13214 10. Field and Fool 11. County and State 21. County and State 21. Chapter of Action 12. Check Approvers Date 5/19/00 TLW 20-045-13214 10. Field and Fool 12. Check Approvers Date 5/19/00 TLW 20-045-13214 10. Field and Fool 12. Check Approvers Date 5/19/00 TLW 20-045-13214 10. Field and Fool 12. Check Approvers Date 5/19/00 TLW 20-045-13214 10. Field and Fool 12. Chapter of Action 13. Describe Proposed or Complete Space. 13. Describe Proposed or Total Nature of Notice Reports of Action 14. I hereby certify that the foregoing is true and correct. Signed Title Requilatory Supervisor Date 5/19/00	BURLING	TQN	& GAS COMPANY	JUN 2700		
4. Location of Well, Footage, Sec., T, R, M 10. Field and Fool 1650'FNL, 990'FEL, Sec.35, T-32-N, R-12-W, NMPM 11. Country and State 25. San Juan Co, NM 12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA Type of Submission Type of Action Notice of Intent Abandonment Casing Repair Final Abandonment Altering Casing Conversion to Injection The Will, MIL ND WH. NU BOP. TOOH w/2 3/8" tbg. TIH w/RBP, set © 2000'. ND BOP. Brk off tbg head & replace. 5-2-00 Install new tbg head. NU BOP. FT tbg head to 1000 psi, OK. RIs RBP & TOOH. THE Wimill. Mill up Model "D" pkr & chase. TOOH w/pxill. TIH w/mill. 5-3-00 CO to 7580'. TOOH w/mill. TIH w/mill, CO to PBTD © 7660'. Blow well clean. TOOH w/mill. TOOH W/mi	3. Address & Phone	No. of Opera	tor	The state of the s	Sj 8. J	
4. Location of Well, Footage, Sec., T, R, M 1650'FNL, 990'FEL, Sec.35, T-32-N, R-12-W, NMPM 11. County and State San Juan Co, NM 12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA Type of Submission Motice of Intent Abandonment Recompletion New Construction New Construc		_	X 2	5-9700 Ç	y 9.	API Well No.
1650'FNL, 990'FEL, Sec.35, T-32-N, R-12-W, NMPM 11. County and State San Juan Co, NM 12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA Type of Submission Motice of Intent Abandonment Recompletion New Construction Non-Routine Fracturing Casing Repair Water Shut off Final Abandonment Altering Casing Conversion to Injection Z Other - commingle 13. Describe Proposed or Completed Operations 5-1-00 MIRU. ND WH. NU BOP. TOOH w/2 3/8" tbg. TIH w/RBP, set @ 2000'. ND BOP. Brk off tbg head & replace. 5-2-00 Install new tbg head. NU BOP. PT tbg head to 1000 psi, OK. Rls RBP & TOOH. TIH w/mill. Mill up Model "D" pkr & chase. TOOH w/pkr & mill. TIH w/mill. 5-3-00 CO to 7580'. TOOH w/mill. TIH w/mill, CO to PBTD @ 7660'. Blow well clean. TOOH w/mill. 5-4-00 TIH w/247 jts 2 3/8" 4.7# J-55 tbg, set @ 7605'. ND BOP. NU WH. RD. Rig released. Well will operate as a Mesaverde/Dakota commingle under DHC-2714. 14. I hereby certify that the foregoing is true and correct. Signed AUCEPTED FOR RECOMPTED FOR RECOMPTED BY Title Date	4 Togation of Woll	Footage 6	og T P W	4.01.6 B. B. B.	1.0	
12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA Type of Submission Notice of Intent Abandonment Recompletion New Construction New		_		ИРМ		Blanco MV/Basin DK
Type of Submission Notice of Intent Abandonment Recompletion New Construction New Construction Non-Routine Fracturing Casing Repair Altering Casing Altering Casing New Conversion to Injection Altering Casing Non-Routine Fracturing Casing Repair Altering Casing Conversion to Injection X Other - commingle 13. Describe Proposed or Completed Operations 5-1-00 MIRU. ND WH. NU BOP. TOOH w/2 3/8" tbg. TIH w/RBP, set @ 2000'. ND BOP. Brk off tbg head & replace. 5-2-00 Install new tbg head. NU BOP. PT tbg head to 1000 psi, OK. Rls RBP & TOOH. TIH w/mill. Mill up Model "D" pkr & chase. TOOH w/pkr & mill. TIH w/mill. 5-3-00 CO to 7580'. TOOH w/mill. TIH w/mill, CO to PBTD @ 7660'. Blow well clean. TOOH w/mill. 5-4-00 TIH w/247 jts 2 3/8" 4.7# J-55 tbg, set @ 7605'. ND BOP. NU WH. RD. Rig released. Well will operate as a Mesaverde/Dakota commingle under DHC-2714. 14. I hereby certify that the foregoing is true and correct. Signed Title Regulatory Supervisor Date 5/19/00 TIW (This space for Federal or State Office use) APPROVED BY Title Date						San Juan Co, NM
					RT, OTHER	DATA
Recompletion New Construction X Subsequent Report Plugging Back Non-Routine Fracturing Casing Repair Water Shut off Final Abandonment Altering Casing Conversion to Injection X Other - commingle 13. Describe Proposed or Completed Operations 5-1-00 MIRU. ND WH. NU BOP. TOOH w/2 3/8" tbg. TIH w/RBP, set @ 2000'. ND BOP. Brk off tbg head & replace. 5-2-00 Install new tbg head. NU BOP. PT tbg head to 1000 psi, OK. Rls RBP & TOOH. TIH w/mill. Mill up Model "D" pkr & chase. TOOH w/pkr & mill. TIH w/mill. 5-3-00 CO to 7580'. TOOH w/mill. TIH w/mill, CO to PBTD @ 7660'. Blow well clean. TOOH w/mill. 5-4-00 TIH w/247 jts 2 3/8" 4.7# J-55 tbg, set @ 7605'. ND BOP. NU WH. RD. Rig released. Well will operate as a Mesaverde/Dakota commingle under DHC-2714. 14. I hereby certify that the foregoing is true and correct. Signed Title Regulatory Supervisor Date 5/19/00 TLW (This space for Federal or State Office use) APPROVED BY Title Date					ngo of Dl	-m-a
Subsequent Report	NOCICE O	I Incenc			-	
Final Abandonment Altering Casing Conversion to Injection X Other - commingle 13. Describe Proposed or Completed Operations 5-1-00 MIRU. ND WH. NU BOP. TOOH w/2 3/8" tbg. TIH w/RBP, set @ 2000'. ND BOP. Brk off tbg head & replace. 5-2-00 Install new tbg head. NU BOP. PT tbg head to 1000 psi, OK. Rls RBP & TOOH. TIH w/mill. Mill up Model "D" pkr & chase. TOOH w/pkr & mill. TIH w/mill. 5-3-00 CO to 7580'. TOOH w/mill. TIH w/mill, CO to PBTD @ 7660'. Blow well clean. TOOH w/mill. 5-4-00 TIH w/247 jts 2 3/8" 4.7# J-55 tbg, set @ 7605'. ND BOP. NU WH. RD. Rig released. Well will operate as a Mesaverde/Dakota commingle under DHC-2714. 14. I hereby certify that the foregoing is true and correct. Signed Title Regulatory Supervisor Date 5/19/00 TIW (This space for Federal or State Office use) APPROVED BY Title	_X_ Subseque	nt Report				
Title Regulatory Supervisor Date 5/19/00 Titly Cher - commingle 2. Other - commingle Tother - commingle						
5-1-00 MIRU. ND WH. NU BOP. TOOH w/2 3/8" tbg. TIH w/RBP, set @ 2000'. ND BOP. Brk off tbg head & replace. 5-2-00 Install new tbg head. NU BOP. PT tbg head to 1000 psi, OK. Rls RBP & TOOH. TIH w/mill. Mill up Model "D" pkr & chase. TOOH w/pkr & mill. TIH w/mill. 5-3-00 CO to 7580'. TOOH w/mill. TIH w/mill, CO to PBTD @ 7660'. Blow well clean. TOOH w/mill. 5-4-00 TIH w/247 jts 2 3/8" 4.7# J-55 tbg, set @ 7605'. ND BOP. NU WH. RD. Rig released. Well will operate as a Mesaverde/Dakota commingle under DHC-2714. 14. I hereby certify that the foregoing is true and correct. Signed Title Regulatory Supervisor Date 5/19/00 TLW (This space for Federal or State Office use) APPROVED BY Title Date	Final Ab	andonment			version to	o Injection
Brk off tbg head & replace. 5-2-00 Install new tbg head. NU BOP. PT tbg head to 1000 psi, OK. Rls RBP & TOOH. TIH w/mill. Mill up Model "D" pkr & chase. TOOH w/pkr & mill. TIH w/mill. 5-3-00 CO to 7580'. TOOH w/mill. TIH w/mill, CO to PBTD @ 7660'. Blow well clean. TOOH w/mill. 5-4-00 TIH w/247 jts 2 3/8" 4.7# J-55 tbg, set @ 7605'. ND BOP. NU WH. RD. Rig released. Well will operate as a Mesaverde/Dakota commingle under DHC-2714. 14. I hereby certify that the foregoing is true and correct. Signed Title Regulatory Supervisor Date 5/19/00 TLW TIH W/mill. TIH w/mill. Title Regulatory Supervisor Date 5/19/00 TLW TIH W/mill. T	13. Describe Prop	osed or Comp	leted Operations			
TIH w/mill. Mill up Model "D" pkr & chase. TOOH w/pkr & mill. TIH w/mill. 5-3-00 CO to 7580'. TOOH w/mill. TIH w/mill, CO to PBTD @ 7660'. Blow well clean. TOOH w/mill. 5-4-00 TIH w/247 jts 2 3/8" 4.7# J-55 tbg, set @ 7605'. ND BOP. NU WH. RD. Rig released. Well will operate as a Mesaverde/Dakota commingle under DHC-2714. 14. I hereby certify that the foregoing is true and correct. Signed Title Regulatory Supervisor Date 5/19/00 TLW (This space for Federal or State Office use) APPROVED BY Title Date	Brk	off tbg hea	d & replace.			
5-4-00 TIH w/247 jts 2 3/8" 4.7# J-55 tbg, set @ 7605'. ND BOP. NU WH. RD. Rig released. Well will operate as a Mesaverde/Dakota commingle under DHC-2714. 14. I hereby certify that the foregoing is true and correct. Signed Title Regulatory Supervisor Date 5/19/00 TLW (This space for Federal or State Office use) APPROVED BY Title Date	TIH 5-3-00 CO to	w/mill. Mil. 7580'. TOOH	l up Model "D" pl	r & chase. To	OOH w/pkr	& mill. TIH w/mill.
14. I hereby certify that the foregoing is true and correct. Signed Title Regulatory Supervisor Date 5/19/00	5-4-00 TIH w	/247 jts 2 3	/8" 4.7# J-55 tbo	g, set @ 7605	'. ND BOP	. NU WH. RD. Rig
Signed Title Regulatory Supervisor Date 5/19/00 (This space for Federal or State Office use) APPROVED BY Title Regulatory Supervisor Date 5/19/00 TLW OCCEPTED FOR RECU	Well will ope	rate as a Me	saverde/Dakota co	ommingle unde	r DHC-271	4.
(This space for Federal or State Office use) APPROVED BY TIM TLW CCEPTED FOR REC	14. I hereby cert	ify that the	foregoing is tru	ue and correc	t.	
APPROVED BY Title Date	Signed July	Cale	Title Rec	ulatory Supe	<u>rvisor</u> Da	mr 14
APPROVED BYTitleDate CONDITION OF APPROVAL, if any:TITLEDate	(This space for Fed	eral or State	e Office use)			ACCEPTED FOR RECOI
CONDITION OF APPROVAL, if any:		'-	Title		Date _	
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the		•	ny nerson knowingly and wil	lfully to make to and	denautment ==	JUN 2 3 2000

FARMINGTON FYELD UPPIC