PV.

District I P.O. Box 1990 Hope My 2. Fourt District II P.O. Draw DEPUTY ON Long GAS INSPECTOR

District III 1900 Rio Brazos Rd, Azta**S IMP**87 **0**0 3 1999

HISTORY CONTRACTOR OF STATE

State of New Mexico Energy, Minerals and Natural Resources Department SUBMIT I COPY TO APPROPRIATE-DISTRICT OFFICE AND I COPY TO SANTA FE OFFICE

OIL CONSERVATION DIVISION

2040 South Pacheco Street Santa Fe, New Mexico 87505

PIT REMEDIATION AND CLOSURE REPORT

DECEIVED N JUL 3 0 1989

OUL CON. DIV.

- mander flante name and	The manufacture of the same of			DIDIL 3
Operator:	PNM Gas Services (Burlington) Telephone:	324-3764	
Address: 603	W. Elm Street Farmington, NM 8	37401		
Facility or Well Na	me: Hubbard #4			
Location: U	nit M Sec _	15 T 32N	R 12 W County	San Juan
Pit Type: Se	parator Dehydr	ator Othe	r	
Land Type: BL	M State	Fee 💆 Othe	r	
Pit Location:	Pit dimensions: length	20 width	20 ' depth	3 '
(Attach diagram)	Reference: wellhead	other		
	Footage from reference:	145'	· .	
-	Direction from reference: 50	Degrees 🔽	East North	<u> </u>
			of West South	
Depth to Ground W (Vertical distance from contaminant seasonal high water elevation of growater	ts to	Less than 50 feet 50 feet to 99 feet Greater than 100 feet		(20 points) (10 points) (0 points) 0
Wellhead Protection (Less than 200 feet from a private domestic water source, or, less than feet from all other water sources)		Yes No		(20 points) (0 points) 0
Distance to Surface (Horizontal distance to perennial lal ponds, rivers, streams, creeks, irriga canals and ditches	kes,	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet		(20 points) (10 points) (0 points)0
· ····································		RANKING SCORE	(TOTAL POINTS):	: 0

Hubbard #4		
Date Remediation Started:	04/29/1999	Date Completed: 04/29/1999
Remediation Method:	Excavation X	Approx. Cubic Yard 500
(Check all appropriate sections)	Landfarmed X	Amount Landfarmed (cubic yds) 425
sections)	Other 75 cu. yds. overburden	
Remediation Location: (i.e., landfarmed onsite, name and location of offsite facility)	Onsite X	Offsite
Backfill Material Location:		
General Description of Ren	nedial Action:	
Excavated contaminated soi to 12". Soil was agrated by c	il to a pit size of 26' X 26' X 20' and land disking/plowing until soil met regulatory	
Ground Water Encountered	d: No <u>V</u> Y	es Depth
Final Pit Closure Sampling:	Sample Location 3 pt. composit	e - bottom.
(if multiple samples, attach sample result and diagram of sample locations and dépths.)	Sample depth 20'	
sample locations and depuis.)	Sample date <u>04/29/1999</u>	Sample time 2:45:00 PM
	Sample Results	
	Benzene (ppm) <	0.250
	Total BTEX (ppm)	39.400
	Field headspace (ppm)	
	TPH (ppm) 290.00	Method 8015B
Vertical Extent (ft)	Risk	Analysis form attached Yes No No
Ground Water Sample:	Yes No	(If yes, see attached Groundwater Site Summary Report)
I HEREBY CERTIFY THA KNOWLEDGE AND MY B	T THE INFORMATION ABOVE IS T BELIEF	RUE AND COMPLETE TO THE BEST OF MY
DATE July 27, 1999 SIGNATURE	undamon	PRINTED NAME Maureen Gannon AND TITLE Project Manager —


Hubbard #4 Burlington Sec. 15, 32N, 12W, m

4/29/99




1

- Site diagram:



End of excavation:



LAB: (505) 325-1556

On Site Technologies, LTD.

CLIENT:

PNM - Public Service Company of NM

Project:

Hubbard #4

Lab Order:

9904074

CASE NARRATIVE

Samples were analyzed using the methods outlined in the following references:

Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW846, 3rd Edition

All method blanks, laboratory spikes, and/or matrix spikes met quality assurance objectives.





LAB: (505) 325-1556

ANALYTICAL REPORT

Date: 14-May-99

Client:

Lab ID:

Project:

PNM - Public Service Company of NM

Work Order: 990

9904074

Hubbard #4

9904074-01A

Matrix: SOIL

Client Sample Info: Hubbard #4

Client Sample ID: 9904291445; Bottom @ 20ft

Collection Date: 4/29/99 2:45:00 PM

COC Record: 7584

Parameter	Result	PQL	Qual Units	DF	Date Analyzed
DIESEL RANGE ORGANICS	sv	V8015B			Analyst: DC
T/R Hydrocarbons: C10-C28	290	25	mg/Kg	. 1	5/12/99
AROMATIC VOLATILES BY GC/PID	sv	V8021B	- •		Analyst: DC
Benzene	ND	250	μg/Kg	250	5/11/99
Toluene	1400	500	μg/Kg	250	5/11/99
Ethylbenzene	1800	250	μg/Kg	250	5/11/99
m,p-Xylene	29000	500	μg/Kg	250	5/11/99
o-Xylene	7200	250	μg/Kg	250	5/11/99
	39400		, •		
•	27400)			
	39.4 0	S			

Qualifiers:

PQL - Practical Quantitation Limit

ND - Not Detected at Practical Quantitation Limit

J - Analyte detected below Practical Quantitation Limit

B - Analyte detected in the associated Method Blank

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

Surr: - Surrogate

e I of I



LAB: (505) 325-1556

ANALYTICAL REPORT

Date: 14-May-99

Client:

Lab ID:

Project:

PNM - Public Service Company of NM

Work Order:

9904074

9904074-02A

Hubbard #4

Matrix: SOIL

Client Sample Info: Hubbard #4

Client Sample ID: 9904291450; Walls @ 15ft

Collection Date: 4/29/99 2:50:00 PM

COC Record: 7584

Parameter	Result	PQL	Qual Units	DF	Date Analyzed
DIESEL RANGE ORGANICS	SV	V8015B			Analyst: DC
T/R Hydrocarbons: C10-C28	ND	25	mg/Kg	1	5/12/99
AROMATIC VOLATILES BY GC/PID	SW8021B		0 0		Analyst: DC
Benzene	ND	1	μg/Kg	1	5/10/99
Toluene	ND	2	μg/Kg	1	5/10/99
Ethylbenzene	ND	1	μg/Kg	1	5/10/99
m,p-Xylene	ND	2	μg/Kg	1	5/10/99
o-Xylene	ND	1	μg/Kg	1	5/10/99

Qualifiers:

PQL - Practical Quantitation Limit

ND - Not Detected at Practical Quantitation Limit

J - Analyte detected below Practical Quantitation Limit

B - Analyte detected in the associated Method Blank

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

Surr: - Surrogate

Buring	2N R-12W UC-M ten	· · · · · · · · · · · · · · · · · · ·	<u> </u>	
	Inud	Car Dans	2334.6	
	27/70	FARM DRAN	Арр	425 cu yds
•	· · · · · · · · · · · · · · · · · · ·		:	· · · · · · · · · · · · · · · · · · ·
	49.2 ррт		6.3	sp m
			•	
		<u> </u>		
		87. lppm		
			· · · · · · · · · · · · · · · · · · ·	
		<u> </u>		
	51.1 ppm			
		;		
		;	<u> عما تي . 3</u>	
	:			
*** *** ******************************				
	2" +	· 12" Depth		
	Hends	pace Readin	5 43.6 ppm	
	Daw!	pace Reading	9-1/39	
	rang (A). Bi data makam samungkapa, sa mga maga samungka kalabahan Mahambada Mara bada bada sa masamanapa ma se samuna	:		
			1	
		* · · · · · · · · · · · · · · · · · · ·		

LAB: (505) 325-1556

On Site Technologies, LTD.

CLIENT:

PNM - Public Service Company of NM

Project:

PNM Landfarms

Lab Order:

9906041

CASE NARRATIVE

Date: 21-Jun-99

Samples were analyzed using the methods outlined in the following references:

Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW846, 3rd Edition

All method blanks, laboratory spikes, and/or matrix spikes met quality assurance objectives.



LAB: (505) 325-1556

ANALYTICAL REPORT

Date: 21-Jun-99

Client:

PNM - Public Service Company of NM

Work Order:

Lab ID:

Project:

9906041

PNM Landfarms

9906041-02A

Matrix: SOIL

Client Sample Info: Hubbard #4 LF

Client Sample ID: 9906091139; 5pt. Comp

Collection Date: 6/9/99 11:39:00 AM

COC Record: 7717

Parameter	Result	PQL	Qual Un	nits	DF	Date Analyzed
DIESEL RANGE ORGANICS T/R Hydrocarbons: C10-C28	SV ND	V8015B	m	ia/Ka	1	Analyst: DC 6/16/99

Qualifiers:

PQL - Practical Quantitation Limit

ND - Not Detected at Practical Quantitation Limit

J - Analyte detected below Practical Quantitation Limit

B - Analyte detected in the associated Method Blank

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

Surr: - Surrogate

1 of 1