

District I
P.O. Box 1980, Hobbs, NM 88241

District II
P.O. Drawer DD, Artesia, NM 88221

District III
1000 Rio Brazos Rd, Aztec, NM 87410

Denny E. Foust
DEPUTY OIL & GAS INSPECTOR

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

2040 South Pacheco Street
Santa Fe, New Mexico 87505

OK
SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

SEP 03 1999

PIT REMEDIATION AND CLOSURE REPORT

RECEIVED
JUL 30 1999

Operator: PNM Gas Services (Burlington) Telephone: 324-3764

Address: 603 W. Elm Street Farmington, NM 87401

Facility or Well Name: Culpepper Martin #6A

Location: Unit I Sec 33 T 32 N R 12 W County San Juan

Pit Type: Separator ☐ Dehydrator ☒ Other

Land Type: BLM ☒ State ☐ Fee ☐ Other

Pit Location: Pit dimensions: length 20 ' width 20 ' depth 3 '

(Attach diagram) Reference: wellhead ☒ other

Footage from reference: 75 '

Direction from reference: 70 Degrees ☒ East North ☐
of ☐ West South ☒

Depth to Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)	Less than 50 feet	(20 points)	<u>0</u>
	50 feet to 99 feet	(10 points)	
	Greater than 100 feet	(0 points)	

Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or, less than 1,000 feet from all other water sources)	Yes	(20 points)	<u>0</u>
	No	(0 points)	

Distance to Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	Less than 200 feet	(20 points)	<u>0</u>
	200 feet to 1,000 feet	(10 points)	
	Greater than 1,000 feet	(0 points)	

RANKING SCORE (TOTAL POINTS): 0

Culpepper Martin #6A

Date Remediation Started: 04/14/1999

Date Completed: 04/14/1999

Remediation Method:

Excavation ☒

Approx. Cubic Yard 296

(Check all appropriate sections)

Landfarmed ☒

Amount Landfarmed (cubic yds) 296

Other

Remediation Location:

Onsite ☒

Offsite

(i.e., landfarmed onsite, name and location of offsite facility)

Backfill Material Location:

General Description of Remedial Action:

Excavated contaminated soil to a pit size of 20' X 20' X 20' and landfarmed soil onsite within a bermed area at a depth of 6" to 12". Soil was aerated by disking/plowing until soil met regulatory levels.

Ground Water Encountered:

No



Yes



Depth

Final Pit Closure Sampling:

Sample Location 5 pt. composite - bottom.

(if multiple samples, attach sample result and diagram of sample locations and depths.)

Sample depth 20'

Sample date 04/14/1999

Sample time 9:50:00 AM

Sample Results

Benzene (ppm) < 0.250

Total BTEX (ppm) 30.700

Field headspace (ppm)

TPH (ppm) 46.00

Method 8015B

Vertical Extent (ft)

Risk Analysis form attached Yes ☐ No ☒

Ground Water Sample:

Yes

No



(If yes, see attached Groundwater Site Summary Report)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND MY BELIEF

DATE July 27, 1999

SIGNATURE

Maureen Gannon

PRINTED NAME Maureen Gannon
AND TITLE Project Manager


Culpepper Martin #6A
Burlington
Sec. 33, 32N, 12W, I

4/14/99


↑
N

Site diagram:

70° E of S



End of excavation:



not to scale

OFF: (505) 325-5667



LAB: (505) 325-1556

On Site Technologies, LTD.

Date: 23-Apr-99

CLIENT: PNM - Public Service Company of NM
Project: Culpepper Martin #6A
Lab Order: 9904019

CASE NARRATIVE

Samples were analyzed using the methods outlined in the following references:

Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW846, 3rd Edition

All method blanks, laboratory spikes, and/or matrix spikes met quality assurance objectives.

OFF: (505) 325-5667



LAB: (505) 325-1556

ANALYTICAL REPORT

Date: 23-Apr-99

Client: PNM - Public Service Company of NM
Work Order: 9904019
Lab ID: 9904019-01A **Matrix:** SOIL
Project: Culpepper Martin #6A

Client Sample Info: Culpepper Martin #6A
Client Sample ID: 9904140950; Bottom @ 20ft.
Collection Date: 4/14/99 9:50:00 AM
COC Record: 7559

Parameter	Result	PQL	Qual	Units	DF	Date Analyzed
DIESEL RANGE ORGANICS		SW8015				Analyst: HR
T/R Hydrocarbons: C10-C28	46	25		mg/Kg	1	4/19/99
AROMATIC VOLATILES BY GC/PID		SW8021B				Analyst: HR
Benzene	ND	250		µg/Kg	250	4/15/99
Toluene	6000	500		µg/Kg	250	4/15/99
Ethylbenzene	2000	250		µg/Kg	250	4/15/99
m,p-Xylene	18000	500		µg/Kg	250	4/15/99
o-Xylene	4700	250		µg/Kg	250	4/15/99

30700
30.7 ppm

Qualifiers: PQL - Practical Quantitation Limit
ND - Not Detected at Practical Quantitation Limit
J - Analyte detected below Practical Quantitation Limit
B - Analyte detected in the associated Method Blank

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
Surr: - Surrogate

1 of 1

OFF: (505) 325-5667



LAB: (505) 325-1556

ANALYTICAL REPORT

Date: 23-Apr-99

Client:	PNM - Public Service Company of NM	Client Sample Info:	Culpepper Martin #6A
Work Order:	9904019	Client Sample ID:	9904140955; Walls @ 15ft.
Lab ID:	9904019-02A	Matrix:	SOIL
Project:	Culpepper Martin #6A	Collection Date:	4/14/99 9:55:00 AM
		COC Record:	7559

Parameter	Result	PQL	Qual	Units	DF	Date Analyzed
DIESEL RANGE ORGANICS		SW8015				Analyst: HR
T/R Hydrocarbons: C10-C28	ND	25		mg/Kg	1	4/15/99

Qualifiers:

PQL - Practical Quantitation Limit

S - Spike Recovery outside accepted recovery limits

ND - Not Detected at Practical Quantitation Limit

R - RPD outside accepted recovery limits

J - Analyte detected below Practical Quantitation Limit

E - Value above quantitation range

B - Analyte detected in the associated Method Blank

Surr - Surrogate


1 of 1

P.O. BOX 2606 • FARMINGTON, NM 87499

Culpepper Martin 6A
Sec-33 T-32N R-12W 42-I

LAND FARM DRAWING

on location App 296 cu yd.



2" to 12" Depth
Headspace Reading 73.2pp
Sample # 9905190810

OFF: (505) 325-5667



LAB: (505) 325-1556

On Site Technologies, LTD.

Date: 27-May-99

CLIENT: PNM - Public Service Company of NM

Project: C.M./Moore/Montoya LF

Lab Order: 9905066

CASE NARRATIVE

Samples were analyzed using the methods outlined in the following references:

Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW846, 3rd Edition

All method blanks, laboratory spikes, and/or matrix spikes met quality assurance objectives.

OFF: (505) 325-5667



LAB: (505) 325-1556

ANALYTICAL REPORT

Date: 27-May-99

Client:	PNM - Public Service Company of NM	Client Sample Info:	Culpepper Martin #6A LF
Work Order:	9905066	Client Sample ID:	9905190810; 5pt Comp
Lab ID:	9905066-01A	Matrix:	SOIL
Project:	C.M./Moore/Montoya LF	Collection Date:	5/19/99 8:10:00 AM
		COC Record:	7620

Parameter	Result	PQL	Qual	Units	DF	Date Analyzed
DIESEL RANGE ORGANICS		SW8015B				Analyst: DC
T/R Hydrocarbons: C10-C28	ND	25		mg/Kg	1	5/25/99

Qualifiers:

PQL - Practical Quantitation Limit

S - Spike Recovery outside accepted recovery limits

ND - Not Detected at Practical Quantitation Limit

R - RPD outside accepted recovery limits

J - Analyte detected below Practical Quantitation Limit

E - Value above quantitation range

B - Analyte detected in the associated Method Blank

Surr: - Surrogate

P.O. BOX 2606 • FARMINGTON, NM 87499

1 of 1

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -