

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office SANTA FE  
Lease No. NM 03153  
Unit NE/4 SECTION 10  
T26N R11W

SUNDRY NOTICES AND REPORTS ON WELLS

|   |                                     |   |  |
|---|-------------------------------------|---|--|
| NOTICE OF INTENTION TO DRILL.....                   | <input checked="" type="checkbox"/> | SUBSEQUENT REPORT OF WATER SHUT-OFF.....        |  |
| NOTICE OF INTENTION TO CHANGE PLANS.....            |                                     | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING..... |  |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....     |                                     | SUBSEQUENT REPORT OF ALTERING CASING.....       |  |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL..... |                                     | SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....  |  |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....        |                                     | SUBSEQUENT REPORT OF ABANDONMENT.....           |  |
| NOTICE OF INTENTION TO PULL OR ALTER CASING.....    |                                     | SUPPLEMENTARY WELL HISTORY.....                 |  |
| NOTICE OF INTENTION TO ABANDON WELL.....            |                                     |   |  |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

MAY 20, 1952

O. H. BANDEL  
Well No. 1 is located 990 ft. from [N] line and 990 ft. from [E] line of sec. 10

NE/4 Sec. 10 26N 11W NM/1  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
WILDCAT SAN JUAN NEW MEXICO  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft. To be furnished later.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

THE PICTURED CLIFFS SANDSTONE IS THE OBJECTIVE FORMATION WHICH SHOULD BE FOUND AT APPROXIMATELY 2100'. APPROXIMATELY 110' OF 9-5/8" SURFACE CASING WILL BE CEMENTED AND CIRCULATED. A 8-3/4" HOLE WILL BE DRILLED TO A POINT JUST ABOVE THE TOP OF THE PICTURED CLIFFS SANDSTONE WHERE THE HOLE WILL BE REDUCED TO 4-3/4", AND THE WELL DRILLED THROUGH THE SANDSTONE. A SCHLUMBERGER SURVEY WILL BE RUN, AND IF PRODUCTION IS INDICATED 7" OR 5-1/2" CASING ON A PACKER WILL BE RUN FOR A PRODUCTION TEST.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company LUCERNE CORPORATION-NILOCO COMPANY  
Address MERCANTILE SECURITIES BUILDING  
DALLAS 1  
TEXAS  
By [Signature]  
Title VICE PRESIDENT

Company Lucerne & Niloco


Lease O. H. Randell Well No. 1

Sec. 10 T. 26 N., R. 11 W., N.M.P.M.

Location 990' from the North line and 990' from the East line.

San Juan County

New Mexico



Scale—4 inches equals 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

*Charles J. Finklea*

Seal:

Registered Professional **Charles J. Finklea**  
Engineer and Land Surveyor. **N. Mex. Reg. No. 1302**

Surveyed May 20, 1952.