50-040-00740

(SUBMIT IN TRIPLICATE)


4	Land Office
,	078624 Lease No.

Budget Bureau 42-R358.2. Approval expires 12-31-52.

DE GEOLOGICAL SURVEY

UNITED STATES	Mease 140.
PARTMENT OF THE INTERIOR	Unit

NOTICE OF INTENTION TO DRILL	ľ	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	1	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPARE
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		100 100 600
		The state of the s
(INDICATE ABOVE BY CHECK N	MARK NAT	TURE OF REPORT, NOTICE, OR OTHER DATA)
		impart 18 , 19 52
VILLAND MONA /	£	$\begin{bmatrix} N \\ B \end{bmatrix}$ line and $\begin{bmatrix} M \\ W \end{bmatrix}$ line of sec. $\begin{bmatrix} 12 \\ W \end{bmatrix}$
Vell No is located \$30it.	. irom	ine and last it. Irom W ine or sec.
(14 Sec. and Sec. No.) (Twp.)	(I	tange) (Meridian)
u o Sen Just	B	New Next co
(Field) (Co	ounty or 8	ubdivision) (State or Territory)
	1 1	•. 6.
The elevation of the derrick floor above se	a level	18rt.
D.C.	TAILC	OF WORK
		S OF WORK
Same warmer of and expected depths to objective sands: she	ow sizes.	SOF WORK weights, and lengths of proposed casings; indicate mudding jobs, cement- r important proposed vork)
State names of and expected depths to objective sands; she ing points, and	ow sizes, d all othe	weights, and lengths of proposed casings; indicate mudding jobs, cement- r important proposed work)
State names of and expected depths to objective sands; she ing points, and	ow sizes, d all othe	weights, and lengths of proposed casings; indicate mudding jobs, cement- rimportant proposed work)
State names of and expected depths to objective sands; she ing points, and	ow sizes, od all other	weights, and lengths of proposed casings; indicate mudding jobs, cement- rimportant proposed work) of and test a pictured cliffs sand. 8 & 5/6 casing for surface and circulat
State names of and expected depths to objective sands; she ing points, and repose to drill 2 depth of 2,0 a will set apprenientaly 100 fe	ow sizes, of all other	weights, and lengths of proposed casings; indicate mudding jobs, coment- rimportant proposed work) of and test a pictured cliffs sund. 8 & 5/6 casing for surface and circulate
State names of and expected depths to objective sands; she ing points, and represent the same of a same of the sam	ow sizes, of all other	weights, and lengths of proposed casings; indicate mudding jobs, coment- rimportant proposed work) of and test a pictured cliffs sund. 8 & 5/6 casing for surface and circulate
State names of and expected depths to objective sands; she ing points, and reposes to drill 2 depth of 2,6 a will set apprenimately 100 fe	ow sizes, of all other	weights, and lengths of proposed casings; indicate mudding jobs, coment- rimportant proposed work) of and test a pictured cliffs sund. 8 & 5/6 casing for surface and circulate
State names of and expected depths to objective sands; she ing points, and represent the same of a same of the sam	ow sizes, of all other	weights, and lengths of proposed casings; indicate mudding jobs, coment- rimportant proposed work) of and test a pictured cliffs sund. 8 & 5/6 casing for surface and circulate
State names of and expected depths to objective sands; she ing points, and represent the second of 2,0 to will set appreximately 100 for the common.	ow sizes, of all other	weights, and lengths of proposed casings; indicate mudding jobs, coment- rimportant proposed work) of and test a pictured cliffs sund. 8 & 5/6 casing for surface and circulate
State names of and expected depths to objective sands; she ing points, and represent the second of 2,0 to will set appreximately 100 for the common.	ow sizes, of all other	weights, and lengths of proposed casings; indicate mudding jobs, coment- rimportant proposed work) of and test a pictured cliffs sund. 8 & 5/6 casing for surface and circulate
State names of and expected depths to objective sands; she ing points, and represent the second of 2,0 to will set appreximately 100 for the common.	ow sizes, of all other	weights, and lengths of proposed casings; indicate mudding jobs, coment- rimportant proposed work) of and test a pictured cliffs sund. 8 & 5/6 casing for surface and circulate
State names of and expected depths to objective sands; she ing points, and represent the set of 2,0 to will set appreximately 100 for the common.	ow sizes, of all other	weights, and lengths of proposed casings; indicate mudding jobs, coment- rimportant proposed work) of and test a pictured cliffs sund. 8 & 5/6 casing for surface and circulate
State names of and expected depths to objective sands; she ing points, and represent the second of 2,0 to will set appreximately 100 for the common.	ow sizes, of all other	weights, and lengths of proposed casings; indicate mudding jobs, coment- rimportant proposed work) of and test a pictured cliffs sund. 8 & 5/6 casing for surface and circulate
State names of and expected depths to objective sands; she ing points, and represent the set of 2,0 cm. It is a set of the common of the commo	ow sizes, of all other	weights, and lengths of proposed casings; indicate mudding jobs, coment- rimportant proposed work) of and test a pictured cliffs and . 2 & 5/5 casing for surface and circulate
ropes to drill & depth of 2.0 to will set appreximately 100 fer the cament. Froduction string with the the law (160 acres).	ow sizes, of all other of all other of all be	weights, and lengths of proposed casings; indicate mudding jobs, coment- rimportant proposed work) of and test a pictured cliffs and. 2 8 5/8 casing for surface and circulated a 2/2 ". Designated drilling unit
ropess to drill & depth of 2.0 to will set appreximately 100 fethe canent. Frodestion string with the the EMA (160 acres).	ow sizes, of all other of all other of all be	weights, and lengths of proposed casings; indicate mudding jobs, coment- rimportant proposed work) of and test a pictured cliffs sund. 8 & 5/6 casing for surface and circulate
ropose to drill 2 depth of 2.0 e will set appreximately 100 fethe casent. Frodestian string with the the Em. (160 acres).	owaizes, d all other all other all other all be	weights, and lengths of proposed casings; indicate mudding jobs, coment- rimportant proposed work) of and test a pictured cliffs and. 2 8 5/8 casing for surface and circulated a 2/2 ". Designated drilling unit
repose to drill 2 depth of 2.0 e will set appreximately 100 fe the casent. Fredsetion string will be the Est (160 seres). I understand that this plan of work must receive approaches.	owaizes, d all other all other all other all be	weights, and lengths of proposed casings; indicate mudding jobs, cement- rimportant proposed work) of and test a pictured cliffs sand. 2 5/5 casing for surface and circulat 4 2 2/2 . Deciginated drilling unit iting by the Geological Survey before operations may be commenced.
repose to drill 2 depth of 2.0 will set appreximately 100 fethe cament. Production string with the the Est (160 acres).	owaizes, d all other all other all other all be	weights, and lengths of proposed casings; indicate mudding jobs, comentaring important proposed work) of and test a pictured cliffs and . 2 5/5 casing for surface and circulated a 2/2 . Designated drilling unit iting by the Geological Survey before operations may be commenced.
repose to drill 2 depth of 2.0 will set appreximately 100 fethe ement. From (160 seres). I understand that this plan of work must receive approaching the company of the plan of work must receive approaching the company of the comp	owaizes, d all other all other all other all be	weights, and lengths of proposed casings; indicate mudding jobs, comentary important proposed work) of and test a pictured cliffs and . 3 5/5 casing for surface and circulated by the Geological Survey before operations may be commenced.
repose to drill 2 depth of 2.0 will set appreximately 100 fethe casent. Fredestion string will be the Ext (160 seres). I understand that this plan of work must receive approaching the company company to the company	owaizes, d all other all other all other all be	weights, and lengths of proposed casings; indicate mudding jobs, comentaring important proposed work) of and test a pictured cliffs and . 2 5/5 casing for surface and circulated a 2/2 . Designated drilling unit iting by the Geological Survey before operations may be commenced.



AUG 1 3 1952 U. S. CEGLOGICAL SURVEY FARMINGTOR, N. M.

Sec	12 on 990 the	_ T	26 N.	, R	11 W.,	N.M.	P.M.	//	RII	3 0 1952
San	Juan Co	unty			New	Mexico		_ \	OIL C	ON. COM.
		990	* • • • • • • • • • • • • • • • • • • •							IST. 3
		 			i 		-444+	1		
	1650	<u> </u>								
						<u> </u>		-		
			1	2				1		
			<u> </u>				•••••••	-		
					<u> </u>			4		
İ								N		
					-			-		
					!					
	-4 inches									
of act	s to certify ual surveys	made b	y me or	under m	y supervi	ision and	that th	1e		
same	are true a	nd correc	Ma	sest of		7,	lle bene	<u>. </u>		
Seal:			E		red Prof	essional nd Surve	yor.	Charles N. Mex.		inklea No. 1302
		Anonia	+ 12					:0		

Company Griffith Moore

	AZTE	C DIST	RICT OFFICE				
	No. Copies	No. Copies Reseived					
	2		BUTION				
		•	NO.				
. 1.	Operator		1				
	Santa Fe		-				
	Proration Of	fice					
	State Land 6	Office					
	U S. G. S.						
	Transporter			-			
	File			_			

•