

NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF		NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	X
NOTICE OF INTENTION TO DEEPEN WELL			

Farmington, New Mexico

September 30, 1955

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico

Gentlemen:

CHANGE

OK

Following is a notice of intention to do certain work as described below at the Stanolind Oil and Gas Company Gallegos Canyon Unit Well No. 27 in SW/4 of Sec. 30, T. 29-N, R. 12-W, N. M. P. M. West Kutz-Pictured Cliffs Field. San Juan County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

We propose to move on rig and circulate to TD, 1300', then set 25 sack cement plug at that depth. Theoretical fill to above Fruitland formation. Then fill the hole with heavy mud to bottom of surface casing 95'. Hole then filled with solid cement to surface and marker erected, and ground returned to original contour.

CHANGE OF OPERATOR, EFFECTIVE JULY 1, 1955,
FROM: STANDARD OIL COMPANY OF TEXAS, A
DIVISION OF CALIFORNIA OIL COMPANY -
TO: STANDARD OIL COMPANY OF TEXAS, A DIVISION
OF CHEVRON OIL COMPANY
NAME CHANGED:
FROM: PAN AMERICAN PETR. CORP.
TO: AMOCO PRODUCTION CO.
EFFECTIVE: 2-1-71



Approved 10-7, 1955
except at follows:

Stanolind Oil and Gas Company
Company or Operator

By L. O. Speer, Jr.
Position Field Superintendent
Send communications regarding well to

OIL CONSERVATION COMMISSION,
By Oil and Gas Inspector Dist. #3.
Title

Name Mr. L. O. Speer, Jr.
Address Box 487
Farmington, New Mexico

OIL CONSERVATION COMMISSION

AZTEC DISTRICT OFFICE

No. Copies Received 5

DISTRIBUTION

	NO. FURNISHED	
Operator	2	
Santa Fe	1	
Proration Office		
State Land Office		
U. S. G. S.		
Transporter		
File		4

NEW MEXICO OIL CONSERVATION COMMISSION

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission District Office within ten days after the work specified is completed. It should be signed and filed as a report on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	<input checked="" type="checkbox"/>	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

April 27, 1953

Farmington, New Mexico

Date

Place

Following is a report on the work done and the results obtained under the heading noted above at the.....

BENSON-MONTIN

GALLEGOS CANYON UNIT

Well No. 27 in the

Company or Operator

Lease

NE 1/4 S 34/4

of Sec.

30

T.

29N

R.

12W

N. M. P. M.,

West Kutz

Pool

San Juan

County.

The dates of this work were as follows: 4-6-53, 4-9-53, 4-27-53

Notice of intention to do the work ~~was~~ (was not) submitted on Form C-102 on....., 19....., and approval of the proposed plan ~~was~~ (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

- 4-6-53 TD 99' (ground measurement). Cemented 98' of new 9-5/8" OD 32# casing at 95' with 120 sacks cement mixed with 120 c.f. stratacrete and 4% gel.
- 4-9-53 Ran tubing along outside of surface casing and recemented top of surface casing with 75 sacks cement mixed with 75 c.f. stratacrete and 4% gel. Cement circulated to surface.
- 4-27-53 Pressured up to 500# on casing. No pressure decrease in 30 minutes.

Witnessed by.....
Name..... Company..... Title.....

APPROVED:
OIL CONSERVATION COMMISSION

Oil and Gas Inspector Dist. #3.

Name

Title

Date

I hereby swear or affirm that the information given above is true and correct.

Name..... Albert R. Gier
Field Superintendent

Position.....

BENSON-MONTIN

Representing.....

315 1/2 West Main, Farmington, New Mexico
Address.....