
Recompletion

对等的多等的 医子宫内内 "我们会是

FORM C-105



AREA 640 ACRES
LOCATE WELL COURECTLY

NEW MEXICO OIL CONSERVATION COMMISSIONS OFFICE

Santa Fe, New Mexico

2970 South of the north line = 2310 from south line

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe. New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Corrmission. Indicate questionable data by following it with (?). SUBMIT IN IRIPLICATE, FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

A.	Green_				Canlahad	Ñ		1
٥	Company or O	perator			Carlsbad,			
Stark		-Well No.	1	inNE} N	E SEdr Sec_	Address Od		
	N M to se				Sec	- 60	, т_29	<u> </u>
Well is 2970 (c)	ot			Field,		San Juan	· · · · · · · · · · · · · · · · · · ·	Coun
Well is <u>2970</u> fo	et south of the	ie North	line and 30	feet	West of the Tan	t line of	Sec. 28	
	and Pay 16436	19 NO		Auglan	m			
If patented land the d If Government land	owner is	Vance	Goff		Addre	ss_Ploonf	ield n	om Havda
			Contract Track					
1 no 1 wase6 18"	A.d. lire	en			!	1	Maril More	M. ada-
				The 1111.				
			Let 1. Let		_, AddressF	arataata	v Now i	· · · ·
				Leet.		·····	*************************************	18X160
The information given	n is to be kep	t confiden	tial until		*	i t		
			ATL DAY	ND() on us		8	19	
No. 1, from 692	· · · · · · · · · · · · · · · · · · ·	o716	0211 1931	NE NO SUE	n es			
Vo. 2, from	t	0		No. 4,	from	t	0	
No. 2, from No. 3, from		0		No. 5,	from	t	0	·
Vo. 3, from		V		No. 6,	from	t	0	
noluda dota a a a		,	IMPORTAN	T WATER	SANDS	•		*
aclude data on rate	of water inflo	w and ele	evation to w	vhich water	rose in hole.			
o. 1, from			_to		fe	et		
o. 2, from			_to		- fo	ant.		
o. 3, from			_to	· · · · · · · · · · · · · · · · · · ·	fa	ot		:
o. 4, from			_to		fe	et.		
				NG RECORI	!			
SIZE PER FOOT	THREADS			KIND OF	CUT & FILLED			
	PER INCH	MAKE	AMOUNT	SHOE	FROM	FROM	TO	PURPOSE
10" 51"	3	Used_	-411	Collar		- 601	130	
- 8" 2/#	3	Used	1501	II III	1			
5" 11#	113	Used	5101	,	:			
	· · · · · · · · · · · · · · · · · · ·							-
								+

MUDDING AND CEMENTING RECORD

SIZE OF SIZE OF CASING WHERE SET		NO. SACKS OF CEMENT	NO. SACKS OF CEMENT METHOD USED		MUD GRAVITY	AMOUNT OF MUD USED	
				LUGS AND AI		,	
Heaving	plug-M	aterial		Length		Depth	Set
Adapters-	Materia	ıL		_Size			
		1:	ECORD OF SHO	OTING OR C	HEMICAI	TREATMENT	4
SIZE	SHELL	used (EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
	_						
Regulta o	e abootin						
results of	sitootini	g or chemics	il treatment				
						1	
		·	RECORD OF I	RILL STEM A	ND CDRC	IT A T. MINISTER	
If drill-ste	m or oth	er special te	sts or deviation s	ITVAVA WARA MA	IND SPRC	AAL TESTS	e sheet and attach hereto.
			and an analysis of			it report on separat	e sheet and attach hereto.
Rotary to	ols were	used from	foot	TOOLS USI		-	
Cable too	ls were	used from_	feet	to	_feet, an	d from	feet_tofeet
-						d from	feet_tofeet
Put to pro	ducing			PRODUCTIO	ON		
					.14 41		_% was oil;
emulsion;		% wate	er; and	% sediment	ers of fluid	of which	_% was oil;
if gas well	l, cu, ft. p	oer 24 hours.			one parali	ne per 1,000 cu. ft.	
Rock press	sure, lbs.	per sq. in		· · · · · · · · · · · · · · · · · · ·	ons gasoit	ue per 1,000 cu. ft.	of gas
					510	:	i i
pr. 31	at L C4			EMPLOYE	:		
	OC 130						, Driller
					į		Driller
				N RECORD O			
Hereby g vork done	wear or a	issirm that t	he information gi	ven herewith is	в а сотр	lete and correct re-	cord of the well and all
· or a done	on it so	tar as can t	e determined from	n available rec	ords.	1	:
ubscribed	and swo	ra to before	me this 16 t	4		: 1	
	(Pla	u e	2 Date
ay of		Lane	1	9 44 Na	mo	J.Green	Offer-
	Mal	. ali	U A Public	/	sition	Pherale	~
i	,	7	Notary Public		presenting	DS.	
ly Commis	sion expi	ros 61	21/20 194	17		Company or o	
		/ -	; · · · · · · · · · · · · · · · · · · ·	Λđ	dress	606 U H	alaqueno h
						Carlebay	hm
							~

FORMATION RECORD

FROM	OT	THICKNESS IN FEET	FORMATION
	7:	小打智 辦的獎 大声中	
492	504		Light Sindy Shale
504	522	para como los que estados de los estados de la como de	Grey Shale Dark Shale
52 2	544 592		Light Shale
544 592	640		Light Sandy Shale
640	665		Sandy Shale
665	692		Sandy Shale Sand with show of gas.
692	726	will at minit not Come to more etapess	Sandy Shale (Bottom of hole)
110	720	Title Constitute Constitution of the Constitut	Sandy Shale (Bottom of hole)
		Z	
			Francisco de la companya del companya de la companya del companya de la companya del companya de la companya de la companya de la companya del companya de la companya dela companya de la companya dela companya dela companya de la c
			The Company of the Co
		14.3	And the second s
		^	
		N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		. State of the same	A supplied to the control of the con
e*		gin at the second	And the second of the second o
	′ •	·	The Company of the Co
			Purply and the Arthurst Arthur
	•		
-			And the Market of the Control of the
		1.7	en worder entere yn de ingrot tit gerengent e
		*. * .	and the state of t
		the grade	
		ta: I	
		+ - :	We will be a second of the sec
	The second second	į	
		1	