



IN REPLY REFER TO:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

P. O. Box 965
Farmington, New Mexico

COPY TO

July 7, 1955

Carroll & Cornell
Box 337
Farmington, New Mexico

Re: Santa Fe 065557

Gentlemen:

Your "Subsequent Report of Abandonment" dated December 5, 1953, covering your well No. 8, located on subject lease in NE $\frac{1}{4}$ sec. 12, T. 29 N., R. 12 W., N. M. P. M., San Juan County, New Mexico is hereby approved.

Very truly yours,

P. T. McGrath
District Engineer

PTMcGrath:ac

Inspected by:
P. T. McGrath
July 7, 1955




UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



COPY



Form 9-381a
(Feb. 1951)



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe

Lease No. 065557

Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

| | |
|---|---|
| NOTICE OF INTENTION TO DRILL..... | SUBSEQUENT REPORT OF WATER SHUT-OFF..... |
| NOTICE OF INTENTION TO CHANGE PLANS..... | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING..... |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF..... | SUBSEQUENT REPORT OF ALTERING-CASING..... |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL..... | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR..... |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE..... | SUBSEQUENT REPORT OF ABANDONMENT..... |
| NOTICE OF INTENTION TO PULL OR ALTER CASING..... | SUPPLEMENTARY WELL HISTORY..... |
| NOTICE OF INTENTION TO ABANDON WELL..... | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 0 is located 1650 ft. from N line and 990 ft. from E line of sec. 12
065557 (Lease No.) 274 (Twp.) 12 (Range) N.M. (Meridian)
Fulcher, Kate (Field) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Moved on cable tools on November 5, 1953 for purpose of cleaning out and shooting. Ran Lane Wells Neutron log. Found bottom of 7" casing to be 1,845'. Drilled on iron at 1845. Bottom of pipe parted and hole flooded with mud and water. On November 13th, used Halliburton to plug well using heavy gel mud and 150 sks. regular cement. Well abandoned.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Carroll & Carroll

Address Box 337

Farmington, New Mexico

By R. Owen

Title Lease Foreman