



RECEIVED

By OCD District 1 at 12:55 pm, Aug 12, 2015

APPROVED Conditional

By OCD District 1 at 12:55 pm, Aug 12, 2015

August 4, 2015

1. Ensure BLM approval/concurrence.

AMARILLO

921 North Bivins
Amarillo, Texas 79107
Phone 806.467.0607
Fax 806.467.0622

Ms. Kellie Jones
NMOCD District I
1625 N. French Dr.
Hobbs, NM 88240

ARTESIA

408 West Texas Ave.
Artesia, New Mexico 88210
Phone 575.746.8768
Fax 575.746.8905

Subject: **Soil Assessment and Remediation Work Plan**
Complete Energy Service
Rattlesnake 13-12 Federal Com #1H
1RP-3689

HOBBS

318 East Taylor Street
Hobbs, New Mexico 88240
Phone 575.393.4261
Fax 575.393.4658

Dear Ms. Jones,

Complete Energy has contracted Talon/LPE (Talon) to perform soil assessment and remediation services at the above referenced location. The results of our soil assessment and proposed remediation activities consist of the following.

MIDLAND

2901 State Hwy 349
Midland, Texas 79706
Phone 432.522.2133
Fax 432.522.2180

Background Information

The Rattlesnake 13-12 Federal Com #1H leak is located approximately 19 miles southwest of Jal, New Mexico. The legal location for this release is Unit Letter P, Section 13, Township 26 South and Range 34 East in Lea County, New Mexico. More specifically the latitude and longitude for the release are 32.036958 North and -103.416218 West. A site plan is presented in [Appendix I](#).

OKLAHOMA CITY

7700 North Hudson Avenue
Suite 10
Oklahoma City, Oklahoma 73116
Phone 405.486.7030
Fax 806.467.0622

According to the soil survey provided by the United States Department of Agriculture National Resources Conservation Services, the soil in this area is made up of Pyote soils and dune lands. The local surface and shallow geology, Quaternary Age sedimentary deposits, is comprised of alluvium and eolian sands which includes silty soils underlain by dense caliche layers. Drainage courses in this area are normally dry. Ground water in the project vicinity is approximately greater than 100' according to the Chevron Texaco Water Trend map. No groundwater data is provided by the New Mexico Office of the State Engineers office. See [Appendix](#).

SAN ANTONIO

13111 Lookout Way
San Antonio, Texas 78233
Phone 210.265.8025
Fax 210.568.2191

The ranking for this site is 0 based on the following:

Depth to ground water	>100'
Wellhead Protection Area	>1000'
Distance to surface water body	>1000'

ENVIRONMENTAL CONSULTING
ENGINEERING
DRILLING
CONSTRUCTION
SPILL MANAGEMENT
GENERAL CONTRACTING

Incident Description

On June 13, 2015 a 10-inch layflat hose developed a leak, resulting in a release of approximately 18 barrels of produced water. A vac truck was immediately called to the location and recovered 17 barrels. Talon mobilized personnel to conduct a site assessment and soil sampling activities utilizing a hand auger within the impacted area. The results of our soil sampling activities are summarized in the table below.

Laboratory Results

See [Appendix III](#) for complete report of laboratory results.

Sample ID	Depth (feet)	BTEX (mg/kg)	Chlorides (mg/kg)	TPH (mg/kg) GRO	TPH (mg/kg) DRO
S-1	0'	--	4480	--	--
	1'	--	4480	--	--
	2'	--	5440	--	--
	3'	--	5600	--	--
	4'	--	5280	--	--
S-2	0'	--	528	--	--
	1'	--	208	--	--
	2'	--	<16	--	--
	3'	--	<16	--	--
	4'	--	<16	--	--
S-3	0'	--	1960	--	--
	1'	--	4880	--	--
	2'	--	5200	--	--
	3'	--	5760	--	--
	4'	--	6000	--	--
BG	0'	--	<16	--	--

--Analyte Not Tested


Based upon the site ranking of 0, NMOCD Recommended Remedial Action Levels (RRAL's) are 50 mg/kg for BTEX, 10 mg/kg for Benzene, 5,000 mg/kg for TPH and 1,000 mg/kg for Chlorides.

Proposed Remedial Actions

- Prior to excavation activities, additional vertical delineation samples will be obtained at sample location S-1 and S-3.
- The impacted area in the vicinity of sample location S-1 and S-3 will be excavated to a depth of 4-feet deep and a 20 mil liner will be installed in the bottom of the excavation, should the additional sampling results be above the NMOCD RRAL's.
- All of the excavated material will be hauled to Lea Land, LLC.
- The excavated areas will be backfilled with new top soil, re-contoured to match the surrounding location and seeded with the recommended BLM seed mixture.

Should you have any questions or if further information is required, please do not hesitate to contact our office at (575)-746-8768.

Respectfully submitted,




Kimberly M. Wilson
Project Manager




David J. Adkins
District Manager

APPENDIX I

SITE MAP



0 7.5 15
Scale in Feet

Legend	
	- Sample Location



Date: 06/25/2015

Scale: 1" = 15'

Drawn By: TJS

Rattlesnake 13-12 Fed Com #1H, Ragin Cajun Fed #12
Complete Energy Services
Lea County, New Mexico
Figure 1 - Site Plan

APPENDIX II
GROUNDWATER DATA
INITIAL C-141



New Mexico Office of the State Engineer **Water Column/Average Depth to Water**

No records found.

UTMNAD83 Radius Search (in meters):

Easting (X): 649547

Northing (Y): 3545625

Radius: 5000

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company: Devon Energy Production Co LP (6137)	Contact: Brian Kuh
Address: PO Box 250 Artesia, NM 88211	Telephone No. 575- 616-1540
Facility Name: Rattlesnake 13-12 Fed Com 1H	Facility Type : 0.1 miles south of location

Surface Owner: Federal	Mineral Owner: Federal	API No. 30-025-40912
-------------------------------	-------------------------------	-----------------------------

LOCATION OF RELEASE

Unit Letter P	Section 13	Township 26S	Range 34E	Feet from the 330	North/South Line South	Feet from the 330	East/West Line East	County Lea
-------------------------	----------------------	------------------------	---------------------	-----------------------------	----------------------------------	-----------------------------	-------------------------------	----------------------

Latitude: **32.036958** Longitude: **103.416218**

NATURE OF RELEASE

Type of Release: Produced Water	Volume of Release: 25 bbls	Volume Recovered: 17 bbls
Source of Release: Lay Flat Water Transfer Line	Date and Hour of Occurrence 6/13/15, 3:00 PM	Date and Hour of Discovery 6/13/15, 3:00 PM
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? OCD-Mike Bratcher BLM-Jim Amos	
By Whom? Brian Kuh, Devon Foreman	Date and Hour: 6/13/2015, 4:00 PM	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse. N/A	

If a Watercourse was Impacted, Describe Fully.*

N/A



Describe Cause of Problem and Remedial Action Taken.*

Two punctures in the treated water transfer line approximately one foot apart caused the leak. Immediately, the crew pinched the line and utilized absorption pads, a vacuum truck, preventive flow devices, and a tele-handler wheel path to contain the spill and recover all but 1 barrel.

Describe Area Affected and Cleanup Action Taken.*

3.5 feet x 20 feet off location and not contained. Talon will take soil samples and prepare a remediation plan.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION	
Printed Name: Denise Menoud	Approved by Environmental Specialist: 	
Title: Field Admin Support	Approval Date: 06/24/2015	Expiration Date: 09/24/2015
E-mail Address: Denise.Menoud@dmv.com	Conditions of Approval: Site samples required. Delineate and remediate as per MNOCD guides. Geotag	Attached <input type="checkbox"/> 6137 1RP-3689
Date: 6/16/2015 Phone: 575-746-5544	photographs of remediation required.	

* Attach Additional Sheets If Necessary

RECEIVED

By OCD District 1 at 11:25 am, Jun 24, 2015

nKJ1517541266

pKJ1517541608

APPENDIX III
LABORATORY RESULTS



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

June 25, 2015

KIMBERLY WILSON
TALON LPE
408 W. TEXAS AVE.
ARTESIA, NM 88210

RE: RAGIN CAJUN #12 (WTL)

Enclosed are the results of analyses for samples received by the laboratory on 06/19/15 14:20.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:	06/19/2015	Sampling Date:	06/17/2015
Reported:	06/25/2015	Sampling Type:	Soil
Project Name:	RAGIN CAJUN #12 (WTL)	Sampling Condition:	Cool & Intact
Project Number:	701947.001.01	Sample Received By:	Jodi Henson
Project Location:	LEA COUNTY, NM		

Sample ID: S-1 0' (H501593-01)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	4480	16.0	06/22/2015	ND	432	108	400	0.00	

Sample ID: S-1 1' (H501593-02)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	4480	16.0	06/22/2015	ND	432	108	400	0.00	

Sample ID: S-1 2' (H501593-03)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	5440	16.0	06/22/2015	ND	432	108	400	0.00	

Sample ID: S-1 3' (H501593-04)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	5600	16.0	06/22/2015	ND	432	108	400	0.00	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:	06/19/2015	Sampling Date:	06/17/2015
Reported:	06/25/2015	Sampling Type:	Soil
Project Name:	RAGIN CAJUN #12 (WTL)	Sampling Condition:	Cool & Intact
Project Number:	701947.001.01	Sample Received By:	Jodi Henson
Project Location:	LEA COUNTY, NM		

Sample ID: S-1 4' (H501593-05)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	5280	16.0	06/22/2015	ND	432	108	400	0.00	

Sample ID: S-2 0' (H501593-06)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	528	16.0	06/22/2015	ND	432	108	400	0.00	

Sample ID: S-2 1' (H501593-07)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	06/22/2015	ND	432	108	400	0.00	

Sample ID: S-2 2' (H501593-08)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/22/2015	ND	432	108	400	0.00	

Sample ID: S-2 3' (H501593-09)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/22/2015	ND	432	108	400	0.00	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celestine D. Keene

Celestine D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 06/19/2015
Reported: 06/25/2015
Project Name: RAGIN CAJUN #12 (WTL)
Project Number: 701947.001.01
Project Location: LEA COUNTY, NM

Sampling Date: 06/17/2015
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: S-2 4' (H501593-10)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/22/2015	ND	432	108	400	0.00	

Sample ID: S-3 0' (H501593-11)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1960	16.0	06/22/2015	ND	432	108	400	0.00	

Sample ID: S-3 1' (H501593-12)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	4880	16.0	06/24/2015	ND	384	96.0	400	11.8	

Sample ID: S-3 2' (H501593-13)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	5200	16.0	06/24/2015	ND	384	96.0	400	11.8	

Sample ID: S-3 3' (H501593-14)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	5760	16.0	06/24/2015	ND	384	96.0	400	11.8	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:	06/19/2015	Sampling Date:	06/17/2015
Reported:	06/25/2015	Sampling Type:	Soil
Project Name:	RAGIN CAJUN #12 (WTL)	Sampling Condition:	Cool & Intact
Project Number:	701947.001.01	Sample Received By:	Jodi Henson
Project Location:	LEA COUNTY, NM		

Sample ID: S-3 4' (H501593-15)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	6000	16.0	06/24/2015	ND	384	96.0	400	11.8	

Sample ID: BG - 0' (H501593-16)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/24/2015	ND	384	96.0	400	11.8	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager


Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Page 1 of 3

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

BILL TO

ANALYSIS REQUEST

Company Name: Palen LPE

Project Manager: Kimberly M. Wilson

Address: 408 W. Texas

City: Albany

Phone #: 575-946-8768

Project #: 701949.001.01

Project Name: Peak Capric #12 (WFL)

Project Location: 1 Lea City

Sampler Name: Gabe Bagg

FOR LAB USE ONLY

Lab I.D.

Sample I.D.

H5015931-96

(G)RAB OR (C)OMP.

CONTAINERS

GROUNDWATER

WASTEWATER

SOIL

OIL

SLUDGE

OTHER :

ACID/BASE:

ICE / COOL

OTHER :

DATE

TIME

6/12/15

Chlorides

PLEASE NOTE: Liability and Damages. Cardinal's liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: Joe Te Date: 6/11/15 Received By: Kimberly M. Wilson

Relinquished By:

Time:

Date:

Received By:

Time:

Delivered By: (Circle One)

Time:

Date:

Received By:

Time:

Sampler - UPS - Bus - Other:

Time:

Date:

Received By:

Time:

* Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

#54



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Page 2 of 3

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: Jackson PIPE

Project Manager: Kimberly M. Wilcox

Address: 408 W Texas

City: Abilene

Phone #: 575-746-8768

Project #: 701947.001.01

Project Name: Rain Basin #12 (BTL)

Project Location: See City

Sample Name: Rabe Baga

FOR LAB USE ONLY

P.O. #:

Company: Jackson

Attn:

Address:

City:

State:

Zip:

Phone #:

Fax #:

Lab I.D.

Sample I.D.

DATE

TIME

Matrix

Preserv

Sampling

Lab I.D.	Sample I.D.	DATE	TIME	Matrix						Preserv	Sampling	
				(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL			SLUDGE
HS01513-1-26	S-3 0'	6/17/15										
	S-3 1'											
	S-3 2'											
	S-3 3'											
	S-3 4'											
	S-4 0'											
	S-4 1'											
	S-4 2'											
	S-4 3'											
	S-4 4'											

Relinquished By: [Signature]

Received By: [Signature]

Date: 6/19/15

Time: 2:20

Delivered By: (Cite One)

Sample Condition: [] Yes [] No

Checked By: [Signature]

Remarks:



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Page 3 of 3

(575) 393-2326 FAX (575) 393-2476

[illegible]

* Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

5-393-2476
#54