

From: Groves, Amber
To: ["Linda Vilkaitis"; Yu, Olivia, EMNRD](#)
Cc: ["Les Teague"; chan.patel@entechservice.com](#)
Subject: RE: State AB SWD#1 Work Plan (1RP-4836)
Date: Thursday, December 21, 2017 2:16:10 PM
Attachments: image002.png
image001.png

Good Afternoon,

NMSLO also approves of the delineation plan. Please be advised that in the event that the area south of the facility is found to be the result of construction, revegetation will still be required.

Thank you,

Amber Groves

Remediation Specialist

Field Operations Division

(575)392-3697

(575)263-3209 cell

New Mexico State Land Office

2827 N. Dal Paso Suite 117

Hobbs, NM 88240

***The New Mexico State Land Office will be closed from 12/22/2017 at 1pm - 01/01/2018. The office will reopen on 01/02/2018. Happy Holidays!**

.....
CONFIDENTIALITY NOTICE - This e-mail transmission, including all documents, files, or previous e-mail messages attached hereto, may contain confidential and/or legally privileged information. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are hereby notified that you must not read this transmission and that any disclosure, copying, printing, distribution, or use of any of the information contained in and/or attached to this transmission is **STRICTLY PROHIBITED**. If you have received this transmission in error, please immediately notify the sender and delete the original transmission and its attachments without reading or saving in any manner. Thank you.

From: Linda Vilkaitis [mailto:linda.vilkaitis@entechservice.com]
Sent: Thursday, December 21, 2017 12:41 PM
To: 'Yu, Olivia, EMNRD' <Olivia.Yu@state.nm.us>; Groves, Amber <agroves@slo.state.nm.us>
Cc: 'Les Teague' <Les.Teague@cjes.com>; chan.patel@entechservice.com
Subject: RE: State AB SWD#1 Work Plan (1RP-4836)

Hi Olivia,

Thank you for your approval of the Work Plan for 1RP-4836 and 1RP-3961.

Per your request, one of the shallow borings located within the outline of the estimated affected area for release 1RP-4836, will be completed to a depth of 20 feet. The deep, east soil boring will remain at its current location.

The number of sample locations on Figure 6 was based on obtaining sufficient samples to statically represent background conditions in an area that is not impacted.

Hi Amber,

We have left a message on your office telephone number answering service regarding approval of the attached Work Plan. If you have a minute, could you please respond to this email and let us know if we have NMSLO approval or if there are other requirements and stipulations.

Thanks you,

Linda Vilkaitis

Project Engineer
EnTech Consulting Corporation
21 Waterway Avenue, Suite 300
The Woodlands, TX 77380
Mobile: 281-352-8216 <preferred>
Office: 281-362-2714
Email: linda.vilkaitis@entechservice.com
Website: www.entechservice.com



Statement of Confidentiality: This email and any attachments transmitted with it are confidential and intended solely for the use of the individual or entity to which they are addressed. The information contained in this email is highly confidential and may be subject to legally enforceable privileges. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are hereby notified that any disclosure, reliance, copying, distribution, dissemination or use of any of the information contained in or attached to this transmission is STRICTLY PROHIBITED. If you have received this communication in error, please notify EnTech immediately by replying to this email. Please delete all copies of this message and any attachments immediately.

From: Yu, Olivia, EMNRD [<mailto:Olivia.Yu@state.nm.us>]
Sent: Thursday, December 21, 2017 8:32 AM
To: Linda Vilkaitis; agroves@slo.state.nm.us
Cc: Les Teague; chan.patel@entechservice.com
Subject: RE: State AB SWD#1 Work Plan (1RP-4836)

Dear Ms. Vilkaitis:

NMOCD will approve of the proposed delineation for 1RP-4836 with one condition:

The proposed soil bore location to the East of the site must be within the release area for 1RP-4836.

Also, NMOCD appreciates the number of proposed background sample locations indicated on Figure 6; however, the number may be reduced unless there is a rationale for probable impact.

As this delineation workplan addresses 1RP-3961, please be advised that NMOCD will upload this document under the aforementioned permit as well.

Like approval from NMSLO is required. NMSLO may have differing requirements and stipulations.

Please confirm or inform for clarification.

Thanks,

Olivia Yu
Environmental Specialist
NMOCD, District I
Olivia.yu@state.nm.us
575-393-6161 x113

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

From: Linda Vilkaitis [<mailto:linda.vilkaitis@entechservice.com>]
Sent: Friday, December 8, 2017 12:36 PM
To: Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>; agroves@slo.state.nm.us
Cc: Les Teague <Les.Teague@cjes.com>; chan.patel@entechservice.com
Subject: State AB SWD#1 Work Plan (1RP-4836)

Olivia and Amber,

EnTech is pleased to submit a revised work plan to address the State AB SWD #1 facility on behalf of C&J Energy Services. The work plan has been revised to address concerns related to the delineation plan for 1RP-4836 expressed in your 11-29-17 email to Chan Patel.

Upon your review should you have any questions please do not hesitate to contact us.

Regards,

Linda Vilkaitis

Project Engineer
EnTech Consulting Corporation
21 Waterway Avenue, Suite 300
The Woodlands, TX 77380
Mobile: 281-352-8216 <preferred>
Office: 281-362-2714
Email: linda.vilkaitis@entechservice.com
Website: www.entechservice.com



Statement of Confidentiality: This email and any attachments transmitted with it are confidential and intended solely for the use of the individual or entity to which they are addressed. The information contained in this email is highly confidential and may be subject to legally enforceable privileges. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are hereby notified that any disclosure, reliance, copying, distribution, dissemination or use of any of the information contained in or attached to this transmission is STRICTLY PROHIBITED. If you have received this communication in error, please notify EnTech immediately by replying to this email. Please delete all copies of this message and any attachments immediately.

This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>

This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>
