

From: [Yu, Olivia, EMNRD](#)
To: ["Daniel Dominguez"](#)
Cc: [Groves, Amber](#); [brandon boone](#); [sdittman@legacyp.com](#)
Subject: RE: LMPSU #286, 1RP 4166
Date: Thursday, September 28, 2017 2:55:00 PM

Mr. Dominguez:

Please address these concerns regarding the submitted documents for 1RP-4166:

- Are there data for SP3? This was marked on the map, but there are no accompanying laboratory analyses.
- Is a liner still proposed? If so, at what depth?

Thanks,
Olivia

From: Daniel Dominguez [mailto:ddominguezepi@gmail.com]
Sent: Monday, September 18, 2017 2:53 PM
To: Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>
Cc: Groves, Amber <agroves@slo.state.nm.us>; brandon boone <bboone.epi@gmail.com>; sdittman@legacyp.com
Subject: Re: LMPSU #286, 1RP 4166

Ms. Yu,

Confirmation sample results from the LMPSU #286 and Sample Map.

On Fri, Aug 25, 2017 at 9:13 AM, Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us> wrote:

Good morning Mr. Dominguez:

Yes. NMOCD requires that confirmation samples be submitted for review before approval for backfill and liner placement is granted.

Thanks,
Olivia

From: Daniel Dominguez [mailto:ddominguezepi@gmail.com]
Sent: Wednesday, August 23, 2017 10:53 AM
To: Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>
Cc: Groves, Amber <agroves@slo.state.nm.us>; brandon boone <bboone.epi@gmail.com>; sdittman@legacyp.com
Subject: Re: LMPSU #286, 1RP 4166

Ms. Yu,

We have collected all the samples from the site and will deliver them to the lab this afternoon. Do we need to wait for the lab results before we install the liner and backfill?

On Wed, Aug 9, 2017 at 3:20 PM, Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us> wrote:

Dear All:

To document this morning's meeting regarding 1RP-4166:

- 2 boreholes will be established at the current bottom of excavation. 1 at the West portion, starting at 4 ft. bgs in the vicinity of SP1 and TS2. 1 at the East portion, starting around 8 ft. bgs to represent TS5- TS7. Laboratory analyses of chloride, BTEX, and TPH values are required for the depth obtained and 4-5 ft. further in depth maintained permissible levels.

Total minimum # samples = 6 (2 boreholes x 3 sample depths for each borehole (surface, depth obtained, and depth maintained)).

- Confirmation samples of sidewalls (minimum of 3 for each side of the PVC line) of excavated area is required to complete horizontal delineation. Total minimum # samples = 6
- Minimum 2 sample locations for each side at the current bottom of the excavation. Total minimum # samples = 4.
- Permissible chloride levels are 600 mg/kg for delineation and remediation.
- All laboratory analyses must have associated field tests.
- Remember to use Method 8015 extended (GRO, DRO, and MRO).
- Note all current sample locations on a separate scaled map.

Please confirm or inform if there are missing points and clarification is needed.

Thanks,
Olivia

From: Daniel Dominguez [mailto:ddominguezepi@gmail.com]

Sent: Tuesday, August 8, 2017 3:39 PM

To: Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>; Groves, Amber <agroves@slo.state.nm.us>

Subject: LMPSU #286, 1RP 4166

Ms. Yu,

Attached for your review is the Work Plan for the LMPSU #286, operated by Legacy.

Sincerely,
ENVIRONMENTAL PLUS, INC.

Daniel Dominguez
Environmental Consultant/Safety Director

Environmental Plus, Inc.
P.O. Box 1558
[2100 Avenue 'O'](#)
[Eunice, NM 88231](#)
[\(575\) 631-0401](#) (Cell)
[\(575\) 394-3481](#) (Office)
[\(575\) 394-2601](#) (fax)

--

Sincerely,
ENVIRONMENTAL PLUS, INC.

Daniel Dominguez
Environmental Consultant/Safety Director

Environmental Plus, Inc.
P.O. Box 1558
[2100 Avenue 'O'](#)
[Eunice, NM 88231](#)
[\(575\) 631-0401](#) (Cell)
[\(575\) 394-3481](#) (Office)
[\(575\) 394-2601](#) (fax)

--

Sincerely,
ENVIRONMENTAL PLUS, INC.

Daniel Dominguez
Environmental Consultant/Safety Director

Environmental Plus, Inc.
P.O. Box 1558
2100 Avenue 'O'
Eunice, NM 88231
(575) 631-0401 (Cell)
(575) 394-3481 (Office)
(575) 394-2601 (fax)