

## Dena

---

**From:** Oberding, Tomas, EMNRD <Tomas.Oberding@state.nm.us>  
**Sent:** Wednesday, November 30, 2016 9:58 AM  
**To:** dena@kjenvironmental.com; Lynch, Kristen, EMNRD  
**Cc:** Aaron.Prefontaine@yorkrsg.com; Psanders1975@yahoo.com; 'Kevin Ware'; gregg@kjenvironmental.com  
**Subject:** RE: OWL Workplan Submittal - Delineation of Release No. 4497 and No. 4498

Aloha all,

The OCD conditions approves this for spill 1.  
Spill 2 we would like to discuss adding more borings in the area of release in pasture.  
Mahalo  
-Doc

Tomáš 'Doc' Oberding PhD  
Hydrologist, Adv-District 1  
Oil Conservation Division, EMNRD  
(505) 476-3403  
E-Mail: [tomas.oberding@state.nm.us](mailto:tomas.oberding@state.nm.us)

一期一会

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

---

**From:** Dena Vandenberg [mailto:[dena@kjenvironmental.com](mailto:dena@kjenvironmental.com)]  
**Sent:** Tuesday, November 29, 2016 3:39 PM  
**To:** Oberding, Tomas, EMNRD <Tomas.Oberding@state.nm.us>; Lynch, Kristen, EMNRD <Kristen.Lynch@state.nm.us>  
**Cc:** Aaron.Prefontaine@yorkrsg.com; Psanders1975@yahoo.com; 'Kevin Ware' <kevin@kjenvironmental.com>; gregg@kjenvironmental.com  
**Subject:** RE: OWL Workplan Submittal - Delineation of Release No. 4497 and No. 4498

Thank you for the update, Doc! We will be on the look-out!

**Dena M. Vandenberg, REM, LEED AP**  
**Director of Environmental Services**  
**KJE Environmental & Civil Engineering**  
500 Moseley Road  
Cross Roads, Texas 76227  
Ph: 940-387-0805  
Fx: 940-387-0830  
Cell: 214-364-7627





Please consider the environment before printing this e-mail

---

**From:** Oberding, Tomas, EMNRD [<mailto:Tomas.Oberding@state.nm.us>]  
**Sent:** Tuesday, November 29, 2016 4:37 PM  
**To:** [dena@kjenvironmental.com](mailto:dena@kjenvironmental.com); Lynch, Kristen, EMNRD  
**Cc:** [Aaron.Prefontaine@yorkrsg.com](mailto:Aaron.Prefontaine@yorkrsg.com); [Psanders1975@yahoo.com](mailto:Psanders1975@yahoo.com); Kevin Ware; [gregg@kjenvironmental.com](mailto:gregg@kjenvironmental.com)  
**Subject:** RE: OWL Workplan Submittal - Delineation of Release No. 4497 and No. 4498

Aloha all,  
I will send out the OCD response Wednesday morning.  
Thank you for the email and the call reminders.  
If you do not hear from me on email by 10 MST on 11/30/16 please call again.  
We have a series of illnesses that are impacting the regular flow.  
Mahalo  
-Doc

Tomáš 'Doc' Oberding PhD  
Hydrologist, Adv-District 1  
Oil Conservation Division, EMNRD  
(505) 476-3403  
E-Mail: [tomas.oberding@state.nm.us](mailto:tomas.oberding@state.nm.us)

一期一会

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

---

**From:** Dena Vandenberg [<mailto:dena@kjenvironmental.com>]  
**Sent:** Monday, November 28, 2016 2:07 PM  
**To:** Oberding, Tomas, EMNRD <[Tomas.Oberding@state.nm.us](mailto:Tomas.Oberding@state.nm.us)>; Lynch, Kristen, EMNRD <[Kristen.Lynch@state.nm.us](mailto:Kristen.Lynch@state.nm.us)>  
**Cc:** [Aaron.Prefontaine@yorkrsg.com](mailto:Aaron.Prefontaine@yorkrsg.com); [Psanders1975@yahoo.com](mailto:Psanders1975@yahoo.com); Kevin Ware <[kevin@kjenvironmental.com](mailto:kevin@kjenvironmental.com)>; [gregg@kjenvironmental.com](mailto:gregg@kjenvironmental.com)  
**Subject:** FW: OWL Workplan Submittal - Delineation of Release No. 4497 and No. 4498

Good afternoon!

I am following up on the attached Spill Investigation Work Plan submitted to you on 11/21 to find out if there is an estimated date for review completion and authorization for the delineation to begin. We are looking forward to completing the work as soon as possible. Any update would be appreciated. Thank you!

**Dena M. Vandenberg, REM, LEED AP**  
**Director of Environmental Services**  
**KJE Environmental & Civil Engineering**  
**500 Moseley Road**  
**Cross Roads, Texas 76227**  
**Ph: 940-387-0805**  
**Fx: 940-387-0830**  
**Cell: 214-364-7627**



TBPE# F-12214

 Please consider the environment before printing this e-mail

---

**From:** gregg bessire [<mailto:gregg@kjenvironmental.com>]  
**Sent:** Monday, November 21, 2016 1:00 PM  
**To:** 'Oberding, Tomas, EMNRD'; [Aaron.Prefontaine@yorkrsg.com](mailto:Aaron.Prefontaine@yorkrsg.com); 'Phillip Sanders'; 'Nevin Bannister'; 'Kevin Ware'; 'Dena Vandenberg'  
**Cc:** 'Lynch, Kristen, EMNRD'  
**Subject:** RE: OWL Workplan Submittal - Delineation of Release No. 4497 and No. 4498

I have attached the revised Work Plan after revising page 2 for clarification. If we can be of further assistance, please do not hesitate to contact us at 940-387-0805.

Thanks,

**Gregg Bessire, P.E., P.G.**  
**Senior Project Manager**  
**KJE Environmental & Civil Engineering**  
500 Moseley Road  
Cross Roads, Texas 76227  
Ph: 940-387-0805  
Fx: 940-387-0830  
Cell: 214-498-5527



