

**From:** Price, Henryetta  
**To:** [Catherine Green](#)  
**Cc:** [Yu, Olivia, EMNRD](#)  
**Subject:** Re: Emailing - C-141 YDU 23 Sep 29 2016.pdf  
**Date:** Thursday, February 9, 2017 2:31:18 PM

---

Good Afternoon Catherine,

I don't know if you have any updates on this well since this is an unlined facility. If not, then I am requesting depth to ground water for that area and delineation for BTEX, TPH, and Chlorides to regulatory limits where the spill was impacted. If work has been completed please submit that via sundry notice and include the date work was completed. Thank you.

## Henryetta Price

Environmental Protection Specialist  
Bureau Of Land Management  
[Hprice@blm.gov](mailto:Hprice@blm.gov)  
Phone 575-234-5951  
Cell 575-706-2780  
Fax 575-234-5927

On Fri, Oct 14, 2016 at 9:12 AM, Tucker, Shelly <[stucker@blm.gov](mailto:stucker@blm.gov)> wrote:

Thank you for the notification. Henryetta Price will be the authorized officer for this release.

If you have any questions or concerns, please do not hesitate to contact me.

Sincerely,

*Shelly J Tucker*

Environmental Protection Specialist  
O&G Spill/Release Coordinator

Bureau of Land Management  
620 E. Greene St  
Carlsbad, NM 88220

575.234.5905 - Direct  
575.361.0084 - Cellular  
575.234.6235 - Emergency Spill Number

[stucker@blm.gov](mailto:stucker@blm.gov)

The **BLM acceptance/approval does not** relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment or if the location fails to reclaim properly. In such an event that the location does not revegetate, or future issues with contaminants are encountered, the operator will be asked to address

the issues until the contaminant issues are fully mitigated and the location is successfully reclaimed. In addition, BLM approval does not relieve the operator of responsibility for compliance with any other federal, state or local laws/regulations.

**Confidentiality Warning:** This message along with any attachments are intended only for use of the individual or entity to which it is addressed and may contain information that is privileged or confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately.

On Mon, Oct 10, 2016 at 9:04 AM, Catherine Green <[CGreen@matadorresources.com](mailto:CGreen@matadorresources.com)> wrote:

Please find a C-141 attached concerning an overflow from Sept. 29, 2016.

Kind Regards,

**Catherine Green**  
Regulatory Analyst

575-627-2453 –office

720-220-7482 - mobile

972-629-2153 –direct fax

This transmission is strictly confidential. If you are not the intended recipient of this message, you may not disclose, print, copy or disseminate this information. If you have received this in error, please reply and notify the sender (only) and delete the message. Unauthorized interception of this e-mail is a violation of federal criminal law. This communication does not reflect an intention by the sender or the sender's client or principal to conduct a transaction or make any agreement by electronic means. Nothing contained in this message or in any attachment shall satisfy the requirements for a writing, and nothing contained herein shall constitute a contract or electronic signature under the Electronic Signatures in Global and National Commerce Act, any version of the Uniform Electronic Transactions Act or any other statute governing electronic transactions.

**From:** Lucas Middleton  
**To:** [Yu, Olivia, EMNRD](#)  
**Cc:** [Csnow \(Csnow@matadorresources.com\)](mailto:Csnow@matadorresources.com)  
**Subject:** Proposed Actions for 1RP-1682 and 1RP-4474  
**Date:** Tuesday, August 1, 2017 12:35:35 PM  
**Attachments:** image002.png

---

Olivia, Yu ,

Thank you for the details on these projects. Below are comments and our proposed action to close out 1RP-1682 and 1RP-4474.

**COOPER 3 #006--1RP-1682**

*"have not had any corrective action or remediation completed. The only information on file is the submission of the initial C-141. If you have additional information or workplans, please submit them. "*

May 16, 2016 - Sampled with Jamie Keyes and found no condiments in tank battery or heather treater

June 20, 2016 sent work plan in to Jamie Keyes

Ripped and Reseeded per land owner request

Closure samples will be collected to 3 feet bgs for Chlorides, BTE and TPH and submit a C141 Final. Is there anything else you need to close the site after we takes samples?

**YOUNG DEEP UNIT #023- 1RP-4474**

*"Final C-141 was received on Thursday, July 20, 2017. The initial C-141 indicated that it was an oil release. Why was BTEX and TPH not analyzed? Due to the timeframe between initial release and soil sampling, additional delineation may be required. Please provide documentation of depth of groundwater and resubmit a better quality electronic document."*

Addition sample will be collected to 3 feet bgs for BTEX and TPH.

Depth of Groundwater will be sent

Lucas Middleton  
Staff Scientist  
(575) 499-9244 (mobile)



Souder, Miller & Associates  
Engineering   Environmental   Surveying  
201 S. Halagueno  
Carlsbad, NM 88220  
[www.soudermiller.com](http://www.soudermiller.com)

**Notice of Confidentiality and Privileged Status:** This electronic mail message, including all attachments, is for the sole use of the intended recipient(s) and may contain confidential and/or privileged information or otherwise may be protected from disclosure. Any unauthorized review, use, disclosure, distribution or actions which rely on the contents of this information is prohibited. If you are not the intended recipient, please contact the sender and delete the message and any attachment(s) from your system.

**Statement on Viruses and Harmful Software:** While the message and attachment(s) have been scanned with anti-virus software, SMA does not guarantee that this message or any attachment(s) is free of computer viruses or other harmful software. SMA does not accept liability for any damages caused by any computer virus or other harmful software transmitted herewith.

**From:** Lucas Middleton  
**To:** [Yu, Olivia, EMNRD](#)  
**Cc:** [Csnow \(Csnow@matadorresources.com\)](mailto:Csnow@matadorresources.com)  
**Subject:** Final Sample Data for Matador 1Rp-1682 and 1RP-4474  
**Date:** Thursday, August 17, 2017 4:10:04 PM  
**Attachments:** image003.png  
cooper 1RP-1682.pdf  
Young Deep Unit 11 Sample Data 1RP-4474.pdf

---

Good Afternoon,

I have attached two project the **COOPER 3 #006--1RP-1682 and YOUNG DEEP UNIT #023- 1RP-4474**. I have included the C141 Final, Sample map, Sample Data. This is being submitted for closure on these sites.

I looked up the water depth and it is estimated at 65 foot below ground surface ( CP 00566 POD1)

Thank you for your time and have a great day.

Lucas Middleton  
Staff Scientist  
(575) 499-9244 (mobile)



Souder, Miller & Associates  
Engineering   Environmental   Surveying  
201 S. Halagueno  
Carlsbad, NM 88220  
[www.soudermiller.com](http://www.soudermiller.com)

**Notice of Confidentiality and Privileged Status:** This electronic mail message, including all attachments, is for the sole use of the intended recipient(s) and may contain confidential and/or privileged information or otherwise may be protected from disclosure. Any unauthorized review, use, disclosure, distribution or actions which rely on the contents of this information is prohibited. If you are not the intended recipient, please contact the sender and delete the message and any attachment(s) from your system.

**Statement on Viruses and Harmful Software:** While the message and attachment(s) have been scanned with anti-virus software, SMA does not guarantee that this message or any attachment(s) is free of computer viruses or other harmful software. SMA does not accept liability for any damages caused by any computer virus or other harmful software transmitted herewith.