

From: [Yu, Olivia, EMNRD](#)
To: [Sheldon Hitchcock](#); [Billings, Bradford, EMNRD](#); mnaranjo@slo.state.nm.us
Cc: [Robert McNeill](#); [Rebecca Haskell](#); [Dakota Neel](#); [Christopher Gray](#); [DeAnn Grant](#)
Subject: RE: (Work Plan) Bobwhite 12 State Com #004H (30-025-41092) 1-15-2018 (1RP-4942)
Date: Tuesday, April 3, 2018 9:46:00 AM
Attachments: approved_(Work Plan) Bobwhite 12 State Com #004H (30-025-41092) 1-15-2018 (1RP-4942)_final.pdf

Mr. Hitchcock:

NMOCD approves of the delineation completed and proposed remediation for 1RP-4942 with several clarifications:

- In the subsequent report, on an appropriately scaled map, 1) outline and annotate the excavated area represented by T-5; and 2) mark sidewall samples with GPS coordinates.
- Please note that there are numerous USGS water wells for determination of depth to groundwater within 1 mile radius. Several of the closest wells have the most recent data and indicate the water table at 87 ft. bgs (1996). Please utilize the USGS database, in addition to NMOSE, as a reference in formulation of a delineation workplan.

Thanks,

Olivia Yu
Environmental Specialist
NMOCD, District I
Olivia.yu@state.nm.us
575-393-6161 x113

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

From: Sheldon Hitchcock <SLHitchcock@concho.com>
Sent: Monday, March 5, 2018 3:55 PM
To: Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>; Billings, Bradford, EMNRD <Bradford.Billings@state.nm.us>; mnaranjo@slo.state.nm.us
Cc: Robert McNeill <RMcNeill@concho.com>; Rebecca Haskell <RHaskell@concho.com>; Dakota Neel <DNeel2@concho.com>; Christopher Gray <CGray@concho.com>; DeAnn Grant <agrant@concho.com>
Subject: (Work Plan) Bobwhite 12 State Com #004H (30-025-41092) 1-15-2018 (1RP-4942)

Ms. Yu/Mr. Naranjo,

Please note that this **is not** a duplicate of the other Bobwhite 12 St. #4 work plan I submitted today. The attached work plan is for the release that occurred at the Bobwhite 12 State Com #004H

location on **January 15, 2018**. If you have any questions or concerns please contact me.

Thank you,

Sheldon L. Hitchcock
HSE Coordinator
COG Operating LLC
2407 Pecos Avenue | Artesia, NM 88210
Cell: 575-703-6475 | Office: 575-746-2010
slhitchcock@concho.com



CONFIDENTIALITY NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information herein, is prohibited. If you received this email in error, please immediately notify the sender by return email and delete this email from your system. Thank you.

NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system. Further, any contract terms proposed or purportedly accepted in this email are not binding and are subject to management's final approval as memorialized in a separate written instrument, excluding electronic correspondence, executed by an authorized representative of COG Operating LLC or its affiliates.