

From: [Yu, Olivia, EMNRD](#)
To: [Tucker, Shelly](#); [Tavarez, Ike](#)
Cc: [Jamon Hohensee \(Jamon_Hohensee@eogresources.com\)](#); [Zane Kurtz@eogresources.com](#); [Gonzales, Clair](#)
Subject: RE: [EXTERNAL] EOG - Hound 30 Federal Water Line - Work Plan Approval Request
Date: Monday, May 7, 2018 3:03:00 PM
Attachments: approved_EOG Hound 30 Federal Water Line (1RP-4975) Work Plan _Final.pdf

Mr. Tavarez:

NMOCD approves of the delineation completed for 1RP-4975. For the proposed remediation, confirmation sidewall and bottom samples at no greater than 75 ft. apart. Please mark confirmation sample locations on a scaled map with the actual depth of excavation annotated.

Thanks,
Olivia

From: Tucker, Shelly <stucker@blm.gov>
Sent: Friday, April 27, 2018 9:48 AM
To: Tavarez, Ike <Ike.Tavarez@tetrattech.com>
Cc: Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>; Jamon Hohensee (Jamon_Hohensee@eogresources.com) <Jamon_Hohensee@eogresources.com>; Zane_Kurtz@eogresources.com; Gonzales, Clair <Clair.Gonzales@tetrattech.com>
Subject: Re: [EXTERNAL] EOG - Hound 30 Federal Water Line - Work Plan Approval Request

****EOG ** Hound 30 Federal WTL ** API 30-025-43574 ** DOR 2-18-2018 ** 1RP-4975**

BLM **accepts** your proposal with the following stipulation: The impacted are will need to be reseeded with approved BLM seed mix, during appropriate planting window.

Like approval from the NMOCD is required.

EA NOTES:

1. The release point did not impact any known archaeological area.
2. The point of release occurred off location but is covered under a PA survey, no additional surveys will be required.
3. This area is located within a low cave/karst zone.
4. You are cleared of flood zones, active playas, streams, etc.
5. Area is noted to be within 0-3% slope.
6. Soils are within the JAL/Drake series.
7. There are no T&E species noted (animal or vegetative) within this area.
8. Site is not located within any Special Area of concern.
9. Site is not located within a RMP ACEC.

NOTE: LPC Timing Stipulations are in effect - from March 1st through June 15th. Please plan remedial activities accordingly. Check for African Rue...treat (before it gets out of control).

If you have any questions or concerns, please do not hesitate to contact me.

Sincerely,

Shelly J Tucker

Environmental Protection Specialist
O&G Spill/Release Coordinator

575.234.5905 - Direct
575.361.0084 - Cellular
575.234.6235 - Emergency Spill Number

stucker@blm.gov

Bureau of Land Management

620 E. Greene St
Carlsbad, NM 88220

The **BLM acceptance/approval does not** relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment or if the location fails to reclaim properly. **In such an event a site does not achieve successful restoration, or future issues with contaminants are encountered, the operator will be asked to address these issues until they are fully mitigated and the location is successfully reclaimed.** In addition, BLM approval does not relieve the operator of responsibility for compliance with any other federal, state or local laws/regulations.

Confidentiality Warning: This message along with any attachments are intended only for use of the individual or entity to which it is addressed and may contain information that is privileged or confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately.

On Tue, Apr 24, 2018 at 12:51 PM, Tavarez, Ike <Ike.Tavarez@tetrattech.com> wrote:

Olivia and Shelly,

Here is the EOG Work Plan for the above referenced site located in Lea County, New Mexico. Once approved, EOG will implement the work plan. Let me know if you have any questions or comments on the report. Thanks

Ike Tavarez, PG | Senior Project Manager
Main: 432.682.4559 | Fax: 432.682.3946 | Cell: 432.425.3878
Ike.Tavarez@tetrattech.com<mailto:Ike.Tavarez@tetrattech.com>
Tetra Tech | Complex World, Clear Solutions(tm)
4000 North Big Spring, Suite 401 | Midland, TX 79705 |
www.tetrattech.com<<http://www.tetrattech.com>>

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.