<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

Form C-141

Revised April 3, 2017

Santa I C, IVIV 67505													
			Rele	ease Notific	atio	n and Co	rrective A	ction	l				
		OPERATOR \boxtimes In:				l Report		Final Report					
Name of Co		Contact: Robert McNeill											
Address: 6		Telephone No. 432-683-7443											
Facility Na	me: Cabo l	Blanco State	e #001H			Facility Typ	e: Flowline						
Surface Owner: State Mineral Owner:						State			API No. 30-025-40702				
LOCATION OF RELEASE													
Unit Letter D						/South Line Feet from the East			/West Line County Lea				
			ı	Latitude 32.25	228 L	ongitude -10	3.61908 NAD83	3					
NATURE OF RELEASE													
Type of Release Produced Water										ne Recovered 220 bbl.			
Source of Release Flowline Rupture						Date and Hour of Occurrence June 5, 2018 7:30am			Date and Hour of Discovery June 5, 2018 7:30am				
Was Immediate Notice Given?						If YES, To Whom?							
☐ Yes ☐ No ☐ Not Required						Olivia Yu – NMOCD Ryan Mann – SLO							
By Whom? DeAnn Grant						Date and Hour June 5, 2018 1:11pm							
Was a Water	course Reac	hed?	V \] No		If YES, Vo	lume Impacting the	he Wate	ercourse.				
				•									
If a Watercon	urse was Imp	pacted, Descri	ibe Fully. ³	k		DE	CENTED						
						KE	CEIVED						
						By	CHernande	z at	10:27 aı	m, Jun	11, 2	2018	
Describe Cau	ise of Proble	om and Rame	dial Action	n Takan *									
Describe Cat	ise of Front	and Kenne	ulai Actio	ii Takeii.									
The release v	vas caused d	ue to a damag	ged flex li	ne rupturing. The	flex lir	ne was repaired	l.						
Describe Are	a Affected a	and Cleanun A	Action Tak	en *									
		-				•							
							ng fluids. Concho						
							MOCD for approve knowledge and up						
regulations a	ll operators	are required to	o report ar	nd/or file certain r	elease	notifications ar	nd perform correct	tive acti	ons for rele	ases which	may er	ndanger	
public health	or the envir	onment. The	acceptano	ce of a C-141 repo	ort by tl	he NMOCD m	arked as "Final Re	eport" d	oes not relie	eve the ope	rator of	f liability	
							on that pose a three						
		vs and/or regu		nance of a C-141	report	does not renev	e the operator of r	responsi	bility for co	mphance v	viui any	/ otner	
/	,						OIL CONS	SERV	ATION	DIVISIO)N		
Signature: DAMA IN OMA INT													
Signature:							Approved by Environmental Specialist:						
Printed Nam	e:												
Title: HSE Administrative Assistant Approval Date: 6/11/2018 Expiration D							Pate:						
E-mail Addr	ess:	agrant@cor	ncho.com			Conditions of	Approval:			Attached			

Date: June 7, 2018

1RP-5088

Phone: (432) 253-4513

nCH1816238890

pCH1816239636

See attached directive

^{*} Attach Additional Sheets If Necessary

Operator/Responsible Party,

The OCD has received the form C-141 you provided on _6/7/2018_ regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number _1RP-5088__ has been assigned. Please refer to this case number in all future correspondence.

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete <u>division-approved corrective action</u> for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District _1_ office in __Hobbs____ on or before _7/11/2018_. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

- Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.
- Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.
- Nominal detection limits for field and laboratory analyses must be provided.
- Composite sampling is not generally allowed.
- Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

- •Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.
- If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.
- Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

Jim Griswold

OCD Environmental Bureau Chief 1220 South St. Francis Drive Santa Fe, New Mexico 87505 505-476-3465 jim.griswold@state.nm.us