

From: [Yu, Olivia, EMNRD](#)
To: "[Brad Freeman](#)"
Cc: [Billings, Bradford, EMNRD](#); "[Epperson, Brian K.](#)"; "[Rex Meyer](#)"
Subject: RE: 1RP-4862 Marathon McGrail Workplan
Date: Monday, June 11, 2018 2:07:00 PM
Attachments: approved_2018-05-04 1RP-4862 Marathon McGrail Work Plan.pdf

Mr. Freeman:

Thank you for your patience. NMOCD approves of the proposed delineation plan for 1RP-4862 with several clarifications:

- There are numerous USGS wells closer than the ones identified in the report. Estimated depth to groundwater in a 1 mile radius of the release location is < 50 bgs.
- The permissible level of Benzene per WQCC standards is incorrect. Please check the units.
- All soil samples must be analyzed by the EPA methods, appended to the reviewed C-141 (e.g., TPH extended = GRO, DRO, and MRO fractions.)

Thanks,
Olivia

From: Yu, Olivia, EMNRD
Sent: Thursday, June 7, 2018 4:02 PM
To: 'Brad Freeman' <brad@geomon.net>
Cc: Billings, Bradford, EMNRD <Bradford.Billings@state.nm.us>; Epperson, Brian K. <bepperson@hess.com>; Rex Meyer <rex@geomon.net>
Subject: RE: 1RP-4862 Marathon McGrail Workplan

Mr. Freeman:

Thank you for the reminder. The submitted plan will be reviewed tomorrow.

Olivia

From: Brad Freeman <brad@geomon.net>
Sent: Thursday, June 7, 2018 2:31 PM
To: Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>
Cc: Billings, Bradford, EMNRD <Bradford.Billings@state.nm.us>; Epperson, Brian K. <bepperson@hess.com>; Rex Meyer <rex@geomon.net>
Subject: Re: 1RP-4862 Marathon McGrail Workplan

Good afternoon Ms. Yu,

I wanted to reach out and see if you have had a chance to review our workplan for 1RP-4862. Thanks, and we look forward to hearing from you.

On Fri, May 4, 2018 at 10:49 AM, Brad Freeman <brad@geomon.net> wrote:

|

Good morning Ms. Yu,

Attached is the workplan for 1RP-4862, Marathon McGrail. We look forward to hearing back from you, and please let us know if you have any questions or would like to discuss this further.

--

Thank you,

Brad Freeman, R.E.M.

Project Manager



brad@geomon.net

Office: (281) 375-5101 ext. 3

Cell: (713) 417-6141

Fax: (281) 375-8468

Mailing Address - P.O. Box 295, Fulshear, TX 77441

Delivery Address - 4123 5th St., Brookshire, TX 77423

This message is intended only for the use of the individual or entity to whom it is addressed; it contains information that is proprietary and confidential, and may be privileged and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE: (A) DO NOT READ THIS E-MAIL MESSAGE, FORWARD IT TO ANY PERSON, SAVE IT, PRINT IT, OR OTHERWISE USE IT; (B) DELETE IT FROM YOUR COMPUTER SYSTEM; AND (C) NOTIFY THE SENDER, BY RETURN E-MAIL, OF THE MISTAKEN TRANSMISSION.
Thank you.

--

Thank you,

Brad Freeman, R.E.M.

Project Manager



brad@geomon.net

Office: (281) 375-5101 ext. 3

Cell: (713) 417-6141

Fax: (281) 375-8468

Mailing Address - P.O. Box 295, Fulshear, TX 77441

Delivery Address - 4123 5th St., Brookshire, TX 77423

This message is intended only for the use of the individual or entity to whom it is addressed; it contains information that is proprietary and confidential, and may be privileged and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE: (A) DO NOT READ THIS E-MAIL MESSAGE, FORWARD IT TO ANY PERSON, SAVE IT, PRINT IT, OR OTHERWISE USE IT; (B) DELETE IT FROM YOUR COMPUTER SYSTEM; AND (C) NOTIFY THE SENDER, BY RETURN E-MAIL, OF THE MISTAKEN TRANSMISSION. Thank you.