

March 27, 2018

New Mexico Energy, Minerals, and Natural Resources Department Oil Conservation Division 1220 South St. Francis Drive Santa Fe, New Mexico 87505

Attn: Bradford Billings

Re: 2017 Annual Groundwater Monitoring Report West Lovington Strawn Unit #8 U/L "L", Sec. 34, T15S, R35E Lea County, New Mexico NMOCD Reference No. 1R – 2457 Terracon Project No. AR157026

Dear Mr. Billings:

On behalf of Energen Resources Corporation, Terracon is pleased to submit the 2017 Annual *Groundwater Monitoring Report* prepared for the West Lovington Strawn Unit #8 site. Within the report, you will find details of field activities and the results of quarterly groundwater monitoring activities conducted during the 2017 reporting period, along with the following proposed changes anticipated to occur during the 2018 reporting period:

#### Energen proposes to install an additional monitor well (MW-7) to further delineate the horizontal extent of the chloride plume.

If you have any questions or need any additional information, please feel free to contact either of the undersigned at 806-300-0140.

Sincerely, Terracon Consultants, Inc.

Kristopher Williams Senior Staff Scientist

Erin Loyd, P.G. Senior Associate Office Manager – Lubbock

Terracon Consultants, Inc. 5827 50th St. Lubbock, Texas 79424 P (806) 300 0140 F (806) 797 0947 terracon.com

# 2017 Annual Groundwater Monitoring Report

West Lovington Strawn Unit #8 Lea County, New Mexico

> March 27, 2018 Terracon Project No. AR157026 NMOCD Reference No. 1R-2457



Prepared for: Energen Resources Corporation Midland, Texas

> Prepared by: Terracon Consultants, Inc. Lubbock, Texas



Terracon

March 27, 2018

Energen Resources Corporation 3510 North "A" Street Building A & B Midland, Texas 79705

- Attn: Mr. Andrew Cobb
- P: (432) 557 3145
- E: Andy.Cobb@energen.com
- Re: 2017 Annual Groundwater Monitoring Report West Lovington Strawn Unit #8 U/L "L", Sec. 34, T15S, R35E Lea County, New Mexico NMOCD Reference No. 1R–2457 Terracon Project No. AR157026

Dear Mr. Cobb:

Terracon is pleased to submit four copies of the 2017 Annual Groundwater Monitoring Report for the above-referenced site.

We appreciate the opportunity to perform these services for Energen Resources Corporation (Energen). Please contact either of the undersigned at (806) 300-0140 if you have questions regarding the information provided in the report.

Sincerely,

Prepared by:

Kristopher Williams Senior Staff Scientist Lubbock

Reviewed by:

Erín Loýd, P.G. Senior Associate Office Manager – Lubbock

Terracon Consultants Inc. 5827 50th St. Lubbock, Texas 79424 P 806 300 0140 F 806 797 0947 terracon.com/lubbock

Facilities

Geotechnical

# **TABLE OF CONTENTS**

1.0		1
2.0	FIELD ACTIVITIES	5
3.0	LABORATORY ANALYTICAL METHODS	6
4.0	DATA EVALUATION	6
5.0	SUMMARY	7
6.0	ANTICIPATED ACTIONS	8
7.0	DISTRIBUTION	8

# LIST OF APPENDICES

Appendix A:	Figure 1 – Site Location Map
	Figure 2a – Groundwater Gradient Map (1Q2017)
	Figure 2b – Groundwater Gradient Map (2Q2017)
	Figure 2c – Groundwater Gradient Map (3Q2017)
	Figure 2d – Groundwater Gradient Map (4Q2017)
	Figure 3a – Groundwater Concentration Map (1Q2017)
	Figure 3b – Groundwater Concentration Map (2Q2017)
	Figure 3c – Groundwater Concentration Map (3Q2017)
	Figure 3d – Groundwater Concentration Map (4Q2017)
	Figure 4 – Propsosed Monitor Well Location Map
Appendix B:	Table 1 – Groundwater Elevation Data
	Table 2 – Groundwater Analytical Summary - Chloride
Appendix C.	Laboratory Data Sheets
, appendix er	
Appendix D:	Table 3 – Historical Groundwater Analytical Summary - Select Metals and Anions
	Table 4 – Historical Groundwater Analytical Summary - BTEX
	Table 5 – Historical Groundwater Analytical Summary - PAHs
Appendix E:	Release Notification and Corrective Action (NMOCD Form C-141)
· · -	
Appendix F:	CD of the 2017 Annual Groundwater Monitoring Report



# 2017 ANNUAL GROUNDWATER MONITORING REPORT

# West Lovington Strawn Unit #8 Unit Letter "L", Section 34, Township 15 South, Range 35 East Lea County, New Mexico NMOCD Reference No. 1R – 2457 Terracon Project No. AR157026

## **1.0 INTRODUCTION**

#### 1.1 Site Description

The West Lovington Strawn Unit #8 (WLSU #8) site is located in Unit Letter "L", Section 34, Township 15 South, Range 35 East in Lea County, New Mexico. The geographic coordinates of the site are 32.971362° North latitude and 103.401210° West longitude. The site is located on property owned by Mr. Dan Field. A "Site Location Map" is provided as Figure 1 in Appendix A.

Site Name	West Lovington Strawn Unit #8
Site Location	Latitude 32.971362° North, Longitude 103.401210° West
General Site Description	The site consists of an approximate 2-acre well pad improved with 8 above-ground storage tanks (ASTs), the WLSU #8-R injection well, a plugged unregistered water well approximately 120 feet (ft.) to the east of the injection well and six groundwater monitoring wells.
Landowner	Mr. Dan Field

## **1.2 Background Information**

The WLSU #8 producing well was drilled in 1994 by an operator that is no longer affiliated with the site. In 2001, Energen Resources Corporation (Energen) became the unit operator of the West Lovington Strawn Unit, including the WLSU #8. In 2009, the well was recompleted before being converted into a water injection well in 2010. Review of historical documents suggests the unregistered water well, on the eastern portion of the well pad, may have been drilled in support of drilling activity by the previous operators and not Energen. Gillespie Operating, LLC drilled the well, most likely, in association with activity for the Snyder B Comm #1 well drilled in the early 1990's. Available records with the New Mexico Office of the State Engineer's (NMOSE) do not provide conclusive well completion or owner details.

On March 18, 2009, Energen collected groundwater samples (Battery "A" Water Well, WLSU #11 Windmill, WLSU #20 Water Well and WLSU #8 Water Well) from existing water wells in the vicinity of the WLSU #8 as required by the New Mexico Oil Conservation Division (NMOCD) to convert



the WLSU #8 producing well into an injection well. Collected groundwater samples were submitted to Martin Water Labs of Midland, Texas, for analysis of pH, bicarbonate, calcium, magnesium, sodium and/or potassium, sulfate, chloride, iron, barium, total solids, hydrogen sulfide and resistivity.

Laboratory analytical results indicated the detected chloride concentrations were less than the applicable New Mexico Water Quality Control Commission (NMWQCC) Human Health Standard of 250 milligrams per liter (mg/L) in each of the submitted groundwater samples with the exception of the groundwater sample collected from the WLSU #8 water well (298 mg/L). Laboratory analytical results are provided in Appendix C.

On October 26, 2009, Energen filed a Release Notification and Corrective Action (Form C-141) with the NMOCD, indicating that elevated chloride concentrations were detected in the unregistered water well on the eastern portion of the WLSU #8 well pad. A copy of the Release Notification and Corrective Action (Form C-141) is provided as Appendix E.

On September 11, 2012, Energen proposed to install five groundwater monitoring wells around the affected, unregistered water well in an effort to further characterize chloride impacts to groundwater. The proposal was subsequently approved by the NMOCD.

On December 13, 2012, Energen installed five groundwater monitoring wells (MW-1 through MW-5) in the vicinity of the unregistered water well in an effort to further characterize impacts to groundwater. Groundwater samples were collected from each of the monitoring wells and submitted to Hall Environmental Analysis Laboratory, Inc. of Albuquerque, New Mexico, for analysis of chloride in accordance with EPA Method 300.0, volatile organic compounds (VOCs) in accordance with EPA SW-846 Method 8260B and polycyclic aromatic hydrocarbons (PAHs) in accordance with EPA SW-846 Method 8310.

Chloride was detected at concentrations above applicable laboratory reporting limits (RLs) in the groundwater samples collected from monitoring wells MW-1 through MW-5. Chloride concentrations detected in the groundwater samples collected from the on-site monitoring were less than the applicable NMWQCC Human Health Standard of 250 mg/L in each of the submitted groundwater samples with the exception of the groundwater sample collected from monitoring well MW-4. The groundwater sample collected from monitor well MW-4 exhibited a chloride concentration of 390 mg/L. VOCs were not detected at concentrations above their applicable laboratory RLs in the groundwater samples collected from monitoring wells MW-1 though MW-5. Select PAHs; including phenanthrene, flouranthene and pyrene, were detected at concentrations above their applicable laboratory RLs in the groundwater samples collected from monitoring wells MW-1 through MW-5. The maximum detected concentrations of phenanthrene (0.94 mg/L), flouranthene (0.56 mg/L), and pyrene (0.33 mg/L) were detected in the groundwater sample collected from monitoring wells MW-2. The PAH constituents detected in the analyzed groundwater



samples are not defined in the NMWQCC Human Health Standards.

On August 3, 2015, a *Limited Groundwater Investigation Proposal* was prepared and submitted to the NMOCD proposing investigation and remedial activities in support of achieving NMOCD and landowner-approved closure at the site. The proposal included plugging the unregistered water-well, installing an additional groundwater monitoring well proximate to the unregistered water well's former location, and collecting groundwater samples from each of the on-site monitoring wells. The *Limited Groundwater Investigation Proposal* was subsequently approved.

On September 24, 2015, as per the NMOCD-approved *Limited Groundwater Investigation Proposal*, the unregistered water well on the eastern portion of the well pad was plugged in accordance with the NMOSE-approved *Well Plugging Plan*.

On September 24, 2015, groundwater monitoring well MW-6 was installed approximately 10 feet to the east of the unregistered water well's former location. The groundwater monitoring well was installed to a total depth of approximately 70 ft. bgs. During the installation of monitoring well MW-6, soil samples were collected from the 4.5 to 5 ft., 9.5 to 10 ft., 19.5 to 20 ft., 29.5 to 30 ft., 39.5 to 40 ft. and 49.5 to 50 ft. drilling intervals and submitted to Xenco Laboratories, Inc. of Midland, Texas, for analysis of chloride concentrations utilizing EPA Method 300.

Laboratory analytical results indicate chloride concentrations ranged from 14.5 milligrams per kilogram (mg/kg) for the soil sample collected from the 4.5 to 5 ft. drilling interval to 3.50 mg/kg for the soil sample collected from the 29.5 to 30 ft. drilling interval. Soil samples collected from the 4.5 to 5 ft. and 49.5 to 50 ft. drilling intervals were also analyzed for concentrations of BTEX utilizing EPA SW-846 Method 8260B and TPH utilizing EPA SW-846 Method 8015M. Analytical results indicate BTEX and TPH concentrations were less than the applicable laboratory RL in each of the analyzed soil samples.

On October 8, 2015, groundwater monitoring wells MW-1 through MW-6 were gauged and sampled using EPA Standard Methods. Groundwater monitoring wells were purged until consistent values (i.e., less than 10% variance between consecutive readings) were obtained for pH, temperature and conductivity. Subsequent to sufficient recharge, one groundwater sample was collected from each of the groundwater monitoring wells utilizing low-flow sampling equipment. Collected groundwater samples were placed in laboratory-supplied containers appropriate to the analyses requested and placed on ice in a cooler. Sample coolers and completed chain-of-custody forms were submitted to Xenco Laboratories, Inc. of Midland, Texas, for analysis of anions (chloride, fluoride, nitrate and sulfate) in accordance with EPA Method 300.0; VOCs in accordance with EPA SW-846 Method 8260B; PAHs in accordance with EPA Method 8270c; arsenic, barium, cadmium, chromium, copper, iron, lead, manganese, selenium and silver in accordance with EPA SW-846 6020; and mercury in accordance with EPA 7470A.

Laboratory analytical results from groundwater samples collected from monitoring wells MW-1



though MW-6 indicated VOCs and PAHs were below the applicable laboratory RLs in each of the submitted groundwater samples. Detected anion concentrations; including chloride fluoride, nitrate and sulfate, were below applicable NMWQCC Human Health Standards in each of the submitted groundwater samples with the exception of the chloride concentrations in samples collected from monitor wells MW-2 (821 mg/L) and MW-6 (544 mg/L). Metal concentrations; including arsenic, barium, cadmium, chromium, copper, iron, lead, manganese, selenium, silver, and mercury were below applicable NMWQCC Human Health Standards in each of the submitted groundwater samples with the exception of the iron concentrations in samples collected from monitor wells MW-1 (2.96 mg/L), MW-3 (1.23 mg/L), MW-4 (9.15 mg/L) and MW-6 (1.88 mg/L). Please refer to Tables 3 through 6 in Appendix D for a complete summary of historical groundwater chemistry data.

## 1.3 Scope of Work

Terracon's scope of work includes oversight of groundwater monitoring activities and preparation and submission of an *Annual Groundwater Monitoring Report* in accordance with the NMOCD letter, dated May 1998, by April 1<sup>st</sup> of each year. Groundwater monitoring activities include conducting quarterly groundwater monitoring events at the site. Quarterly groundwater monitoring events include measuring the static water levels in the monitor wells, checking for the presence of PSH, and the collection of groundwater samples from each of the on-site monitor wells not exhibiting a measurable thickness of PSH. In accordance with the approved scope of work, Terracon conducted quarterly groundwater monitoring events on March 9, June 28, September 14, and November 30, 2017.

# 1.4 Standard of Care

Activities conducted prior to Terracon assuming oversight of the project (beginning on April 10, 2015) were performed by previous consultants hired by Energen. As such, Terracon makes no assumptions or warranties regarding the previous consultants services being performed in a manner consistent with generally accepted practices of the profession undertaken in similar studies in the same geographical area during the same time period. Terracon makes no warranties, either express or implied, regarding the findings, conclusions or recommendations. Please note that Terracon does not warrant the work of laboratories, regulatory agencies or other third parties supplying information used in the preparation of the report.

## 1.5 Additional Scope Limitations

Findings, conclusions and recommendations resulting from these services are based upon information derived from the on-site activities and other services performed under this scope of work; such information is subject to change over time. Certain indicators of the presence of hazardous substances, petroleum products, or other constituents may have been latent,



inaccessible, unobservable, non-detectable or not present during these services, and we cannot represent that the site contains no hazardous substances, toxic materials, petroleum products, or other latent conditions beyond those identified during this remediation activities. Subsurface conditions may vary from those encountered at specific borings or wells or during other surveys, tests, assessments, investigations or exploratory services; the data, interpretations, findings, and our recommendations are based solely upon data obtained at the time and within the scope of these services.

## 1.6 Reliance

This report has been prepared for the exclusive use of Energen and any authorization for use or reliance by any other party (except a governmental entity having jurisdiction over the site) is prohibited without the express written authorization of Energen and Terracon. Any unauthorized distribution or reuse is at the client's sole risk. Notwithstanding the foregoing, reliance by authorized parties will be subject to the terms, conditions and limitations stated in this report, and Terracon's Terms and Conditions. The limitation of liability defined in the terms and conditions is the aggregate limit of Terracon's liability to the client and all relying parties unless otherwise agreed in writing.

## 2.0 FIELD ACTIVITIES

## 2.1 Groundwater Monitoring

Quarterly groundwater monitoring events were conducted on March 9 (1Q2017), June 28 (2Q2017), September 14 (3Q2017) and November 30 (4Q2017). Quarterly groundwater monitoring events included measuring the static water level in the on-site monitor wells, checking for the presence of PSH, and the collection of groundwater samples from each of the on-site monitor wells. Prior to sample collection, the monitor wells were purged a minimum of three (3) well volumes utilizing disposable Teflon bailers then allowed to recharge. Upon allowing the wells to recharge, groundwater samples were collected utilizing a clean, disposable Teflon bailer and placed in laboratory-supplied containers appropriate to the analyses requested and placed on ice in a cooler. The sample coolers and completed chain-of-custody forms were delivered to Xenco Laboratories in Midland, Texas for analysis of Chloride using EPA Method 300.

Groundwater elevation gauging data collected during the respective quarterly sampling events were used to construct groundwater gradient maps, which are included as Figures 2a through 2d in Appendix A. Groundwater flow direction was relatively consistent during each quarter of 2017 at gradient ranges from 0.004 foot per foot (ft/ft) to 0.003 ft/ft in the southeasterly direction. Groundwater elevation data is summarized in Table 1 in Appendix B.





# 3.0 LABORATORY ANALYTICAL METHODS

The groundwater samples collected from the on-site monitor wells were analyzed for chloride using EPA Method 300. Laboratory results from the analysis of groundwater samples collected from the monitor wells are summarized in Table 2 in Appendix B and presented on Figures 3a through 3d in Appendix A. The executed chain-of-custody forms and laboratory data sheets are provided in Appendix C.

# 4.0 DATA EVALUATION

#### 4.1 Groundwater Samples

Laboratory analytical results from groundwater samples collected on March 9 (1Q2017), June 28 (2Q2017), September 14 (3Q2017) and November 30 (4Q2017) were compared to NMOCD regulatory standards based on New Mexico Water Quality Control Commission (NMWQCC) Drinking Water Standards.

#### Monitor Well MW-1

Laboratory analytical results indicated chloride concentrations were below the NMOCD regulatory standard during each quarter of 2017 with the exception of an exceedance detected in the fourth quarter sample, however after re-sampling it was determined the original sample had been mis-labled and switched with the MW-6 sample. The detected chloride concentrations ranged from 26.4 mg/L during the 2<sup>nd</sup> Quarter of 2017 to 1,220 mg/L during the 4<sup>th</sup> Quarter of 2017. The detected concetration associated with the re-sampling event was 29.6 mg/L.

## Monitor Well MW-2

Laboratory analytical results indicated chloride concentrations exceeded the NMOCD regulatory standard during each quarter of 2017. The detected chloride concentrations ranged from 526 mg/L during the 3rd Quarter of 2017 to 2,500 mg/L during the 2<sup>nd</sup> Quarter of 2017.

#### **Monitor Well MW-3**

Laboratory analytical results indicated chloride concentrations were below the NMOCD regulatory standard during each quarter of 2017. The detected chloride concentrations ranged from 26.9 mg/L during the 2<sup>nd</sup> Quarter of 2017 to 29.7 mg/L during the 4<sup>th</sup> Quarter of 2017.



## Monitor Well MW-4

C Laboratory analytical results indicated chloride concentrations were below the NMOCD regulatory standard during each Quarter of 2017. The detected chloride concentrations ranged from 153 mg/L during the 2<sup>nd</sup> Quarter of 2017 to 217 mg/L during the 4<sup>th</sup> Quarter of 2017.

#### Monitor Well MW-5

C Laboratory analytical results indicated chloride concentrations were below the NMOCD regulatory standard during each quarter of 2017. The detected chloride concentrations ranged from 25.6 mg/L during the 2<sup>nd</sup> Quarter of 2017 to 40.8 mg/L during the 3<sup>rd</sup> Quarter of 2017.

#### Monitor Well MW-6

Laboratory analytical results indicated chloride concentrations exceeded the NMOCD regulatory standard during each quarter of 2017 with the exception of the 4<sup>th</sup> quarter sample, however after re-sampling it was determined the original sample had been mislabeled and switched with the MW-1 sample. The detected chloride concentrations ranged from 30.5 mg/L during the 4<sup>th</sup> Quarter of 2017 to 2,570 mg/L during the 2<sup>nd</sup> Quarter of 2017. The detected concertation associated with the re-sampling event was 1,250 mg/L.

## 5.0 SUMMARY

- Currently, there are six groundwater monitor wells (MW-1 through MW-6) located at the site.
- C Monitor wells MW-1 through MW-6 were sampled during each quarter of 2017.
- Groundwater samples collected from monitor wells MW-1 and MW-6 were mis-labeled and switched during 4<sup>th</sup> quarter sampling activities.
- Chloride concentrations in groundwater samples collected from monitor wells MW-1, MW-3 and MW-5 were below the NMOCD regulatory standard during each quarter of 2017.
- C The detected chloride concentrations in monitor wells MW-2, MW-4 and MW-6 exceeded the NMOCD regulatory standards during one or more quarters of the 2017 reporting period.
- C The groundwater flow direction was relatively consistent during the 2017 reporting period, ranging from 0.004 ft/ft to 0.003 ft/ft in the southeasterly direction.



# 6.0 ANTICIPATED ACTIONS


- C Monitor wells MW-1 through MW-6 will be monitored and sampled quarterly for the presence of chloride during the 2018 reporting period.
- C Based on laboratory analytical results from groundwater samples collected during the 2017 monitoring period, Energen proposes to install an additional monitor well (MW-7) to further evaluate the status of groundwater at the site and to delineate the horizontal extent of the plume. The proposed monitor well will be installed during calendar year 2018, pending NMOCD and landowner approval and receipt of the proper drilling permit from the NMOSE. A "Proposed Monitor Well Location Map" is provided as Figure 4.
- C An Annual Groundwater Monitoring Report will be prepared detailing field activities and the results of groundwater monitoring activities conducted during the 2018 reporting period.


# 7.0 **DISTRIBUTION**


- Copy 1: Bradford Billings, Hydrologist New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Drive Santa Fe, New Mexico 87505
- Copy 2: Ms. Olivia Yu New Mexico Oil Conservation Division District 1 1625 N. French Drive Hobbs, New Mexico 88240
- Copy 3: Mr. Andrew Cobb Energen Resources Corporation 3510 North "A" Street Midland, Texas 79705 Andy.Cobb@energen.com
- Copy 4: Mr. Kristopher Williams Terracon Consultants 5827 50<sup>th</sup> Street, Suite 1 Lubbock, Texas 79424 <u>kris.williams@terracon.com</u>


# **APPENDIX A**


Figure 1– Site Location Map Figure 2a – Groundwater Gradient Map (1Q2017) Figure 2b – Groundwater Gradient Map (2Q2017) Figure 2c – Groundwater Gradient Map (3Q2017) Figure 2d – Groundwater Gradient Map (4Q2017) Figure 3a – Groundwater Concentration Map (1Q2017) Figure 3b – Groundwater Concentration Map (2Q2017) Figure 3c – Groundwater Concentration Map (3Q2017) Figure 3d – Groundwater Concentration Map (4Q2017) Figure 4 – Proposed Monitor Well Location Map























# **APPENDIX B**

Table 1 – Groundwater Elevation Data Table 2 – Groundwater Analytical Summary - Chlorides

# TABLE 12017 ANNUAL REPORT

# GROUNDWATER ELEVATION DATA WEST LOVINGTON STRAWN UNIT #8 LEA COUNTY, NEW MEXICO TERRACON PROJECT #: AR157026

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO WATER	CORRECTED GROUNDWATER ELEVATION
	03/09/2017	3,975.66	56.56	3,919.10
MW-1	06/28/2017	3,975.66	56.62	3,919.04
10100-1	09/14/2017	3,975.66	56.61	3,919.05
	11/30/2017	3,975.66	56.50	3,919.16
	03/09/2017	3,974.82	57.65	3,917.17
MW-2	06/28/2017	3,974.82	57.43	3,917.39
10100-2	09/14/2017	3,974.82	57.40	3,917.42
	11/30/2017	3,974.82	57.43	3,917.39
	03/09/2017	3,976.73	59.25	3,917.48
MW-3	06/28/2017	3,976.73	59.35	3,917.38
10100-3	09/14/2017	3,976.73	59.30	3,917.43
	11/30/2017	3,976.73	59.20	3,917.53
	03/09/2017	3,974.49	57.41	3,917.08
MW-4	06/28/2017	3,974.49	57.50	3,916.99
10100-4	09/14/2017	3,974.49	57.49	3,917.00
	11/30/2017	3,974.49	57.50	3,916.99
			_	
	03/09/2017	3,974.39	55.62	3,918.77
MW-5	06/28/2017	3,974.39	55.69	3,918.70
10100-0	09/14/2017	3,974.39	55.56	3,918.83
	11/30/2017	3,974.39	55.69	3,918.70
	03/09/2017	3,976.16	58.64	3,917.52
MW-6	06/28/2017	3,976.16	58.76	3,917.40
10100-0	09/14/2017	3,976.16	58.71	3,917.45
	11/30/2017	3,976.16	58.62	3,917.54

Elevations based on the North American Vertical Datum of 1988

# TABLE 22017 ANNUAL REPORT

#### GROUNDWATER ANALYTICAL SUMMARY - CHLORIDE<sup>1</sup> WEST LOVINGTON STRAWN UNIT #8 LEA COUNTY, NEW MEXICO TERRACON PROJECT #: AR157026

SAMPLE LOCATION	SAMPLE DATE	CHLORIDE (mg/L)
	03/09/2017	26.7
	06/28/2017	26.4
MW-1	09/14/2017	28.8
	11/30/2017	1,220
	03/15/2018	29.6
		•
	03/09/2017	980
	06/28/2017	2,500
MW-2	09/14/2017	526
	11/30/2017	836
	03/15/2018	1,320
	03/09/2017	27.4
MW-3	06/28/2017	26.9
10100-5	09/14/2017	27.1
	11/30/2017	29.7
		-
	03/09/2017	154
MW-4	06/28/2017	153
	09/14/2017	187
	11/30/2017	217
	03/09/2017	26.2
MW-5	06/28/2017	25.6
	09/14/2017	40.8
	11/30/2017	29.1
	03/09/2017	1,370
	06/28/2017	2,570
MW-6	09/14/2017	1,070
	11/30/2017	30.5
	03/15/2018	1,250
		250

Chloride<sup>1</sup>=Chloride concentrations analyzed in accordance with EPA Method 300.0

# APPENDIX C

Laboratory Data Sheets



Contact: Joel Lowry

#### **Project Location:**

Certificate of Analysis Summary 548321

Terracon Lubbock, Lubbock, TX

Project Name: West Lovington Strawn Unit #8



Date Received in Lab:Thu Mar-09-17 04:06 pmReport Date:14-MAR-17Project Manager:Kelsey Brooks

	Lab Id:	548321-0	001	548321-0	02	548321-0	03	548321-0	04	548321-0	005	548321-0	06
Analysis Requested	Field Id:	MW-1		MW-2		MW-3		MW-4		MW-5		MW-6	
	Depth:												
	Matrix:	WATE	R	WATE	ર	WATE	ર	WATE	٤	WATE	R	WATER	R
	Sampled:	Mar-09-17	09:20	Mar-09-17	11:04	Mar-09-17	10:09	Mar-09-17	2:01	Mar-09-17	08:26	Mar-09-17 1	12:55
Chloride by EPA 300	Extracted:	Mar-10-17	15:59	Mar-10-17	5:59	Mar-10-17	5:59	Mar-10-17 1	5:59	Mar-10-17	15:59	Mar-10-17 1	15:59
	Analyzed:	Mar-10-17	18:18	Mar-10-17	8:26	Mar-10-17	8:33	Mar-10-17 1	8:55	Mar-10-17	19:02	Mar-10-17 1	19:10
	Units/RL:	mg/L	RL	mg/L	RL	mg/L	RL	mg/L	RL	mg/L	RL	mg/L	RL
Chloride		26.7	2.50	980	10.0	27.4	2.50	154	2.50	26.2	2.50	1370	10.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Huns Boah

Kelsey Brooks Project Manager

# Analytical Report 548321

for Terracon Lubbock

**Project Manager: Joel Lowry** 

West Lovington Strawn Unit #8

AR157026

14-MAR-17

Collected By: Client





# 1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122): Texas (T104704215), Arizona (AZ0765), Florida (E871002), Louisiana (03054) Oklahoma (9218)

Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295) Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400) Xenco-San Antonio: Texas (T104704534) Xenco Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757) Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



14-MAR-17



Project Manager: **Joel Lowry Terracon Lubbock** 5827 50th st, Suite 1 Lubbock, TX 79424

Reference: XENCO Report No(s): 548321 West Lovington Strawn Unit #8 Project Address:

#### Joel Lowry:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 548321. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 548321 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Huns hoah

Kelsey Brooks Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994. Certified and approved by numerous States and Agencies. A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



# Sample Cross Reference 548321



# Terracon Lubbock, Lubbock, TX

West Lovington Strawn Unit #8

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
MW-1	W	03-09-17 09:20		548321-001
MW-2	W	03-09-17 11:04		548321-002
MW-3	W	03-09-17 10:09		548321-003
MW-4	W	03-09-17 12:01		548321-004
MW-5	W	03-09-17 08:26		548321-005
MW-6	W	03-09-17 12:55		548321-006



# CASE NARRATIVE

Client Name: Terracon Lubbock Project Name: West Lovington Strawn Unit #8

Project ID: AR157026 Work Order Number(s): 548321 
 Report Date:
 14-MAR-17

 Date Received:
 03/09/2017

#### Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None





# Terracon Lubbock, Lubbock, TX

West Lovington Strawn Unit #8

Sample Id: <b>MW-1</b> Lab Sample Id: 548321-001	Matrix: Date Collecte	Water ed: 03.09.17 09.20	Date Received:03.09.17 16.06				
Analytical Method:Chloride by EPATech:MGOAnalyst:MGOSeq Number:3012200	300	Date Prep:	03.10.17 15.59		Prep Method: E30 % Moisture:	0P	
Parameter	Cas Number	Result I	RL	Units	Analysis Date	Flag	Dil

16887-00-6 26.7

2.50

03.10.17 18.18 mg/L

5





# Terracon Lubbock, Lubbock, TX

West Lovington Strawn Unit #8

Sample Id:MW-2Lab Sample Id:548321-002			Matrix: Date Colle	Water ected: 03.09.17 11.04	Date Received:03.09.17 16.06				
Analytical Me Tech: Analyst: Seq Number:	ethod: Chloride by EPA MGO MGO 3012200	300	Date Prep	03.10.17 15.59		Prep Method: E30 % Moisture:	00P		
Parameter		Cas Number	Result	RL	Units	Analysis Date	Flag	Dil	
Chloride		16887-00-6	980	10.0	mg/L	03.10.17 18.26		20	

16887-00-6

10.0

Page 7 of 15





# Terracon Lubbock, Lubbock, TX

West Lovington Strawn Unit #8

Sample Id: MW-3 Lab Sample Id: 548321-003	Matrix: Date Collect	Matrix:WaterDate Received:03.09Date Collected:03.09.17 10.09					
Analytical Method:Chloride by EPA 3Tech:MGOAnalyst:MGOSeq Number:3012200	300	Date Prep:	03.10.17 15.59		Prep Method: E30 % Moisture:	0P	
Parameter	Cas Number	Result ]	RL	Units	Analysis Date	Flag	Dil

16887-00-6 27.4

2.50

03.10.17 18.33

mg/L

5



# **Certificate of Analytical Results 548321**



# Terracon Lubbock, Lubbock, TX

West Lovington Strawn Unit #8

Sample Id:MW-4Lab Sample Id:548321-004			Matrix:WaterDate Received:03.09.17Date Collected:03.09.1712.01				
Analytical Method:Chloride by EPATech:MGOAnalyst:MGOSeq Number:3012200	A 300	Date Prep:	03.10.17 15.59		Prep Method: E30 % Moisture:	0P	
Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	154	2.50	mg/L	03.10.17 18.55		5





# Terracon Lubbock, Lubbock, TX

West Lovington Strawn Unit #8

Sample Id: MW-5 Lab Sample Id: 548321-005	Matrix: Date Collect	Water ed: 03.09.17 08.26	Date Received:03.09.17 16.06				
Analytical Method:Chloride by EPATech:MGOAnalyst:MGOSeq Number:3012200	300	Date Prep:	03.10.17 15.59		Prep Method: E30 % Moisture:	0P	
Parameter	Cas Number	Result ]	RL	Units	Analysis Date	Flag	Dil

16887-00-6 26.2

2.50

03.10.17 19.02

mg/L

5





### Terracon Lubbock, Lubbock, TX

West Lovington Strawn Unit #8

Sample Id: MW-6 Lab Sample Id: 548321-006		Matrix: Date Collect	Water ed: 03.09.17 12.55	Ι	Date Received:03.0	9.17 16.06	
Analytical Method:Chloride by EPA 3Tech:MGOAnalyst:MGOSeq Number:3012200	300	Date Prep:	03.10.17 15.59		Prep Method: E30 6 Moisture:	0P	
Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil

16887-00-6 1370

10.0

03.10.17 19.10

mg/L

20



**Flagging Criteria** 



- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- **F** RPD exceeded lab control limits.
- J The target analyte was positively identified below the quantitation limit and above the detection limit.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K Sample analyzed outside of recommended hold time.
- JN A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.
- \*\* Surrogate recovered outside laboratory control limit.
- **BRL** Below Reporting Limit.
- RL Reporting Limit

MDL Method Detection Limit	SDL Sample Detection Limit	LOD Limit of Detection
PQL Practical Quantitation Limit	MQL Method Quantitation Limit	LOQ Limit of Quantitation

- **DL** Method Detection Limit
- NC Non-Calculable
- + NELAC certification not offered for this compound.
- \* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

### Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

	Phone	Fax
4147 Greenbriar Dr, Stafford, TX 77477	(281) 240-4200	(281) 240-4280
9701 Harry Hines Blvd, Dallas, TX 75220	(214) 902 0300	(214) 351-9139
5332 Blackberry Drive, San Antonio TX 78238	(210) 509-3334	(210) 509-3335
1211 W Florida Ave, Midland, TX 79701	(432) 563-1800	(432) 563-1713
2525 W. Huntington Dr Suite 102, Tempe AZ 85282	(602) 437-0330	



# QC Summary 548321

# Terracon Lubbock

West Lovington Strawn Unit #8

Analytical Method:	Chloride by EPA 30	00						Pr	ep Metho	od: E30	OP	
Seq Number:	3012200			Matrix:	Water				Date Pre	ep: 03.1	0.17	
MB Sample Id:	721331-1-BLK		LCS Sar	nple Id:	721331-1-	BKS		LCSI	O Sample	e Id: 7213	331-1-BSD	
Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<0.500	25.0	24.9	100	24.9	100	90-110	0	20	mg/L	03.10.17 17:34	

Analytical Method:	Chloride by EPA 30	00						Pr	ep Metho	od: E30	OP	
Seq Number:	3012200			Matrix:	Water				Date Pre	ep: 03.1	0.17	
Parent Sample Id:	548115-001		MS Sar	nple Id:	548115-00	01 S		MSI	O Sample	Id: 548	115-001 SD	
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	228	125	350	98	353	100	90-110	1	20	mg/L	03.10.17 17:56	

												CHAIN OF CUSTODY RECORD	OFO	USTC	DY R	ECOF	RD
					Laboratory: Address:	Xenco Laboratories 1211 West Florida	Labora Vest Flu	Xenco Laboratories 1211 West Florida Ave.		ANALYSIS REQUESTED	rsis Ested						LAB USE ONLY DUE DATE:
						Midland, TX 79701	d, TX 7	9701								× ≣	
Office Location Lubbock					Phone:	(432) 563-1800	63-18	0									
Proiect Manager: Joel Lowrv					Contact:	Julian Martinez	Martin	Sz									Page1 of _1
Sampler's Name:	-				ampler's Signature	ature				00)							
Kimble Thrash						(		k		PA 3							
Project Number		Project Name	me				z	No. Type of Containers	ontainers	l) (E							
AR157026		West Lovii	West Lovington Strawn Unit #8	ו Unit #8						Tota							07052
Matrix Date Time Comp	Grab		Identifying I	Identifying Marks of Sample(s)	(s)	Start Depth	End Depth 250 ml	Poly		Chloride (							Lab Sample ID
GW 03/09/17 0920	×	MW-1						×		1			_		_		
GW 03/09/17 1104	×	MW-2						×		1				_			
GW 03/09/17 1009	×	MW-3						×		ц			_	_			
GW 03/09/17 1201	×	MW-4						×		1		_		_			
GW 03/09/17 0826	×	MW-5						×		1			_				
GW 03/09/17 125	×	MM-6						×		1							
		*****	**********END	OF COC*********	****												
													_	_			Temp: IR ID:R-8
																	Corrected Temp:
TURNAROUND TIME	$\mathbf{h}$	Normal	48-Hour Rush		24-Hour Rush		RRP La	boratory F	TRRP Laboratory Review Checklist	cklist			Yes	U No	°		
Relinquished by (Signature)	$  \rangle$	Date:	19/17	1606	Received by (Signature)	TUNH	2 R	Part of the second s	Date:	Time	K.	NOTES:		'n	MAIL	RESU	E-MAIL RESULTS TO:
					~									20			<u>8</u>
Relinquished by (Signature)		Date:		Time:	Received by (Signature)				Date:	Time:				2	ATHR/	SH@	KATHRASH@TERRACON.COM
Relinquished by (Signature)		Date:	ň	Time:	Received by (Signature)				Date:	Time:							
Matrix WW-Wastewater Container	W - Water	ter	S - Soil	L - Liquid	A - Air Bag	C - Charcoal tube	ube	SL - Sludge									
VOA - 40 ml vial	A/G - An	A/G - Amber Glass 1L	250 ml = Glass wide mouth		P/O - Plastic or other												
			Lubb	Lubbock Office 🔳	5827 50th Street	eet ∎		bock, Te	Lubbock, Texas 79424		806-300-0140	00-01	40				
					Responsive	Re	sour	Resourceful	Reliable								



# **XENCO Laboratories**



ATORIES Prelogin/Nonconformance Report- Sample Log-In

Client: Terracon Lubbock	Acceptable Temperature Range: 0 - 6 degC
Date/ Time Received: 03/09/2017 04:06:00 PM	Air and Metal samples Acceptable Range: Ambient
Work Order #: 548321	Temperature Measuring device used : R8
Sample Recei	pt Checklist Comments
#1 *Temperature of cooler(s)?	7
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seal present on shipping container/ cooler?	N/A
#5 *Custody Seals intact on shipping container/ cooler?	N/A
#6 Custody Seals intact on sample bottles?	N/A
#7 *Custody Seals Signed and dated?	N/A
#8 *Chain of Custody present?	Yes
#9 Sample instructions complete on Chain of Custody?	Yes
#10 Any missing/extra samples?	Νο
#11 Chain of Custody signed when relinquished/ received?	Yes
#12 Chain of Custody agrees with sample label(s)?	Yes
#13 Container label(s) legible and intact?	Yes
#14 Sample matrix/ properties agree with Chain of Custody?	Yes
#15 Samples in proper container/ bottle?	Yes
#16 Samples properly preserved?	Yes
#17 Sample container(s) intact?	Yes
#18 Sufficient sample amount for indicated test(s)?	Yes
#19 All samples received within hold time?	Yes
#20 Subcontract of sample(s)?	N/A
#21 VOC samples have zero headspace?	N/A
#22 <2 for all samples preserved with HNO3,HCL, H2SO4? I samples for the analysis of HEM or HEM-SGT which are verif analysts.	
#23 >10 for all samples preserved with NaAsO2+NaOH, ZnA	.c+NaOH? N/A

#### \* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst: JKR

PH Device/Lot#: 213315

Checklist completed by: Jessica Kramer

Date: 03/10/2017

Checklist reviewed by: Marshoah Kelsey Brooks

Date: 03/10/2017



Contact: Joel Lowry

**Project Location:** 

## Certificate of Analysis Summary 556666

Terracon Lubbock, Lubbock, TX

Project Name: WLSU #8R

Date Received in Lab:Thu Jun-29-17 04:30 pmReport Date:06-JUL-17Project Manager:Kelsey Brooks

	Lab Id:	556666-0	01	556666-0	02	556666-0	03	556666-0	04	556666-0	005	556666-00	06
Analysis Requested	Field Id:	MW-1		MW-2		MW-3		MW-4		MW-5	5	MW-6	
Analysis Kequestea	Depth:												
	Matrix:	WATE	R	WATER	٤	WATE	ર	WATE	٤	WATE	R	WATER	٤
	Sampled:	Jun-28-17 1	2:37	Jun-28-17 1	1:08	Jun-28-17 1	0:57	Jun-28-17 1	0:45	Jun-28-17	12:26	Jun-28-17 1	2:58
Chloride by EPA 300	Extracted:	Jul-05-17 1	0:00	Jul-05-17	0:00	Jul-05-17 10	0:00						
	Analyzed:	Jul-05-17 1	1:56	Jul-05-17 1	2:09	Jul-05-17 1	2:58	Jul-05-17 1	3:11	Jul-05-17	3:23	Jul-05-17 13	3:35
	Units/RL:	mg/L	RL	mg/L	RL	mg/L	RL	mg/L	RL	mg/L	RL	mg/L	RL
Chloride		26.4	12.5	2500 D	250	26.9	12.5	153	12.5	25.6	12.5	2570 D	250

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Huns Roah

Kelsey Brooks Project Manager

# **Analytical Report 556666**

for Terracon Lubbock

**Project Manager: Joel Lowry** 

WLSU #8R

AR157026

06-JUL-17

Collected By: Client



### 6701 Aberdeen, Suite 9 Lubbock, TX 79424

Xenco-Houston (EPA Lab code: TX00122): Texas (T104704215), Arizona (AZ0765), Florida (E871002), Louisiana (03054) Oklahoma (9218)

Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295) Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400) Xenco-San Antonio: Texas (T104704534) Xenco Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757) Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



06-JUL-17

Project Manager: **Joel Lowry Terracon Lubbock** 5827 50th st, Suite 1 Lubbock, TX 79424

Reference: XENCO Report No(s): **556666 WLSU #8R** Project Address:

#### Joel Lowry:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 556666. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 556666 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Huns hoah

Kelsey Brooks Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994. Certified and approved by numerous States and Agencies. A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



# Sample Cross Reference 556666

## Terracon Lubbock, Lubbock, TX

WLSU #8R

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
MW-1	W	06-28-17 12:37		556666-001
MW-2	W	06-28-17 11:08		556666-002
MW-3	W	06-28-17 10:57		556666-003
MW-4	W	06-28-17 10:45		556666-004
MW-5	W	06-28-17 12:26		556666-005
MW-6	W	06-28-17 12:58		556666-006



### CASE NARRATIVE

Client Name: Terracon Lubbock Project Name: WLSU #8R

Project ID: AR157026 Work Order Number(s): 556666 
 Report Date:
 06-JUL-17

 Date Received:
 06/29/2017

#### Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None



### Terracon Lubbock, Lubbock, TX

WLSU #8R

Sample Id: MV Lab Sample Id: 556		Matrix: Date Colle	Water cted: 06.28.17 12.37		Date Received:06.2	29.17 16.3	0
Analytical Method:	Chloride by EPA 300				Prep Method: E30	00P	
Tech: RNI					% Moisture:		
Analyst: RNI	_	Date Prep:	07.05.17 10.00				
Seq Number: 302	1586						
Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	26.4	12.5	mg/L	07.05.17 11.56		5



# **Certificate of Analytical Results 556666**

### Terracon Lubbock, Lubbock, TX

WLSU #8R

Sample Id:MW-2Lab Sample Id:556666-002		Matrix: Date Collec	Water cted: 06.28.17 11.08	]	Date Received:06.2	29.17 16.3	0
Analytical Method: Chloride by EPA Tech: RNL Analyst: RNL	300	Data Prop.	07.05.17 10.00		Prep Method: E30 % Moisture:	0P	
Seq Number: 3021586	Cas Number	Date Prep: Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2500	250	mg/L	07.05.17 12.21	D	100



### Terracon Lubbock, Lubbock, TX

WLSU #8R

Sample Id: MW-3 Lab Sample Id: 556666-003		Matrix: Date Collec	Water ted: 06.28.17 10.57		Date Received:06.2	29.17 16.3	0
Analytical Method: Chloride by EPA 30	0				Prep Method: E30	0P	
Tech: RNL					% Moisture:		
Analyst: RNL		Date Prep:	07.05.17 10.00				
Seq Number: 3021586							
Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride 1	6887-00-6	26.9	12.5	mg/L	07.05.17 12.58		5

26.9

5

Page 8 of 15



## Terracon Lubbock, Lubbock, TX

WLSU #8R

Sample Id: MW-4 Lab Sample Id: 556666-004		Matrix: Date Colle	Water cted: 06.28.17 10.45		Date Received:06.2	29.17 16.3	0
Analytical Method: Chloride by EP. Tech: RNL	A 300				Prep Method: E30 % Moisture:	OP	
Analyst: RNL Seq Number: 3021586		Date Prep:	07.05.17 10.00				
Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	153	12.5	mg/L	07.05.17 13.11		5

Page 9 of 15



## Terracon Lubbock, Lubbock, TX

WLSU #8R

Sample Id: MW-5 Lab Sample Id: 556666-005		Matrix: Date Coll	Water ected: 06.28.17 12.26		Date Received:06.2	29.17 16.3	30
Analytical Method: Chloride by EP	A 300				Prep Method: E30	00P	
Tech: RNL					% Moisture:		
Analyst: RNL		Date Prep	: 07.05.17 10.00				
Seq Number: 3021586							
Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	25.6	12.5	mg/L	07.05.17 13.23		5

Page 10 of 15



# **Certificate of Analytical Results 556666**

## Terracon Lubbock, Lubbock, TX

WLSU #8R

Sample Id: MW-6 Lab Sample Id: 556666-006		Matrix: Date Colle	Water ected: 06.28.17 12.58		Date Received:06.2	29.17 16.3	0
Analytical Method: Chloride by EPA	300				Prep Method: E30	)0P	
Tech: RNL Analyst: RNL		Date Prep:	07.05.17 10.00		% Moisture:		
Seq Number: 3021586							
Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2570	250	mg/L	07.05.17 13.48	D	100



# **Flagging Criteria**

- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- **F** RPD exceeded lab control limits.
- J The target analyte was positively identified below the quantitation limit and above the detection limit.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K Sample analyzed outside of recommended hold time.
- JN A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.
- \*\* Surrogate recovered outside laboratory control limit.
- **BRL** Below Reporting Limit.
- RL Reporting Limit

MDL Method Detection Limit	SDL Sample Detection Limit	LOD Limit of Detection
PQL Practical Quantitation Limit	MQL Method Quantitation Limit	LOQ Limit of Quantitation

- **DL** Method Detection Limit
- NC Non-Calculable
- + NELAC certification not offered for this compound.
- \* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

### Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

### A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

	Phone	Fax
4147 Greenbriar Dr, Stafford, TX 77477	(281) 240-4200	(281) 240-4280
9701 Harry Hines Blvd , Dallas, TX 75220	(214) 902 0300	(214) 351-9139
5332 Blackberry Drive, San Antonio TX 78238	(210) 509-3334	(210) 509-3335
1211 W Florida Ave, Midland, TX 79701	(432) 563-1800	(432) 563-1713
2525 W. Huntington Dr Suite 102, Tempe AZ 85282	(602) 437-0330	




# QC Summary 556666

### **Terracon Lubbock** WLSU #8R

Analytical Method:	Chloride by EPA 3	00						Pr	ep Metho	od: E30	0P	
Seq Number:	3021586			Matrix:	Water				Date Pre	ep: 07.0	5.17	
MB Sample Id:	727233-1-BLK		LCS Sar	nple Id:	727233-1-	BKS		LCS	D Sample	Id: 727	233-1-BSD	
Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<2.50	25.0	25.5	102	24.1	96	90-110	6	20	mg/L	07.05.17 11:31	

Analytical Method:	Chloride by EPA 30	00						Pr	ep Metho	od: E30	0P	
Seq Number:	3021586			Matrix:	Water				Date Pre	ep: 07.0	5.17	
Parent Sample Id:	556666-002		MS Sar	nple Id:	556666-00	02 S		MS	D Sample	Id: 556	666-002 SD	
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	1990	2500	4990	120	4950	118	80-120	1	20	mg/L	07.05.17 12:33	

Analytical Method:	Chloride by EPA 3	00						Pr	ep Metho	od: E30	0P	
Seq Number:	3021586			Matrix:	Water				Date Pre	ep: 07.0	5.17	
Parent Sample Id:	556739-003		MS Sar	nple Id:	556739-00	)3 S		MS	D Sample	Id: 556	739-003 SD	
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	14.7	125	142	102	139	99	80-120	2	20	mg/L	07.05.17 15:27	



Page 14 of 15

Final 1.000



# **XENCO Laboratories**



ABORATORIES Prelogin/Nonconformance Report- Sample Log-In

Client: Terracon Lubbock	Acceptable Temperature Range: 0 - 6 degC						
Date/ Time Received: 06/29/2017 04:30:00 PM	Air and Metal samples Acceptable Range: Ambient						
Work Order #: 556666	Temperature Measuring device used : IR-3						
Sample Recei	pt Checklist Comments						
#1 *Temperature of cooler(s)?	3.3						
#2 *Shipping container in good condition?	Yes						
#3 *Samples received on ice?	Yes						
#4 *Custody Seal present on shipping container/ cooler?	N/A						
#5 *Custody Seals intact on shipping container/ cooler?	N/A						
#6 Custody Seals intact on sample bottles?	N/A						
#7 *Custody Seals Signed and dated?	N/A						
#8 *Chain of Custody present?	Yes						
#9 Sample instructions complete on Chain of Custody?	Yes						
#10 Any missing/extra samples?	Νο						
#11 Chain of Custody signed when relinquished/ received?	Yes						
#12 Chain of Custody agrees with sample label(s)?	Yes						
#13 Container label(s) legible and intact?	Yes						
#14 Sample matrix/ properties agree with Chain of Custody?	Yes						
#15 Samples in proper container/ bottle?	Yes						
#16 Samples properly preserved?	Yes						
#17 Sample container(s) intact?	Yes						
#18 Sufficient sample amount for indicated test(s)?	Yes						
#19 All samples received within hold time?	Yes						
#20 Subcontract of sample(s)?	Νο						

#20 Subcontract of sample(s)? #21 VOC samples have zero headspace?

#### \* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst: ASD

PH Device/Lot#: 208515

Date: 06/30/2017

N/A

Checklist completed by: Brenda Ward Brenda Ward Checklist reviewed by: Marshoah Kelsey Brooks

Date: 06/30/2017



Contact: Zach Conder

**Project Location:** 

## Certificate of Analysis Summary 563084

Terracon Lubbock, Lubbock, TX

Project Name: WLSU #8

Date Received in Lab:Mon Sep-18-17 12:08 pmReport Date:28-SEP-17Project Manager:Kelsey Brooks

	Lab Id:	563084-0	563084-001		02	563084-0	03	563084-0	04	563084-0	005	563084-00	06
Analysis Requested	Field Id:	MW-1	MW-1		MW-2		MW-3		MW-4		MW-5		
Analysis Kequestea	Depth:												
	Matrix:	WATE	R	WATE	R	WATE	ર	WATE	R	WATE	R	WATER	
	Sampled:	Sep-14-17	Sep-14-17 12:00		Sep-14-17 12:20		2:40	Sep-14-17	13:00	Sep-14-17	13:20	Sep-14-17 1	3:40
Chloride by EPA 300	Extracted:	Sep-27-17	12:00	Sep-27-17 1	2:00	Sep-27-17	2:00	Sep-27-17 1	2:00	Sep-27-17	12:00	Sep-27-17 1	2:00
	Analyzed:	Sep-27-17	Sep-27-17 15:36		5:48	Sep-27-17	6:38	Sep-27-17 1	6:50	Sep-27-17	17:15	Sep-27-17 1	7:27
	Units/RL:	mg/L	mg/L RL		RL	mg/L	RL	mg/L	RL	mg/L	RL	mg/L	RL
Chloride		28.8	12.5	526 D	125	27.1	12.5	187	12.5	40.8	12.5	1070 D	250

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Huns Roah

Kelsey Brooks Project Manager

Final 1.000

# Analytical Report 563084

for Terracon Lubbock

**Project Manager: Zach Conder** 

**WLSU #8** 

AR157026

28-SEP-17

Collected By: Client



### 6701 Aberdeen, Suite 9 Lubbock, TX 79424

Xenco-Houston (EPA Lab code: TX00122): Texas (T104704215), Arizona (AZ0765), Florida (E871002), Louisiana (03054) Oklahoma (9218)

Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295) Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400) Xenco-San Antonio: Texas (T104704534) Xenco Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757) Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



28-SEP-17

Project Manager: **Zach Conder Terracon Lubbock** 5827 50th st, Suite 1 Lubbock, TX 79424

Reference: XENCO Report No(s): 563084 WLSU #8 Project Address:

#### Zach Conder:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 563084. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 563084 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Huns hoah

Kelsey Brooks Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994. Certified and approved by numerous States and Agencies. A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



# Sample Cross Reference 563084

## Terracon Lubbock, Lubbock, TX

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
MW-1	W	09-14-17 12:00		563084-001
MW-2	W	09-14-17 12:20		563084-002
MW-3	W	09-14-17 12:40		563084-003
MW-4	W	09-14-17 13:00		563084-004
MW-5	W	09-14-17 13:20		563084-005
MW-6	W	09-14-17 13:40		563084-006



CASE NARRATIVE

### Client Name: Terracon Lubbock Project Name: WLSU #8

Project ID:AR157026Work Order Number(s):563084

 Report Date:
 28-SEP-17

 Date Received:
 09/18/2017

This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes, and matrices reported in this data package except as noted. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory.

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None



### Terracon Lubbock, Lubbock, TX

Sample Id: MW-1 Lab Sample Id: 563084-001		Matrix: Date Colle	Wate wated: 09.1	er 4.17 12.00		Date Received:09.	18.17 12.0	8
Analytical Method: Chloride by EPA	A 300					Prep Method: E30	)0P	
Tech: RNL Analyst: RNL		Date Prep:	: 09.2	27.17 12.00		% Moisture:		
Seq Number: 3028877								
Parameter	Cas Number	Result	RL	MDL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	28.8	12.5	1.73	mg/L	09.27.17 15.36		5



### Terracon Lubbock, Lubbock, TX

Sample Id: MW-2 Lab Sample Id: 563084-002		Matrix: Date Colle	Wat cted: 09.1	er 4.17 12.20		Date Received:09.	18.17 12.0	8
Analytical Method: Chloride by EPA	<b>3</b> 00					Prep Method: E30	00P	
Tech: RNL Analyst: RNL		Date Prep:	09.2	27.17 12.00		% Moisture:		
Seq Number: 3028877								
Parameter	Cas Number	Result	RL	MDL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	526	125	17.3	mg/L	09.27.17 16.01	D	50



### Terracon Lubbock, Lubbock, TX

Sample Id: MW-3 Lab Sample Id: 563084-003		Matrix: Date Colle	Wate wited: 09.1	er 4.17 12.40		Date Received:09.	18.17 12.0	8
Analytical Method: Chloride by EPA	x 300					Prep Method: E30	00P	
Tech: RNL Analyst: RNL		Date Prep:	09.2	7.17 12.00		% Moisture:		
Seq Number: 3028877								
Parameter	Cas Number	Result	RL	MDL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	27.1	12.5	1.73	mg/L	09.27.17 16.38		5



### Terracon Lubbock, Lubbock, TX

Sample Id: MV Lab Sample Id: 563	<b>N-4</b> 8084-004	Matrix: Date Collect	Water ed: 09.14.17 13.00		Date Received:09.1	18.17 12.0	8
Tech: RN					Prep Method: E30 % Moisture:	00P	
Analyst: RNI Seq Number: 302		Date Prep:	09.27.17 12.00				
Parameter	Cas Numbe	er Result	RL MDL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	187	12.5 1.73	mg/L	09.27.17 16.50		5



### Terracon Lubbock, Lubbock, TX

Sample Id: MW-5 Lab Sample Id: 563084-005		Matrix: Date Colle	Wate Cted: 09.1	er 4.17 13.20		Date Received:09.	18.17 12.0	98
Analytical Method: Chloride by EPA Tech: RNL	. 300					Prep Method: E30 % Moisture:	00P	
Analyst: RNL Seq Number: 3028877		Date Prep:	09.2	7.17 12.00				
Parameter	Cas Number	Result	RL	MDL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	40.8	12.5	1.73	mg/L	09.27.17 17.15		5



### Terracon Lubbock, Lubbock, TX

Sample Id:	MW-6		Matrix:	Wat	er	]	Date Received:09.	18.17 12.0	8
Lab Sample Io	d: 563084-006		Date Colle	cted: 09.1	4.17 13.40				
Analytical Me	ethod: Chloride by EPA	300				1	Prep Method: E30	00P	
Tech:	RNL						% Moisture:		
Analyst:	RNL		Date Prep:	09.2	27.17 12.00				
Seq Number:	3028877								
Parameter		Cas Number	Result	RL	MDL	Units	Analysis Date	Flag	Dil
Chloride		16887-00-6	1070	250	34.7	mg/L	09.27.17 17.40	D	100



# **Flagging Criteria**

- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- **F** RPD exceeded lab control limits.
- J The target analyte was positively identified below the quantitation limit and above the detection limit.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K Sample analyzed outside of recommended hold time.
- JN A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.
- \*\* Surrogate recovered outside laboratory control limit.
- **BRL** Below Reporting Limit.
- RL Reporting Limit

MDL Method Detection Limit	SDL Sample Detection Limit	LOD Limit of Detection
PQL Practical Quantitation Limit	MQL Method Quantitation Limit	LOQ Limit of Quantitation

- **DL** Method Detection Limit
- NC Non-Calculable
- + NELAC certification not offered for this compound.
- \* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

### Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

### A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

	Phone	Fax
4147 Greenbriar Dr, Stafford, TX 77477	(281) 240-4200	(281) 240-4280
9701 Harry Hines Blvd , Dallas, TX 75220	(214) 902 0300	(214) 351-9139
5332 Blackberry Drive, San Antonio TX 78238	(210) 509-3334	(210) 509-3335
1211 W Florida Ave, Midland, TX 79701	(432) 563-1800	(432) 563-1713
2525 W. Huntington Dr Suite 102, Tempe AZ 85282	(602) 437-0330	




# QC Summary 563084

### **Terracon Lubbock** WLSU #8

Analytical Method:	Chloride by EPA 30	00						Pr	ep Metho	od: E30	OP	
Seq Number:	3028877			Matrix:	Water				Date Pre	ep: 09.2	7.17	
MB Sample Id:	731689-1-BLK		LCS Sar	nple Id:	731689-1-	BKS		LCSI	D Sample	Id: 7316	589-1-BSD	
Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	< 0.347	25.0	22.6	90	22.7	91	90-110	0	20	mg/L	09.27.17 15:11	

Analytical Method:	Chloride by EPA 30	)0						Pr	ep Metho	od: E30	0P	
Seq Number:	3028877			Matrix:	Water				Date Pre	ep: 09.2	27.17	
Parent Sample Id:	563084-002		MS Sar	nple Id:	563084-00	02 S		MS	O Sample	Id: 563	084-002 SD	
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	556	1250	1840	103	1880	106	80-120	2	20	mg/L	09.27.17 16:13	

Analytical Method:	Chloride by EPA 30	00						Pr	ep Metho	od: E30	0P	
Seq Number:	3028877			Matrix:	Water				Date Pre	ep: 09.2	27.17	
Parent Sample Id:	563462-002		MS Sar	nple Id:	563462-00	02 S		MSI	D Sample	Id: 563	462-002 SD	
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
											09.27.17 18:30	





# **XENCO Laboratories**



ATORIES Prelogin/Nonconformance Report- Sample Log-In

Client: Terracon Lubbock	Acceptable Temperature Range: 0 - 6 degC
Date/ Time Received: 09/18/2017 12:08:00 PM	Air and Metal samples Acceptable Range: Ambient
Work Order #: 563084	Temperature Measuring device used : IR-3
Sample Rec	ceipt Checklist Comments
#1 *Temperature of cooler(s)?	12.1
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6*Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	Νο
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	Νο

#### \* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst: BRW

PH Device/Lot#: 208515

#18 Water VOC samples have zero headspace?

Date: 09/18/2017

N/A

Checklist completed by: Brenda Ward Brenda Ward Checklist reviewed by: Muss Morah Kelsey Brooks

Date: 09/19/2017



Contact: Kris Williams

**Project Location:** 

Certificate of Analysis Summary 569867

Terracon Lubbock, Lubbock, TX

Project Name: WLSU #8

Date Received in Lab:Fri Dec-01-17 04:05 pmReport Date:10-DEC-17Project Manager:Kelsey Brooks

	Lab Id:	569867-00	)1	569867-0	02	569867-0	03	569867-0	04	569867-0	005	569867-0	06
Analysis Requested	Field Id:	MW-1		MW-2		MW-3		MW-4	MW-4 MW-5		;	MW-6	
Analysis Kequestea	Depth:												
	Matrix:	GROUND WA	ROUND WATER C		ATER	GROUND W	ATER	GROUND W.	ATER	GROUND W	ATER	GROUND WATE	
	Sampled:	Nov-30-17 1	Nov-30-17 12:00		Nov-30-17 12:20		12:40	Nov-30-17 1	3:00	Nov-30-17	13:20	Nov-30-17	13:40
Chloride by EPA 300	Extracted:	Dec-04-17 0	8:30	Dec-04-17 0	8:30	Dec-04-17 (	08:30	Dec-04-17 0	8:30	Dec-04-17	08:30	Dec-04-17 0	08:30
	Analyzed:	Dec-04-17 1	Dec-04-17 11:28		2:17	Dec-04-17	2:42	Dec-04-17 1	3:07	Dec-04-17	13:44	Dec-04-17 1	4:34
	Units/RL:	mg/L	RL	mg/L	RL	mg/L	RL	mg/L	RL	mg/L	RL	mg/L	RL
Chloride		1220 D	250	836 D	250	29.7	2.50	217 D	25.0	29.1	2.50	30.5	2.50

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.%

Mike Kimmel Client Services Manager

#### **Analytical Report 569867**

for Terracon Lubbock

**Project Manager: Kris Williams** 

WLSU #8

AR157026

10-DEC-17

Collected By: Client



#### 6701 Aberdeen, Suite 9 Lubbock, TX 79424

Xenco-Houston (EPA Lab code: TX00122): Texas (T104704215-17-23), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054) Oklahoma (2017-142)

> Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295-17-15), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab code: TX00127): Texas (T104704221-17-12) Xenco-Lubbock (EPA Lab code: TX00139): Texas (T104704219-17-16) Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-17-13) Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3) Xenco Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757) Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



10-DEC-17

Project Manager: **Kris Williams Terracon Lubbock** 5827 50th st, Suite 1 Lubbock, TX 79424

Reference: XENCO Report No(s): 569867 WLSU #8 Project Address:

#### Kris Williams:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 569867. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 569867 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Miles &

Mike Kimmel Client Services Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994. Certified and approved by numerous States and Agencies. A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



#### Sample Cross Reference 569867

#### Terracon Lubbock, Lubbock, TX

WLSU #8

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
MW-1	W	11-30-17 12:00		569867-001
MW-2	W	11-30-17 12:20		569867-002
MW-3	W	11-30-17 12:40		569867-003
MW-4	W	11-30-17 13:00		569867-004
MW-5	W	11-30-17 13:20		569867-005
MW-6	W	11-30-17 13:40		569867-006



#### CASE NARRATIVE

Client Name: Terracon Lubbock Project Name: WLSU #8

Project ID: AR157026 Work Order Number(s): 569867 
 Report Date:
 10-DEC-17

 Date Received:
 12/01/2017

#### Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None



#### **Certificate of Analytical Results 569867**

#### Terracon Lubbock, Lubbock, TX

WLSU #8

Sample Id: MW-1 Lab Sample Id: 569867		Matrix: Date Collec	Ground Water cted: 11.30.17 12.00				
Analytical Method: Cl	hloride by EPA 300			]	Prep Method: E30	00P	
Tech: RNL				(	% Moisture:		
Analyst: RNL		Date Prep:	12.04.17 08.30				
Seq Number: 3034982	2						
Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1220	250	mg/L	12.04.17 11.40	D	100



#### **Certificate of Analytical Results 569867**

#### Terracon Lubbock, Lubbock, TX

WLSU #8

Sample Id:         MW-2           Lab Sample Id:         569867-002	Matrix: Date Colle	Ground Water ected: 11.30.17 12.20	Date Received:12.01.17 16.05				
Analytical Method: Chloride by EPA Tech: RNL Analyst: RNL Seq Number: 3034982	A 300	Date Prep:	12.04.17 08.30		Prep Method: E30 % Moisture:	00P	
Parameter Chloride	<b>Cas Number</b> 16887-00-6	Result 836	<b>RL</b> 250	Units mg/L	<b>Analysis Date</b> 12.04.17 12.30	<b>Flag</b>	<b>Dil</b>



#### Terracon Lubbock, Lubbock, TX

WLSU #8

Sample Id: MW-3 Lab Sample Id: 569867-003		Matrix: Date Colle	Ground Water ected: 11.30.17 12.40	]	Date Received:12.0	)1.17 16.0	5
Analytical Method: Chloride by EPA	300				Prep Method: E30	OP	
Tech: RNL					% Moisture:		
Analyst: RNL		Date Prep:	12.04.17 08.30				
Seq Number: 3034982							
Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	29.7	2.50	mg/L	12.04.17 12.42		1

16887-00-6 29.7

Page 8 of 15



#### Terracon Lubbock, Lubbock, TX

WLSU #8

Sample Id: MW-4 Lab Sample Id: 569867-004		Matrix: Date Colle	Ground Water ected: 11.30.17 13.00	Date Received:12.01.17 16.05					
Analytical Method: Chloride by EPA Tech: RNL Analyst: RNL Seq Number: 3034982	A 300	Date Prep	12.04.17 08.30		Prep Method: E30 % Moisture:	00P			
Parameter Chloride	<b>Cas Number</b> 16887-00-6	Result	<b>RL</b> 25.0	Units mg/L	<b>Analysis Date</b> 12.04.17 13.19	<b>Flag</b>	<b>Dil</b>		

16887-00-6 217



#### Terracon Lubbock, Lubbock, TX

WLSU #8

Sample Id: MW-5 Lab Sample Id: 569867-005		Matrix: Date Collect	Ground Water ed: 11.30.17 13.20				
Analytical Method:Chloride by EPATech:RNLAnalyst:RNLSeq Number:3034982	300	Date Prep:	12.04.17 08.30		Prep Method: E30 % Moisture:	0P	
Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil

16887-00-6 29.1 2.50

12.04.17 13.44

mg/L

1



#### Terracon Lubbock, Lubbock, TX

WLSU #8

Sample Id: MW-6 Lab Sample Id: 569867-006		Matrix: Date Collec	Ground Water ted: 11.30.17 13.40		Date Received:12.01.17 16.05					
Analytical Method:Chloride by EPATech:RNLAnalyst:RNLSeq Number:3034982	300	Date Prep:	12.04.17 08.30		Prep Method: E30 % Moisture:	0P				
Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil			

16887-00-6 **30.5** 

2.50

mg/L 12.04.17 14.34



#### **Flagging Criteria**

- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- **F** RPD exceeded lab control limits.
- J The target analyte was positively identified below the quantitation limit and above the detection limit.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K Sample analyzed outside of recommended hold time.
- JN A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.
- \*\* Surrogate recovered outside laboratory control limit.
- **BRL** Below Reporting Limit.
- RL Reporting Limit

MDL Method Detection Limit	SDL Sample Detection Limit	LOD Limit of Detection
PQL Practical Quantitation Limit	MQL Method Quantitation Limit	LOQ Limit of Quantitation

- **DL** Method Detection Limit
- NC Non-Calculable
- + NELAC certification not offered for this compound.
- \* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

#### Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

#### A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

	Phone	Fax
4147 Greenbriar Dr, Stafford, TX 77477	(281) 240-4200	(281) 240-4280
9701 Harry Hines Blvd, Dallas, TX 75220	(214) 902 0300	(214) 351-9139
5332 Blackberry Drive, San Antonio TX 78238	(210) 509-3334	(210) 509-3335
1211 W Florida Ave, Midland, TX 79701	(432) 563-1800	(432) 563-1713
2525 W. Huntington Dr Suite 102, Tempe AZ 85282	(602) 437-0330	



#### **QC Summary** 569867

#### **Terracon Lubbock** WLSU #8

Analytical Method:	Chloride by EPA 3	00						Pr	ep Metho	d: E30	0P	
Seq Number:	3034982 Matrix:				x: Water Date Prep: 12.04.17					4.17		
MB Sample Id:	7635440-1-BLK LCS Sample				7635440-	1-BKS		LCSI	O Sample	Id: 763	5440-1-BSD	
Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	t Units	Analysis Date	Flag
Chloride	< 0.347	25.0	26.2	105	27.1	108	90-110	3	20	mg/L	12.04.17 11:03	

Analytical Method:	Chloride by EPA 3	)0						Pre	p Method	l: E30	0P		
Seq Number:	3034982 Matrix:				: Ground Water Date Prep:				b: 12.0	12.04.17			
Parent Sample Id:	569867-001	1 MS Sample Id:			569867-00	01 S		MSD	Sample I	ld: 569	l: 569867-001 SD		
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD R	PD Limit	Units	Analysis Date	Flag	

Analytical Method:	Chloride by EPA 30	00						P	rep Metho	od: E30	0P	
Seq Number:	3034982 Matrix:				rix: Ground Water Date Prep:					ep: 12.0	94.17	
Parent Sample Id:	569867-005 MS Sample Id:				569867-00	)5 S		MS	D Sample	e Id: 569	867-005 SD	
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Lim	it Units	Analysis Date	Flag
Chloride	29.1	125	163	107	160	105	80-120	2	20	mg/L	12.04.17 14:09	

MS/MSD Percent Recovery Relative Percent Difference LCS/LCSD Recovery LCS = Laboratory Control Sample A = Parent Result C = MS/LCS Result E = MSD/LCSD Result

MS = Matrix Spike B = Spike Added D = MSD/LCSD % Rec

Induction     Matrix     Contact: Lubord, Yanay     Matrix       Contact:     Lubord, Yanay     Point     Point       Contact:     Point	Address:     Contraction     Monetication     Monetication     Monetication     Monetication       Induct     Induct     Induct     Propertication     Monetication     Monetication     Monetication     Monetication     Monetication       Induct     Induct     Induct     Induct     Monetication     Monetication <th>A DE LEVEL</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>Laboratory:</th> <th>Xenco</th> <th></th> <th></th> <th></th> <th>ANAI VSIS</th> <th></th> <th></th> <th>I AR LISE ONI V</th>	A DE LEVEL						Laboratory:	Xenco				ANAI VSIS			I AR LISE ONI V
Lubock, Tools 7424     Lubock, Tools 7424     Province       Et Cristing     Lubock, Tools 7424     Province     Province       Et Cristing     Lubock, Tools 7424     Lubock, Tools 7424     Province       Et Cristing     Lubock, Tools 742     Lubock, Tools 742     Province       Et Cristing     Lubock, Tools 742     Lubock, Tools 742     Lubock, Tools 742       Et Cristing     Lubock, Tools 742     Lubock, Tools 742     Lubock, Tools 742       Et Cristing     Lubock, Tools 742     Lubock, Tools 742     Lubock, Tools 742       Et Cristing     Lubock, Tools 7424     Lubock, Tools 7424     Lubock, Tools 7424	Lubock     Lubock <th></th> <th>0</th> <th></th> <th>1</th> <th></th> <th>4</th> <th>vddress:</th> <th>6701 A</th> <th>berdeen</th> <th></th> <th></th> <th>REQUEST</th> <th>£</th> <th></th> <th>DUE DATE:</th>		0		1		4	vddress:	6701 A	berdeen			REQUEST	£		DUE DATE:
Cel Concision         Lubbodic         Lubbodic         Pone:         Pone: <td>le clotation le control le contro</td> <td></td> <td></td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td>Lubbo</td> <td>k, Texas</td> <td>79424</td> <td></td> <td></td> <td></td> <td></td> <td>TEMP OF COOLER</td>	le clotation le control le contro			1					Lubbo	k, Texas	79424					TEMP OF COOLER
Eet Manager (bet Value         Kis/Millins Zahl, Conder         Contact: Samplet's Signature         Contact:	Deter (et Number Att Soften att Soften (et Number Att Soften att Soften (et Number Att	Office Location		ubbock			<u>م</u>	hone:								
Optic 1 Name       Zach Conder       Samplet Signature       Amplet	Optic 1 klame         Zahr) Grotter         Sampter 5 kgrature         Sampter 5 kgrature         Sampter 5 kgrature           det Number         Anticipie         France         Notice         Not	Project Manage		ris Willia	sm			ontact: 0/s0 #-								-
rect         Project Name         Project Name         Monther           At15705         Time         P         Monther         Monthe	Internet         Project Name         Project Name         Microsoft         Microsoft           Att32705         Att37705         Microsoft         Mic	Sampler's Name		ach Con	Ider		- 0	ampler's Sie	nature	1,2,	D		(00£ bo			
Al3506         MISUBS           Date         Time         Op         MisuB         F <td< td=""><td>AttSTOGE         MCL HB           Date         Time         E</td><td>Project Number</td><td></td><td></td><td>Pro</td><td>oject Name</td><td></td><td></td><td></td><td>No. T</td><td>ype of Cont.</td><td>ainers</td><td>hterh</td><td></td><td></td><td></td></td<>	AttSTOGE         MCL HB           Date         Time         E	Project Number			Pro	oject Name				No. T	ype of Cont.	ainers	hterh			
Date         Time         Date         Date <th< td=""><td>Dite         Time         Dip         Lithting Marks of Sample(s)         Mark         <th< td=""><td></td><td>\R157026</td><td></td><td>-</td><td></td><td>WLSU #8</td><td></td><td></td><td></td><td></td><td></td><td>1 A 9</td><td></td><td></td><td></td></th<></td></th<>	Dite         Time         Dip         Lithting Marks of Sample(s)         Mark         Mark <th< td=""><td></td><td>\R157026</td><td></td><td>-</td><td></td><td>WLSU #8</td><td></td><td></td><td></td><td></td><td></td><td>1 A 9</td><td></td><td></td><td></td></th<>		\R157026		-		WLSU #8						1 A 9			
1/30/2017       1/20       1/2	13/30/2019       12:0       1       <		Time	Comp		Identifying Ma	arks of Sample(:	(5	ftart Depth				) əpinold			
1130/2017       12:30       1       <	11302017     12:20     X     MW-2     MW-3     1     1     X     Y       1130702017     13:30     X     MW-3     1     1     X     X       1130702017     13:30     X     MW-5     1     1     X     X       1130702017     13:30     X     MW-5     1     1     X     X       1130702017     13:30     X     MW-5     1     1     X     X       1130702017     13:30     X     MW-6     1     1     X     X       1130702017     13:30     X     MW-6     1     1     X     X       1130702017     13:40     X     MW-6     1     1     X       1140707010     MW-6     MW-6     MW-6<		12:00		×	2	1W-1						) >			Lab Sample
11302017     1240     X     MW-3     1     1     X     N       11302017     1320     X     MW-5     1     1     X     N       11302017     1320     X     MW-5     1     1     X     N       11302017     1330     X     MW-5     1     1     X     N       11302017     1330     X     MW-6     1     1     X     N       11302017     1330     X     MW-6     1     1     X     N       11302017     1330     X     MW-6     1     1     X     N       11302017     1340     N     MW-6     1     1     X     N       ASDUND     N     MW-6     N     N     N     N       ASDUND     N     MM-6     N     N     N     N       ASDUND     N     N     N     N     N     N       ASDUND     N     N     N     N     N     N       ASUMAD     N     N     N     N     N     N       ASUMAD     N     N     N     N     N     N       ASUMAD     N     N     N     N     N	1130/2017     12-90     X     MW-3     1     X     X       1130/2017     13-00     X     MW-4     1     1     X     X       1130/2017     13-00     X     MW-5     1     1     X     X       1130/2017     13-00     X     MW-6     1     X     X       1130/2017     13-00     X     MW-6     X     X     X       1130/2017     13-00     X     X     X     X     X       1130/2017     13-00     X     X     X     X     X       1130/2017     13-00     X     X     X     X     X       1130/2017     X     X     X     X     X     X       X     X     X     X <td></td> <td>12:20</td> <td></td> <td>×</td> <td>Ž</td> <td>1W-2</td> <td></td> <td></td> <td>+ +</td> <td></td> <td></td> <td>&lt; &gt;</td> <td></td> <td></td> <td></td>		12:20		×	Ž	1W-2			+ +			< >			
1130/2017     13:00     X     MW-4     1     1     X       11/30/2017     13:20     X     MW-5     1     1     X     X       11/30/2017     13:30     X     MW-6     1     1     X     X       11/30/2017     13:30     X     MW-6     1     1     X     X       AGOUND TIME     MM-6     1     1     1     X     X       ASCUMD TIME     MM-6     1     1     1     X     X       ASCUMD TIME     MM-6     1     1     1     X     X       ASCUMD TIME     MM-7     MARCHARCHARCHARCHARCHARCHARCHARCHARCHARCH	1130/2017     1330     X     MW-4     1     1     X     X       1130/2017     1330     X     MW-5     1     1     X     X       1130/2017     1330     X     MW-5     1     1     X     X       1130/2017     1330     X     MW-6     1     1     X     X       1130/2017     X     MW-6     X     X     X     X       1130/2017     X     MW-6     X     X     X     X       1130/2017     X     X     X     X     X     X       1130/2017     X     X     X     X     X     X       1130/2017     X     X     X     X     X     X       1130/2017     X     X <td></td> <td>12:40</td> <td></td> <td>×</td> <td>Ž</td> <td>W-3</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>&lt; &gt;</td> <td></td> <td></td> <td></td>		12:40		×	Ž	W-3						< >			
11/30/2017     132/0     X     MW-5     1     X     X       11/30/2017     134/0     X     MW-5     1     1     X     X       11/30/2017     134/0     X     MW-5     1     1     X     X       11/30/2017     134/0     X     MW-5     1     X     X       11/30/2017     134/0     X     MM-5     1     X     X       11/30/2017     X     MM-5     X     X     X     X       11/30/2017     X     X     X     X     X     X       11/30/2017	11/30/2017     132/0     X     MW-5     1     X     X       11/30/2017     133/0     1     X     1     X     X       11/30/2017     133/0     1     X     1     X     X       11/30/2017     133/0     1     X     1     X     X       11/30/2017     1     X     1     X     X     X       11/30/2017     1     X     X     X     X     X       11/30/2017     1     1     X     X     X     X       11/30/2017     1     1     1     X     X     X       11/30/2017     1     1     1     1     X     X       11/30/2017     1     1     1     1     X     X       11/30/2017     1     1     1     1		13:00		×	Z	W-4			- 1			< >			
11/30/2017     133/0     X     MW-6     1     1     X       11/30/2017     133/0     1     1     1     1     1       11/30/2017     13     1     1     1     1     1     1       11/30/2017     13     1     1     1     1     1     1       11/30/2017     13     1     1     1     1     1     1       11/30/2017     13     1     1     1     1     1     1       11/30/2017     13     1     1     1     1     1     1       11/30/2017     13     1     1     1     1     1     1       11/30/2017     13     1     1     1     1     1     1       11/30/2017     1     1     1     1     1     1     1       11/30/2017     1     1     1     1     1     1     1       11/30/2017     1     1     1     1     1     1     1       11/30/2017     1     1     1     1     1     1     1       11/30/2017     1     1     1     1     1     1       11/30/2017     1     1	1130/2017     133.00     X     MW-6     1     1     X       1130/2017     133.00     1     1     1     1     1     1       1130/2017     133.00     1     1     1     1     1     1       1130/2017     1     1     1     1     1     1     1       1130/2017     1     1     1     1     1     1     1       1130/2017     1     1     1     1     1     1     1       1130/2017     1     1     1     1     1     1     1       1130/2017     1     1     1     1     1     1     1       1130/2017     1     1     1     1     1     1     1       1130/2017     1     1     1     1     1     1     1       1130/2017     1     1     1     1     1     1     1       1130/2017     1     1     1     1     1     1     1       1130/2017     1     1     1     1     1     1     1       1130/2017     1     1     1     1     1     1     1       1130/2017     1		13:20		×	Z	W-5			+ +			< >			
And the image of the image	And     And     And     And       And     And     And     And     And       And y Signature)     Date:     Inc.     And     And       An		13:40		×	Σ	M-6						< >			
Month     Month     Month       And     48-Hour Rush     24-Folts Rush     TRP Laboratory Review Checklist       And     48-Hour Rush     24-Folts Rush     TRP Laboratory Review Checklist       And     11-20-17     110-1     10-1       And     11-20-17     10-1     10-1       And     11-20-17     10-1     10-1       And     11-20-17     10-1     10-1       And     11-20-1     10-1     10-1       And     11-20-1     10-1     10-1       And     11-1     10-1     10-1       And     11-1     10-1     10-1       And     11-1     10-1     10-1       And     11-1     10-1     10-1	Mathematical     Mathematical     Mathematical     Mathematical       Algorithm     Algorithm     Algorithm     Algorithm									1			~			
Actual TiMe     Actual TiMe     Actual TiMe     Actual Time     Actual Time       Actual TiMe     Actual Time     48 Hour Rush     TRRP Laboratory Review Checklist     Yes       Actual Time     Actual Time     24 Hour Rush     TRRP Laboratory Review Checklist     Yes       Actual Time     Actual Time     Actual Time     Actual Time     Actual Time     Actual Time       Actual Time     Actual Time     Actual Time     Actual Time     Actual Time     Actual Time       Actual Time     Actual Time     Actual Time     Actual Time     Actual Time     Actual Time       Actual Time     Actual Time     Actual Time     Actual Time     Actual Time     Actual Time       Actual Time     Actual Time     Actual Time     Actual Time     Actual Time     Actual Time       Actual Time     Actual Time     Actual Time     Actual Time     Actual Time     Actual Time       Actual Time     Actual Time     Actual Time     Actual Time     Actual Time     Actual Time       Actual Time     Actual Time     Actual Time     Actual Time     Actual Time     Actual Time       Actual Time     Actual Time     Actual Time     Actual Time     Actual Time     Actual Time       Actual Time     Actual Time     Actual Time     Actual Time	Activity     Activity     Activity     Activity     Activity     Activity									-						
AGUND TIME     Ashound     48-Hour Rush     24-Floh Rush     TRRP Laboratory Review Checklist     Yes       AGOUD TIME     Ashound     48-Hour Rush     24-Floh Rush     TRRP Laboratory Review Checklist     Yes       Astronomic Stemation     Date:     Inc.     Reference for Stemation     Date:     Inc.     Not Test       Astronomic Stemation     Date:     Inc.     Received by Stemation     Date:     Inc.     Not Stemation       And by Stemature     Date:     Inc.     Received by Stemature     Date:     Inc.     Received by Stemature     Date:     Inc.       And by Stemature     Date:     Inc.     Received by Stemature     A	Abound Time     Asthour Rush     Asthour Rush     Asthour Rush     Asthour Rush       Asthour Rush     Asthour Rush     Asthour Rush     Asthour Rush     Asthour Rush       Asthour Rush     Asthour Rush     Asthour Rush     Asthour Rush     Asthour Rush       Asthour Rush     Asthour Rush     Asthour Rush     Asthour Rush     Asthour Rush       Asthour Rush     Asthour Rush     Asthour Rush     Asthour Rush     Asthour Rush       Asthour Rush     Asthour Rush     Asthour Rush     Asthour Rush     Asthour Rush       Asthour Rush     Asthour Rush     Asthour Rush     Asthour Rush     Asthour Rush       Asthour Rush     W.Ware     S.Sold     Asthour Rush     Asthour Rush       Asthour Rush     W.Ware     S.Sold     Asthour Rush     Asthour Rush       Asthour Rush     W.Ware     S.Sold     Asthour Rush     Asthour Rush       Asthour Rush     Ware     S.Sold     Asthour Rush     Asthour Rush       Asthour Rush     Mark     S.Sold     Asthour Rush     Asthour Rush			-		/	<	Ì					+-			
Activity     Activ	Actual Time     Ashina     Ashi									-						
AROUND TIME     Around     48-Hour Rush     24-Flour Rush     TRRP Laboratory Review Checklist     Ves       AROUND TIME     Area     148-Hour Rush     1	ARDUND TIME     ARDUND TIME       ARDUND TIME <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td>								1				-			
Andruadio TIME     Definition     24-four Rush     TRRP Laboratory Review Checklist     Vest       Street (Signature)     Date:     Not:     Not:     Not:     Not:       Street (Signature)     Date:     Not:     Not:     Not:     Not:       Street (Signature)     Date:     Inne:     Received by (Signature)     One:     Not:       And by (Signature)     Date:     Inne:     Received by (Signature)     One:     Inne:     Not:       And by (Signature)     Date:     Inne:     Received by (Signature)     One:     Inne:     Not:       And by (Signature)     Date:     Inne:     Received by (Signature)     One:     Inne:     And inne:       And by (Signature)     Date:     Inne:     Received by (Signature)     Date:     Inne:     Received by (Signature)       And by (Signature)     Date:     Inne:     Received by (Signature)     Date:     Inne:     Not:       And by (Signature)     Date:     Inne:     Received by (Signature)     Date:     Inne:     Not:       And by (Signature)     Date:     Inne:     Received by (Signature)     Date:     Inne:     Not:       And by (Signature)     Date:     Inne:     Received by (Signature)     Date:     Inne:     Not:	And MD TIME       Street (Synature)     Date:     Date:     Date:     Date:     Note:     Note:       Street (Synature)     Date:     Date:     Inve:     Received by (Synature)     Date:     Note:     Note:       And by (Synature)     Date:     Inve:     Received by (Synature)     Date:     Note:     Note:     Note:       And by (Synature)     Date:     Inve:     Received by (Synature)     Date:     Inve:     Note:     Note:     Note:       And by (Synature)     Date:     Inve:     Received by (Synature)     Date:     Inve:     Note:     Note:     Note:       And by (Synature)     Date:     Inve:     Received by (Synature)     Date:     Inve:     Note:     Note:     Note:       And by (Synature)     Date:     Inve:     Received by (Synature)     Date:     Inve:     Note:     Note:     Note:       And by (Synature)     Date:     Inve:     Received by (Synature)     Date:     Note:     Note:     Note:     Note:       And by (Synature)     Date:     Inve:     Received by (Synature)     Date:     Note:     Note:     Note:       Mot dator     Not waterenert     W. Waterenert </td <td></td> <td></td> <td></td> <td>6</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td>				6								-			
Anter Approaches     Date:     Inter:     Inter:     Redevelor Manature)     Once:     Inter:     NOTES:       Bate Markender     Date:     Inter:     Received by figmature)     One:     Inter:     NOTES:       Bate Markender     Date:     Inter:     Received by figmature)     One:     Inter:     NOTES:       Bate Markender     Date:     Inter:     Received by figmature)     One:     Inter:     Anter:     Anter:       And by figmature)     Date:     Inter:     Received by figmature)     Date:     Inter:     Received by figmature)     Date:     Inter:     Anter:     Anter	Anter Approaches     Date:     Inte:     Redevelor (by Capachure)     Once:     Inte:     NOTES:       Bate Markender     Date:     Inte:     Received by (Signature)     Once:     Inte:     NOTES:       Bate Markender     Date:     Inte:     Received by (Signature)     Once:     Inte:     Note:     Inte:       And by (Signature)     Date:     Inte:     Received by (Signature)     Note:     Inte:     Received by (Signature)     Note:     Inte:     Received by (Signature)     Note:     Note:     Note:     Note:     Note:     Note:     Note:     Note:     Note:     No	TURNAROUND TIME			LINGLI			Hour Rush	TF	RP Labor	atory Revie	w Checkli	st			
Mathematical Signature)     Date:     Time:     Received by Signature)     One:     Time:     e-mail result       shed by (Signature)     Date:     Time:     Received by (Signature)     Date:     Time:     e-mail result       shed by (Signature)     Date:     Time:     Received by (Signature)     Date:     Time:     e-mail result       whet by (Signature)     Date:     Time:     Received by (Signature)     Date:     Time:     e-mail result       whet by (Signature)     Date:     Time:     Received by (Signature)     Date:     Time:     e-mail result       www.wattewater     w.water     s. Sold     L. Laplad     A. Air Bag     C. Charoatube     s. Sude       wow. 40 m/ sold     A/G. And ref cass Li     2.0 m/ sold to content     Po Platic or other     s. Sude       wow. 40 m/ sold     A/G. And ref cass Li     2.0 m/ sold to content     Pro Platic or other     s. Sude	tereture for the formature formature for the formature formation one for	Kellingedished avul signature)	A A	1			12	eijeet by (Signature)	4	Z	Date:	T V	2	NOTES:		
Inded by (Signature)     Date:     Itme:     Date:     Itme:       Inded by (Signature)     Date:     Time:     Date:     Time:       Inded by (Signature)     Not. Adv (Signature)     Date:     Date:     Time:       Inded by (Signature)     Not. Adv (Signature)     Date:     Signature)     Date:     Time:       Inded by (Signature)     Not. Adv (Signature)     Not. Adv (Signature)     Signature)     Date:     Time:       Inded by (Signature)     Not. Adv (Signature)     Signature)     Signature)     Signature)     Signature)       Inded by (Signature)     Not. Adv (Signature)     Signature)     Signature)     Signature)     Signature)       Inded by (Signature)     Not. Adv (Signature)     Signature)     Signature)     Signature)     Signature)	Inded by (Signature)     Date:     Time:     Date:     Time:       Inded by (Signature)     Not. Martine (Signature)     Date:     Date:     Time:       Inded by (Signature)     Not. Martine (Signature)     Date:     Signature)     Date:     Time:       Inded by (Signature)     Not. Martine (Signature)     Not. Martine (Signature)     Signature)     Signature)     Date:     Time:       Inded by (Signature)     Not. Martine (Signature)     Not. Martine (Signature)     Not. Martine (Signature)     Signature)     Signature)     Signature)       Inded by (Signature)     Not. Martine (Signature)     Not. Martine (Signature)     Not. Martine (Signature)     Signature)       Inded by (Signature)     Not. Martine (Signature)     Not. Martine (Signature)     Signature)     Signature)     Signature)       Inded by (Si	Relinquished by (Signature)	5				<b>C D N</b>	sived by (bignature)	1		Date		() , , , , , , , , , , , , ,	e-mail re	scults to:	
Inter by (Signature)     Date:     Inter- Inter programmer     Date:     Inter- Inter programmer     Date:     Inter- Inter programmer       www.wartewater     w.w.water     s. soll     t. Luguid     A. Air Bag     C. Charcoal tube     31. Sludge       www.wartewater     w.w. water     s. soll     t. Luguid     A. Air Bag     C. Charcoal tube     31. Sludge       www.wartewater     w.w. water     s. soll     t. Luguid     A. Air Bag     C. Charcoal tube     31. Sludge       wow. 40 mit will     A/G. Amber Glass 11     250 ml. Subtle or other     p. Platic or other     31. Sludge       Lubbock Office     5827 50th Street, Suite 1     Lubbock, Texas 79424     806-300-01400	Interference     I	Relinquished by (Signature)														
thed by (Signature)     Date:     Time:     Received by (Signature)     Date:     Time:       www.watewater     w. Water     s. sold     L ubbook     L ubbook     1 - Logid     A - Air Bag     C. Charcal tube     S1 - Sludge       wowAo minimal     w. Water     s. sold     L ubbook     P/O - Platic or other     S1 - Sludge       wowAo minimal     work     s. sold     L ubbook     P/O - Platic or other     S1 - Sludge	Inded by [Signature]     Date:     Time:     Received by (Signature)     Date:     Time:       WWW.Waterwater     W. Water     5-54l     L-Leglid     A-Ait Bag     C-Charcalitule     31-Sludge       WWW.Waterwater     W. Water     5-54l     L-Leglid     A-Ait Bag     C-Charcalitule     31-Sludge       WWW.Waterwater     W. Waterwater     M.G. Amber Glass 11     230 ml - Glass web mouth     P/O - Platic or other     31-Sludge       WOA - 40 m/vai     M.G. Amber Glass 11     Z30 ml - Glass web mouth     P/O - Platic or other     Slod - Sludge       WOA - 40 m/vai     M.G. Amber Glass 11     Z30 ml - Glass web mouth     P/O - Platic or other     Slod - Sludge							eived by (Signature)			Date:	Tim	ä		kcwilliams@terr	acon.com
WW-Watewater W-Water S-Sol L-Liquid A-Air Bag C-Charceal tube SI-Sludge VCA-40 m Voal AG-Amber Gas 11 250 ml = Glass wide mouth P/O - Planic or other Lubbock Office <b>5827 50th Street, Suite 1 Lubbock, Texas 79424</b>	WW-Watewater     W-Watewater     S - Sol     Lubudie     Lubudie     S - Air Bag     C - Charcal tube     Si - Silvage       VOA - 40 mi vol     A/6 - Amber Glass 11     290 mil - Glass wide mouth     P/0 - Placing or other     S - Air Bag     S - Air Bag       VOA - 40 mi vol     A/6 - Amber Glass 11     290 mil - Glass wide mouth     P/0 - Placing or other     S - Air Bag     S - Air Bag       VOA - 40 mi vol     A/6 - Amber Glass 11     290 mil - Glass wide mouth     P/0 - Placing or other     S - Air Bag       VOA - 40 mi vol     A/6 - Amber Glass 11     290 mil - Glass VOA     S - Air Bag     R - Air Bag	Relinquished by (Signature)						fived by (Signature)			Date:	1111			zach.conder@te	rracon.com
5827 50th Street, Suite 1 = Lubbock, Texas 79424	5827 50th Street, Suite 1 = Lubbock, Texas 79424 Responsive = Resourceful = Polishio		-Wastewater - 40 ml vial		W - Water VG - Amber Glas		L - Liquid	r Bag Plastic or other	C - Charcoal tub		SL - Sludge	-				
	Responsive = Resourceful = Paliabla					Lubbock Office	- See	Street, Su			ck, Texas	; 79424	<b>806</b>	300-01	01	

Page 14 of 15

Final 1.000



#### **XENCO** Laboratories **XENCO** LABORATORIES Prelogin/Nonconformance Report- Sample Log-In

Client: Terracon Lubbock	Acceptable Temperature Range: 0 - 6 degC
Date/ Time Received: 12/01/2017 04:05:00 PM	Air and Metal samples Acceptable Range: Ambient
Work Order #: 569867	Temperature Measuring device used : IR-3
Sample Recei	pt Checklist Comments
#1 *Temperature of cooler(s)?	1
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Νο
#5 Custody Seals intact on sample bottles?	N/A
#6*Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	Νο
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

#### \* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst: ASD

PH Device/Lot#: 208515

Checklist completed by: Brenda Ward Brenda Ward

Date: 12/01/2017

Checklist reviewed by: Muckic

Date: 12/06/2017

#### **Analytical Report 579465**

for Terracon Lubbock

**Project Manager: Kris Williams** 

WLSU #8

AR157026

#### 16-MAR-18

Collected By: Client



#### 6701 Aberdeen, Suite 9 Lubbock, TX 79424

Xenco-Houston (EPA Lab code: TX00122): Texas (T104704215-18-24), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054) Oklahoma (2017-142)

> Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295-17-16), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab code: TX00127): Texas (T104704221-17-12) Xenco-Lubbock (EPA Lab code: TX00139): Texas (T104704219-17-16) Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-18-14) Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3) Xenco Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757) Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757) Xenco-Atlanta (LELAP Lab ID #04176)



#### **Table of Contents**

Cover Page	1
Cover Letter	3
Sample ID Cross Reference	4
Case Narrative	5
Certificate of Analysis (Detailed Report)	6
Explanation of Qualifiers (Flags)	8
LCS / LCSD Recoveries	9
MS / MSD Recoveries	10
Chain of Custody	11
Sample Receipt Conformance Report	12



16-MAR-18

Project Manager: **Kris Williams Terracon Lubbock** 5827 50th st, Suite 1 Lubbock, TX 79424

Reference: XENCO Report No(s): **579465 WLSU #8** Project Address: Lubbock

#### Kris Williams:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 579465. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 579465 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Huns hoah

Kelsey Brooks Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994. Certified and approved by numerous States and Agencies. A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



#### Sample Cross Reference 579465

#### Terracon Lubbock, Lubbock, TX

WLSU #8

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
MW-1	W	03-15-18 15:11		579465-001
MW-6	W	03-15-18 15:17		579465-002
MW-2	W	03-15-18 15:22		579465-003



CASE NARRATIVE

#### Client Name: Terracon Lubbock Project Name: WLSU #8

Project ID: AR157026 Work Order Number(s): 579465 Report Date: 16-MAR-18 Date Received: 03/15/2018

This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes, and matrices reported in this data package except as noted. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory.

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None





#### Terracon Lubbock, Lubbock, TX

WLSU #8

Sample Id: MW-1		Matrix:	Water		Sampl	e Depth:		
Lab Sample Id: 579465-001		Date Collecte	ed: 03.15.18	15.11	Date R	Received: 03.15.	18 17.3	37
Analytical Method: Chloride by EPA 300					Prep M	Iethod: E300F	)	
Analyst: RNL		% Moist:			Tech:	RNL		
Seq Number: 3043961		Date Prep: 0.	3.16.18 08.30					
		Prep seq: 70	640948					
Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	29.6	2.50	0.347	mg/L	03.16.18 09:43		1
Sample Id: MW-6		Matrix:	Water		Sampl	e Depth:		
Lab Sample Id: 579465-002		Date Collecte	ed: 03.15.18	15.17	Date R	Received: 03.15.	18 17.3	37
Analytical Method: Chloride by EPA 300					Prep M	Iethod: E300F	)	
Analyst: RNL		% Moist:			Tech:	RNL		
Seq Number: 3043961		Date Prep: 0.	3.16.18 08.30					
		Prep seq: 70	540948					
Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	1250	250	34.7	mg/L	03.16.18 10:45		100
Sample Id: MW-2		Matrix:	Water		Sampl	e Depth:		
Lab Sample Id: 579465-003		Date Collecte	ed: 03.15.18	15.22	Date R	Received: 03.15.	18 17.3	37
Analytical Method: Chloride by EPA 300					Prep M	Iethod: E300F	•	
Analyst: RNL		% Moist:			Tech:	RNL		
Seq Number: 3043961		Date Prep: 0.	3.16.18 08.30					
		Prep seq: 70	640948					
Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	1320	250	34.7	mg/L	03.16.18 10:33		100



#### Certificate of Analytical Results 579465 Terracon Lubbock, Lubbock, TX



#### II LUDDOCK, LUDD

WLSU #8

Sample Id: <b>7640948-1-BLK</b>		Matrix:	Water		Sample	e Depth:		
Lab Sample Id: 7640948-1-BLK		Date Collected	d:		Date R	eceived:		
Analytical Method: Chloride by EPA 300					Prep M	lethod: E300P		
Analyst: RNL		% Moist:			Tech:	RNL		
Seq Number: 3043961		Date Prep: 03	.16.18 08.30					
		Prep seq: 76	40948					
Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	< 0.347	2.50	0.347	mg/L	03.16.18 09:31	U	1



#### **Flagging Criteria**

- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- **F** RPD exceeded lab control limits.
- J The target analyte was positively identified below the quantitation limit and above the detection limit.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- **K** Sample analyzed outside of recommended hold time.
- **JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.
- \*\* Surrogate recovered outside laboratory control limit.
- **BRL** Below Reporting Limit.
- RL Reporting Limit
- MDL Method Detection LimitSDLSample Detection LimitLOD Limit of Detection
- PQL Practical Quantitation Limit MQL Method Quantitation Limit LOQ Limit of Quantitation
- DL Method Detection Limit
- NC Non-Calculable

SMP Clie	ent Sample	BLK	Method Blank	
BKS/LCS	S Blank Spike/Laboratory Control Sample	BKSD/LCSD	Blank Spike Duplicate/Labor	ratory Control Sample Duplicate
MD/SD	Method Duplicate/Sample Duplicate	MS	Matrix Spike	MSD: Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



#### **BS / BSD Recoveries**



Project Name: WLSU #8

Work Order	:#: 579465								Proj	ect ID:	AR157026		
Analyst:	RNL		Da	ate Prepar	ed: 03/16/201	18			Date A	nalyzed: (	03/16/2018		
Lab Batch ID	: 3043961 Sa	mple: 7640948-1-B	3KS	Batcl	n#: 1					Matrix: V	Water		
Units:	mg/L			BLAN	K/BLANK	SPIKE / I	BLANK S	SPIKE DUPI	LICATE	RECOV	ERY STUI	DY	
	Chloride by EPA 3		Blank Sample Result [A]	Spike Added	Blank Spike Result	Blank Spike %R	Spike Added	Blank Spike Duplicate	Blk. Spk Dup. %R	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analy	ytes			[B]	[C]	[D]	[E]	Result [F]	[G]				
Chloride			<0.347	25.0	25.2	101	25.0	24.9	100	1	90-110	20	

Relative Percent Difference RPD =  $200^{*}|(C-F)/(C+F)|$ Blank Spike Recovery [D] =  $100^{*}(C)/[B]$ Blank Spike Duplicate Recovery [G] =  $100^{*}(F)/[E]$ All results are based on MDL and Validated for QC Purposes



#### Form 3 - MS / MSD Recoveries


#### Project Name: WLSU #8

Work Order # :	579465						Project II	<b>):</b> AR157	026			
Lab Batch ID:	3043961 Q	C- Sample ID:	579465	-001 S	Ba	tch #:	1 Matrix	: Water				
Date Analyzed:	03/16/2018	Date Prepared:	03/16/2	018	An	alyst: F	RNL					
<b>Reporting Units:</b>	mg/L		Μ	ATRIX SPIK	E / MAT	RIX SPI	KE DUPLICA	TE REC	OVERYS	STUDY		
	Chloride by EPA 300	Parent Sample	Spike	Spiked Sample Result	Spiked Sample	Spike	Duplicate Spiked Sample		RPD	Control Limits	Control Limits	Flag
	Analytes	Result [A]	Added [B]	[C]	%R [D]	Added [E]	Result [F]	%R [G]	%	%R	%RPD	
Chloride		29.6	125	157	102	125	159	104	1	80-120	20	

Matrix Spike Percent Recovery  $[D] = 100^{*}(C-A)/B$ Relative Percent Difference RPD =  $200^{*}|(C-F)/(C+F)|$  Matrix Spike Duplicate Percent Recovery  $[G] = 100^{*}(F-A)/E$ 

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.

Page 10 of 12



Page 11 of 12

Final 1.000



#### **XENCO Laboratories**



**KENCO** ABORATORIES Prelogin/Nonconformance Report- Sample Log-In

Client: Terracon Lubbock	Acceptable Temperature Range: 0 - 6 degC
Date/ Time Received: 03/15/2018 05:37:00 PM	Air and Metal samples Acceptable Range: Ambient
Work Order #: 579465	Temperature Measuring device used : IR3
Sample Recei	ot Checklist Comments
#1 *Temperature of cooler(s)?	3.4
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6*Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No

#18 Water VOC samples have zero headspace?

#### \* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst: asd

PH Device/Lot#: 208515

Date: 03/16/2018

N/A

 Checklist completed by:
 Ashley Derstine

 Checklist reviewed by:
 Masses

 Kelsey Brooks
 Kelsey Brooks

Date: 03/16/2018

#### APPENDIX D

Table 3 – Historical Groundwater Analytical Summary – Select Metals and AnionsTable 4 – Historical Groundwater Analytical Summary - BTEXTable 5 – Historical Groundwater Analytical Summary - PAHs

2017 ANNUAL REPORT **TABLE 3** 

# HISTORICAL GROUNDWATER ANALYTICAL SUMMARY - SELECT METALS<sup>1</sup> and ANIONS<sup>2</sup> WEST LOVINGTON STRAWN UNIT #8

# **TERRACON PROJECT #: AR157026** LEA COUNTY, NEW MEXICO

All water concentrations are reported in mg/L

									-	-			
	Chloride	27	130	28	390	23	27.6	821	28.5	193	25.1	544	շշը ա <b>մ</b> \Ր
EPA 300.0	Sulfate		-	-	-	-	75.7	109	65.2	120	71.9	85.5	<b>၂/</b> ɓա 009
EPA	Nitrate						1.77	2.950	1.83	4.73	2.07	1.87	J\քm 01
	Fluoride	•	•	'	•	•	0.583	ND	0.925	ΠN	0.683	ND	J\քm ð.t
	Μειςμιλ		-		•	•	ND	ND	ΠN	ΠN	ND	ND	J\gm 200.0
	Silver	•	-		•	•	ND	ND	ΠN	ΠN	ND	ND	J\ይm <del>2</del> 0.0
	muinələ2		•		-	-	ND	ND	ND	ΠD	ND	ND	ე/ɓա <u></u> 60.0
	ອຂອດຣູຍດຣM	•	-		•		0.0324	ND	ΠN	0.0898	ND	0.0244	J\pm S.0
470A	реэд		•		•	•	ND	ND	ΠD	ΠN	ND	ND	പ\ഉന
EPA SW846-6020A, EPA 7470A	Iron	•	-		•	•	2.96	0.317	1.23	9.15	0.610	1.880	J\pm 0.1
V846-602(	Copper		-	-	-	-	ND	ND	ND	ND	ND	ND	J\pm 0.1
EPA SV	muimordO						ND	ND	ΔN	DN	ND	ND	J\gm 20.0
	muimbsO	•	•		•	-	ND	ND	DN	DN	ND	ND	J\gm 10.0
	muins8						0.0951	0.260	0.0706	0.207	0.0728	0.0659	J\pm 0.1
	oinearA		•		•		ND	ND	ΠD	QN	ND	ND	J\pm 1.0
	SAMPLE DATE	12/13/12	12/13/12	12/13/12	12/13/12	12/13/12	10/08/15	10/08/15	10/08/15	10/08/15	10/08/15	10/08/15	Maximum Contaminant Levels from NM WQCC Drinking water standards Sections 1-101.UU and 3- 103.A.
	SAMPLE LOCATION	MW-1	MW-2	MW-3	MW-4	MW-5	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	Maximum Contamina NM WQCC Drinl standards Sections 103.A

Metals<sup>1</sup>=Select metals concentrations analyzed in accordance with EPA SW846-6010b and 7470A

Anions<sup>2</sup>=Select anion concentrations analyzed in accordance with EPA Method 300.0 ND= Constituent not detected above the applicable reporting limit (RL). --- Not analyzed for that constituent

## TABLE 4 2017 ANNUAL REPORT

## HISTORICAL GROUNDWATER ANALYTICAL SUMMARY - BTEX<sup>1</sup> WEST LOVINGTON STRAWN UNIT #8 LEA COUNTY, NEW MEXICO TERRACON PROJECT #: AR157026

			ME	ETHODS: E	PA SW 846-8	METHODS: EPA SW 846-8021b and/or 8260B	3260B	
SAMPLE LOCATION	SAMPLE DATE	BENZENE	H	ETHYL- Benzene	M,P- XYLENES	O-XYLENES	TOTAL XYLENES	TOTAL BTEX
		(mg/r)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
MW-1	12/13/2012	ND	ND	ND	DN	DN	ND	ND
MW-2	12/13/2012	ΔN	ΔN	ΔN	ΔN	ΔN	DN	ΟN
MW-3	12/13/2012	ΔN	ΔN	ΔN	ΠN	ΩN	ΔN	ΟN
MW -4	12/13/2012	ΔN	ΔN	ΔN	ΠN	ΩN	ΔN	ΟN
MW -5	12/13/2012	DN	DN	ND	ND	DN	DN	ND
MW - 1	10/8/2015	ND	ND	ND	ND	ND	ND	ND
MW-2	10/8/2015	ND	ND	ND	ND	ND	ND	ND
MW-3	10/8/2015	ΔN	ΔN	ΔN	ΠN	ΔN	DN	ΟN
MW -4	10/8/2015	ND	DN	ND	ND	DN	DN	ND
MW -5	10/8/2015	ND	ND	ND	ND	ND	ND	ND
MW -6	10/8/2015	ND	ND	ND	ND	ND	ND	ND
NMOCD CRITERIA	ITERIA	0.01	0.75	0.75	TOT	<b>TOTAL XYLENES 0.62</b>	0.62	

 $BTEX^{1}$ =BTEX concentrations analyzed in accordance with EPA SW846-8021B and/or 8260B ND= Constituent not detected above the applicable reporting limit (RL).

### 2017 ANNUAL REPORT TABLE 5

# HISTORICAL GROUNDWATER ANALYTICAL SUMMARY - PAHS<sup>1</sup> W EST LOVINGTON STRAW N UNIT #8 LEA COUNTY, NEW MEXICO

# TERRACON PROJECT #: AR157026

All water concentrations are reported in mg/

	Prene	Q	0.33	Q	Q	Ŋ	Q	Q	Q	Q	QN	Q	100.0	
	Phenanthrened	0.62	0.94	0.85	0.84	0.6	DN	ΠN	DN	DN	ND	DN	00.001	
	ə nə ls rit ri qsN	Q	ND	ND	ΠN	ND	DN	DN	QN	ΠN	ND	DN		
	2-Methylnaphthalene	QN	QN	QN	QN	QN	Q	QN	QN	QN	QN	QN	0.03	
	ə nə la rit ri qa n i yrit ai en e'	QN	ND	ND	QN	DN	QN	QN	QN	QN	DN	QN		
	anəryq(bɔ-٤,٤,٢]o nəb nl	ΩN	ND	ND	QN	DN	DN	QN	QN	QN	DN	QN	0.0004	
	Fluorene	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	100.0	
0	Fluoranthene	QN	0.56	DN	QN	DN	ΠN	ΠN	ΠN	QN	DN	ΠN	00.00	
-8270C, 3510	9n9ɔsı dîns[d,₅]z n9 diD	QN	DN	DN	QN	DN	ΠN	ΠN	ΠN	QN	DN	ΠN	0.0003	
EPA SW846-8270C,	Chrysene	Q	Q	Q	Q	QN	QN	QN	QN	Q	QN	QN	AN 100.0 2000.0	
ш	Benzo[k]fluoranthene	QN	DN	QN	QN	DN	QN	QN	DN	QN	DN	QN		
	Benzo[g,h,i]perylene	QN	DN	DN	QN	DN	DN	DN	DN	QN	DN	DN		
	9n9ntnsroulî[d]ozn9B	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	00.001	
	Benzo[a]pyrene	DN	QN	QN	DN	QN	QN	QN	QN	DN	QN	QN	2000.0	
	Benzo[s]anthracene	DN	QN	QN	DN	QN	QN	QN	QN	DN	QN	QN	1000.0	
	ənəcəntinA	QN	QN	QN	QN	QN	QN	QN	QN	QN	QN	QN	0.001	
	ə nəlv(t)t diş nəcA	ΠN	DN	DN	QN	QN	QN	QN	QN	QN	QN	QN	AN	
	ənəntinqsnəəA		DN	DN	QN	QN	ΠN	ΠN	QN	QN	QN	QN	ΨN	
SAMPLE DATE		12/13/2012	12/13/2012	12/13/2012	12/13/2012	12/13/2012	10/8/2016	10/8/2016	10/8/2016	10/8/2016	10/8/2016	10/8/2016	Maximum Contaminant Levels for NM WQCC Drinking Water Standards Sections 1-101.UU and 3- 103A.	
SAMPLE LOCATION			MW-2	MW-3	MW-4	MW-5	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	Maximum <sup>1</sup> Levels fou Drinking Wé Sections 1- 10	

PAHs<sup>1</sup>=Polynuclear aromatic hydrocarbon concentrations analyzed in accordance with EPA SW846-8270C and 3510 ND= Constituent not detected above the applicable reporting limit (RL).

#### APPENDIX E

Release Notification and Corrective Action (Form C-141)

•

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised October 10, 2003

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

-----

			Rele	ase Notific	catio	on and Co	rrective A	ction					
						<b>OPERA</b>	<b>FOR</b>	Initial Repo	Final Repo				
		ncrgen Reso	the second se			Contact: An		$\sim$					
Address: 3300 North A St. Bldg.4, Ste. 100 Midland, Tx. 79705 Facility Name: West Lovington Strawn Unit						Telephone No.432-687-1155							
Facility Na	me: West I	ovington St	rawn Uni	t		Facility Type: Fresh Water Well @WLSU #8 well 30.025.32291							
L						l		<u> </u>					
Surface Ow	ner: Dan F	ield		Mineral (	)wner	: N/A		L	ease No. N//				
				LOCA	ATIC	ON OF RE	LEASE		API /				
Unit Letter L	Section 34	Township 15S	Range 35E	Feet from the 1980	Nort FNL	h/South Line	Feet from the 660	East/West FWL	Line Coun Lea	ty			
L	•	Latitud	le <u>32° 58</u>				103° 24' 06.5'	·	/	WTR 55'			
Toma of Dala		······	<u> </u>	NAT	UR	E OF REL							
Type of Rele		wn				Volume of			lume Recover				
Source of Release         Date and Hour of Occurrence         Date and Hour of Discovery           Was Immediate Notice Given?         If YES, To Whom?         If YES, To Whom?													
			Yes 🗌	No 🗌 Not R	equire								
By Whom?						Date and H							
Was a Water	course Read		Yes [	] No		If YES, Vo	blume Impacting t	the Watercou	irse.				
If a Watercon	Itse was Im	pacted, Descr	ihe Fully <sup>3</sup>										
		em and Reme well near the		n Taken.* well shows eleva	ated ch	loride levels.							
		and Cleanup / into cause of		en.* ad lovels and rem	ediate	to approved sta	ndard.						
regulations a public health should their or the enviro	Il operators or the enviro operations h nment. In a	are required to ronment. The ave failed to a	o report ar acceptance adequately OCD accept	d/or file certain in the of a C-141 report investigate and r	elease ort by t emedi	notifications a the NMOCD m ate contaminati	nd perform correct arked as "Final R on that pose a thr	ctive actions eport" does near to ground	for releases w not relieve the l water, surface	NMOCD rules and hich may endanger operator of liability ce water, human health nee with any other			
Signature:	iAn	dreu		SB .		OIL CONSERVATION DIVISION							
Printed Name	e: Andrew (	Cobb				Approved by	District Supervis	ONMENT	AL ENGI	VEER			
Title:Sr. Safe	ty & Enviro	onmental Spec	cialist	<b>_</b>		Approval Da	te: 3.19.10	Expin	ration Date:	5.19.10			
E-mail Addre	ess:andy.col	b@energen.c	om			Conditions of	Approval:			ched			
Date: 10-2	6-09	Phone:4	32-686-35	99					IR	10.3.2457			

---

\* Attach Additional Sheets If Necessary

#### APPENDIX F

CD of the 2017 Annual Groundwater Monitoring Report