

From: [Hernandez, Christina, EMNRD](#)
To: ["stucker@blm.gov"](#); ["dadkins@talonlpe.com"](#); ["Shoemaker, Mike"](#)
Cc: [Yu, Olivia, EMNRD](#); ["jack@thestandardenergy.com"](#); ["MLuehrs@cl-na.com"](#)
Subject: RE: 1RP-5037 * Boundary Raider (Todd Apache-Tomb Raider Lease Rd Grey Water Release)
Date: Thursday, June 21, 2018 2:30:00 PM

Dear Mr. Adkins:

Notes:

- Please provide original laboratory results and chain of custody documentation.
- S-2 confirmation samples are required due chloride levels being over NMOCD RRAL's; no confirmation samples are required for S-8 due to chloride level concentrations below NMOCD RRAL's.
- Vertical delineation was not completed for S-6, please provide logic or rationale.
- Where was the source of grey water? The chloride levels on the surface are extremely high.

NMOCD will approve the proposed remediation for 1RP-5037 with these stipulations after the concern about completion of vertical delineation at S-6:

- Bottom and sidewall confirmation samples are required with at least one sidewall sample taken at boundary between each of the differing depths of excavation areas, for example between .
- Provide a scaled map showing location of confirmation samples. Please demarcate or outline on map the differing depths of excavation areas.
- Provide GPS coordinates of all confirmation bottom and sidewall samples.
- Sample locations no greater than 75 ft apart.

Thanks,

Christina Hernandez
EMNRD-OCD
Environmental Specialist
1625 N. French Drive
Hobbs, NM 88240
575-393-6161 x111
Christina.Hernandez@state.nm.us

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

From: Yu, Olivia, EMNRD
Sent: Monday, June 18, 2018 11:28 AM
To: Hernandez, Christina, EMNRD <Christina.Hernandez@state.nm.us>

Subject: FW: 1RP-5037 * Boundary Raider (Todd Apache-Tomb Raider Lease Rd Grey Water Release)

From: Kimberly M. Wilson <kwilson@talonlpe.com>

Sent: Tuesday, June 5, 2018 9:43 AM

To: Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>; Shelly Tucker (stucker@blm.gov) <stucker@blm.gov>

Cc: jack@thestandardenergy.com; Luehrs, Mark <MLuehrs@cl-na.com>; David J. Adkins <dadkins@talonlpe.com>; Shoemaker, Mike <Mike.Shoemaker@dvn.com>

Subject: 1RP-5037 * Boundary Raider (Todd Apache-Tomb Raider Lease Rd Grey Water Release)

RE: Boundary Raider 6 7 Fed Com #212H
(Todd Apache-Tomb Raider Lease Road)
API # 30-025-44146 * 1RP-5037

Hello Olivia,

Attached please find the Remediation Work Plan for the above referenced release. If you have any questions or concerns please feel free to contact our office. Thank you.

Respectfully submitted,

Kimberly

Kimberly M. Wilson

Project Manager

Office: 575.746.8768

Direct: 575.616.4023

Cell: 575.602.3826

Fax: 575.746.8905

Emergency: 866.742.0742

Web: www.talonlpe.com

