

#### 2057 Commerce Drive Midland, TX 79703

# PRELIMINARY RESULTS

432.520.7720 PHONE 432.520.7701 FAX

www.trcsolutions.com

June 26, 2018

Olivia Yu New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division, District 1 1625 French Drive Hobbs, NM 88240

Ryan Mann New Mexico State Land Office 2827 N. Dal Paso St., Suite 117 Hobbs, New Mexico 88240

Re: Remediation Summary and Permission to Backfill Request Phillips State #001 (1RP-4883) GPS: N 32.4744949° W 103.3875351° Unit Letter "O", Section 17, Township 21 South, Range 35 East Lea County, New Mexico

#### Introduction

TRC Environmental Corporation (TRC), on behalf of COG Operating, LLC (COG) has prepared this Remediation Summary and Permission to Backfill Request for the Phillips State #001 Release Site (Release Site). The legal description of the Release Site is Unit Letter "O", Section 17, Township 21 South, Range 35 East, in Lea County, New Mexico. The GPS coordinates for the Release Site are N 32.4744949° W 103.3875351°. The subject property is administered by the NMSLO. A "Site Location Map" and "Site & Sample Location Map" are provided as Figure 1 and Figure 2, respectively.

On November 26, 2017, COG discovered a release had occurred at the Phillips State #001Tank Battery. The release was attributed to the heater treater developing a hole in the bottom of the vessel, resulting in the release of approximately thirteen (13) barrels (bbls) of produced water and three (3) bbls of crude oil, with no recovery. The release affected an area within the earthen containment measuring approximately four hundred (400) square feet (sq. ft.). Upon discovering the release, the NMOCD and NMLSO were notified. Please reference the attached Release Notification and Corrective Action (Form C-141) for additional details.

A groundwater database maintained by The New Mexico Office of the State Engineer (NMOSE) did not identify any registered water wells in Section 17, Township 21 South, Range 35 East. A reference map

utilized by the NMOCD Carlsbad District Office indicates groundwater should be encountered at approximately seventy-five (75) feet below ground surface (bgs). Based on the NMOCD site classification system, ten (10) points will be assigned to the subject area ranking as a result of this criterion.

No water wells were observed within one-thousand (1,000) feet of the Release Site. Based on the NMOCD site classification system, zero (0) points will be assigned to the subject area ranking as a result of this criterion.

No surface water was observed within one-thousand (1,000) feet of the Release Site. Based on the NMOCD site classification system, zero (0) points will be assigned to the subject area ranking as a result of this criterion.

Based on the NMOCD Site Classification criteria, the Release Site soil remediation levels are 10 milligrams per kilogram (mg/kg) for benzene, 50 mg/kg for benzene, toluene, ethylbenzene and xylenes (BTEX), and one thousand (1,000) mg/kg for total petroleum hydrocarbons (TPH). Per NMOCD request, chloride remediation levels for the Release Site will be 600 mg/kg.

#### **Initial Investigation**

On December 21, 2017, TRC conducted an initial investigation at the site. During the initial investigation, a hand-augered soil bore (SP #1) was advanced within the release margins in an effort to determine the vertical extent of soil impacts. During the advancement of the soil bore an impenetrable rock layer was encountered at approximately ten (10) inches bgs. One (1) soil sample (SP #1 @ 10"-R) was collected and submitted to Xenco Laboratories in Lubbock, Texas for determination of TPH, BTEX, and chloride utilizing Method SW 846-8015M, Method SW 846-8021B, and Method 300/300.1 Laboratory analytical results indicated a TPH concentration of 5,337 mg/kg, a BTEX concentration of 56.03 mg/kg, and a chloride concentration of 1,520 mg/kg. TPH, BTEX, and chloride concentrations were above NMOCD Recommended Remediation Action Levels (RRAL). Collection of additional soil samples from deeper intervals was precluded due the presence of an impenetrable rock layer. (See attached Figure 2 and Table 1 for sample locations and a summary of laboratory analytical results).

In addition, TRC collected four (4) soil samples (North @ 6", South @ 6", East @ 6" and West @ 6") from the edges of the inferred release margins and submitted them to the laboratory for analysis of BTEX, TPH and chloride. Laboratory analytical results indicated benzene, BTEX, TPH, and chloride concentrations were less than NMOCD RRAL in each of the submitted soil samples with the exception of soil sample North @ 6", which exhibited a TPH concentration of 1,435 mg/kg and a chloride concentration of 687 mg/kg.

#### Soil Investigation Summary and Proposed Remediation Workplan

On February 7, 2018, COG prepared a *Soil Investigation Summary and Proposed Remediation Workplan* (*Workplan*) proposing the following field activities designed to advance the Phillips State #001 Release Site toward an NMSLO- and NMOCD-approved closure:

- Utilizing mechanical equipment, excavate impacted soil within the release margins to a depth of greater than ten (10) inches (in.) bgs, or until field test results indicate impacted soil affected above the NMOCD RRAL has been removed.
- Advance the sidewall of the excavation in the area characterized by soil sample North @ 6" until field test results indicate impacted soil affected above the NMOCD RRAL has been removed.
- Affected soil adjacent to and/or beneath active oil and gas equipment impacted above the NMOCD RRAL will be excavated to the maximum extent practicable, as necessary, in an effort to mitigate risks to human health and property.
- Upon excavating impacted soil from within the release margins, confirmation soil samples will be collected from the floor and sidewalls of the excavated area at approximate fifty (50) ft. increments and submitted to the laboratory for analysis of TPH, BTEX, and chloride.
- Temporarily stockpile excavated soil on-site, atop an impermeable liner, pending final disposition at an NMOCD-approved disposal facility.
- Upon receiving laboratory analytical results from confirmation soil samples, transport impacted soil to an NMOCD-approved disposal facility and backfill the excavated area with locallysourced, non-impacted caliche.
- Upon completion of remediation activities and receipt of laboratory analytical result from confirmation soil samples, TRC will prepare and submit a "Remediation Summary and Site Closure Request" to the NMOCD and NMSLO detailing remediation activities and laboratory analytical results from confirmation soil samples.

The Workplan was subsequently approved. Please reference the Soil Investigation Summary and Proposed Remediation Workplan, dated January 23, 2018, for additional details regarding the initial soil investigation.

#### **Remediation Activities Summary**

On March 8, 2018, remediation activities commenced at the Release Site. As per the approved *Workplan* impacted soil was excavated and stockpiled on-site, atop an impermeable liner, pending final disposition. During the excavation of impacted soil, a resilient rock layer was encountered at depths ranging from ten (10 inches (in.) to three (3) ft. bgs. Additional excavation was precluded due to safety concerns associated with attempting to break the rock in close proximity to the active production equipment.

On March 30, 2018, TRC collected six (6) soil samples (FL-1, FL-2, NSW, SSW, ESW and WSW) from the floor and sidewalls of the excavated area and submitted the soil samples to an NMOCD-approved laboratory for analysis of BTEX and TPH concentrations. Laboratory analytical results indicated TPH concentrations ranged from 43.3 mg/kg in soil sample WSW to 2,933.4 mg/kg in soil sample FL-1. Soil samples FL-1 and FL-2 were also analyzed for concentrations of chloride, which were determined to be 1,260 mg/kg and 968 mg/kg, respectively. Chloride field tests results suggested concentrations of chloride in sidewall soil samples exceeded the NMOCD RRAL.

On April 26 and 27, 2018, TRC revisited the Release Site with a backhoe equipped with a different set of "rock teeth". Excavation sidewalls were advanced until chloride field test results indicated concentrations of chloride were below the NMOCD RRAL. Attempts to advance the floor of the excavation resulted in broken backhoe teeth and risked destabilizing the heater treater. Upon advancing

the excavation sidewalls, four soil samples (NSWb, ESWb, SSWb and WSWb) were collected and submitted to the laboratory for analysis of chloride concentrations. Laboratory analytical results indicated chloride concentrations range from 121 mg/kg in soil sample NSWb to 524 mg/kg in soil sample WSWb. Soil sample ESWb was also analyzed for concentrations of TPH, which were determined to be 3,890 mg/kg.

On May 29, 2018, the backhoe was remobilized to the site. The excavation sidewall was advanced in the area represented by soil sample ESWb and additional attempts were made to advance the floor of the excavation. Upon excavating impacted soil from the area represented by soil sample ESWb, one (1) soil sample (ESW\*) was collected and submitted to the laboratory for analysis of TPH and chloride. Laboratory analytical results indicated soil samples ESW\* exhibited a TPH concentration of less than the applicable laboratory reporting limit and a chloride concentration of 145 mg/kg.

The final dimensions of the excavated area were approximately forty-five (45) ft. in length, thirty-five (35) ft. in width and one (1) to three (3) ft in depth.

#### **Permission to Backfill**

Based on laboratory analytical results from confirmation soil samples collected from the sidewalls of the excavated area and field activities conducted to date, COG requests NMOCD and NMSLO permission to backfill the excavated area with locally-sourced, non-impacted caliche. Excavation backfill will be compacted and the area restored.

Impacted soil in the floor of the excavated area adjacent to the heater treater affected above the NMOCD RRAL for TPH and chloride will be further investigated and/or remediated at time of abandonment (TOA). COG maintains additional excavation of the hard rock layer poses a risk to human health and safety and may result in additional equipment damage.

Upon completion of backfilling activities, a *Remediation Summary and Risk-Based Site Closure Request* will be prepared detailing field activities and laboratory analytical results from confirmation soil samples. The *Remediation Summary and Risk-Based Site Closure Request* will include a scaled map of impacted soil inferred to be affected above the NMOCD proposed to be address at time of abandonment (TOA).

If you have any questions, or need any additional information, please feel free to contact Becky Haskell or myself by phone or email.

Respectfully,

Joel Lowry

Senior Project Manager

TRC Environmental Corporation

Curt Stanley

Senior Project Manager

TRC Environmental Corporation

#### **Attachments:**

Figure 1 - Site Location Map

Figure 2 - Site & Sample Location Map


Table 1 - Concentrations of Benzene, BTEX, TPH and Chloride in Soil

Laboratory Analytical Results

Photographic Log

Release Notification and Corrective Action (Form C-141)

cc: File






TABLE 1

#### CONCENTRATIONS OF BENZENE, BTEX, TPH AND CHLORIDE IN SOIL

# COG OPERATING, LLC PHILLIPS STATE #001 LEA COUNTY, NEW MEXICO

All concentrations are reported in mg/kg

						METH	ODS: SW 846	-8021b				METHOI	D: SW 8015M		METHOD E300
SAMPLE LOCATION	SAMPLE DATE	SOIL STATUS	SAMPLE DEPTH	BENZENE	TOLUENE	ETHYL- BENZENE	m, p - XYLENE S	o - XYLENE	TOTAL XYLENE S	TOTAL BTEX	TPH GRO C <sub>6</sub> -C <sub>10</sub>	TPH DRO  C>10-C28	TPH ORO C <sub>28</sub> -C <sub>35</sub>	TOTAL TPH C <sub>6</sub> -C <sub>28</sub>	CHLORIDE
SP #1 @ 10"-R	12/21/2017	Excavated	10"	< 0.0998	5.26	2.77	31.3	16.7	48	56.03	1,010	3,900	427	5,337	1,520
North @ 6"	12/21/2017	Excavated	6"	0.176	0.353	0.107	0.100	0.0337	0.1337	0.7697	10.8	982	442	1,435	687
East @ 6"	12/21/2017	In-Situ	6"	< 0.00100	< 0.00100	< 0.00100	< 0.00200	< 0.00100	< 0.001	< 0.001	<4.95	<14.9	<14.9	<14.9	81.8
South @ 6"	12/21/2017	In-Situ	6"	0.00259	0.00238	< 0.00100	< 0.00201	0.00165	0.00165	0.00662	<4.96	16.0	<14.9	16.0	77.0
West @ 6"	12/21/2017	In-Situ	6"	< 0.0248	0.157	0.0285	0.0894	0.0399	0.01293	0.3148	<4.95	15.9	<14.9	15.9	48.9
FL-1	3/30/2018	In-Situ	1'	< 0.00201	< 0.00201	< 0.00201	< 0.00402	< 0.00201	< 0.00201	< 0.00201	<15.0	2,870	63.4	2,933.4	1,260
FL-2	3/30/2018	In-Situ	3'	< 0.00202	< 0.00202	< 0.00202	< 0.00404	< 0.00202	< 0.00202	< 0.00202	<15.0	1,080	45.6	1,125.6	968
NSW	3/30/2018	Excavated	6"	< 0.00200	< 0.00200	< 0.00200	< 0.00401	< 0.00200	< 0.002	< 0.002	<14.9	64.3	<14.9	64.3	-
SSW	3/30/2018	Excavated	6"	< 0.00199	< 0.00199	< 0.00199	< 0.00398	< 0.00199	< 0.00199	< 0.00199	20.5	673	99.9	793.4	-
ESW	3/30/2018	Excavated	6"	< 0.00200	< 0.00200	< 0.00200	< 0.00399	< 0.00200	< 0.002	< 0.002	36.8	2,130	336	2,502.8	-
WSW	3/30/2018	Excavated	6"	< 0.00202	< 0.00202	< 0.00202	< 0.00403	< 0.00202	< 0.00202	< 0.00202	<15.0	43.3	<15.0	43.3	-
NSWb	4/26/2018	In-Situ	1'	-	-	-	-	-	-	-	-	-	-	-	121
ESWb	4/26/2018	Excavated	1'	-	-	-	-	-	-	-	119	3,740	31.9	3,890.9	450
SSWb	4/27/2018	In-Situ	1'	-	-	-	-	-	-	-	-	-	-	-	422
WSWb	4/27/2018	In-Situ	1'	-	-	-	-	-	-	-	-	-	-	-	524
ESW*	5/29/2018	In-Situ	1'	-	-	-	-	-	-	-	<15.0	<15.0	<15.0	<15	145
NMOCD Recommended				10	-	-	-	-	-	50	-	-	-	1,000	600

<sup>\*</sup> Denotes sample name has been used previously.

# **Analytical Report 572225**

# for TRC Solutions, Inc

Project Manager: Joel Lowry
Phillips State #001

15-JAN-18

Collected By: Client



#### 6701 Aberdeen, Suite 9 Lubbock, TX 79424

Xenco-Houston (EPA Lab code: TX00122): Texas (T104704215-17-23), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054) Oklahoma (2017-142)

> Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295-17-15), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab code: TX00127): Texas (T104704221-17-12)
Xenco-Lubbock (EPA Lab code: TX00139): Texas (T104704219-17-16)
Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-17-13)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757)
Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



15-JAN-18

Project Manager: Joel Lowry TRC Solutions, Inc 2057 Commerce Midland, TX 79703

Reference: XENCO Report No(s): 572225

Phillips State #001

Project Address: Lea Co. NM

#### Joel Lowry:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 572225. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 572225 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Kelsey Brooks

Knus Hoah

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



# **Sample Cross Reference 572225**

# $TRC\ Solutions, Inc,\ Midland, TX$

Phillips State #001

Sample Id	Matrix	<b>Date Collected</b>	Sample Depth	Lab Sample Id
SP #1 @ 10"-R	S	12-21-17 14:25	10 In	572225-001
North @ 6"	S	12-21-17 14:50	6 In	572225-002
East @ 6"	S	12-21-17 14:55	6 In	572225-003
South @ 6"	S	12-21-17 15:00	6 In	572225-004
West @ 6"	S	12-21-17 15:05	6 In	572225-005

# XENCO

#### CASE NARRATIVE

Client Name: TRC Solutions, Inc Project Name: Phillips State #001

Project ID: Report Date: 15-JAN-18 Work Order Number(s): 572225 Date Received: 12/28/2017

#### Sample receipt non conformances and comments:

#### Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3037445 BTEX by SW 8260B

SAMPLE 572225-005 IS ROCKS. CANNOT RUN ANY LOWER DILUTION.

Batch: LBA-3037542 BTEX by SW 8260B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Page 4 of 23 Final 1.001



Joel Lowry

Lea Co. NM

**Project Id:** 

**Project Location:** 

**Contact:** 

# **Certificate of Analysis Summary 572225**

TRC Solutions, Inc, Midland, TX Project Name: Phillips State #001

1 Toject Nam

**Date Received in Lab:** Thu Dec-28-17 05:12 pm

**Report Date:** 15-JAN-18 **Project Manager:** Kelsey Brooks

	Lab Id:	572225-0	001	572225-0	002	572225-0	003	572225-	004	572225-0	005	
Analysis Requested	Field Id:	SP #1 @ 1	.0"-R	North @	6"	East @	6"	South @	6"	West @	6"	
maiysis Requesieu	Depth:	10- In		6- In		6- In		6- In	ı	6- In		
	Matrix:	SOIL		SOIL		SOIL	,	SOIL		SOIL		
	Sampled:	Dec-21-17	14:25	Dec-21-17	14:50	Dec-21-17	14:55	Dec-21-17	15:00	Dec-21-17	15:05	
BTEX by SW 8260B	Extracted:	Jan-03-18	17:00	Jan-04-18 1	13:00	Jan-03-18	17:00	Jan-03-18	17:00	Jan-03-18 1	17:00	
SUB: TX104704215-17-23	Analyzed:	Jan-03-18	20:54	Jan-04-18 1	13:47	Jan-03-18	19:51	Jan-03-18	20:07	Jan-03-18 2	20:22	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Benzene		< 0.0998	0.0998	0.176	0.0250	< 0.00100	0.00100	0.00259	0.00100	< 0.0248	0.0248	
Toluene		5.26	0.0998	0.353	0.0250	< 0.00100	0.00100	0.00238	0.00100	0.157	0.0248	
Ethylbenzene		2.77	0.0998	0.107	0.0250	< 0.00100	0.00100	< 0.00100	0.00100	0.0285	0.0248	
m,p-Xylenes		31.3	0.200	0.100	0.0499	< 0.00200	0.00200	< 0.00201	0.00201	0.0894	0.0495	
o-Xylene		16.7	0.0998	0.0337	0.0250	< 0.00100	0.00100	0.00165	0.00100	0.0399	0.0248	
Total Xylenes		48	0.0998	0.1337	0.025	< 0.001	0.001	0.00165	0.001	0.1293	0.0248	
Total BTEX		56.03	0.0998	0.7697	0.025	< 0.001	0.001	0.00662	0.001	0.3148	0.0248	
Chloride by EPA 300	Extracted:	Jan-03-18	14:00	Jan-03-18 1	4:00	Jan-03-18	14:00	Jan-03-18	14:00	Jan-03-18 1	14:00	
SUB: TX104704215-17-23	Analyzed:	Jan-03-18	23:37	Jan-03-18 2	23:48	Jan-04-18 (	00:22	Jan-04-18	00:55	Jan-04-18 (	01:07	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Chloride		1520	49.0	687	48.9	81.8	49.5	77.0	48.3	48.9	47.9	
DRO-ORO By SW8015B	Extracted:	Jan-03-18	10:42	Jan-03-18 1	0:45	Jan-03-18	10:48	Jan-03-18	10:51	Jan-03-18 1	10:54	
SUB: TX104704215-17-23	Analyzed:	Jan-04-18	02:18	Jan-05-18 (	)4:51	Jan-04-18	17:59	Jan-03-18	18:38	Jan-03-18 1	18:59	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Diesel Range Organics (DRO)		3900	14.9	982	14.9	<14.9	14.9	16.0	14.9	15.9	14.9	
Oil Range Hydrocarbons (ORO)		427	14.9	442	14.9	<14.9	14.9	<14.9	14.9	<14.9	14.9	
TPH GRO by EPA 8015 Mod.	Extracted:	Jan-04-18	15:00	Jan-04-18 1	0:00	Jan-04-18	10:00	Jan-04-18	10:00	Jan-04-18 1	10:00	
SUB: TX104704215-17-23	Analyzed:	Jan-04-18	16:29	Jan-04-18 1	1:44	Jan-04-18	12:16	Jan-04-18	12:50	Jan-04-18 1	13:23	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	
TPH-GRO		1010	99.8	10.8	4.95	<4.95	4.95	<4.96	4.96	<4.95	4.95	

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks Project Manager

Knis Roah



## **Flagging Criteria**

- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F RPD exceeded lab control limits.
- J The target analyte was positively identified below the quantitation limit and above the detection limit.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K Sample analyzed outside of recommended hold time.
- **JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.
- \*\* Surrogate recovered outside laboratory control limit.
- BRL Below Reporting Limit.
- **RL** Reporting Limit

MDL Method Detection Limit SDL Sample Detection Limit LOD Limit of Detection

PQL Practical Quantitation Limit MQL Method Quantitation Limit LOQ Limit of Quantitation

**DL** Method Detection Limit

NC Non-Calculable

- + NELAC certification not offered for this compound.
- \* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

#### Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

| Phone | Fax | | 4147 Greenbriar Dr, Stafford, TX 77477 | (281) 240-4200 | (281) 240-4280 | (281) 240-4200 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280 | (281) 240-4280

Page 6 of 23 Final 1.001



**Project Name: Phillips State #001** 

 Work Orders:
 572225,
 Project ID:

 Lab Batch #:
 3037397
 Sample:
 572225-004 / SMP
 Batch:
 1
 Matrix:
 Soil

Units:	mg/kg	<b>Date Analyzed:</b> 01/03/18 18:38	SU	RROGATE RI	ECOVERY S	STUDY	
	DRO-O	RO By SW8015B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
1-Chlorooctane			72.4	99.4	73	70-135	
o-Terphenyl			35.7	49.7	72	70-135	

Lab Batch #: 3037397 Sample: 572225-005 / SMP Batch: 1 Matrix: Soil

**Units:** mg/kg Date Analyzed: 01/03/18 18:59 SURROGATE RECOVERY STUDY **Amount** True Control DRO-ORO By SW8015B Found Limits Flags Amount Recovery [A] [B] %R %R [D] **Analytes** 1-Chlorooctane 74.6 99.0 75 70-135 o-Terphenyl 38.5 49.5 78 70-135

Units: mg/kg Date Analyzed: 01/03/18 19:51 SURROGATE RECOVERY STUDY

BTEX by SW 8260B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Dibromofluoromethane	0.0512	0.0500	102	74-126	
1,2-Dichloroethane-D4	0.0464	0.0500	93	80-120	
Toluene-D8	0.0532	0.0500	106	73-132	

**Lab Batch #:** 3037445 **Sample:** 572225-004 / SMP **Batch:** 1 **Matrix:** Soil

**Units:** Date Analyzed: 01/03/18 20:07 mg/kg SURROGATE RECOVERY STUDY Amount True Control BTEX by SW 8260B **Found** Amount Recovery Limits Flags [B] %R %R [A] [D] **Analytes** Dibromofluoromethane 0.0512 0.0500 74-126 102 1,2-Dichloroethane-D4 0.0469 0.0500 94 80-120 Toluene-D8 0.0521 0.0500 104 73-132

Surrogate Recovery [D] = 100 \* A / B

<sup>\*</sup> Surrogate outside of Laboratory QC limits

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



**Project Name: Phillips State #001** 

 Work Orders: 572225,
 Project ID:

 Lab Batch #: 3037445
 Sample: 572225-005 / SMP
 Batch: 1 Matrix: Soil

<b>Units:</b> mg/kg <b>Date Analyzed:</b> 01/03/18 20:22	SU	RROGATE RI	ECOVERY	STUDY	
BTEX by SW 8260B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
Analytes			[D]		
Dibromofluoromethane	0.0553	0.0500	111	74-126	
1,2-Dichloroethane-D4	0.0477	0.0500	95	80-120	
Toluene-D8	0.0499	0.0500	100	73-132	

**Lab Batch #:** 3037445 **Sample:** 572225-001 / SMP **Batch:** 1 **Matrix:** Soil

<b>Units:</b> mg/kg <b>Date Analyzed:</b> 01/03/18 20:5	$\mathbf{SU}$	SURROGATE RECOVERY STUDY						
BTEX by SW 8260B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags			
Analytes			[10]					
Dibromofluoromethane	0.0510	0.0500	102	74-126				
1,2-Dichloroethane-D4	0.0504	0.0500	101	80-120				
Toluene-D8	0.0498	0.0500	100	73-132				

**Lab Batch #:** 3037397 **Sample:** 572225-001 / SMP **Batch:** 1 **Matrix:** Soil

Units:	mg/kg	<b>Date Analyzed:</b> 01/04/18 02:18	SURROGATE RECOVERY STUDY							
	DRO-0	ORO By SW8015B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags			
1-Chlorooc	etane		104	99.1	105	70-135				
o-Terpheny	/l		43.7	49.6	88	70-135				

Units:	mg/kg	<b>Date Analyzed:</b> 01/04/18 11:44	SU	RROGATE RI	ECOVERY S	STUDY	
	TPH GR	O by EPA 8015 Mod.	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
4-Bromofli	uorobenzene		0.0269	0.0300	90	80-120	

Units:	mg/kg	<b>Date Analyzed:</b> 01/04/18 12:16	SU	RROGATE RE	ECOVERY S	STUDY	
	TPH GR	O by EPA 8015 Mod.	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
4-Bromoflu	orobenzene		0.0277	0.0300	92	80-120	

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



4-Bromofluorobenzene

Toluene-D8

## Form 2 - Surrogate Recoveries

**Project Name: Phillips State #001** 

Work Orders: 572225, **Project ID: Lab Batch #:** 3037523 Matrix: Soil Sample: 572225-004 / SMP Batch:

Units:	mg/kg	<b>Date Analyzed:</b> 01/04/18 12:50	SURROGATE RECOVERY STUDY							
	TPH GR	O by EPA 8015 Mod.  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags			
4-Bromoflu	uorobenzene		0.0292	0.0300	97	80-120				

**Lab Batch #:** 3037523 Sample: 572225-005 / SMP Batch: Matrix: Soil

**Units:** Date Analyzed: 01/04/18 13:23 mg/kg SURROGATE RECOVERY STUDY Amount True Control TPH GRO by EPA 8015 Mod. **Found** Amount Recovery Limits Flags %R [A] [B] %R [D] **Analytes** 

0.0273

0.0431

0.0300

0.0500

91

86

80-120

73-132

**Lab Batch #:** 3037542 Sample: 572225-002 / SMP Matrix: Soil

**Units:** mg/kg **Date Analyzed:** 01/04/18 13:47 SURROGATE RECOVERY STUDY Amount True Control BTEX by SW 8260B Found Amount Recovery Limits Flags [B] %R %R [A] [D] **Analytes** Dibromofluoromethane 0.0558 0.0500 112 74-126 1,2-Dichloroethane-D4 0.0554 0.0500 111 80-120

**Lab Batch #:** 3037523 Sample: 572225-001 / SMP Matrix: Soil Batch: 1

Date Analyzed: 01/04/18 16:29 **Units:** mg/kg SURROGATE RECOVERY STUDY **Amount** True Control TPH GRO by EPA 8015 Mod. **Found** Amount Recovery Limits Flags [A] [B] %R %R [D] **Analytes** 4-Bromofluorobenzene 0.0295 0.0300 98 80-120

**Lab Batch #:** 3037397 Sample: 572225-003 / SMP Batch: Matrix: Soil 1

Units:	mg/kg	<b>Date Analyzed:</b> 01/04/18 17:59	SURROGATE RECOVERY STUDY							
	DRO-	ORO By SW8015B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags			
		Analytes			[D]					
1-Chloroocta	ane		70.1	99.6	70	70-135				
o-Terphenyl			35.1	49.8	70	70-135				

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



**Project Name: Phillips State #001** 

 Work Orders:
 572225,
 Project ID:

 Lab Batch #:
 3037397
 Sample:
 572225-002 / SMP
 Batch:
 1
 Matrix:
 Soil

Units: mg	g/kg <b>Date Analyzed:</b> 01/05/18 04:51	alyzed: 01/05/18 04:51 SURROGATE RECOVERY STUDY							
DRO-ORO By SW8015B		Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags			
	Analytes			[D]					
1-Chlorooctane		70.7	99.2	71	70-135				
o-Terphenyl		35.3	49.6	71	70-135				

Lab Batch #: 3037397 Sample: 7636876-1-BLK / BLK Batch: 1 Matrix: Solid

Units:	mg/kg	<b>Date Analyzed:</b> 01/03/18 11:56	SURROGATE RECOVERY STUDY					
	DRO-	ORO By SW8015B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags	
1-Chlorooct	ane		99.2	100	99	70-135		
o-Terphenyl	[		56.7	50.0	113	70-135		

Lab Batch #: 3037445 Sample: 7636978-1-BLK / BLK Batch: 1 Matrix: Solid

Units: mg/kg Date Analyzed: 01/03/18 18:33 SURROGATE RECOVERY STUDY

BTEX by SW 8260B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags	
Analytes			[D]			
Dibromofluoromethane	0.0489	0.0500	98	74-126		
1,2-Dichloroethane-D4	0.0467	0.0500	93	80-120		
Toluene-D8	0.0558	0.0500	112	73-132		

Lab Batch #: 3037523 Sample: 7637012-1-BLK / BLK Batch: 1 Matrix: Solid

**Units: Date Analyzed:** 01/04/18 11:10 mg/kg SURROGATE RECOVERY STUDY Amount True Control TPH GRO by EPA 8015 Mod. **Found** Amount Recovery Limits Flags [B] %R %R [A] [D] **Analytes** 4-Bromofluorobenzene 0.0290 0.0300 97 80-120

Surrogate Recovery [D] = 100 \* A / B

<sup>\*</sup> Surrogate outside of Laboratory QC limits

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



**Project Name: Phillips State #001** 

 Work Orders:
 572225,
 Project ID:

 Lab Batch #:
 3037542
 Sample:
 7637024-1-BLK / BLK
 Batch:
 1
 Matrix:
 Solid

Units: mg/kg Date Analyzed: 01/04/18 12:32 SURROGATE RECOVERY STUDY							
	ВТЕ	EX by SW 8260B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
Dibromofluoro	Dibromofluoromethane			0.0500	104	74-126	
1,2-Dichloroethane-D4			0.0496	0.0500	99	80-120	
Toluene-D8			0.0495	0.0500	99	73-132	

Lab Batch #: 3037397 Sample: 7636876-1-BKS / BKS Batch: 1 Matrix: Solid

Units:	mg/kg	<b>Date Analyzed:</b> 01/03/18 11:15	SURROGATE RECOVERY STUDY					
DRO-ORO By SW8015B  Analytes		Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags		
1-Chlorooct	ane		115	100	115	70-135		
o-Terphenyl			62.6	50.0	125	70-135		

Lab Batch #: 3037445 Sample: 7636978-1-BKS / BKS Batch: 1 Matrix: Solid

Units:	mg/kg	Date Analyzed: 01/03/18 16:25 SURROGATE RECOVERY STUDY						
	BTEX by SW 8260B		Amount Found [A]	True Amount [B]	Recovery %R	Control Limits Fl	Flags	
		Analytes			[D]			
Dibromofluo	Dibromofluoromethane			0.0500	100	74-126		
1,2-Dichloroethane-D4			0.0503	0.0500	101	80-120		
Toluene-D8			0.0520	0.0500	104	73-132		

Lab Batch #: 3037542 Sample: 7637024-1-BKS / BKS Batch: 1 Matrix: Solid

<b>Units:</b> mg/kg	<b>Date Analyzed:</b> 01/04/18 10:07	0:07 SURROGATE RECOVERY STUDY						
I	BTEX by SW 8260B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags		
	Analytes			[D]				
Dibromofluoromethane		0.0515	0.0500	103	74-126			
1,2-Dichloroethane-D4		0.0494	0.0500	99	80-120			
Toluene-D8		0.0503	0.0500	101	73-132			

Surrogate Recovery [D] = 100 \* A / B

<sup>\*</sup> Surrogate outside of Laboratory QC limits

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



**Project Name: Phillips State #001** 

Work Orders: 572225,
Lab Batch #: 3037523
Sample: 7637012-1-BKS / BKS
Batch: 1 Matrix: Solid

Units:	mg/kg	<b>Date Analyzed:</b> 01/04/18 18:41	SURROGATE RECOVERY STUDY							
	TPH GR	O by EPA 8015 Mod.	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags			
		Analytes			[D]					
4-Bromofluo	orobenzene		0.0290	0.0300	97	80-120				

Lab Batch #: 3037397 Sample: 7636876-1-BSD / BSD Batch: 1 Matrix: Solid

Units: mg/kg Date Analyzed: 01/03/18 11:36 SURROGATE RECOVERY STUDY

DRO-ORO By SW8015B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	102	100	102	70-135	
o-Terphenyl	52.9	50.0	106	70-135	

Lab Batch #: 3037445 Sample: 7636978-1-BSD / BSD Batch: 1 Matrix: Solid

Units: mg/l	Date Analyzed: 01/03/18 17:29	7:29 SURROGATE RECOVERY STUDY						
	BTEX by SW 8260B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags		
	Analytes			[D]				
Dibromofluorometha	Dibromofluoromethane		0.0500	104	74-126			
1,2-Dichloroethane-I	04	0.0558	0.0500	112	80-120			
Toluene-D8		0.0454	0.0500	91	73-132			

**Lab Batch #:** 3037542 **Sample:** 7637024-1-BSD / BSD **Batch:** 1 **Matrix:** Solid

<b>Units:</b> mg/kg <b>Date Analyzed:</b> 01/04/18 11:28	SURROGATE RECOVERY STUDY						
BTEX by SW 8260B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags		
Analytes							
Dibromofluoromethane	0.0498	0.0500	100	74-126			
1,2-Dichloroethane-D4	0.0503	0.0500	101	80-120			
Toluene-D8	0.0520	0.0500	104	73-132			

Lab Batch #: 3037523 Sample: 7637012-1-BSD / BSD Batch: 1 Matrix: Solid

Units: mg/kg Date Analyzed: 01/04/18 19:13 SURROGATE RECOVERY STUDY							
	TPH GR	O by EPA 8015 Mod.	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
4-Bromoflu	uorobenzene		0.0287	0.0300	96	80-120	

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



**Project Name: Phillips State #001** 

Work Orders: 572225,
Lab Batch #: 3037445
Sample: 572221-022 S / MS
Batch: 1 Matrix: Soil

Units: mg/kg	<b>Date Analyzed:</b> 01/03/18 16:57	SURROGATE RECOVERY STUDY									
В	STEX by SW 8260B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags					
	Analytes			[D]							
Dibromofluoromethane		0.0496	0.0500	99	74-126						
1,2-Dichloroethane-D4		0.0500	0.0500	100	80-120						
Toluene-D8		0.0498	0.0500	100	73-132						

**Lab Batch #:** 3037542 **Sample:** 572221-024 S / MS **Batch:** 1 **Matrix:** Soil

Units:	ng/kg	<b>Date Analyzed:</b> 01/04/18 11:08	SURROGATE RECOVERY STUDY										
	ВТЕ	X by SW 8260B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags						
		Analytes			[D]								
Dibromofluoron	nethane		0.0541	0.0500	108	74-126							
1,2-Dichloroetha	nne-D4		0.0563	0.0500	113	80-120							
Toluene-D8		0.0459	0.0500	92	73-132								

Units:	mg/kg	<b>Date Analyzed:</b> 01/04/18 19:47	SU	RROGATE RI	ECOVERY S	STUDY	
	TPH GR	O by EPA 8015 Mod.	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
4-Bromofl	luorobenzene		0.0270	0.0300	90	80-120	

**Units:** mg/kg Date Analyzed: 01/03/18 17:13 SURROGATE RECOVERY STUDY Amount True Control BTEX by SW 8260B **Found** Amount Recovery Limits Flags [A] [B] %R %R [D] **Analytes** Dibromofluoromethane 0.0496 0.0500 99 74-126 1,2-Dichloroethane-D4 0.0498 0.0500 100 80-120 Toluene-D8 0.0537 0.0500 107 73-132

Surrogate Recovery [D] = 100 \* A / B

<sup>\*</sup> Surrogate outside of Laboratory QC limits

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



**Project Name: Phillips State #001** 

 Work Orders:
 572225,
 Project ID:

 Lab Batch #:
 3037542
 Sample:
 572221-024 SD / MSD
 Batch:
 1
 Matrix:
 Soil

Units: mg/kg	<b>Date Analyzed:</b> 01/04/18 16:49	SURROGATE RECOVERY STUDY										
	BTEX by SW 8260B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags						
	Analytes			[D]								
Dibromofluoromethan	ne	0.0538	0.0500	108	74-126							
1,2-Dichloroethane-D	4	0.0576	0.0500	115	80-120							
Toluene-D8		0.0460	0.0500	92	73-132							

Units:	mg/kg	<b>Date Analyzed:</b> 01/04/18 20:19	SU	RROGATE RI	ECOVERY S	STUDY	
	TPH GR	O by EPA 8015 Mod.	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
4-Bromofli	uorobenzene		0.0266	0.0300	89	80-120	

Surrogate Recovery [D] = 100 \* A / B

<sup>\*</sup> Surrogate outside of Laboratory QC limits

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



## **BS / BSD Recoveries**



**Project Name: Phillips State #001** 

Work Order #: 572225 Project ID:

Analyst: JTR Date Prepared: 01/03/2018 Date Analyzed: 01/03/2018

 Lab Batch ID: 3037445
 Sample: 7636978-1-BKS
 Batch #: 1
 Matrix: Solid

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

BTEX by SW 8260B	Blank Sample Result [A]	Spike Added	Blank Spike Result	Blank Spike %R	Spike Added	Blank Spike Duplicate	Blk. Spk Dup. %R	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes		[B]	[C]	[D]	[E]	Result [F]	[G]				
Benzene	< 0.00100	0.100	0.0967	97	0.100	0.115	115	17	62-132	25	
Toluene	< 0.00100	0.100	0.103	103	0.100	0.0967	97	6	66-124	25	
Ethylbenzene	< 0.00100	0.100	0.0971	97	0.100	0.104	104	7	71-134	25	
m,p-Xylenes	< 0.00200	0.200	0.199	100	0.200	0.214	107	7	69-128	25	
o-Xylene	< 0.00100	0.100	0.0979	98	0.100	0.103	103	5	72-131	25	

Analyst: JTR Date Prepared: 01/04/2018 Date Analyzed: 01/04/2018

**Lab Batch ID:** 3037542 **Sample:** 7637024-1-BKS **Batch #:** 1 **Matrix:** Solid

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

BTEX by SW 8260B  Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Benzene	<0.00100	0.100	0.102	102	0.100	0.114	114	11	62-132	25	
Toluene	<0.00100	0.100	0.0920	92	0.100	0.0987	99	7	66-124	25	
Ethylbenzene	< 0.00100	0.100	0.0871	87	0.100	0.0998	100	14	71-134	25	
m,p-Xylenes	< 0.00200	0.200	0.181	91	0.200	0.204	102	12	69-128	25	
o-Xylene	< 0.00100	0.100	0.0869	87	0.100	0.101	101	15	72-131	25	

Relative Percent Difference RPD = 200\*|(C-F)/(C+F)|Blank Spike Recovery [D] = 100\*(C)/[B]Blank Spike Duplicate Recovery [G] = 100\*(F)/[E]All results are based on MDL and Validated for QC Purposes



## **BS / BSD Recoveries**



**Project Name: Phillips State #001** 

Work Order #: 572225 Project ID:

**Analyst:** DHE **Date Prepared:** 01/03/2018 **Date Analyzed:** 01/03/2018

 Lab Batch ID: 3037378
 Sample: 7636897-1-BKS
 Batch #: 1
 Matrix: Solid

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300 Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	<1.00	10.0	9.77	98	10.0	9.75	98	0	80-120	20	

**Analyst:** ARL **Date Prepared:** 01/03/2018 **Date Analyzed:** 01/03/2018

**Lab Batch ID:** 3037397 **Sample:** 7636876-1-BKS **Batch #:** 1 **Matrix:** Solid

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

DRO-ORO By SW8015B  Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	1000	100	1000	904	90	10	70-135	35	
Diesel Range Organics (DRO)	<15.0	1000	1050	105	1000	1010	101	4	70-135	35	

**Analyst:** JTR **Date Prepared:** 01/04/2018 **Date Analyzed:** 01/04/2018

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes		[D]	[C]	נען	[E]	Kesuit [F]	[G]				
TPH-GRO	< 5.00	25.0	20.9	84	25.0	20.1	80	4	75-135	35	

Relative Percent Difference RPD = 200\*|(C-F)/(C+F)|Blank Spike Recovery [D] = 100\*(C)/[B]Blank Spike Duplicate Recovery [G] = 100\*(F)/[E]All results are based on MDL and Validated for QC Purposes



## Form 3 - MS / MSD Recoveries

**Project Name: Phillips State #001** 

Work Order #: 572225 Project ID:

**Lab Batch ID:** 3037445 **QC- Sample ID:** 572221-022 S **Batch #:** 1 **Matrix:** Soil

Date Analyzed: 01/03/2018 Date Prepared: 01/03/2018 Analyst: JTR

Reporting Units: mg/kg MATRIX SPIKE DUPLICATE RECOVERY STUDY

BTEX by SW 8260B  Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Benzene	<0.000998	0.0998	0.102	102	0.0996	0.0924	93	10	62-132	25	
Toluene	< 0.000998	0.0998	0.102	102	0.0996	0.104	104	2	66-124	25	
Ethylbenzene	< 0.000998	0.0998	0.110	110	0.0996	0.0925	93	17	71-134	25	
m,p-Xylenes	< 0.00200	0.200	0.225	113	0.199	0.192	96	16	69-128	25	
o-Xylene	< 0.000998	0.0998	0.109	109	0.0996	0.0932	94	16	72-131	25	

**Lab Batch ID:** 3037542 **QC- Sample ID:** 572221-024 S **Batch #:** 1 **Matrix:** Soil

**Date Analyzed:** 01/04/2018 **Date Prepared:** 01/04/2018 **Analyst:** JTR

Reporting Units: mg/kg MATRIX SPIKE DUPLICATE RECOVERY STUDY

BTEX by SW 8260B  Analytes	Parent Sample Result	Spike Added	Spiked Sample Result [C]	Sample %R	Added	Duplicate Spiked Sample Result [F]	%R	RPD %	Control Limits %R	Control Limits %RPD	Flag
•	[A]	[B]		[D]	[E]		[G]				
Benzene	<0.000992	0.0992	0.125	126	0.0998	0.129	129	3	62-132	25	
Toluene	< 0.000992	0.0992	0.0829	84	0.0998	0.0851	85	3	66-124	25	
Ethylbenzene	< 0.000992	0.0992	0.0911	92	0.0998	0.0951	95	4	71-134	25	
m,p-Xylenes	< 0.00198	0.198	0.196	99	0.200	0.198	99	1	69-128	25	
o-Xylene	< 0.000992	0.0992	0.0984	99	0.0998	0.0992	99	1	72-131	25	

Final 1.001



#### Form 3 - MS / MSD Recoveries

**Project Name: Phillips State #001** 

**Work Order #:** 572225

**Project ID:** 

**Lab Batch ID:** 3037378

**QC- Sample ID:** 572194-001 S

Batch #:

Matrix: Soil

Date Analyzed:

01/04/2018

**Date Prepared:** 01/03/2018

Analyst: DHE

**Reporting Units:** 

mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300  Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	4620	489	5130	104	489	5100	98	1	80-120	20	

**Lab Batch ID:** 3037378 **QC- Sample ID:** 572225-002 S

Batch #: 1 Matrix: Soil

**Date Analyzed:** 01/03/2018

**Date Prepared:** 01/03/2018

Analyst: DHE

Chloride by EPA 300	Parent Sample Result	Spike Added	Spiked Sample Result [C]	Sample %R	Added	Duplicate Spiked Sample Result [F]	%R	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes	[A]	[B]		[D]	[E]		[G]				
Chloride	687	489	1180	101	489	1180	101	0	80-120	20	

Lab Batch ID:

**Reporting Units:** 

3037523

mg/kg

mg/kg

**QC- Sample ID:** 572225-005 S

Batch #:

Matrix: Soil

Date Analyzed: Reporting Units: 01/04/2018

**Date Prepared:** 01/04/2018

Analyst: JTR

TD

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

TPH GRO by EPA 8015 Mod.  Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
TPH-GRO	< 5.00	25.0	22.5	90	25.0	23.4	94	4	75-135	35	



Stafford, Texas (281-240-4200)

Dallas Texas (214-902-0300)

# CHAIN OF CUSTODY

Page 1 Of 1

San Antonio, Texas (210-509-3334)

Midfand, Texas (432-704-5251)

Phoenix, Arizona (480-355-0900)

かり GW = Ground Water
DW = Drinking Water
P = Product
SW = Surface water
SL = Sludge
OW = Ocean/Sea Water WW= Waste Water S = Soil/Sed/Solid Matrix Codes WI = Wipe 0=0 A = Air kblackburn@trcsolutions.com llowry@trcsolutions.com FED-EX / UPS: Tracking # Received By: Xenco Job # maskell@concho.com dneel2@concho.com Analytical Information Date Time: BTEX 8021B × × × × × Chloride E 300 × Level IV (Full Data Pkg /raw data) SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELLVERY

| Carry | Relinquished By: | Carry | Carry | Relinquished By: | Carry × × × **TPH 8015 M Ext** нови TRRP Level IV UST / RG -411 \*OSHPN HOBN +OSZH Data Deliverable Information nZ\HOsN etatec Level III Std QC+ Forms (C) Level 3 (CLP Forms) # of bottles Project Information TRRP Checklist Level II Std QC Matrix υn s Invoice To: COG Operating C/O Becky Haskell s s Project Name/Number: Phillips State #001 Project Location: Lea Co, NM Time 2:45 3:00 2:50 2:55 3:05 12/21/2017 12/21/2017 12/21/2017 12/21/2017 12/21/2017 Date 10" .9 <u>.</u>9 <u>.</u> .9 TAT Starts Day received by Lab, if received by 5:00 pm X Contract TAT Phone No: 432-466-4450 S Day TAT T Day TAT Field ID / Point of Collection Turnaround Time (Business days) Client / Reporting Information Company Name / Branch: TRC Environmental Corporation 572a25 ilowry@trcsalutions.com Next Day EMERGENCY Relinquished by Sampler: Project Contact: Joel Lowry Samplers's Name Joel Lowry 2 Day EMERGENCY 3 Day EMERGENCY SP #1 @ 10"-R Same Day TAT South @ 6" North @ 6" West @ 6" 3 East @ 6" 2057 Commerce Drive Company Address: Aidland, TX 79703 ģ 6 7

Relinquished by Connect service. Signification of the Country of t

Final 1.001



# **Inter-Office Shipment**

Page 1 of 2

 $IOS\ Number\ 1053903$ 

Date/Time: 12/28/17 17:44 Created by: Brenda Ward Please send report to: Kelsey Brooks

Lab# From: Lubbock Delivery Priority: Address: 6701 Aberdeen, Suite 9 Lubbock, TX 79424

Lab# To: **Houston** Air Bill No.: 771105606137

E-Mail: kelsey.brooks@xenco.com

Sample Id	Matrix	Client Sample Id	Sample Collection	Method	Method Name	Lab Due	HT Due	PM	Analytes	Sign
572225-001	S	SP #1 @ 10"-R	12/21/17 14:25	E300_CL	Chloride by EPA 300	01/04/18	01/18/18 KEB		CL	
572225-001	S	SP #1 @ 10"-R	12/21/17 14:25	SW8021B	BTEX by EPA 8021B	01/04/18	01/04/18	KEB	BR4FBZ BZ BZME EBZ X	
572225-001	S	SP #1 @ 10"-R	12/21/17 14:25	SW8015GRO	TPH GRO by EPA 8015 Mod.	01/04/18	01/04/18	KEB	PHCG	
572225-001	S	SP #1 @ 10"-R	12/21/17 14:25	SW8015B_DROORO	DRO-ORO By SW8015B	01/04/18	01/04/18	KEB	PHCC10C28 PHCC28C35	
572225-002	S	North @ 6"	12/21/17 14:50	E300_CL	Chloride by EPA 300	01/04/18	01/18/18	KEB	CL	
572225-002	S	North @ 6"	12/21/17 14:50	SW8015GRO	TPH GRO by EPA 8015 Mod.	01/04/18	01/04/18	KEB	PHCG	
572225-002	S	North @ 6"	12/21/17 14:50	SW8015B_DROORO	DRO-ORO By SW8015B	01/04/18	01/04/18	KEB	PHCC10C28 PHCC28C35	
572225-002	S	North @ 6"	12/21/17 14:50	SW8021B	BTEX by EPA 8021B	01/04/18	01/04/18	KEB	BR4FBZ BZ BZME EBZ X	
572225-003	S	East @ 6"	12/21/17 14:55	SW8021B	BTEX by EPA 8021B	01/04/18	01/04/18	KEB	BR4FBZ BZ BZME EBZ X	
572225-003	S	East @ 6"	12/21/17 14:55	SW8015B_DROORO	DRO-ORO By SW8015B	01/04/18	01/04/18	KEB	PHCC10C28 PHCC28C35	
572225-003	S	East @ 6"	12/21/17 14:55	E300_CL	Chloride by EPA 300	01/04/18	01/18/18	KEB	CL	
572225-003	S	East @ 6"	12/21/17 14:55	SW8015GRO	TPH GRO by EPA 8015 Mod.	01/04/18	01/04/18	KEB	PHCG	
572225-004	S	South @ 6"	12/21/17 15:00	SW8015GRO	TPH GRO by EPA 8015 Mod.	01/04/18	01/04/18	KEB	PHCG	
572225-004	S	South @ 6"	12/21/17 15:00	SW8021B	BTEX by EPA 8021B	01/04/18	01/04/18	KEB	BR4FBZ BZ BZME EBZ X	
572225-004	S	South @ 6"	12/21/17 15:00	E300_CL	Chloride by EPA 300	01/04/18	01/18/18	KEB	CL	
572225-004	S	South @ 6"	12/21/17 15:00	SW8015B_DROORO	DRO-ORO By SW8015B	01/04/18	01/04/18	KEB	PHCC10C28 PHCC28C35	
572225-005	S	West @ 6"	12/21/17 15:05	SW8015GRO	TPH GRO by EPA 8015 Mod.	01/04/18	01/04/18	KEB	PHCG	
572225-005	S	West @ 6"	12/21/17 15:05	SW8015B_DROORO	DRO-ORO By SW8015B	01/04/18	01/04/18	KEB	PHCC10C28 PHCC28C35	
572225-005	S	West @ 6"	12/21/17 15:05	E300_CL	Chloride by EPA 300	01/04/18	01/18/18	KEB	CL	
572225-005	S	West @ 6"	12/21/17 15:05	SW8021B	BTEX by EPA 8021B	01/04/18	01/04/18	KEB	BR4FBZ BZ BZME EBZ X	



## **Inter-Office Shipment**

Page 2 of 2

IOS Number 1053903

Date/Time: 12/28/17 17:44 Created by: Brenda Ward Please send report to: Kelsey Brooks

Lab# From: Lubbock Delivery Priority: Address: 6701 Aberdeen, Suite 9 Lubbock, TX 79424
Phone:

Lab# To: **Houston** Air Bill No.: 771105606137

**Inter Office Shipment or Sample Comments:** 

12/29/17 DRO added to IOS. HT

Relinquished By

Date Relinquished: 12/28/2017

Received By:

E-Mail: kelsey.brooks@xenco.com

Date Received: 12/29/2017 10:00

Cooler Temperature: 3.6



## **XENCO Laboratories**

# Inter Office Report- Sample Receipt Checklist

Sent To: Houston Acceptable Temperature Range: 0 - 6 degC Air and Metal samples Acceptable Range: Ambient IOS #: 1053903 Temperature Measuring device used: hou-068

Brenda Ward Date Sent: 12/28/2017 05:44 PM Sent By:

Received By: Rene Vandenberghe	<b>Date Received:</b> 12/29/2017	10:00 AM	
	Sample Receipt Check	dist	Comments
#1 *Temperature of cooler(s)?		3.6	
#2 *Shipping container in good condition	n?	Yes	
#3 *Samples received with appropriate	temperature?	Yes	
#4 *Custody Seals intact on shipping c	ontainer/ cooler?	No	
#5 *Custody Seals Signed and dated for	or Containers/coolers	N/A	
#6 *IOS present?		Yes	
#7 Any missing/extra samples?		No	
#8 IOS agrees with sample label(s)/ma	trix?	Yes	
#9 Sample matrix/ properties agree wit	h IOS?	Yes	
#10 Samples in proper container/ bottle	9?	Yes	
#11 Samples properly preserved?		Yes	
#12 Sample container(s) intact?		Yes	
#13 Sufficient sample amount for indica	ated test(s)?	Yes	
#14 All samples received within hold tir	ne?	Yes	
* Must be completed for after-hours do NonConformance: 12/29/17 DRO added to IOS. HT	elivery of samples prior to pla	acing in the refrigerator	
Corrective Action Taken:			
	Nonconformance Docu	montation	
	Noncomornance Docu	mentation	
Contact:	Contacted by :	Date	<u> </u>
Checklist reviewed by:	R.C.V.LHT.	Date: 12/29/2017	

Rene Vandenberghe



# XENCO Laboratories Prelogin/Nonconformance Report- Sample Log-In



Client: TRC Solutions, Inc

**Date/ Time Received:** 12/28/2017 05:12:00 PM

Acceptable Temperature Range: 0 - 6 degC
Air and Metal samples Acceptable Range: Ambient

Work Order #: 572225

Temperature Measuring device used: IR-3

	Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?		1.1
#2 *Shipping container in good condition	?	Yes
#3 *Samples received on ice?		Yes
#4 *Custody Seals intact on shipping cor	ntainer/ cooler?	N/A
#5 Custody Seals intact on sample bottle		N/A
#6*Custody Seals Signed and dated?		N/A
#7 *Chain of Custody present?		Yes
#8 Any missing/extra samples?		No
#9 Chain of Custody signed when relinqu	uished/ received?	Yes
#10 Chain of Custody agrees with sample		Yes
#11 Container label(s) legible and intact		Yes
#12 Samples in proper container/ bottle?		Yes
#13 Samples properly preserved?		Yes
#14 Sample container(s) intact?		Yes
#15 Sufficient sample amount for indicat	ed test(s)?	Yes
#16 All samples received within hold time	e?	Yes
#17 Subcontract of sample(s)?		No
#18 Water VOC samples have zero head	dspace?	N/A
* Must be completed for after-hours de Analyst:	livery of samples prior to placing in	the refrigerator
Checklist completed by:  Checklist reviewed by:	Brenda Ward  Brenda Ward	Date: 12/28/2017

# **Analytical Report 581097**

# for TRC Solutions, Inc

Project Manager: Joel Lowry

COG Phillips State

09-APR-18

Collected By: Client





#### 1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122): Texas (T104704215-18-24), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054) Oklahoma (2017-142)

> Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295-17-16), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab code: TX00127): Texas (T104704221-17-12)
Xenco-Lubbock (EPA Lab code: TX00139): Texas (T104704219-17-16)
Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-18-14)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)
Xenco-Atlanta (LELAP Lab ID #04176)





09-APR-18

Project Manager: Joel Lowry TRC Solutions, Inc 2057 Commerce Midland, TX 79703

Reference: XENCO Report No(s): 581097

**COG Phillips State** Project Address:

#### Joel Lowry:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 581097. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 581097 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Kelsey Brooks

Knus Hoah

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



# **Sample Cross Reference 581097**



# $TRC\ Solutions, Inc,\ Midland, TX$

COG Phillips State

Sample Id	Matrix	<b>Date Collected</b>	Sample Depth	Lab Sample Id
FL-1	S	03-30-18 14:00	1 ft	581097-001
FL-2	S	03-30-18 14:05	3 ft	581097-002
NSW	S	03-30-18 14:10	6 ft	581097-003
SSW	S	03-30-18 14:15	6 ft	581097-004
ESW	S	03-30-18 14:20	6 ft	581097-005
WSW	S	03-30-18 14:25	6 ft	581097-006

# XENCO

#### CASE NARRATIVE

Client Name: TRC Solutions, Inc Project Name: COG Phillips State

Project ID: Report Date: 09-APR-18 Work Order Number(s): 581097 Date Received: 04/03/2018

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3045814 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



# Certificate of Analysis Summary 581097

TRC Solutions, Inc, Midland, TX Project Name: COG Phillips State



**Project Id:** 

**Contact:** Joel Lowry

**Project Location:** 

**Date Received in Lab:** Tue Apr-03-18 10:18 am

**Report Date:** 09-APR-18 **Project Manager:** Kelsey Brooks

	Lab Id:	581097-0	001	581097-	002	581097-0	)03	581097-004		581097-	005	581097-0	006
Analysis Requested	Field Id:	FL-1	FL-1		FL-2		NSW		SSW		ESW		7
Thulysis Requesicu	Depth:	1- ft		3- ft	3- ft			6- ft		6- ft		6- ft	
Matrix:		SOIL	,	SOIL	,	SOIL		SOIL		SOIL	,	SOIL	
	Sampled:	Mar-30-18	Mar-30-18 14:00		Mar-30-18 14:05		14:10	Mar-30-18	14:15	Mar-30-18	14:20	Mar-30-18 14:25	
BTEX by EPA 8021B	Extracted:	Apr-05-18	Apr-05-18 10:00		10:00	Apr-05-18	10:00	Apr-05-18	10:00	Apr-05-18	10:00	Apr-05-18	10:00
	Analyzed:	Apr-05-18	Apr-05-18 17:24		17:46	Apr-05-18	18:06	Apr-05-18	18:44	Apr-05-18	19:04	Apr-05-18 19:23	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Benzene		< 0.00201	0.00201	< 0.00202	0.00202	< 0.00200	0.00200	< 0.00199	0.00199	< 0.00200	0.00200	< 0.00202	0.00202
Toluene		< 0.00201	0.00201	< 0.00202	0.00202	< 0.00200	0.00200	< 0.00199	0.00199	< 0.00200	0.00200	< 0.00202	0.00202
Ethylbenzene		< 0.00201	0.00201	< 0.00202	0.00202	< 0.00200	0.00200	< 0.00199	0.00199	< 0.00200	0.00200	< 0.00202	0.00202
m,p-Xylenes		< 0.00402	0.00402	< 0.00404	0.00404	< 0.00401	0.00401	< 0.00398	0.00398	< 0.00399	0.00399	< 0.00403	0.00403
o-Xylene		< 0.00201	0.00201	< 0.00202	0.00202	< 0.00200	0.00200	< 0.00199	0.00199	< 0.00200	0.00200	< 0.00202	0.00202
Total Xylenes		< 0.00201	0.00201	< 0.00202	0.00202	< 0.002	0.002	< 0.00199	0.00199	< 0.002	0.002	< 0.00202	0.00202
Total BTEX		< 0.00201	0.00201	< 0.00202	0.00202	< 0.002	0.002	< 0.00199	0.00199	< 0.002	0.002	< 0.00202	0.00202
Chloride by EPA 300	Extracted:	Apr-03-18	16:45	Apr-03-18 16:45									
	Analyzed:	Apr-03-18	23:28	Apr-03-18 23:33									
	Units/RL:	mg/kg	RL	mg/kg	RL								
Chloride		1260	25.0	968	25.0								
TPH by SW8015 Mod	Extracted:	Apr-03-18	16:00	Apr-03-18	16:00	Apr-03-18	16:00	Apr-05-18	12:00	Apr-05-18 12:00		Apr-05-18	12:00
	Analyzed:	Apr-04-18	15:08	Apr-04-18	15:36	Apr-04-18	16:09	Apr-05-18	16:17	Apr-05-18 16:37		Apr-05-18	16:58
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Gasoline Range Hydrocarbons (GRO)		<15.0	15.0	<15.0	15.0	<14.9	14.9	20.5	15.0	36.8	15.0	<15.0	15.0
Diesel Range Organics (DRO)		2870	15.0	1080	15.0	64.3	14.9	673	15.0	2130	15.0	43.3	15.0
Oil Range Hydrocarbons (ORO)		63.4 15.0		45.6	15.0	<14.9	14.9	99.9	15.0	336	15.0	<15.0	15.0
Total TPH		2933.4	15	1125.6	15	64.3	14.9	793.4	15	2502.8	15	43.3	15

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks Project Manager

Knus Roah



#### Flagging Criteria



- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F RPD exceeded lab control limits.
- J The target analyte was positively identified below the quantitation limit and above the detection limit.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- **K** Sample analyzed outside of recommended hold time.
- **JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit SDL Sample Detection Limit LOD Limit of Detection

PQL Practical Quantitation Limit MQL Method Quantitation Limit LOQ Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample BLK Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample BKSD/LCSD Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate MS Matrix Spike MSD: Matrix Spike Duplicate

- + NELAC certification not offered for this compound.
- \* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

<sup>\*\*</sup> Surrogate recovered outside laboratory control limit.



**Project Name: COG Phillips State** 

 Work Orders: 581097,
 Project ID:

 Lab Batch #: 3045685
 Sample: 581097-001 / SMP
 Batch: 1 Matrix: Soil

Units: mg/kg Date Analyzed: 04/04/18 15:08 SURROGATE RECOVERY STUDY								
		y SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags	
		Analytes			[D]			
1-Chlorooct	tane		94.3	99.9	94	70-135		
o-Terpheny	1		64.1	50.0	128	70-135		

Units:	mg/kg	<b>Date Analyzed:</b> 04/04/18 15:36	SURROGATE RECOVERY STUDY						
	ТРН	by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags		
1-Chlorooc	tane	<del>-</del>	99.9	99.7	100	70-135			
o-Terpheny	1		63.9	49.9	128	70-135			

Units: mg/kg Date Analyzed: 04/04/18 16:09 SURROGATE RECOVERY STUDY

TPH by SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	90.4	99.6	91	70-135	
o-Terphenyl	47.6	49.8	96	70-135	

**Lab Batch #:** 3045830 **Sample:** 581097-004 / SMP **Batch:** 1 **Matrix:** Soil

Units:	mg/kg	<b>Date Analyzed:</b> 04/05/18 16:17	SURROGATE RECOVERY STUDY					
	ТРН	by SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags	
1-Chlorooc	tane		98.7	99.7	99	70-135		
o-Terpheny	1		48.5	49.9	97	70-135		

Units:	mg/kg	<b>Date Analyzed:</b> 04/05/18 16:37	SURROGATE RECOVERY STUDY					
	ТРН	by SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags	
1-Chlorooct	ane		98.5	99.7	99	70-135		
o-Terphenyl	1		45.4	49.9	91	70-135		

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



**Project Name: COG Phillips State** 

 Work Orders: 581097,
 Project ID:

 Lab Batch #: 3045830
 Sample: 581097-006 / SMP
 Batch: 1 Matrix: Soil

Units: mg/kg Date Analyzed: 04/05/18 16:58 SURROGATE RECOVERY STUDY							
	ТРН	by SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
		Analytes					
1-Chlorooctane			98.2	99.9	98	70-135	
o-Terphenyl			50.6	50.0	101	70-135	

Lab Batch #: 3045814 Sample: 581097-001 / SMP Batch: 1 Matrix: Soil

**Units:** mg/kg Date Analyzed: 04/05/18 17:24 SURROGATE RECOVERY STUDY **Amount** True Control BTEX by EPA 8021B Found Limits Flags Amount Recovery [A] [B] %R %R [D] **Analytes** 1,4-Difluorobenzene 0.0300 0.0300 100 70-130 4-Bromofluorobenzene 0.0304 0.0300 101 70-130

Units: mg/kg Date Analyzed: 04/05/18 17:46 SURROGATE RECOVERY STUDY

BTEX by EPA 8021B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0273	0.0300	91	70-130	
4-Bromofluorobenzene	0.0295	0.0300	98	70-130	

Units:	mg/kg	<b>Date Analyzed:</b> 04/05/18 18:06	SURROGATE RECOVERY STUDY						
	ВТЕ	X by EPA 8021B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags		
1,4-Difluor	obenzene		0.0308	0.0300	103	70-130			
4-Bromoflu	orobenzene		0.0282	0.0300	94	70-130			

Units:	mg/kg	<b>Date Analyzed:</b> 04/05/18 18:44	SURROGATE RECOVERY STUDY						
	ВТЕ	X by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags		
1,4-Difluorobenz	zene	Analytes	0.0289	0.0300	96	70-130			
4-Bromofluorob	enzene		0.0258	0.0300	86	70-130			

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



**Project Name: COG Phillips State** 

 Work Orders: 581097,
 Project ID:

 Lab Batch #: 3045814
 Sample: 581097-005 / SMP
 Batch: 1 Matrix: Soil

Units: mg/kg Date Analyzed: 04/05/18 19:04 SURROGATE RECOVERY STUDY								
	BTEX	by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags	
	A	Analytes			[D]			
1,4-Difluor	obenzene		0.0292	0.0300	97	70-130		
4-Bromoflu	iorobenzene		0.0263	0.0300	88	70-130		

**Units:** mg/kg Date Analyzed: 04/05/18 19:23 SURROGATE RECOVERY STUDY **Amount** True Control BTEX by EPA 8021B Found Limits Flags Amount Recovery [A] [B] %R %R [D] **Analytes** 1,4-Difluorobenzene 0.0291 0.0300 97 70-130 4-Bromofluorobenzene 0.0293 0.0300 70-130 98

Lab Batch #: 3045685 Sample: 7641971-1-BLK / BLK Batch: 1 Matrix: Solid

Units: mg/kg Date Analyzed: 04/04/18 02:48 SURROGATE RECOVERY STUDY

TPH by SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	99.3	100	99	70-135	
o-Terphenyl	50.5	50.0	101	70-135	

Lab Batch #: 3045814Sample: 7642116-1-BLK / BLKBatch: 1Matrix: Solid

Units:	mg/kg	<b>Date Analyzed:</b> 04/05/18 11:19	SURROGATE RECOVERY STUDY						
	ВТЕ	X by EPA 8021B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags		
1,4-Difluoro	benzene		0.0269	0.0300	90	70-130			
4-Bromoflu	orobenzene		0.0256	0.0300	85	70-130			

Lab Batch #: 3045830 Sample: 7642101-1-BLK / BLK Batch: 1 Matrix: Solid

Units:	mg/kg	<b>Date Analyzed:</b> 04/05/18 13:09	SURROGATE RECOVERY STUDY						
	ТРН	by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags		
1-Chlorooct	tane		92.7	100	93	70-135			
o-Terpheny	1		43.3	50.0	87	70-135			

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



**Project Name: COG Phillips State** 

 Work Orders:
 581097,
 Project ID:

 Lab Batch #:
 3045685
 Sample:
 7641971-1-BKS / BKS
 Batch:
 1 Matrix:
 Solid

Units: mg/kg Date Analyzed: 04/04/18 03:19 SURROGATE RECOVERY STUDY							
	ТРН	by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
1-Chloroocta	ine		124	100	124	70-135	
o-Terphenyl			54.4	50.0	109	70-135	

Units: mg/kg Date Analyzed: 04/05/18 09:22 SURROGATE RECOVERY STUDY							
	BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags	
	Analytes			[D]			
1,4-Difluorobenzene		0.0313	0.0300	104	70-130		
4-Bromofluorobenzo	ene	0.0314	0.0300	105	70-130		

Lab Batch #: 3045830 Sample: 7642101-1-BKS / BKS Batch: 1 Matrix: Solid

Units: mg/kg Date Analyzed: 04/05/18 13:31 SURROGATE RECOVERY STUDY

TPH by SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	97.1	100	97	70-135	
o-Terphenyl	48.5	50.0	97	70-135	

Lab Batch #: 3045685 Sample: 7641971-1-BSD / BSD Batch: 1 Matrix: Solid

Units:	mg/kg	<b>Date Analyzed:</b> 04/04/18 03:50	SURROGATE RECOVERY STUDY						
	ТРН	by SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags		
1-Chlorooct	ane		126	100	126	70-135			
o-Terpheny			56.8	50.0	114	70-135			

Lab Batch #: 3045814 Sample: 7642116-1-BSD / BSD Batch: 1 Matrix: Solid

Units: mg/kg Date Analyzed: 04/05/18 09:42 SURROGATE RECOVERY STUDY							
	BTEX	by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
	1	Analytes			[D]		
1,4-Difluorobenzene			0.0301	0.0300	100	70-130	
4-Bromofluorobenzene			0.0297	0.0300	99	70-130	

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



**Project Name: COG Phillips State** 

 Work Orders:
 581097,
 Project ID:

 Lab Batch #:
 3045830
 Sample:
 7642101-1-BSD / BSD
 Batch:
 1
 Matrix:
 Solid

Units:	mg/kg	<b>Date Analyzed:</b> 04/05/18 13:52	SU	RROGATE RE	ECOVERY S	STUDY	
	TPH	by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
		Analytes			[D]		
1-Chloroocta	ane		99.2	100	99	70-135	
o-Terphenyl			49.3	50.0	99	70-135	

Units:	mg/kg	<b>Date Analyzed:</b> 04/04/18 04:50	SURROGATE RECOVERY STUDY					
	ТРН	by SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags	
1-Chlorooct	ane		119	99.9	119	70-135		
o-Terphenyl	[		52.6	50.0	105	70-135		

**Lab Batch #:** 3045814 **Sample:** 581096-004 S / MS **Batch:** 1 **Matrix:** Soil

Units: mg/kg Date Analyzed: 04/05/18 10:01 SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Amount True Control

BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
Analytes			[D]		
1,4-Difluorobenzene	0.0274	0.0300	91	70-130	
4-Bromofluorobenzene	0.0278	0.0300	93	70-130	

Units:	mg/kg	<b>Date Analyzed:</b> 04/05/18 15:36	SURROGATE RECOVERY STUDY						
	ТРН	by SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags		
1-Chlorooct	tane		109	99.8	109	70-135			
o-Terpheny	1		53.5	49.9	107	70-135			

Units:	mg/kg	<b>Date Analyzed:</b> 04/04/18 05:21	SURROGATE RECOVERY STUDY						
	ТРН	by SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags		
1-Chlorooct	tane		121	99.7	121	70-135			
o-Terpheny	·1		53.2	49.9	107	70-135			

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



**Project Name: COG Phillips State** 

 Work Orders: 581097,
 Project ID:

 Lab Batch #: 3045814
 Sample: 581096-004 SD / MSD
 Batch: 1 Matrix: Soil

Units:	mg/kg	<b>Date Analyzed:</b> 04/05/18 10:20	SU	RROGATE RE	ECOVERY S	STUDY	
	ВТЕ	X by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
1,4-Difluoro	benzene		0.0276	0.0300	92	70-130	
4-Bromofluorobenzene			0.0304	0.0300	101	70-130	

**Lab Batch #:** 3045830 **Sample:** 581096-005 SD / MSD **Batch:** 1 **Matrix:** Soil

Units:	mg/kg	<b>Date Analyzed:</b> 04/05/18 15:57	SU	RROGATE RI	ECOVERY S	STUDY	
	ТРН	by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
1-Chlorooct	tane		124	100	124	70-135	
o-Terpheny	·1		47.7	50.0	95	70-135	

Surrogate Recovery [D] = 100 \* A / B

<sup>\*</sup> Surrogate outside of Laboratory QC limits

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



#### **BS / BSD Recoveries**



**Project Name: COG Phillips State** 

Work Order #: 581097 Project ID:

Analyst: ALJ Date Prepared: 04/05/2018 Date Analyzed: 04/05/2018

**Lab Batch ID:** 3045814 **Sample:** 7642116-1-BKS **Batch #:** 1 **Matrix:** Solid

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

BTEX by EPA 8021B	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes		[D]	[C]	נען	[E]	Kesuit [F]	լցյ				
Benzene	< 0.00201	0.100	0.127	127	0.101	0.120	119	6	70-130	35	
Toluene	< 0.00201	0.100	0.120	120	0.101	0.113	112	6	70-130	35	
Ethylbenzene	< 0.00201	0.100	0.115	115	0.101	0.108	107	6	70-130	35	
m,p-Xylenes	< 0.00402	0.201	0.238	118	0.202	0.223	110	7	70-130	35	
o-Xylene	< 0.00201	0.100	0.117	117	0.101	0.111	110	5	70-130	35	

**Analyst:** OJS **Date Prepared:** 04/03/2018 **Date Analyzed:** 04/03/2018

**Lab Batch ID:** 3045650 **Sample:** 7641966-1-BKS **Batch #:** 1 **Matrix:** Solid

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300 S Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	< 5.00	250	241	96	250	236	94	2	90-110	20	

Relative Percent Difference RPD = 200\*|(C-F)/(C+F)|Blank Spike Recovery [D] = 100\*(C)/[B]Blank Spike Duplicate Recovery [G] = 100\*(F)/[E]All results are based on MDL and Validated for QC Purposes



#### **BS / BSD Recoveries**



**Project Name: COG Phillips State** 

Work Order #: 581097 Project ID:

**Analyst:** ARM **Date Prepared:** 04/03/2018 **Date Analyzed:** 04/04/2018

 Lab Batch ID: 3045685
 Sample: 7641971-1-BKS
 Batch #: 1
 Matrix: Solid

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	1000	100	1000	1000	100	0	70-135	20	
Diesel Range Organics (DRO)	<15.0	1000	1040	104	1000	1050	105	1	70-135	20	

**Analyst:** ARM **Date Prepared:** 04/05/2018 **Date Analyzed:** 04/05/2018

**Lab Batch ID:** 3045830 **Sample:** 7642101-1-BKS **Batch #:** 1 **Matrix:** Solid

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	859	86	1000	897	90	4	70-135	20	
Diesel Range Organics (DRO)	<15.0	1000	910	91	1000	951	95	4	70-135	20	

Relative Percent Difference RPD = 200\*|(C-F)/(C+F)|Blank Spike Recovery [D] = 100\*(C)/[B]Blank Spike Duplicate Recovery [G] = 100\*(F)/[E]All results are based on MDL and Validated for QC Purposes



#### Form 3 - MS / MSD Recoveries



**Project Name: COG Phillips State** 

Work Order #: 581097 Project ID:

**Lab Batch ID:** 3045814 **QC- Sample ID:** 581096-004 S **Batch #:** 1 **Matrix:** Soil

 Date Analyzed:
 04/05/2018
 Date Prepared:
 04/05/2018
 Analyst:
 ALJ

Reporting Units: mg/kg MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

BTEX by EPA 8021B	Parent Sample	Spike	Spiked Sample Result	Sample	Spike	Duplicate Spiked Sample	Spiked Dup.	RPD	Control Limits	Control Limits	Flag
Analytes	Result [A]	Added [B]	[C]	%R [D]	Added [E]	Result [F]	%R [G]	%	%R	%RPD	
Benzene	< 0.00202	0.101	0.0537	53	0.0994	0.0583	59	8	70-130	35	X
Toluene	< 0.00202	0.101	0.0365	36	0.0994	0.0414	42	13	70-130	35	X
Ethylbenzene	< 0.00202	0.101	0.0248	25	0.0994	0.0327	33	27	70-130	35	X
m,p-Xylenes	0.00869	0.202	0.0597	25	0.199	0.0707	31	17	70-130	35	X
o-Xylene	0.00436	0.101	0.0315	27	0.0994	0.0399	36	24	70-130	35	X

**Lab Batch ID:** 3045650 **QC- Sample ID:** 581087-014 S **Batch #:** 1 **Matrix:** Soil

Reporting Units: mg/kg MATRIX SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300  Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	264	250	504	96	250	514	100	2	90-110	20	

**Lab Batch ID:** 3045650 **QC- Sample ID:** 581087-017 S **Batch #:** 1 **Matrix:** Soil

Date Analyzed: 04/03/2018 Date Prepared: 04/03/2018 Analyst: OJS

Reporting Units: mg/kg MATRIX SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300	Parent Sample Result	Spike Added	Spiked Sample Result [C]	Spiked Sample %R	Spike Added	Duplicate Spiked Sample Result [F]	Spiked Dup. %R	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes	[A]	[B]	[0]	[D]	[E]	Result [1]	[G]	70	/ <b>UK</b>	70KI D	
Chloride	41.0	250	283	97	250	280	96	1	90-110	20	

Matrix Spike Percent Recovery [D] = 100\*(C-A)/B Relative Percent Difference RPD = 200\*|(C-F)/(C+F)| Matrix Spike Duplicate Percent Recovery [G] = 100\*(F-A)/E



#### Form 3 - MS / MSD Recoveries



**Project Name: COG Phillips State** 

Work Order #: 581097 Project ID:

**Lab Batch ID:** 3045685 **QC- Sample ID:** 581095-001 S **Batch #:** 1 **Matrix:** Soil

**Date Analyzed:** 04/04/2018 **Date Prepared:** 04/03/2018 **Analyst:** ARM

Reporting Units: mg/kg MATRIX SPIKE DUPLICATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	999	960	96	997	971	97	1	70-135	20	
Diesel Range Organics (DRO)	26.5	999	1000	97	997	1010	99	1	70-135	20	

**Lab Batch ID:** 3045830 **QC- Sample ID:** 581096-005 S **Batch #:** 1 **Matrix:** Soil

**Date Analyzed:** 04/05/2018 **Date Prepared:** 04/05/2018 **Analyst:** ARM

Reporting Units: mg/kg MATRIX SPIKE DUPLICATE RECOVERY STUDY

TPH by SW8015 Mod  Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	91.9	998	1020	93	1000	990	90	3	70-135	20	
Diesel Range Organics (DRO)	743	998	1860	112	1000	1880	114	1	70-135	20	

Matrix Spike Percent Recovery [D] = 100\*(C-A)/B Relative Percent Difference RPD = 200\*|(C-F)/(C+F)|

Final 1.000



# CHAIN OF CUSTODY

Stafford, Texas (281-240-4200)

San Antonio, Texas (210-509-3334)

Phoenix, Arizona (480-355-0900)

Dallas Texas (214-902-0300)	Midland, Texas (432-704-5251)	Xenco Quote #	e# Xenco Job# 581	797 
			Analytical Information	Matrix Codes
Client / Reporting Information	Project Information			
Company Name / Branch: TRC Environmental	T	7		W = Water S = Soil/Sed/Solid
Company Address: 2057 Commerce Drive Midland TX 79703				GW =Ground Water DW = Drinking Water
Email: Phone No:	Invoice To:	DIV. Hackey		SW = Surface water SL = Sludge
Project Contact: Joel Lowry	Invoice: RS No. Pending	D		WI = Wipe
Samplers's Name Joel Lowry				WW= Waste Water
	Collection			A = Air
No. Field ID / Point of Collection	Time Matrix bottles E	Acetate HNO3 H2SO4 NaOH NaHSO4 MEOH NONE TPH 802 BTEX 80	Chloride	Field Comments
1 82-1	3-30-18/20:00 5 1		X	
2 FL-2	313-30-182:05 5 1	× ×	×	
3 2/502	-	XX		
4 530		× ×		
5 ESW	_	X		
6 MY< M	6" 7:30-18 2:25 3 1	× ×	Temp: .3	3 IR ID:R-8
7			CE:(0-6: -0.2°C)	000
8			(6-23)	(6-23: +0 2°C)
9			Corrected	Corrected Temp:
10			Collection	0
Turnaround Time (Business days)	Data Deliverable Information	ormation	Notes:	
Same Day TAT 6 Day TAT	AT Level II Std QC	Level IV (Full Data Pkg /raw data)	Cowres TRESOLUTIONS	ocustors. The
Next Day EMERGENCY 7 Day TAT	Level III Std QC+ Forms	TRRP Level IV	RHASKELL@ CONCHO. COM	ocho-con
2 Day EMERGENCY X Contract TAT	t TAT Level 3 (CLP Forms)	UST/RG-411	SOSTANLEGE	@ TRESOLUTIONS Show
3 Day EMERGENCY	TRRP Checklist		Fronder Otresolut.	1
TAT Starts Day received by Lab, if received by 5:00 pm	by 5:00 pm			,
Simplar:	SAMPLE CUSTORY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER  Page Time:  Relinguished By:  2	POSSESSION, INCLUDING COURIER DELIVERY Relinguished By: 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Date Time:  Regolved By:	SIIEIN O 21/2
Relinquished by:	Date Time: Received By:	Reiniquished By:		J 10:18
Relinquished by:	Date Time: Received By:	Custody Seal # Pre:	On lee	Cooler Temp. Thermo, Corr. Pactor

Notice: Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only forfine cost of samples and shall not assume any responsibility for any losses or expenses incurred by the Client if such loses are due to circumstances beyond the control of Xenco. A minimum charge of \$75 will be applied to each project. Xenco's liability will be limited to the cost of samples. Any samples received by Xenco but not analyzed will be invoiced at \$5 per sample. These terms will be enforced unless previously negotiated under a fully executed client contract.

Page 17 of 18

Final 1.000



# XENCO Laboratories Prelogin/Nonconformance Report- Sample Log-In



Client: TRC Solutions, Inc

Date/ Time Received: 04/03/2018 10:18:00 AM

Acceptable Temperature Range: 0 - 6 degC
Air and Metal samples Acceptable Range: Ambient

Work Order #: 581097

Temperature Measuring device used: R8

	Sample Receipt Checklis	t	Comments
#1 *Temperature of cooler(s)?		.1	
#2 *Shipping container in good condition	?	Yes	
#3 *Samples received on ice?		Yes	
#4 *Custody Seals intact on shipping cor	tainer/ cooler?	N/A	
#5 Custody Seals intact on sample bottle	s?	N/A	
#6*Custody Seals Signed and dated?		N/A	
#7 *Chain of Custody present?		Yes	
#8 Any missing/extra samples?		No	
#9 Chain of Custody signed when relinqu	uished/ received?	Yes	
#10 Chain of Custody agrees with sample	e labels/matrix?	Yes	
#11 Container label(s) legible and intact?	)	Yes	
#12 Samples in proper container/ bottle?		Yes	TPH received in bulk container
#13 Samples properly preserved?		Yes	
#14 Sample container(s) intact?		Yes	
#15 Sufficient sample amount for indicate	ed test(s)?	Yes	
#16 All samples received within hold time	9?	Yes	
#17 Subcontract of sample(s)?		No	
#18 Water VOC samples have zero head	dspace?	N/A	
* <b>Must be completed for after-hours de</b> Analyst:	livery of samples prior to placin	ng in the refriger	ator
Checklist completed by:	Matie Lowe	Date: <u>04/03</u>	/2018
Checklist reviewed by:	Jessica Kramer	Date: <u>04/03</u>	/2018

# **Analytical Report 585254**

# for TRC Solutions, Inc

Project Manager: Joel Lowry
Phillips State #1 IRP-4882

14-MAY-18

Collected By: Client





#### 1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab Code: TX00122): Texas (T104704215-18-25), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054) Oklahoma (2017-142)

> Xenco-Dallas (EPA Lab Code: TX01468): Texas (T104704295-17-16), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-17-12)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-17-16)
Xenco-Odessa (EPA Lab Code: TX00158): Texas (T104704400-18-14)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)
Xenco-Atlanta (LELAP Lab ID #04176)

Xenco-Tampa: Florida (E87429) Xenco-Lakeland: Florida (E84098)





14-MAY-18

Project Manager: **Joel Lowry TRC Solutions, Inc**2057 Commerce
Midland, TX 79703

Reference: XENCO Report No(s): 585254

Phillips State #1 IRP-4882 Project Address: Lea Co, NM

#### Joel Lowry:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 585254. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 585254 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Kelsey Brooks

Knus Hoah

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



# **Sample Cross Reference 585254**



## $TRC\ Solutions, Inc,\ Midland, TX$

Phillips State #1 IRP-4882

Sample Id	Matrix	<b>Date Collected</b>	Sample Depth	Lab Sample Id
NSW b	S	04-26-18 10:42	1 ft	585254-001
ESW b	S	04-26-18 14:12	1 ft	585254-002
SSW b	S	04-27-18 16:40	1 ft	585254-003
WSW b	S	04-27-18 11:05	1 ft	585254-004

# XENCO

#### CASE NARRATIVE

Client Name: TRC Solutions, Inc Project Name: Phillips State #1 IRP-4882

Project ID: Report Date: 14-MAY-18 Work Order Number(s): 585254 Date Received: 05/08/2018

#### Sample receipt non conformances and comments:

None

#### Sample receipt non conformances and comments per sample:

None

#### **Analytical non conformances and comments:**

Batch: LBA-3049874 Chloride by EPA 300

Lab Sample ID 585254-001 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered above QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 585254-001, -002, -003, -004.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.



# Certificate of Analysis Summary 585254

TRC Solutions, Inc, Midland, TX

Project Name: Phillips State #1 IRP-4882



Project Id: Contact:

Joel Lowry

**Project Location:** Lea Co, NM

**Date Received in Lab:** Tue May-08-18 10:30 am

**Report Date:** 14-MAY-18 **Project Manager:** Kelsey Brooks

	Lab Id:	585254-0	001	585254-0	02	585254-0	03	585254-0	04	
Analysis Paguastad	Field Id:	NSW t	)	ESW b	ESW b		SSW b		,	
Analysis Requested	Depth:	1- ft	1- ft			1- ft		1- ft		
	Matrix:	SOIL		SOIL		SOIL		SOIL		
	Sampled:	Apr-26-18	Apr-26-18 10:42		Apr-26-18 14:12		Apr-27-18 16:40		1:05	
Chloride by EPA 300	Extracted:	May-11-18	16:30	May-11-18	16:30	May-11-18	6:30	May-11-18	6:30	
	Analyzed:	May-11-18	May-11-18 22:14		22:44	May-11-18 2	22:50	May-11-18 2	23:08	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Chloride		121	4.93	450	25.0	422	49.9	524	4.94	
TPH by SW8015 Mod	Extracted:			May-08-18	16:00					
	Analyzed:			May-09-18 (	)5:09					
	Units/RL:			mg/kg	RL					
Gasoline Range Hydrocarbons (GRO)				119	15.0					
Diesel Range Organics (DRO)				3740	15.0					
Oil Range Hydrocarbons (ORO)	nge Hydrocarbons (ORO)			31.9	15.0					
Total TPH				3890.9	15					

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks Project Manager

Knis Roah



#### **Flagging Criteria**



- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F RPD exceeded lab control limits.
- J The target analyte was positively identified below the quantitation limit and above the detection limit.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- **K** Sample analyzed outside of recommended hold time.
- **JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit SDL Sample Detection Limit LOD Limit of Detection

PQL Practical Quantitation Limit MQL Method Quantitation Limit LOQ Limit of Quantitation

**DL** Method Detection Limit

NC Non-Calculable

SMP Client Sample BLK Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample BKSD/LCSD Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate MS Matrix Spike MSD: Matrix Spike Duplicate

- + NELAC certification not offered for this compound.
- \* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

<sup>\*\*</sup> Surrogate recovered outside laboratory control limit.



**Project Name: Phillips State #1 IRP-4882** 

 Work Orders: 585254,
 Project ID:

 Lab Batch #: 3049423
 Sample: 585254-002 / SMP
 Batch:
 1
 Matrix: Soil

Units: mg/	kg <b>Date Analyzed:</b> 05/09/18 05:09	SU	RROGATE RE	ECOVERY S	STUDY	
	TPH by SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
	Analytes					
1-Chlorooctane	,	98.3	99.8	98	70-135	
o-Terphenyl		62.0	49.9	124	70-135	

Units:	mg/kg	<b>Date Analyzed:</b> 05/08/18 20:41	SU	RROGATE RI	ECOVERY S	STUDY	
TPH by SW8015 Mod		Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags	
		Analytes			[D]		
1-Chlorooct	tane		82.8	100	83	70-135	
o-Terpheny	·1		43.4	50.0	87	70-135	

Lab Batch #: 3049423 Sample: 7644346-1-BKS / BKS Batch: 1 Matrix: Solid

Units: mg/kg Date Analyzed: 05/08/18 21:08 SURROGATE RECOVERY STUDY

TPH by SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	100	100	100	70-135	
o-Terphenyl	47.8	50.0	96	70-135	

Units:	mg/kg	<b>Date Analyzed:</b> 05/08/18 21:35	SURROGATE RECOVERY STUDY								
	ТРН	by SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags				
1-Chlorooct	tane		101	100	101	70-135					
o-Terpheny	1		49.2	50.0	98	70-135					

Units:	Units: mg/kg Date Analyzed: 05/08/18 22:28 SURROGATE RECOVERY STUDY										
	ТРН	by SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags				
1-Chlorooct	tane		98.1	99.8	98	70-135					
o-Terpheny	·1		50.4	49.9	101	70-135					

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



**Project Name: Phillips State #1 IRP-4882** 

 Work Orders: 585254,
 Project ID:

 Lab Batch #: 3049423
 Sample: 585093-001 SD / MSD
 Batch:
 1
 Matrix: Soil

Units:	mg/kg	<b>Date Analyzed:</b> 05/08/18 22:55	SU	RROGATE RE	ECOVERY S	STUDY	
	ТРН	by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
1-Chlorooctan	ie		99.3	99.9	99	70-135	
o-Terphenyl			48.9	50.0	98	70-135	

Surrogate Recovery [D] = 100 \* A / B

<sup>\*</sup> Surrogate outside of Laboratory QC limits

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



#### **BS / BSD Recoveries**



**Project Name: Phillips State #1 IRP-4882** 

Work Order #: 585254 Project ID:

Analyst: SCM Date Prepared: 05/11/2018 Date Analyzed: 05/11/2018

**Lab Batch ID:** 3049874 **Sample:** 7644562-1-BKS **Batch #:** 1 **Matrix:** Solid

Units: mg/kg BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300 Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	<5.00	250	275	110	250	273	109	1	90-110	20	

**Analyst:** ARM **Date Prepared:** 05/08/2018 **Date Analyzed:** 05/08/2018

**Lab Batch ID:** 3049423 **Sample:** 7644346-1-BKS **Batch #:** 1 **Matrix:** Solid

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	924	92	1000	946	95	2	70-135	20	
Diesel Range Organics (DRO)	<15.0	1000	1020	102	1000	1050	105	3	70-135	20	

Relative Percent Difference RPD = 200\*|(C-F)/(C+F)|Blank Spike Recovery [D] = 100\*(C)/[B]Blank Spike Duplicate Recovery [G] = 100\*(F)/[E]All results are based on MDL and Validated for QC Purposes



#### Form 3 - MS / MSD Recoveries



Project Name: Phillips State #1 IRP-4882

Work Order #: 585254 Project ID:

**Lab Batch ID:** 3049874 **QC- Sample ID:** 584965-012 S **Batch #:** 1 **Matrix:** Soil

**Date Analyzed:** 05/11/2018 **Date Prepared:** 05/11/2018 **Analyst:** SCM

Reporting Units: mg/kg MATRIX SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	<4.99	250	295	118	250	292	117	1	90-110	20	X

**Lab Batch ID:** 3049874 **QC- Sample ID:** 585254-001 S **Batch #:** 1 **Matrix:** Soil

Date Analyzed: 05/11/2018 Date Prepared: 05/11/2018 Analyst: SCM

Reporting Units: mg/kg MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300  Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Tillary tes	[]	[D]		[D]	[IL]		լցյ				
Chloride	121	247	405	115	247	410	117	1	90-110	20	X

**Lab Batch ID:** 3049423 **QC- Sample ID:** 585093-001 S **Batch #:** 1 **Matrix:** Soil

Date Analyzed: 05/08/2018 Date Prepared: 05/08/2018 Analyst: ARM

Reporting Units: mg/kg MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	998	912	91	999	929	93	2	70-135	20	
Diesel Range Organics (DRO)	<15.0	998	1020	102	999	1030	103	1	70-135	20	



# CHAIN OF CUSTODY

Dallas Texas (214-902-0300) Stafford, Texas (281-240-4200)

> San Antonio, Texas (210-509-3334) Midland, Texas (432-704-5251)

> > Phoenix, Arizona (480-355-0900)

					WWW.	www.xenco.com			1			1						U	00004
Client / Reporting Information				Proje	Project Information	ion						>	Analytical Information	Informa	- tion			4	Matrix Codes
Company Name / Branch: TRC Environmental Corporation		P	Project Name/Number:	umber:	۲. ۲.		14	10-4462	C										W = Water
Company Address: 10 Desta Drive, Suite 150E, Midland, TX, 79705		9	Project Location:	7		0	M												GW =Ground Water DW = Drinking Water P = Product
Email:  lowry@trcsolutions.com	Phone No: 432-466-4450	5	Provide To:	00	co Becky Hashell	14	Has)	113	-										SW = Surface water SL = Sludge OW = Ocean/Sea Water
Project Contact: Joel Lowry		51	Invoice:		k						_								WI = Wipe
Samplers's Name Joel Lowry												В							WW= Waste Water
			Collection				Number	Number of preserved bottles	ed bottles			021E							A = Air
No. Field ID / Point of Collection		Sample Depth	Date	Time	Matrix bo	# of bottles	NaOH/Zn Acetate HNO3	H2SO4 NaOH	NaHSO4 MEOH	NONE	TPH 801 Chloride	BTEX 80	Hold						Field Comments
1 N5Wb			4126/18	10-42	5	-					×				Н				
2 ESWb			4/20/18	2:12		•					×								
3 55wb		-	4127/18 4	4:40		-					×								
4 WSW 60		-,	4/27/18	11:05		,					×								
OT.															-				
0					-			#	1	1				+	1	Temp:	-	1	IR ID:R-8
8																(6-23: +0.2°C)	200	5 6	9°C)
9															0	orre	ctec	Te	Corrected Temp: 1. ()
10															-				
Turnaround Time ( Business days)					Data	Deliverable	Data Deliverable Information	n				13		Notes:	S:				
Same Day TAT	x 5 Day TAT			Leve	Level II Std QC			Level	Level IV (Full Data Pkg /raw data)	ta Pkg/ra	w data)		=	llowry@trcsolutions.com	rcsolu	ions.co	m		
Next Day EMERGENCY	7 Day TAT			Leve	Level III Std QC+ Forms	C+ Forms	П	☐ TRRP	TRRP Level IV				Z	zconder@trcsolutions.com	@trcso	lutions	com		
2 Day EMERGENCY	Contract TAT		30	Leve	Level 3 (CLP Forms)	orms)	П	☐ usr/	UST / RG -411				7	kblackburn@trcsolutions.com	m@tr	solutio	ns.cor	_	
3 Day EMERGENCY				TRR	TRRP Checklist	**							Н	П					
TAT Starts Day received by Lab, if received by 5:00 pm	received by 5:00 pm	pm	OCHMENTED	BEI OW EAC	THE SAL	BI EC CUA	NGE BOSS	NO NO	2 IDNC C		NEDV			FED-EX / UPS: Tracking #	UPS:	Trackin	g #	Ш	
Relinquished by Sampler:		Date Time:		Received	5	3	8	Relinqu	Relinquished By:			Date	Date Time:		Rec	Received By:	×		
Relinquished by Col		Date Time:	3148	Received By:	er Critic		TREININGUISHEED BY:	Relingu 7 4 Costod	Relinquished By: 4 Carrons Custody Seal #	(Dana	1	Date Served	Date Time: 4:38  5/7/19  Preserved where applicable,	38 oplicab		Received By:	On lo	6.0	SELIS 10:30 Cooler Temp. Thefmo. Corr. Factor
Notice: Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service, Xenco will be liable only for the cost of samples are due to circumstances beyond the control of Xenco, a minimum charge of \$75 will be applied to each project. Xenco's liability will be invoiced at \$5 per sample. These terms will be applied to each project. Xenco standard the control of Xenco and the control of Xenco	nent of samples constitute due to circumstances bey	s a valid purc	hase order from of of Xenco. A	n client compa minimum cha	ny to Xenco, rae of \$75 wi	its affiliates	and subcon	tractors. It a ect. Xenco's	ssigns stand liability will	lard terms a be limited to	nd condit	ions of s	ervice, Xe	nco will t	e liable ceived l	only for to w Xenco	ne cost	of samp	ples and shall not assume any responsibility for any each will be invoked at \$5 per sample. These terms will be



# XENCO Laboratories Prelogin/Nonconformance Report- Sample Log-In



Client: TRC Solutions, Inc.

**Date/ Time Received:** 05/08/2018 10:30:00 AM

Acceptable Temperature Range: 0 - 6 degC
Air and Metal samples Acceptable Range: Ambient

Comments

Work Order #: 585254

Temperature Measuring device used: R8

#1 *Temperature of cooler(s)?		1
#2 *Shipping container in good condition	?	Yes
#3 *Samples received on ice?		Yes
#4 *Custody Seals intact on shipping cor	ntainer/ cooler?	N/A
#5 Custody Seals intact on sample bottle	es?	N/A
#6*Custody Seals Signed and dated?		N/A
#7 *Chain of Custody present?		Yes
#8 Any missing/extra samples?		No
#9 Chain of Custody signed when relinqu	uished/ received?	Yes
#10 Chain of Custody agrees with sampl	e labels/matrix?	Yes
#11 Container label(s) legible and intact?		Yes
#12 Samples in proper container/ bottle?		Yes
#13 Samples properly preserved?		Yes
#14 Sample container(s) intact?		Yes
#15 Sufficient sample amount for indicate	ed test(s)?	Yes
#16 All samples received within hold time	e?	Yes
#17 Subcontract of sample(s)?		No
#18 Water VOC samples have zero head	dspace?	N/A
* Must be completed for after-hours de Analyst:	livery of samples prior to placing in	n the refrigerator
Checklist completed by:	Matie Lowe	Date: 05/08/2018
Checklist reviewed by:	Kelsey Brooks	Date: 05/08/2018

Sample Receipt Checklist

# **Analytical Report 587535**

# for TRC Solutions, Inc

Project Manager: Joel Lowry
Phillips State

05-JUN-18

Collected By: Client





#### 1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab Code: TX00122): Texas (T104704215-18-26), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054) Oklahoma (2017-142)

> Xenco-Dallas (EPA Lab Code: TX01468): Texas (T104704295-17-16), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-17-12)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-17-16)
Xenco-Odessa (EPA Lab Code: TX00158): Texas (T104704400-18-14)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)
Xenco-Atlanta (LELAP Lab ID #04176)

Xenco-Tampa: Florida (E87429) Xenco-Lakeland: Florida (E84098)





05-JUN-18

Project Manager: Joel Lowry TRC Solutions, Inc 2057 Commerce Midland, TX 79703

Reference: XENCO Report No(s): 587535

**Phillips State** 

Project Address: Lea County, NM

#### Joel Lowry:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 587535. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 587535 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Kunskr

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



# **Sample Cross Reference 587535**



## $TRC\ Solutions, Inc,\ Midland, TX$

Phillips State

Sample Id	Matrix	<b>Date Collected</b>	Sample Depth	Lab Sample Id
ESW	S	05-29-18 08:00		587535-001

# XENCO

#### **CASE NARRATIVE**

Client Name: TRC Solutions, Inc Project Name: Phillips State

Project ID: Report Date: 05-JUN-18 Work Order Number(s): 587535 Date Received: 05/30/2018

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None



# **Certificate of Analysis Summary 587535**

TRC Solutions, Inc, Midland, TX

**Project Name: Phillips State** 



**Project Id:** 

**Contact:** Joel Lowry

**Project Location:** Lea County, NM

Date Received in Lab: Wed May-30-18 10:30 am

**Report Date:** 05-JUN-18 **Project Manager:** Kelsey Brooks

			T .	I	I	I	I
	Lab Id:	587535-001					
Analysis Requested	Field Id:	ESW					
Analysis Requesica	Depth:						
	Matrix:	SOIL					
	Sampled:	May-29-18 08:00					
Chloride by EPA 300	Extracted:	May-31-18 12:00					
	Analyzed:	Jun-01-18 10:16					
	Units/RL:	mg/kg RL					
Chloride		145 5.00					
TPH by SW8015 Mod	Extracted:	May-31-18 07:00					
	Analyzed:	May-31-18 19:57					
	Units/RL:	mg/kg RL					
Gasoline Range Hydrocarbons (GRO)	·	<15.0 15.0					
Diesel Range Organics (DRO)		<15.0 15.0					
Oil Range Hydrocarbons (ORO)		<15.0 15.0					
Total TPH		<15 15					

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks Project Manager



#### Flagging Criteria



- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F RPD exceeded lab control limits.
- J The target analyte was positively identified below the quantitation limit and above the detection limit.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- **K** Sample analyzed outside of recommended hold time.
- **JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit SDL Sample Detection Limit LOD Limit of Detection

PQL Practical Quantitation Limit MQL Method Quantitation Limit LOQ Limit of Quantitation

**DL** Method Detection Limit

NC Non-Calculable

SMP Client Sample BLK Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample BKSD/LCSD Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate MS Matrix Spike MSD: Matrix Spike Duplicate

- + NELAC certification not offered for this compound.
- \* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

<sup>\*\*</sup> Surrogate recovered outside laboratory control limit.



**Project Name: Phillips State** 

 Work Orders: 587535,
 Project ID:

 Lab Batch #: 3052046
 Sample: 587535-001 / SMP
 Batch: 1 Matrix: Soil

Units: mg/kg Date Analyzed: (	05/31/18 19:57	SURROGAT	E RECOVERY	STUDY	
TPH by SW8015 Mod	Amo Fot [A	nd Amoun	Recovery %R [D]	Control Limits %R	Flags
Analytes			[12]		
1-Chlorooctane	85.	8 99.7	86	70-135	
o-Terphenyl	44.	5 49.9	89	70-135	

Lab Batch #: 3052046 Sample: 7655868-1-BLK / BLK Batch: 1 Matrix: Solid

Units:	mg/kg	<b>Date Analyzed:</b> 05/31/18 09:54	SU	RROGATE RE	ECOVERY S	STUDY	
	ТРН	by SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooct	tane		86.1	100	86	70-135	
o-Terpheny	1		46.2	50.0	92	70-135	

Lab Batch #: 3052046 Sample: 7655868-1-BKS / BKS Batch: 1 Matrix: Solid

Units: mg/kg Date Analyzed: 05/31/18 10:15 SURROGATE RECOVERY STUDY

TPH by SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	126	100	126	70-135	
o-Terphenyl	59.6	50.0	119	70-135	

Units:	mg/kg	<b>Date Analyzed:</b> 05/31/18 10:36	SU	RROGATE RE	ECOVERY S	STUDY	
	ТРН	by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooct	ane		128	100	128	70-135	
o-Terpheny	l		60.3	50.0	121	70-135	

Units:	mg/kg	<b>Date Analyzed:</b> 05/31/18 11:19	SU	RROGATE RE	ECOVERY S	STUDY	
	ТРН	by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooct	ane		102	99.9	102	70-135	
o-Terphenyl			51.7	50.0	103	70-135	

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



**Project Name: Phillips State** 

 Work Orders: 587535,
 Project ID:

 Lab Batch #: 3052046
 Sample: 587529-001 SD / MSD
 Batch: 1 Matrix: Soil

Units:	mg/kg	<b>Date Analyzed:</b> 05/31/18 11:41	SU	RROGATE RE	ECOVERY S	STUDY	
	ТРН	by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
		Analytes			[2]		
1-Chlorooct	ane		103	99.8	103	70-135	
o-Terphenyl	1		52.1	49.9	104	70-135	

Surrogate Recovery [D] = 100 \* A / B

<sup>\*</sup> Surrogate outside of Laboratory QC limits

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



#### **BS / BSD Recoveries**



**Project Name: Phillips State** 

Work Order #: 587535 Project ID:

Analyst: SCM Date Prepared: 05/31/2018 Date Analyzed: 06/01/2018

**Lab Batch ID:** 3052090 **Sample:** 7655801-1-BKS **Batch #:** 1 **Matrix:** Solid

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300  Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	< 5.00	250	275	110	250	274	110	0	90-110	20	

**Analyst:** ARM **Date Prepared:** 05/31/2018 **Date Analyzed:** 05/31/2018

**Lab Batch ID:** 3052046 **Sample:** 7655868-1-BKS **Batch #:** 1 **Matrix:** Solid

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH by SW8015 Mod	Blank Sample Result [A]	Spike Added	Blank Spike Result	Blank Spike %R	Spike Added	Blank Spike Duplicate	Blk. Spk Dup. %R	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes		[B]	[C]	[D]	[E]	Result [F]	[G]				
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	920	92	1000	953	95	4	70-135	20	
Diesel Range Organics (DRO)	<15.0	1000	993	99	1000	1040	104	5	70-135	20	

Relative Percent Difference RPD = 200\*|(C-F)/(C+F)|Blank Spike Recovery [D] = 100\*(C)/[B]Blank Spike Duplicate Recovery [G] = 100\*(F)/[E]All results are based on MDL and Validated for QC Purposes



#### Form 3 - MS / MSD Recoveries



**Project Name: Phillips State** 

Work Order #: 587535 Project ID:

**Lab Batch ID:** 3052090 **QC- Sample ID:** 587510-004 S **Batch #:** 1 **Matrix:** Soil

 Date Analyzed:
 06/01/2018
 Date Prepared:
 05/31/2018
 Analyst:
 SCM

Reporting Units: mg/kg MATRIX SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	30.9	246	313	115	246	318	117	2	90-110	20	X

**Lab Batch ID:** 3052090 **QC- Sample ID:** 587532-003 S **Batch #:** 1 **Matrix:** Soil

Date Analyzed: 06/01/2018 Date Prepared: 05/31/2018 Analyst: SCM

Reporting Units: mg/kg MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	74.1	249	356	113	249	354	112	1	90-110	20	X

**Lab Batch ID:** 3052046 **QC- Sample ID:** 587529-001 S **Batch #:** 1 **Matrix:** Soil

Reporting Units: mg/kg MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	999	896	90	998	894	90	0	70-135	20	
Diesel Range Organics (DRO)	<15.0	999	979	98	998	980	98	0	70-135	20	

Matrix Spike Percent Recovery [D] = 100\*(C-A)/B Relative Percent Difference RPD = 200\*(C-F)/(C+F)

Project Name-Location Project ID	TRO ENVIRONMENTAL CORP 432-466-4	Laboratorics 5332, Blackberry Drive, Stafford, TX 77477 281-240-4200
TAT: ASAP 5h 12h 24h 48h 3d 5d It is typically 5-7 Working Days for level II a	Lab Only:	☐ 9701 Harry Hines Blvd., Dallas, TX 75220 214 ☐ 12600 West I-20 East, Odessa, TX 79765 432
7d 10d 21d Standard TAT is project specific. and 10+ Working days for level III and IV data.	で8七光	214-802-0300 432-563-1800 Serial #: 330916 Page
	ProjectID	Phone Phone Phone Project ID TAT: ASAP 5h 12h TEA COUNTY WORK

10 6 3 Bill to: Cog operations Sampler Name Special DLs (GW DW DAPP MDLs QAPP Per-Contract CLP Reg Program: UST DRY-CLEAN Quote/Pricing Invoice to Decounting Inc. Invoice with Final Report Invoice must have a P.O. LOWPHOTRESOLUTIONS, COM, TEDINETOTRE SOLUTE Relinquished by Sample ID DE (Initials and 18.1 AGCEE Sampling Sign) Land-Fill Waste-Disp NPDES DW TRRP NAVY DOE DOD RLs See Lab PM Included Call PM) - Signature P.O. No: 8:00 Time Date & Time 29-18 2:34 Depth ft' in" m USACE OTHER Matrix 4 2)/ Composite Relinquished to (Initials and Sign) Grab # Containers ☐ Call for P.O Container Size Container Typ Preservatives VOA: Full-List BTEX-MTBE **EtOH** Oxyg VOA: PP TCL DW Appdx-1 Appdx-2 PAHS SIM 8310 8270 5/30/18 5-29-18-234 TX-1005 DRO GRO MA EPH MA VPH Date & Time SVOCs: Full-List DW BN&AE TCLP PP Appdx OC Pesticides PCBs Herbicides OP Metals: RCRA-8 RCRA-4 Pb 13PP 23TAL SPLP - TCLP (Metals VOCs SVOCs Pest. Herb until paid. Samples will be held 30 days after final report is e-mailed unless Otherwise agreed on writing. Reports are the Intellectual Property of XENCO EDB / DBCP Total Containers per COC: hereby requested. Rush Charges and Collection Fees are pre-approved if needed TPH CHLORIDES × Cooler Temp: 24h 48h 3d 5d 7d 10 TATASAP 5h 12h Addn: PAH above mg/L W, mg/Kg S Highes Hold Samples (Surcharges will apply and are pre-appro Sample Clean-ups are pre-approved as needed C, Addn: Date Rcv. by: From

Preservatives: Various (V), HCl pH<2 (H), H2SO4 pH<2 (S), HNO3 pH<2 (N), Asbc Acid&NaOH (A), ZnAc&NaOH (Z), (Cool, <4C) (C), None (NA), See Label (L), Other (O)

Cont. Size: 4oz (4), 8oz (8), 32oz (32), 40ml VOA (40), 1L (1), 500ml (5), Tedlar Bag (B), Various (V), Other

Cont. Type: Glass Amb (A), Glass Clear (C), Plastic (P), Various (V) Matrix: Air (A), Product (P), Solid (S), Water (W), Liquid (L) Committed to Excellence in Service and Quality

subconfractors and assigns under Xenco's standard terms and conditions of service unless previously negotiated under a fully executed client contract

Notice: Signature of this document and relinquishment of these samples constitutes a valid purchase order from client company to Xenco Laboratories and its affiliates.

www.xenco.com

8 10

10 Ü 4 64

Page 11 of 12

Final 1.000



# XENCO Laboratories Prelogin/Nonconformance Report- Sample Log-In



Client: TRC Solutions, Inc

Date/ Time Received: 05/30/2018 10:30:00 AM

Acceptable Temperature Range: 0 - 6 degC Air and Metal samples Acceptable Range: Ambient

Work Order #: 587535

Temperature Measuring device used: R8

	Sample Receipt Checklist	Comments				
#1 *Temperature of cooler(s)?		1.1				
#2 *Shipping container in good condition	?	Yes				
#3 *Samples received on ice?		Yes				
#4 *Custody Seals intact on shipping cor	ntainer/ cooler?	N/A				
#5 Custody Seals intact on sample bottle	es?	N/A				
#6*Custody Seals Signed and dated?		N/A				
#7 *Chain of Custody present?		Yes				
#8 Any missing/extra samples?		No				
#9 Chain of Custody signed when relinqu	uished/ received?	Yes				
#10 Chain of Custody agrees with sampl	e labels/matrix?	Yes				
#11 Container label(s) legible and intact?	?	Yes				
#12 Samples in proper container/ bottle?		Yes				
#13 Samples properly preserved?		Yes				
#14 Sample container(s) intact?		Yes				
#15 Sufficient sample amount for indicate	ed test(s)?	Yes				
#16 All samples received within hold time	e?	Yes				
#17 Subcontract of sample(s)?		No				
#18 Water VOC samples have zero head	dspace?	N/A				
* Must be completed for after-hours delivery of samples prior to placing in the refrigerator  Analyst: PH Device/Lot#:						
Checklist completed by: Checklist reviewed by:	Marin Horah	Date: 05/30/2018  Date: 06/01/2018				



Figure 1 - View of the affected area, facing northwest.



Figure 2 - View of the affected area, facing west.



Figure 3 - View of portion of the excavated area, facing southwest.



Figure 4 - View of portion of the excavated area, facing north.



Figure 5 - View of portion of the excavated area, facing west.

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

#### State of New Mexico Energy Minerals and Natural Resources

Form C-141

Revised April 3, 2017

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in accordance with 19,15,29 NMAC.

Release Notificat	tion and Corrective Action							
	OPERATOR							
Name of Company: COG Operating, LLC (OGRID# 229137	Contact: Robert McNeill							
Address: 600 West Illinois Avenue, Midland TX 79701 Facility Name: Phillips State #001	Telephone No.: 432-683-7443 Facility Type: Tank Battery							
Surface Owner: State Mineral Own	ner: State API No.: 30-025-30956							
	ION OF RELEASE							
Unit Letter Section Township Range Feet from the N O 17 21S 35E 990	orth/South Line Feet from the East/West Line County South 1980 East Lea							
Latitude: 32.4744949 Longitude: -103.3875351 NAD83								
NATURE OF RELEASE								
Type of Release: Oil and Produced Water	Volume of Release: Volume Recovered:							
Source of Release: Heater Treater	3bbls Oil & 13bbls PW   0bbls oil & 0bbls PW     Date and Hour of Occurrence: Date and Hour of Discovery:							
-	11/26/2017   11/26/2017 9:00am							
Was Immediate Notice Given?	If YES, To Whom?							
☐ Yes ☒ No ☒ Not Requi								
By Whom? Was a Watercourse Reached?	Date and Hour:  If YES, Volume Impacting the Watercourse.							
Yes No	it 123, volume impacting the watercourse.							
If a Watercourse was Impacted, Describe Fully.*	RECEIVED							
	By Olivia Yu at 9:59 am, Nov 28, 2017							
Describe Cause of Problem and Remedial Action Taken.*	By Olivia 10 at 9.33 am, 1107 20, 2017							
The hanter treater developed a help in the hetters of the useral. The w	seed will be evaluated for any in-							
The heater treater developed a hole in the bottom of the vessel. The ve	esset will be evaluated for repair or replacement.							
Describe Area Affected and Cleanup Action Taken.*								
The release remained inside of the unlined earthen berms surrounding	the heater treater. Concho will have the spill area evaluated for any possible impact							
from the release and we will present a remediation work plan to the NMOCD for approval prior to any significant remediation activities.								
I hereby certify that the information given above is true and complete	to the best of my knowledge and understand that pursuant to NMOCD rules and							
regulations all operators are required to report and/or file certain relea	se notifications and perform corrective actions for releases which may endanger							
should their operations have failed to adequately investigate and reme	y the NMOCD marked as "Final Report" does not relieve the operator of liability diate contamination that pose a threat to ground water, surface water, human health							
or the environment. In addition, NMOCD acceptance of a C-141 report	ort does not relieve the operator of responsibility for compliance with any other							
federal, state, or local laws and/or regulations.	OIL CONSERVATION DIVISION							
Signature: Shelden Acin	OIL CONSERVATION DIVISION							
Signature:	Approved by Environmental Specialist:							
Printed Name: Sheldon L. Hitchcock								
Title: HSE Coordinator	Approval Date: 11/28/2017 Expiration Date:							
E-mail Address: slhitchcock@concho.com	Conditions of Approval:							
Data: 11/07/2017	see attached directive							
Date: 11/27/2017 Phone: 575-746-2010 Attach Additional Sheets If Necessary								

1RP-4883

nOY1733235874

pOY1733236190