


Figures



LEGEND:




Figure 1
Site Location Map
Plains Marketing, L.P.
Bob Durham
NMOCD Reference # AP-0016
Lea County, NM

Scale: 1" = 2000'

CAD By: TA

Checked By: CS

Draft: March 2, 2016


Lat. N 32.624166°, Long. W 103.281388°

NW1/4 NW1/4 Sec 32 T19S R37E

TRC Proj. No.: 014164



2057 Commerce Drive
Midland, Texas 79703
432.520.7720



LEGEND:


- ⊕ Monitor Well Location
- ⊗ Release Point
- Soil Boring Location
- Sump
- Bob Durham Property Line
- ... Dirt Road
- Excavation Area

Figure 2
Site Map
Plains Marketing, L.P.
Bob Durham
NMOCD Reference # AP-16-0
Lea County, NM


Scale: 1" = 150'	
CAD By: TA	Checked By: CS
Draft: March 2, 2016	
Lat. N 32.624166°, Long. W 103.281388°	
NW1/4 NW1/4 Sec 32 T19S R37E	
TRC Proj. No.: 014164	



Residential Area



Residential Area



Note

- Contour Interval : 1.0'
- Groundwater Gradient Measured Between MW-3 and MW-31
- MW-56 Not Used to Construct Map

LEGEND:

- Plains Monitoring Well Locations
- Sump
- ⊗ Release Point
- (3572.46) Groundwater Elevation (feet)
- Bob Durham Property Line
- Soil Boring Locations
- Excavation Areas
- ... Dirt Road
- Road
- Groundwater Elevation Contour Line
- (NG) Not Gauged

Figure 3B
Inferred Groundwater
Gradient Map
 (11/23/2015 - 11/24/2015)
 Plains Marketing, L.P.
 Bob Durham
 NMOC Reference # AP-16-0
 Lea County, NM

Scale: 1" = 40'

CAD By: TA

Checked By: CS


Draft: December 3, 2015


Lat. N 32.624166°, Long. W 103.281388°


NW1/4 NW1/4 Sec 32 T19S R37E




2057 Commerce Drive
 Midland, Texas 79703
 432.520.7720









Residential Area







Residential Area




Residential Area





Residential Area



Note
Bold Indicates constituents above NMOCD standards.

- LEGEND:**
- Plains Monitoring Well Locations
 - Soil Boring Locations
 - Sump
 - ⊗ Release Point
 - NG Not Gauged
 - Bob Durham Property Line
 - Excavation Areas
 - ... Dirt Road
 - Road
 - PSH Extent
 - (NS) Not Sampled


Figure 4D
Groundwater Concentration and Inferred PSH Extent Map
(5/31/2016 - 6/1/2016)
Plains Marketing, L.P.
Bob Durham
NMOCD Reference # AP-16-0
Lea County, NM

Scale: 1" = 150'	
CAD By: TA	Checked By: CS
Draft: June 14, 2016	
Lat. N 32.624166°, Long. W 103.281388°	
NW1/4 NW1/4 Sec 32 T19S R37E	
TRC Proj. No.: 014164	

TRC

2057 Commerce Drive
Midland, Texas 79703
432.520.7720

Residential Area




LEGEND:

- Plains Monitoring Well Locations
- Soil Boring Locations
- Sump
- Excavation Areas
- ⊗ Release Point
- ⋯ Dirt Road
- Road
- NG Not Gauged
- PSH Extent
- Bob Durham Property Line
- (NS) Not Sampled


Figure 4E
Groundwater Concentration and Inferred PSH Extent Map
(8/10/2016 - 8/11/2016)
Plains Marketing, L.P.
Bob Durham
NMOCD Reference # AP-16-0
Lea County, NM

Scale: 1" = 150'	
CAD By: TA	Checked By: CS
Draft: August 22, 2016	
Lat. N 32.624166°, Long. W 103.281388°	
NW1/4 NW1/4 Sec 32 T19S R37E	
TRC Proj. No.: 014164	






Residential Area



Residential Area



LEGEND:

- Plains Monitoring Well Locations
- Soil Boring Locations
- Sump
- Excavation Areas
- ⊗ Release Point
- ⋯ Dirt Road
- Road
- NG Not Gauged
- PSH Extent
- Bob Durham Property Line
- (NS) Not Sampled

Figure 4H
Groundwater Concentration
and Inferred PSH Extent Map
(5/31/2017)
Plains Marketing, L.P.
Bob Durham
NMOCD Reference # AP-16-0
Lea County, NM

Scale: 1" = 150'	
CAD By: TA	Checked By: CS
Draft: July 21, 2017	
Lat. N 32.624166°, Long. W 103.281388°	
NW1/4 NW1/4 Sec 32 T19S R37E	
TRC Proj. No.: 014164	



Tables

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 1	02/16/00	3,595.43	15.60	15.71	0.11	3,579.81
MW - 1	06/09/00	3,595.43	15.54	15.60	0.06	3,579.88
MW - 1	09/19/00	3,595.43	14.97	15.05	0.08	3,580.45
MW - 1	12/19/00	3,595.43	14.97	15.05	0.08	3,580.45
MW - 1	03/21/01	3,595.43	15.16	15.30	0.14	3,580.25
MW - 1	06/05/01	3,595.43	15.34	15.50	0.16	3,580.07
MW - 1	09/26/01	3,595.43	15.21	15.32	0.11	3,580.20
MW - 1	11/24/01	3,595.43	15.24	15.39	0.15	3,580.17
MW - 1	03/25/02	3,595.43	15.08	15.17	0.09	3,580.34
MW - 1	08/01/02	3,595.43	15.11	15.20	0.09	3,580.31
MW - 1	09/23/02	3,595.43	15.16	15.19	0.03	3,580.27
MW - 1	11/05/02	3,595.43	15.05	15.05	0.00	3,580.38
MW - 1	12/02/02	3,595.43	15.12	15.14	0.02	3,580.31
MW - 1	12/27/02	3,595.43	15.12	15.14	0.02	3,580.31
MW - 1	03/03/03	3,595.43	15.29	15.34	0.05	3,580.13
MW - 1	03/27/03	3,595.43	-	15.31	0.00	3,580.12
MW - 1	04/03/03	3,595.43	-	15.35	0.00	3,580.08
MW - 1	09/09/04	3,595.43	15.25	15.26	0.01	3,580.18
MW - 1	12/23/04	3,595.43	15.25	15.26	0.01	3,580.18
MW - 1	03/19/05	3,595.43	15.27	15.29	0.02	3,580.16
MW - 1	06/17/05	3,595.43	-	14.78	0.00	3,580.65
MW - 1	06/23/05	3,595.43	-	15.10	0.00	3,580.33
MW - 1	07/13/05	3,595.43	-	15.13	0.00	3,580.30
MW - 1	07/28/05	3,595.43	-	15.40	0.00	3,580.03
MW - 1	08/11/05	3,595.43	14.80	14.81	0.01	3,580.63
MW - 1	08/25/05	3,595.43	-	14.55	0.00	3,580.88
MW - 1	09/13/05	3,595.43	-	14.70	0.00	3,580.73
MW - 1	09/22/05	3,595.43	-	14.77	0.00	3,580.66
MW - 1	09/30/05	3,595.43	-	14.63	0.00	3,580.80
MW - 1	10/11/05	3,595.43	-	14.76	0.00	3,580.67
MW - 1	10/28/05	3,595.43	-	14.70	0.00	3,580.73
MW - 1	11/17/05	3,595.43	-	14.82	0.00	3,580.61
MW - 1	12/02/05	3,595.43	-	14.80	0.00	3,580.63
MW - 1	12/20/05	3,595.43	-	14.81	0.00	3,580.62
MW - 1	12/30/05	3,595.43	-	14.92	0.00	3,580.51
MW - 1	01/12/06	3,595.43	-	14.89	0.00	3,580.54
MW - 1	01/25/06	3,595.43	-	14.90	0.00	3,580.53
MW - 1	02/08/06	3,595.43	-	14.92	0.00	3,580.51
MW - 1	02/23/06	3,595.43	-	14.95	0.00	3,580.48

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 1	03/08/06	3,595.43	-	14.91	0.00	3,580.52
MW - 1	03/21/06	3,595.43	-	14.92	0.00	3,580.51
MW - 1	03/24/06	3,595.43	-	14.97	0.00	3,580.46
MW - 1	03/30/06	3,595.43	-	14.94	0.00	3,580.49
MW - 1	04/19/06	3,595.43	-	14.90	0.00	3,580.53
MW - 1	05/03/06	3,595.43	-	14.93	0.00	3,580.50
MW - 1	06/02/06	3,595.43	-	14.93	0.00	3,580.50
MW - 1	06/15/06	3,595.43	-	14.96	0.00	3,580.47
MW - 1	06/22/06	3,595.43	-	14.94	0.00	3,580.49
MW - 1	06/29/06	3,595.43	-	14.97	0.00	3,580.46
MW - 1	07/14/06	3,595.43	-	14.91	0.00	3,580.52
MW - 1	07/28/06	3,595.43	-	14.94	0.00	3,580.49
MW - 1	08/11/06	3,595.43	-	14.92	0.00	3,580.51
MW - 1	09/07/06	3,595.43	-	13.62	0.00	3,581.81
MW - 1	09/16/06	3,595.43	-	13.70	0.00	3,581.73
MW - 1	10/04/06	3,595.43	-	13.66	0.00	3,581.77
MW - 1	11/17/06	3,595.43	-	14.12	0.00	3,581.31
MW - 1	01/11/07	3,595.43	-	14.60	0.00	3,580.83
MW - 1	01/25/07	3,595.43	-	14.63	0.00	3,580.80
MW - 1	02/08/07	3,595.43	-	14.67	0.00	3,580.76
MW - 1	02/15/07	3,595.43	-	15.01	0.00	3,580.42
MW - 1	03/08/07	3,595.43	-	14.82	0.00	3,580.61
MW - 1	03/28/07	3,595.43	-	14.99	0.00	3,580.44
MW - 1	04/25/07	3,595.43	-	14.93	0.00	3,580.50
MW - 1	05/11/07	3,595.43	-	14.76	0.00	3,580.67
MW - 1	07/12/07	3,595.43	-	14.79	0.00	3,580.64
MW - 1	08/27/07	3,595.43	-	14.99	0.00	3,580.44
MW - 1	10/03/07	3,595.43	-	14.81	0.00	3,580.62
MW - 1	11/14/07	3,595.43	-	15.14	0.00	3,580.29
MW - 1	02/20/08	3,595.43	-	14.86	0.00	3,580.57
MW - 1	06/05/08	3,595.43	-	19.31	0.00	3,576.12
MW - 1	08/20/08	3,595.43	-	14.86	0.00	3,580.57
MW - 1	11/18/08	3,595.43	-	14.82	0.00	3,580.61
MW - 1	12/17/08	3,595.43	-	14.74	0.00	3,580.69
MW - 1	12/30/08	3,595.43	-	14.89	0.00	3,580.54
MW - 1	01/07/09	3,595.43	-	14.90	0.00	3,580.53
MW - 1	01/15/09	3,595.43	-	14.99	0.00	3,580.44
MW - 1	01/15/09	3,595.43	-	19.86	0.00	3,575.57
MW - 1	01/21/09	3,595.43	-	14.97	0.00	3,580.46

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 1	01/29/09	3,595.43	-	15.02	0.00	3,580.41
MW - 1	02/09/09	3,595.43	-	15.04	0.00	3,580.39
MW - 1	02/17/09	3,595.43	-	14.98	0.00	3,580.45
MW - 1	02/23/09	3,595.43	-	15.06	0.00	3,580.37
MW - 1	03/02/09	3,595.43	-	15.04	0.00	3,580.39
MW - 1	03/05/09	3,595.43	-	15.05	0.00	3,580.38
MW - 1	03/09/09	3,595.43	-	15.09	0.00	3,580.34
MW - 1	03/18/09	3,595.43	-	14.99	0.00	3,580.44
MW - 1	03/20/09	3,595.43	-	14.98	0.00	3,580.45
MW - 1	03/25/09	3,595.43	-	14.99	0.00	3,580.44
MW - 1	03/30/09	3,595.43	-	15.03	0.00	3,580.40
MW - 1	04/06/09	3,595.43	-	15.01	0.00	3,580.42
MW - 1	04/14/09	3,595.43	-	15.03	0.00	3,580.40
MW - 1	04/16/09	3,595.43	-	15.03	0.00	3,580.40
MW - 1	04/21/09	3,595.43	-	14.96	0.00	3,580.47
MW - 1	04/27/09	3,595.43	-	15.02	0.00	3,580.41
MW - 1	04/30/09	3,595.43	-	15.00	0.00	3,580.43
MW - 1	05/06/09	3,595.43	-	15.02	0.00	3,580.41
MW - 1	05/18/09	3,595.43	-	15.03	0.00	3,580.40
MW - 1	05/26/09	3,595.43	-	15.00	0.00	3,580.43
MW - 1	06/02/09	3,595.43	-	14.92	0.00	3,580.51
MW - 1	06/08/09	3,595.43	-	14.94	0.00	3,580.49
MW - 1	06/17/09	3,595.43	-	15.02	0.00	3,580.41
MW - 1	07/01/09	3,595.43	-	14.84	0.00	3,580.59
MW - 1	07/07/09	3,595.43	-	14.86	0.00	3,580.57
MW - 1	07/14/09	3,595.43	-	14.85	0.00	3,580.58
MW - 1	07/23/09	3,595.43	-	14.65	0.00	3,580.78
MW - 1	07/27/09	3,595.43	-	14.85	0.00	3,580.58
MW - 1	07/31/09	3,595.43	-	16.88	0.00	3,578.55
MW - 1	08/06/09	3,595.43	-	14.78	0.00	3,580.65
MW - 1	08/13/09	3,595.43	-	14.86	0.00	3,580.57
MW - 1	08/17/09	3,595.43	-	14.89	0.00	3,580.54
MW - 1	08/25/09	3,595.43	-	14.93	0.00	3,580.50
MW - 1	09/01/09	3,595.43	-	14.91	0.00	3,580.52
MW - 1	09/08/09	3,595.43	-	14.87	0.00	3,580.56
MW - 1	09/15/09	3,595.43	-	14.88	0.00	3,580.55
MW - 1	09/25/09	3,595.43	-	14.65	0.00	3,580.78
MW - 1	09/28/09	3,595.43	-	14.91	0.00	3,580.52
MW - 1	10/01/09	3,595.43	-	14.95	0.00	3,580.48

TABLE 1
COMPREHENSIVE GROUNDWATER ELEVATION DATA
PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 1	10/05/09	3,595.43	-	14.90	0.00	3,580.53
MW - 1	10/07/09	3,595.43	-	14.91	0.00	3,580.52
MW - 1	10/12/09	3,595.43	-	15.04	0.00	3,580.39
MW - 1	10/19/09	3,595.43	-	15.03	0.00	3,580.40
MW - 1	10/26/09	3,595.43	-	15.03	0.00	3,580.40
MW - 1	10/30/09	3,595.43	-	14.86	0.00	3,580.57
MW - 1	11/12/09	3,595.43	-	14.99	0.00	3,580.44
MW - 1	11/13/09	3,595.43	-	14.99	0.00	3,580.44
MW - 1	11/25/09	3,595.43	-	15.00	0.00	3,580.43
MW - 1	12/11/09	3,595.43	-	15.01	0.00	3,580.42
MW - 1	12/23/09	3,595.43	-	15.09	0.00	3,580.34
MW - 1	01/13/10	3,595.43	-	15.14	0.00	3,580.29
MW - 1	01/20/10	3,595.43	-	15.04	0.00	3,580.39
MW - 1	02/18/10	3,595.43	-	15.06	0.00	3,580.37
MW - 1	03/03/10	3,595.43	sheen	15.10	0.00	3,580.33
MW - 1	03/16/10	3,595.43	-	15.06	0.00	3,580.37
MW - 1	04/05/10	3,595.43	-	15.07	0.00	3,580.36
MW - 1	04/15/10	3,595.43	-	15.06	0.00	3,580.37
MW - 1	04/19/10	3,595.43	-	15.10	0.00	3,580.33
MW - 1	04/28/10	3,595.43	-	15.08	0.00	3,580.35
MW - 1	05/19/10	3,595.43	-	15.09	0.00	3,580.34
MW - 1	05/21/10	3,595.43	-	15.11	0.00	3,580.32
MW - 1	07/28/10	3,595.43	-	15.38	0.00	3,580.05
MW - 1	08/06/10	3,595.43	sheen	15.22	0.00	3,580.21
MW - 1	08/18/10	3,595.43	-	15.09	0.00	3,580.34
MW - 1	08/31/10	3,595.43	sheen	15.34	0.00	3,580.09
MW - 1	09/10/10	3,595.43	sheen	15.34	0.00	3,580.09
MW - 1	09/23/10	3,595.43	sheen	15.35	0.00	3,580.08
MW - 1	10/06/10	3,595.43	sheen	15.37	0.00	3,580.06
MW - 1	10/27/10	3,595.43	sheen	15.38	0.00	3,580.05
MW - 1	11/16/10	3,595.43	-	15.11	0.00	3,580.32
MW - 1	12/16/10	3,595.43	sheen	15.26	0.00	3,580.17
MW - 1	01/27/11	3,595.43	-	15.13	0.00	3,580.30
MW - 1	02/24/11	3,595.43	-	15.11	0.00	3,580.32
MW - 1	05/12/11	3,595.43	-	16.01	0.00	3,579.42
MW - 1	05/16/11	3,595.43	-	15.99	0.00	3,579.44
MW - 1	05/24/11	3,595.43	-	15.15	0.00	3,580.28
MW - 1	05/26/11	3,595.43	-	15.93	0.00	3,579.50
MW - 1	06/09/11	3,595.43	-	15.89	0.00	3,579.54

TABLE 1
COMPREHENSIVE GROUNDWATER ELEVATION DATA
PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 1	06/29/11	3,595.43	-	15.93	0.00	3,579.50
MW - 1	07/05/11	3,595.43	-	15.95	0.00	3,579.48
MW - 1	08/04/11	3,595.43	-	15.81	0.00	3,579.62
MW - 1	08/25/11	3,595.43	-	15.81	0.00	3,579.62
MW - 1	09/08/11	3,595.43	-	15.98	0.00	3,579.45
MW - 1	09/15/11	3,595.43	-	15.94	0.00	3,579.49
MW - 1	09/22/11	3,595.43	-	15.96	0.00	3,579.47
MW - 1	10/28/11	3,595.43	-	15.80	0.00	3,579.63
MW - 1	11/02/11	3,595.43	-	15.75	0.00	3,579.68
MW - 1	12/29/11	3,595.43	-	15.64	0.00	3,579.79
MW - 1	01/11/12	3,595.43	-	15.73	0.00	3,579.70
MW - 1	01/20/12	3,595.43	-	15.84	0.00	3,579.59
MW - 1	02/13/12	3,595.43	-	15.74	0.00	3,579.69
MW - 1	03/01/12	3,595.43	-	15.60	0.00	3,579.83
MW - 1	03/19/12	3,595.43	-	15.68	0.00	3,579.75
MW - 1	04/09/12	3,595.43	-	15.81	0.00	3,579.62
MW - 1	04/23/12	3,595.43	-	15.70	0.00	3,579.73
MW - 1	05/30/12	3,595.43	-	15.67	0.00	3,579.76
MW - 1	06/11/12	3,595.43	-	15.66	0.00	3,579.77
MW - 1	06/25/12	3,595.43	-	15.72	0.00	3,579.71
MW - 1	07/09/12	3,595.43	-	15.81	0.00	3,579.62
MW - 1	08/13/12	3,595.43	-	15.87	0.00	3,579.56
MW - 1	09/04/12	3,595.43	-	15.86	0.00	3,579.57
MW - 1	09/10/12	3,595.43	-	15.65	0.00	3,579.78
MW - 1	09/24/12	3,595.43	-	15.64	0.00	3,579.79
MW - 1	11/08/12	3,595.43	-	15.74	0.00	3,579.69
MW - 1	12/04/12	3,595.43	-	15.64	0.00	3,579.79
MW - 1	12/17/12	3,595.43	-	15.66	0.00	3,579.77
MW - 1	01/24/13	3,595.43	-	15.75	0.00	3,579.68
MW - 1	02/04/13	3,595.43	-	15.77	0.00	3,579.66
MW - 1	02/19/13	3,595.43	-	15.65	0.00	3,579.78
MW - 1	03/26/13	3,595.43	-	15.62	0.00	3,579.81
MW - 1	04/01/13	3,595.43	-	15.62	0.00	3,579.81
MW - 1	04/15/13	3,595.43	-	15.67	0.00	3,579.76
MW - 1	05/06/13	3,595.43	-	15.77	0.00	3,579.66
MW - 1	05/20/13	3,595.43	-	15.88	0.00	3,579.55
MW - 1	06/03/13	3,595.43	-	15.65	0.00	3,579.78
MW - 1	06/18/13	3,595.43	-	16.34	0.00	3,579.09
MW - 1	06/25/13	3,595.43	-	15.72	0.00	3,579.71

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 1	07/08/13	3,595.43	-	15.81	0.00	3,579.62
MW - 1	07/16/13	3,595.43	-	16.01	0.00	3,579.42
MW - 1	07/25/13	3,595.43	-	15.66	0.00	3,579.77
MW - 1	07/30/13	3,595.43	-	15.65	0.00	3,579.78
MW - 1	08/05/13	3,595.43	-	15.37	0.00	3,580.06
MW - 1	08/16/13	3,595.43	-	15.43	0.00	3,580.00
MW - 1	08/19/13	3,595.43	-	15.62	0.00	3,579.81
MW - 1	08/27/13	3,595.43	-	15.46	0.00	3,579.97
MW - 1	09/05/13	3,595.43	-	15.39	0.00	3,580.04
MW - 1	09/09/13	3,595.43	-	15.41	0.00	3,580.02
MW - 1	09/19/13	3,595.43	-	15.45	0.00	3,579.98
MW - 1	09/25/13	3,595.43	-	15.34	0.00	3,580.09
MW - 1	10/03/13	3,595.43	-	15.48	0.00	3,579.95
MW - 1	10/09/13	3,595.43	-	15.51	0.00	3,579.92
MW - 1	10/15/13	3,595.43	-	15.15	0.00	3,580.28
MW - 1	10/22/13	3,595.43	-	15.57	0.00	3,579.86
MW - 1	11/01/13	3,595.43	-	15.56	0.00	3,579.87
MW - 1	11/04/13	3,595.43	-	15.46	0.00	3,579.97
MW - 1	11/15/13	3,595.43	-	15.37	0.00	3,580.06
MW - 1	11/19/13	3,595.43	-	15.43	0.00	3,580.00
MW - 1	12/08/13	3,595.43	-	15.43	0.00	3,580.00
MW - 1	12/13/13	3,595.43	-	15.40	0.00	3,580.03
MW - 1	12/24/13	3,595.43	-	15.55	0.00	3,579.88
MW - 1	12/30/13	3,595.43	-	15.65	0.00	3,579.78
MW - 1	01/07/14	3,595.43	-	15.59	0.00	3,579.84
MW - 1	01/23/14	3,595.43	-	15.65	0.00	3,579.78
MW - 1	01/31/14	3,595.43	-	15.61	0.00	3,579.82
MW - 1	02/05/14	3,595.43	-	15.75	0.00	3,579.68
MW - 1	02/18/14	3,595.43	-	15.58	0.00	3,579.85
MW - 1	02/27/14	3,595.43	-	15.48	0.00	3,579.95
MW - 1	03/05/14	3,595.43	-	15.68	0.00	3,579.75
MW - 1	03/18/14	3,595.43	-	15.62	0.00	3,579.81
MW - 1	03/26/14	3,595.43	-	15.64	0.00	3,579.79
MW - 1	04/03/14	3,595.43	-	15.48	0.00	3,579.95
MW - 1	04/08/14	3,595.43	-	15.44	0.00	3,579.99
MW - 1	04/15/14	3,595.43	-	15.42	0.00	3,580.01
MW - 1	04/25/14	3,595.43	-	15.45	0.00	3,579.98
MW - 1	04/29/14	3,595.43	-	15.55	0.00	3,579.88
MW - 1	05/08/14	3,595.43	-	15.49	0.00	3,579.94

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 1	05/12/14	3,595.43	-	15.67	0.00	3,579.76
MW - 1	05/21/14	3,595.43	-	15.66	0.00	3,579.77
MW - 1	05/29/14	3,595.43	-	15.59	0.00	3,579.84
MW - 1	06/19/14	3,595.43	-	15.55	0.00	3,579.88
MW - 1	07/23/14	3,595.43	-	15.56	0.00	3,579.87
MW - 1	08/28/14	3,595.43	-	15.58	0.00	3,579.85
MW - 1	10/29/14	3,595.43	-	14.65	0.00	3,580.78
MW - 1	11/20/14	3,595.43	-	14.52	0.00	3,580.91
MW - 1	02/24/15	3,595.43	-	15.06	0.00	3,580.37
MW - 1	03/12/15	3,595.43	-	15.33	0.00	3,580.10
MW - 1	04/30/15	3,595.43	-	15.37	0.00	3,580.06
MW - 1	05/04/15	3,595.43	-	13.81	0.00	3,581.62
MW - 1	07/23/15	3,595.43	-	15.52	0.00	3,579.91
MW - 1	08/05/15	3,595.43	-	15.49	0.00	3,579.94
MW - 1	09/29/15	3,595.43	-	15.57	0.00	3,579.86
MW - 1	10/14/15	3,595.43	-	15.49	0.00	3,579.94
MW - 1	11/23/15	3,595.43	-	15.56	0.00	3,579.87
MW - 1	02/22/16	3,595.43	-	15.60	0.00	3,579.83
MW - 1	04/28/16	3,595.43	-	15.56	0.00	3,579.87
MW - 1	06/01/16	3,595.43	-	15.62	0.00	3,579.81
MW - 1	08/10/16	3,595.43	-	15.64	0.00	3,579.79
MW - 1	12/06/16	3,595.43	-	15.29	0.00	3,580.14
MW - 1	02/22/17	3,595.43	-	15.34	0.00	3,580.09
MW - 1	03/16/17	3,595.43	-	15.37	0.00	3,580.06
MW - 1	05/31/17	3,595.43	-	15.46	0.00	3,579.97
MW - 2	02/16/00	3,595.64	15.47	15.76	0.29	3,580.13
MW - 2	06/09/00	3,595.64	15.52	15.81	0.29	3,580.08
MW - 2	09/19/00	3,595.64	15.19	15.23	0.04	3,580.44
MW - 2	12/19/00	3,595.64	15.19	15.23	0.04	3,580.44
MW - 2	03/21/01	3,595.64	15.42	15.55	0.13	3,580.20
MW - 2	06/05/01	3,595.64	15.62	15.97	0.35	3,579.97
MW - 2	09/26/01	3,595.64	15.45	15.72	0.27	3,580.15
MW - 2	11/24/01	3,595.64	15.52	15.86	0.34	3,580.07
MW - 2	03/25/02	3,595.64	15.38	15.42	0.04	3,580.25
MW - 2	08/01/02	3,595.64	15.35	15.36	0.01	3,580.29
MW - 2	09/23/02	3,595.64	15.38	15.59	0.21	3,580.23
MW - 2	11/05/02	3,595.64	15.26	15.31	0.05	3,580.37
MW - 2	12/02/02	3,595.64	15.34	15.44	0.10	3,580.29

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 2	12/27/02	3,595.64	15.33	15.52	0.19	3,580.28
MW - 2	03/03/03	3,595.64	15.43	15.88	0.45	3,580.14
MW - 2	03/27/03	3,595.64	15.42	15.50	0.08	3,580.21
MW - 2	04/03/03	3,595.64	15.44	15.47	0.03	3,580.20
MW - 2	09/09/04	3,595.64	15.25	15.55	0.30	3,580.35
MW - 2	09/14/05	3,595.64	15.27	15.55	0.28	3,580.33
MW - 2	10/08/04	3,595.64	15.20	15.50	0.30	3,580.40
MW - 2	10/13/04	3,595.64	-	13.82	0.00	3,581.82
MW - 2	10/21/04	3,595.64	-	14.33	0.00	3,581.31
MW - 2	10/27/04	3,595.64	-	14.30	0.00	3,581.34
MW - 2	11/03/04	3,595.64	-	14.53	0.00	3,581.11
MW - 2	11/10/04	3,595.64	-	14.50	0.00	3,581.14
MW - 2	11/30/04	3,595.64	-	13.55	0.00	3,582.09
MW - 2	12/07/04	3,595.64	-	13.63	0.00	3,582.01
MW - 2	12/16/04	3,595.64	-	13.71	0.00	3,581.93
MW - 2	12/23/04	3,595.64	-	13.90	0.00	3,581.74
MW - 2	12/28/04	3,595.64	-	13.93	0.00	3,581.71
MW - 2	01/05/05	3,595.64	-	14.01	0.00	3,581.63
MW - 2	01/12/05	3,595.64	-	14.09	0.00	3,581.55
MW - 2	01/19/05	3,595.64	-	14.09	0.00	3,581.55
MW - 2	01/26/05	3,595.64	-	14.12	0.00	3,581.52
MW - 2	02/01/05	3,595.64	-	14.20	0.00	3,581.44
MW - 2	02/09/05	3,595.64	-	14.23	0.00	3,581.41
MW - 2	02/16/05	3,595.64	-	14.25	0.00	3,581.39
MW - 2	02/23/05	3,595.64	-	14.22	0.00	3,581.42
MW - 2	03/02/05	3,595.64	-	14.39	0.00	3,581.25
MW - 2	03/09/05	3,595.64	-	14.44	0.00	3,581.20
MW - 2	03/17/05	3,595.64	-	14.43	0.00	3,581.21
MW - 2	03/19/05	3,595.64	-	14.48	0.00	3,581.16
MW - 2	03/23/05	3,595.64	-	14.51	0.00	3,581.13
MW - 2	03/30/05	3,595.64	-	14.52	0.00	3,581.12
MW - 2	04/06/05	3,595.64	-	14.51	0.00	3,581.13
MW - 2	04/14/05	3,595.64	-	14.62	0.00	3,581.02
MW - 2	05/26/05	3,595.64	-	14.83	0.00	3,580.81
MW - 2	06/08/05	3,595.64	-	14.88	0.00	3,580.76
MW - 2	06/17/05	3,595.64	14.89	14.90	0.01	3,580.75
MW - 2	06/23/05	3,595.64	-	14.84	0.00	3,580.80
MW - 2	07/13/05	3,595.64	-	14.90	0.00	3,580.74
MW - 2	07/28/05	3,595.64	-	15.00	0.00	3,580.64

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 2	08/11/05	3,595.64	-	14.98	0.00	3,580.66
MW - 2	08/25/05	3,595.64	-	14.75	0.00	3,580.89
MW - 2	09/13/05	3,595.64	-	14.88	0.00	3,580.76
MW - 2	09/22/05	3,595.64	14.98	15.00	0.02	3,580.66
MW - 2	09/30/05	3,595.64	-	15.09	0.00	3,580.55
MW - 2	10/11/05	3,595.64	-	14.98	0.00	3,580.66
MW - 2	10/28/05	3,595.64	-	14.90	0.00	3,580.74
MW - 2	11/17/05	3,595.64	-	14.97	0.00	3,580.67
MW - 2	12/02/05	3,595.64	-	14.99	0.00	3,580.65
MW - 2	12/20/05	3,595.64	-	15.04	0.00	3,580.60
MW - 2	12/30/05	3,595.64	-	15.04	0.00	3,580.60
MW - 2	01/12/06	3,595.64	-	15.03	0.00	3,580.61
MW - 2	01/25/06	3,595.64	-	15.02	0.00	3,580.62
MW - 2	02/08/06	3,595.64	-	15.00	0.00	3,580.64
MW - 2	02/23/06	3,595.64	-	15.08	0.00	3,580.56
MW - 2	03/08/06	3,595.64	-	15.03	0.00	3,580.61
MW - 2	03/21/06	3,595.64	15.07	15.08	0.01	3,580.57
MW - 2	03/24/06	3,595.64	-	15.10	0.00	3,580.54
MW - 2	03/30/06	3,595.64	-	15.09	0.00	3,580.55
MW - 2	04/19/06	3,595.64	-	15.02	0.00	3,580.62
MW - 2	05/03/06	3,595.64	-	15.08	0.00	3,580.56
MW - 2	06/02/06	3,595.64	-	15.12	0.00	3,580.52
MW - 2	06/15/06	3,595.64	-	15.13	0.00	3,580.51
MW - 2	06/22/06	3,595.64	-	15.13	0.00	3,580.51
MW - 2	06/29/06	3,595.64	-	15.11	0.00	3,580.53
MW - 2	07/14/06	3,595.64	-	15.15	0.00	3,580.49
MW - 2	07/28/06	3,595.64	-	15.19	0.00	3,580.45
MW - 2	08/11/06	3,595.64	-	15.18	0.00	3,580.46
MW - 2	09/07/06	3,595.64	-	13.41	0.00	3,582.23
MW - 2	09/16/06	3,595.64	-	13.71	0.00	3,581.93
MW - 2	10/04/06	3,595.64	-	13.45	0.00	3,582.19
MW - 2	11/17/06	3,595.64	-	14.17	0.00	3,581.47
MW - 2	01/11/07	3,595.64	-	14.57	0.00	3,581.07
MW - 2	01/25/07	3,595.64	-	14.67	0.00	3,580.97
MW - 2	02/08/07	3,595.64	-	14.79	0.00	3,580.85
MW - 2	02/15/07	3,595.64	-	15.08	0.00	3,580.56
MW - 2	03/08/07	3,595.64	-	14.82	0.00	3,580.82
MW - 2	03/28/07	3,595.64	-	14.85	0.00	3,580.79
MW - 2	04/25/07	3,595.64	-	14.90	0.00	3,580.74

TABLE 1
COMPREHENSIVE GROUNDWATER ELEVATION DATA
PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 2	05/11/07	3,595.64	-	14.84	0.00	3,580.80
MW - 2	07/12/07	3,595.64	-	15.00	0.00	3,580.64
MW - 2	08/27/07	3,595.64	-	15.04	0.00	3,580.60
MW - 2	10/03/07	3,595.64	-	15.02	0.00	3,580.62
MW - 2	11/14/07	3,595.64	-	15.09	0.00	3,580.55
MW - 2	02/20/08	3,595.64	-	15.05	0.00	3,580.59
MW - 2	05/20/08	3,595.64	-	15.11	0.00	3,580.53
MW - 2	08/20/08	3,595.64	-	15.12	0.00	3,580.52
MW - 2	11/18/08	3,595.64	-	14.97	0.00	3,580.67
MW - 2	12/17/08	3,595.64	-	15.03	0.00	3,580.61
MW - 2	12/30/08	3,595.64	-	15.03	0.00	3,580.61
MW - 2	01/07/09	3,595.64	-	15.06	0.00	3,580.58
MW - 2	01/15/09	3,595.64	-	15.11	0.00	3,580.53
MW - 2	01/21/09	3,595.64	-	15.11	0.00	3,580.53
MW - 2	01/29/09	3,595.64	-	15.11	0.00	3,580.53
MW - 2	02/09/09	3,595.64	-	15.10	0.00	3,580.54
MW - 2	02/17/09	3,595.64	-	15.10	0.00	3,580.54
MW - 2	02/23/09	3,595.64	-	15.10	0.00	3,580.54
MW - 2	03/02/09	3,595.64	-	15.07	0.00	3,580.57
MW - 2	03/05/09	3,595.64	-	15.14	0.00	3,580.50
MW - 2	03/09/09	3,595.64	-	15.12	0.00	3,580.52
MW - 2	03/18/09	3,595.64	-	15.08	0.00	3,580.56
MW - 2	03/20/09	3,595.64	-	15.09	0.00	3,580.55
MW - 2	03/25/09	3,595.64	-	15.08	0.00	3,580.56
MW - 2	03/30/09	3,595.64	-	15.10	0.00	3,580.54
MW - 2	04/06/09	3,595.64	-	15.11	0.00	3,580.53
MW - 2	04/14/09	3,595.64	-	15.08	0.00	3,580.56
MW - 2	04/17/09	3,595.64	-	15.10	0.00	3,580.54
MW - 2	04/21/09	3,595.64	-	15.09	0.00	3,580.55
MW - 2	04/27/09	3,595.64	-	15.52	0.00	3,580.12
MW - 2	04/30/09	3,595.64	-	15.50	0.00	3,580.14
MW - 2	05/06/09	3,595.64	-	15.51	0.00	3,580.13
MW - 2	05/18/09	3,595.64	-	15.11	0.00	3,580.53
MW - 2	05/26/09	3,595.64	-	15.11	0.00	3,580.53
MW - 2	06/02/09	3,595.64	-	15.13	0.00	3,580.51
MW - 2	06/08/09	3,595.64	-	15.21	0.00	3,580.43
MW - 2	06/17/09	3,595.64	-	15.11	0.00	3,580.53
MW - 2	07/01/09	3,595.64	-	15.10	0.00	3,580.54
MW - 2	07/07/09	3,595.64	-	15.09	0.00	3,580.55

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 2	07/14/09	3,595.64	-	15.04	0.00	3,580.60
MW - 2	07/23/09	3,595.64	-	15.01	0.00	3,580.63
MW - 2	07/27/09	3,595.64	-	15.08	0.00	3,580.56
MW - 2	07/31/09	3,595.64	-	15.06	0.00	3,580.58
MW - 2	08/06/09	3,595.64	-	15.05	0.00	3,580.59
MW - 2	08/13/09	3,595.64	-	15.02	0.00	3,580.62
MW - 2	08/17/09	3,595.64	-	15.03	0.00	3,580.61
MW - 2	08/17/09	3,595.64	-	15.03	0.00	3,580.61
MW - 2	08/25/09	3,595.64	-	15.04	0.00	3,580.60
MW - 2	09/01/09	3,595.64	-	15.03	0.00	3,580.61
MW - 2	09/08/09	3,595.64	-	15.09	0.00	3,580.55
MW - 2	09/15/09	3,595.64	-	15.10	0.00	3,580.54
MW - 2	09/25/09	3,595.64	-	15.03	0.00	3,580.61
MW - 2	09/28/09	3,595.64	-	15.14	0.00	3,580.50
MW - 2	10/01/09	3,595.64	-	15.04	0.00	3,580.60
MW - 2	10/05/09	3,595.64	-	15.04	0.00	3,580.60
MW - 2	10/07/09	3,595.64	-	15.05	0.00	3,580.59
MW - 2	10/12/09	3,595.64	-	15.17	0.00	3,580.47
MW - 2	10/19/09	3,595.64	-	15.06	0.00	3,580.58
MW - 2	10/26/09	3,595.64	-	15.26	0.00	3,580.38
MW - 2	10/30/09	3,595.64	-	15.10	0.00	3,580.54
MW - 2	11/12/09	3,595.64	-	15.14	0.00	3,580.50
MW - 2	01/13/10	3,595.64	-	15.25	0.00	3,580.39
MW - 2	01/20/10	3,595.64	-	15.36	0.00	3,580.28
MW - 2	02/18/10	3,595.64	-	15.24	0.00	3,580.40
MW - 2	03/03/10	3,595.64	-	15.26	0.00	3,580.38
MW - 2	04/15/10	3,595.64	-	15.30	0.00	3,580.34
MW - 2	04/19/10	3,595.64	-	15.31	0.00	3,580.33
MW - 2	05/19/10	3,595.64	-	15.26	0.00	3,580.38
MW - 2	05/21/10	3,595.64	-	15.27	0.00	3,580.37
MW - 2	08/18/10	3,595.64	-	15.25	0.00	3,580.39
MW - 2	11/16/10	3,595.64	-	15.27	0.00	3,580.37
MW - 2	02/24/11	3,595.64	-	15.26	0.00	3,580.38
MW - 2	05/24/11	3,595.64	-	15.25	0.00	3,580.39
MW - 2	08/25/11	3,595.64	-	15.57	0.00	3,580.07
MW - 2	11/02/11	3,595.64	-	15.20	0.00	3,580.44
MW - 2	03/01/12	3,595.64	-	15.15	0.00	3,580.49
MW - 2	05/30/12	3,595.64	-	15.11	0.00	3,580.53
MW - 2	08/13/12	3,595.64	-	15.13	0.00	3,580.51

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 2	11/08/12	3,595.64	-	15.10	0.00	3,580.54
MW - 2	02/19/13	3,595.64	-	15.09	0.00	3,580.55
MW - 2	05/20/13	3,595.64	-	15.09	0.00	3,580.55
MW - 2	08/19/13	3,595.64	-	14.90	0.00	3,580.74
MW - 2	11/19/13	3,595.64	-	15.01	0.00	3,580.63
MW - 2	02/18/14	3,595.64	-	15.10	0.00	3,580.54
MW - 2	02/27/14	3,595.64	-	15.06	0.00	3,580.58
MW - 2	03/05/14	3,595.64	-	15.07	0.00	3,580.57
MW - 2	03/18/14	3,595.64	-	15.06	0.00	3,580.58
MW - 2	05/21/14	3,595.64	-	15.07	0.00	3,580.57
MW - 2	07/23/14	3,595.64	-	15.15	0.00	3,580.49
MW - 2	08/28/14	3,595.64	-	15.23	0.00	3,580.41
MW - 2	10/29/14	3,595.64	-	13.79	0.00	3,581.85
MW - 2	11/19/14	3,595.64	-	17.48	0.00	3,578.16
MW - 2	11/20/14	3,595.64	-	13.99	0.00	3,581.65
MW - 2	12/18/14	3,595.64	-	17.32	0.00	3,578.32
MW - 2	02/24/15	3,595.64	-	14.66	0.00	3,580.98
MW - 2	03/12/15	3,595.64	-	14.77	0.00	3,580.87
MW - 2	04/30/15	3,595.64	-	14.93	0.00	3,580.71
MW - 2	05/04/15	3,595.64	-	14.54	0.00	3,581.10
MW - 2	07/23/15	3,595.64	-	14.93	0.00	3,580.71
MW - 2	08/05/15	3,595.64	-	14.93	0.00	3,580.71
MW - 2	09/29/15	3,595.64	-	15.01	0.00	3,580.63
MW - 2	10/14/15	3,595.64	-	14.94	0.00	3,580.70
MW - 2	11/23/15	3,595.64	-	14.99	0.00	3,580.65
MW - 2	02/22/16	3,595.64	-	15.07	0.00	3,580.57
MW - 2	04/28/16	3,595.64	-	15.07	0.00	3,580.57
MW - 2	06/01/16	3,595.64	-	15.10	0.00	3,580.54
MW - 2	08/10/16	3,595.64	-	15.14	0.00	3,580.50
MW - 2	12/06/16	3,595.64	-	14.77	0.00	3,580.87
MW - 2	02/22/17	3,595.64	-	14.91	0.00	3,580.73
MW - 2	03/16/17	3,595.64	-	14.92	0.00	3,580.72
MW - 2	05/31/17	3,595.64	-	14.97	0.00	3,580.67
MW - 3	02/16/00	3,596.22	-	15.51	0.00	3,580.71
MW - 3	06/09/00	3,596.22	-	15.57	0.00	3,580.65
MW - 3	09/19/00	3,596.22	-	15.25	0.00	3,580.97
MW - 3	12/19/00	3,596.22	-	15.38	0.00	3,580.84
MW - 3	03/21/01	3,596.22	-	15.36	0.00	3,580.86

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 3	06/05/01	3,596.22	-	15.40	0.00	3,580.82
MW - 3	09/26/01	3,596.22	-	15.38	0.00	3,580.84
MW - 3	11/24/01	3,596.22	-	15.52	0.00	3,580.70
MW - 3	03/25/02	3,596.22	-	15.44	0.00	3,580.78
MW - 3	03/25/02	3,596.22	-	15.44	0.00	3,580.78
MW - 3	08/01/02	3,596.22	-	15.33	0.00	3,580.89
MW - 3	09/23/02	3,596.22	-	15.41	0.00	3,580.81
MW - 3	11/05/02	3,596.22	-	15.29	0.00	3,580.93
MW - 3	12/02/02	3,596.22	-	15.34	0.00	3,580.88
MW - 3	03/03/03	3,596.22	-	15.35	0.00	3,580.87
MW - 3	09/09/04	3,596.22	-	15.27	0.00	3,580.95
MW - 3	12/23/04	3,596.22	-	12.92	0.00	3,583.30
MW - 3	03/19/05	3,596.22	-	13.98	0.00	3,582.24
MW - 3	06/17/05	3,596.22	-	14.71	0.00	3,581.51
MW - 3	09/22/05	3,596.22	-	14.76	0.00	3,581.46
MW - 3	12/20/05	3,596.22	-	14.90	0.00	3,581.32
MW - 3	03/21/06	3,596.22	-	15.02	0.00	3,581.20
MW - 3	06/22/06	3,596.22	-	15.12	0.00	3,581.10
MW - 3	09/07/06	3,596.22	-	12.49	0.00	3,583.73
MW - 3	11/17/06	3,596.22	-	13.58	0.00	3,582.64
MW - 3	02/15/07	3,596.22	-	14.64	0.00	3,581.58
MW - 3	05/11/07	3,596.22	-	14.81	0.00	3,581.41
MW - 3	08/27/07	3,596.22	-	14.97	0.00	3,581.25
MW - 3	11/14/07	3,596.22	-	14.96	0.00	3,581.26
MW - 3	02/20/08	3,596.22	-	15.02	0.00	3,581.20
MW - 3	05/20/08	3,596.22	-	15.04	0.00	3,581.18
MW - 3	08/20/08	3,596.22	-	15.10	0.00	3,581.12
MW - 3	11/18/08	3,596.22	-	14.85	0.00	3,581.37
MW - 3	02/17/09	3,596.22	-	15.03	0.00	3,581.19
MW - 3	05/18/09	3,596.22	-	15.07	0.00	3,581.15
MW - 3	08/17/09	3,596.22	-	15.10	0.00	3,581.12
MW - 3	11/12/09	3,596.22	-	14.99	0.00	3,581.23
MW - 3	01/13/10	3,596.22	-	15.07	0.00	3,581.15
MW - 3	02/18/10	3,596.22	-	15.06	0.00	3,581.16
MW - 3	05/19/10	3,596.22	-	15.09	0.00	3,581.13
MW - 3	08/18/10	3,596.22	-	15.09	0.00	3,581.13
MW - 3	11/16/10	3,596.22	-	14.99	0.00	3,581.23
MW - 3	02/24/11	3,596.22	-	13.25	0.00	3,582.97
MW - 3	05/24/11	3,596.22	-	13.24	0.00	3,582.98

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 3	08/25/11	3,596.22	-	13.56	0.00	3,582.66
MW - 3	11/02/11	3,596.22	-	15.06	0.00	3,581.16
MW - 3	03/01/12	3,596.22	-	15.02	0.00	3,581.20
MW - 3	05/30/12	3,596.22	-	14.98	0.00	3,581.24
MW - 3	08/13/12	3,596.22	-	14.99	0.00	3,581.23
MW - 3	11/08/12	3,596.22	-	14.94	0.00	3,581.28
MW - 3	02/19/13	3,596.22	-	14.99	0.00	3,581.23
MW - 3	05/20/13	3,596.22	-	15.01	0.00	3,581.21
MW - 3	08/19/13	3,596.22	-	14.64	0.00	3,581.58
MW - 3	11/19/13	3,596.22	-	14.85	0.00	3,581.37
MW - 3	02/18/14	3,596.22	-	14.97	0.00	3,581.25
MW - 3	05/21/14	3,596.22	-	14.95	0.00	3,581.27
MW - 3	07/23/14	3,596.22	-	14.94	0.00	3,581.28
MW - 3	08/28/14	3,596.22	-	15.07	0.00	3,581.15
MW - 3	10/29/14	3,596.22	-	13.06	0.00	3,583.16
MW - 3	11/21/14	3,596.22	-	13.28	0.00	3,582.94
MW - 3	02/24/15	3,596.22	-	14.16	0.00	3,582.06
MW - 3	03/12/15	3,596.22	-	14.31	0.00	3,581.91
MW - 3	04/30/15	3,596.22	-	14.52	0.00	3,581.70
MW - 3	05/04/15	3,596.22	-	14.48	0.00	3,581.74
MW - 3	07/23/15	3,596.22	-	14.63	0.00	3,581.59
MW - 3	08/05/15	3,596.22	-	14.66	0.00	3,581.56
MW - 3	09/29/15	3,596.22	-	14.78	0.00	3,581.44
MW - 3	10/14/15	3,596.22	-	14.73	0.00	3,581.49
MW - 3	11/23/15	3,596.22	-	14.73	0.00	3,581.49
MW - 3	02/22/16	3,596.22	-	14.82	0.00	3,581.40
MW - 3	04/28/16	3,596.22	-	14.85	0.00	3,581.37
MW - 3	05/31/16	3,596.22	-	14.89	0.00	3,581.33
MW - 3	08/10/16	3,596.22	-	14.94	0.00	3,581.28
MW - 3	12/06/16	3,596.22	-	14.37	0.00	3,581.85
MW - 3	02/22/17	3,596.22	-	14.75	0.00	3,581.47
MW - 3	03/16/17	3,596.22	-	14.80	0.00	3,581.42
MW - 3	05/30/17	3,596.22	-	14.88	0.00	3,581.34
MW - 4	02/16/00	3,596.60	15.90	16.70	0.80	3,580.58
MW - 4	06/09/00	3,596.60	15.85	16.78	0.93	3,580.61
MW - 4	09/19/00	3,596.60	-	15.66	0.00	3,580.94
MW - 4	12/19/00	3,596.60	15.77	16.69	0.92	3,580.69
MW - 4	03/21/01	3,596.60	15.83	16.67	0.84	3,580.64

TABLE 1
COMPREHENSIVE GROUNDWATER ELEVATION DATA
PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 4	06/05/01	3,596.60	15.83	16.53	0.70	3,580.67
MW - 4	09/26/01	3,596.60	15.91	16.69	0.78	3,580.57
MW - 4	11/24/01	3,596.60	15.94	16.75	0.81	3,580.54
MW - 4	03/25/02	3,596.60	15.86	16.51	0.65	3,580.64
MW - 4	11/05/02	3,596.60	15.76	16.25	0.49	3,580.77
MW - 4	11/05/02	3,596.60	15.80	16.00	0.20	3,580.77
MW - 4	12/02/02	3,596.60	15.79	16.49	0.70	3,580.71
MW - 4	12/27/02	3,596.60	15.80	16.44	0.64	3,580.70
MW - 4	03/03/03	3,596.60	15.89	16.38	0.49	3,580.64
MW - 4	03/27/03	3,596.60	15.89	16.27	0.38	3,580.65
MW - 4	04/03/03	3,596.60	15.90	16.27	0.37	3,580.64
MW - 4	09/09/04	3,596.60	WELL OBSTRUCTED			
MW - 4	12/23/04	3,596.60	WELL OBSTRUCTED			
MW - 4	03/19/05	3,596.60	WELL OBSTRUCTED			
MW - 4	06/17/05	3,596.60	15.43	15.64	0.21	3,581.14
MW - 4	09/22/05	3,596.60	15.45	15.75	0.30	3,581.11
MW - 4	12/20/05	3,596.60	15.54	15.85	0.31	3,581.01
MW - 4	12/30/05	3,596.60	15.60	16.00	0.40	3,580.94
MW - 4	01/12/06	3,596.60	15.56	15.90	0.34	3,580.99
MW - 4	01/25/06	3,596.60	15.60	15.85	0.25	3,580.96
MW - 4	02/08/06	3,596.60	15.62	15.83	0.21	3,580.95
MW - 4	02/23/06	3,596.60	15.59	15.80	0.21	3,580.98
MW - 4	03/08/06	3,596.60	15.60	15.75	0.15	3,580.98
MW - 4	03/21/06	3,596.60	15.61	15.80	0.19	3,580.96
MW - 4	03/24/06	3,596.60	15.68	16.09	0.41	3,580.86
MW - 4	03/30/06	3,596.60	15.62	15.69	0.07	3,580.97
MW - 4	04/19/06	3,596.60	-	15.59	0.00	3,581.01
MW - 4	05/03/06	3,596.60	15.66	15.72	0.06	3,580.93
MW - 4	06/02/06	3,596.60	15.62	16.18	0.56	3,580.90
MW - 4	06/15/06	3,596.60	15.63	16.48	0.85	3,580.84
MW - 4	06/22/06	3,596.60	15.63	16.15	0.52	3,580.89
MW - 4	06/29/06	3,596.60	15.65	16.32	0.67	3,580.85
MW - 4	07/14/06	3,596.60	15.67	16.16	0.49	3,580.86
MW - 4	07/28/06	3,596.60	15.79	16.18	0.39	3,580.75
MW - 4	08/11/06	3,596.60	15.71	16.02	0.31	3,580.84
MW - 4	09/07/06	3,596.60	13.35	13.39	0.04	3,583.24
MW - 4	09/16/06	3,596.60	13.69	13.75	0.06	3,582.90
MW - 4	10/04/06	3,596.60	13.40	13.44	0.04	3,583.19
MW - 4	11/17/06	3,596.60	14.35	14.42	0.07	3,582.24

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 4	01/11/07	3,596.60	15.01	15.11	0.10	3,581.58
MW - 4	01/25/07	3,596.60	15.13	15.38	0.25	3,581.43
MW - 4	02/08/07	3,596.60	15.33	15.67	0.34	3,581.22
MW - 4	02/15/07	3,596.60	15.32	15.54	0.22	3,581.25
MW - 4	03/08/07	3,596.60	15.40	15.46	0.06	3,581.19
MW - 4	03/28/07	3,596.60	14.41	14.50	0.09	3,582.18
MW - 4	04/25/07	3,596.60	15.49	15.53	0.04	3,581.10
MW - 4	05/04/07	3,596.60	15.45	15.46	0.01	3,581.15
MW - 4	05/11/07	3,596.60	15.48	15.63	0.15	3,581.10
MW - 4	06/14/07	3,596.60	15.52	15.57	0.05	3,581.07
MW - 4	07/12/07	3,596.60	-	15.62	0.00	3,580.98
MW - 4	08/27/07	3,596.60	-	15.63	0.00	3,580.97
MW - 4	09/18/07	3,596.60	-	15.71	0.00	3,580.89
MW - 4	10/03/07	3,596.60	-	15.62	0.00	3,580.98
MW - 4	10/17/07	3,596.60	-	15.61	0.00	3,580.99
MW - 4	11/14/07	3,596.60	-	15.64	0.00	3,580.96
MW - 4	01/23/08	3,596.60	-	15.70	0.00	3,580.90
MW - 4	02/15/08	3,596.60	-	15.69	0.00	3,580.91
MW - 4	02/20/08	3,596.60	-	15.69	0.00	3,580.91
MW - 4	04/04/08	3,596.60	-	15.70	0.00	3,580.90
MW - 4	04/18/08	3,596.60	-	15.67	0.00	3,580.93
MW - 4	05/14/08	3,596.60	15.66	15.70	0.04	3,580.93
MW - 4	05/21/08	3,596.60	15.63	15.82	0.19	3,580.94
MW - 4	06/05/08	3,596.60	15.75	15.80	0.05	3,580.84
MW - 4	06/27/08	3,596.60	15.65	15.94	0.29	3,580.91
MW - 4	07/15/08	3,596.60	15.68	15.84	0.16	3,580.90
MW - 4	08/18/08	3,596.60	15.71	15.89	0.18	3,580.86
MW - 4	08/20/08	3,596.60	15.73	15.83	0.10	3,580.86
MW - 4	09/12/08	3,596.60	15.72	15.95	0.23	3,580.85
MW - 4	09/18/08	3,596.60	15.74	15.78	0.04	3,580.85
MW - 4	09/30/08	3,596.60	15.73	15.77	0.04	3,580.86
MW - 4	10/08/08	3,596.60	15.74	15.83	0.09	3,580.85
MW - 4	10/16/08	3,596.60	15.70	15.71	0.01	3,580.90
MW - 4	10/22/08	3,596.60	15.63	15.65	0.02	3,580.97
MW - 4	10/31/08	3,596.60	15.58	15.59	0.01	3,581.02
MW - 4	11/05/08	3,596.60	-	15.57	0.00	3,581.03
MW - 4	11/10/08	3,596.60	-	15.56	0.00	3,581.04
MW - 4	11/18/08	3,596.60	-	15.59	0.00	3,581.01
MW - 4	11/26/08	3,596.60	-	15.65	0.00	3,580.95

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 4	12/01/08	3,596.60	-	15.58	0.00	3,581.02
MW - 4	01/07/09	3,596.60	-	15.64	0.00	3,580.96
MW - 4	01/15/09	3,596.60	-	15.66	0.00	3,580.94
MW - 4	01/15/09	3,596.60	-	20.89	0.00	3,575.71
MW - 4	01/21/09	3,596.60	-	15.68	0.00	3,580.92
MW - 4	01/29/09	3,596.60	-	15.69	0.00	3,580.91
MW - 4	02/09/09	3,596.60	-	15.69	0.00	3,580.91
MW - 4	02/17/09	3,596.60	-	15.69	0.00	3,580.91
MW - 4	02/23/09	3,596.60	-	15.65	0.00	3,580.95
MW - 4	03/02/09	3,596.60	-	15.66	0.00	3,580.94
MW - 4	03/05/09	3,596.60	-	15.75	0.00	3,580.85
MW - 4	03/09/09	3,596.60	-	15.68	0.00	3,580.92
MW - 4	03/18/09	3,596.60	-	15.66	0.00	3,580.94
MW - 4	03/20/09	3,596.60	-	15.68	0.00	3,580.92
MW - 4	03/25/09	3,596.60	-	15.70	0.00	3,580.90
MW - 4	03/30/09	3,596.60	-	15.68	0.00	3,580.92
MW - 4	04/06/09	3,596.60	-	15.71	0.00	3,580.89
MW - 4	04/14/09	3,596.60	-	15.71	0.00	3,580.89
MW - 4	04/17/09	3,596.60	-	15.73	0.00	3,580.87
MW - 4	04/21/09	3,596.60	-	15.69	0.00	3,580.91
MW - 4	04/27/09	3,596.60	-	15.75	0.00	3,580.85
MW - 4	04/30/09	3,596.60	-	15.73	0.00	3,580.87
MW - 4	05/06/09	3,596.60	-	15.74	0.00	3,580.86
MW - 4	05/18/09	3,596.60	-	15.69	0.00	3,580.91
MW - 4	05/26/09	3,596.60	-	15.66	0.00	3,580.94
MW - 4	06/02/09	3,596.60	-	15.73	0.00	3,580.87
MW - 4	06/08/09	3,596.60	-	15.77	0.00	3,580.83
MW - 4	06/17/09	3,596.60	-	15.75	0.00	3,580.85
MW - 4	07/01/09	3,596.60	-	15.66	0.00	3,580.94
MW - 4	07/07/09	3,596.60	-	15.76	0.00	3,580.84
MW - 4	07/14/09	3,596.60	-	15.64	0.00	3,580.96
MW - 4	07/23/09	3,596.60	-	16.42	0.00	3,580.18
MW - 4	07/27/09	3,596.60	-	15.71	0.00	3,580.89
MW - 4	07/31/09	3,596.60	-	15.68	0.00	3,580.92
MW - 4	08/06/09	3,596.60	-	15.66	0.00	3,580.94
MW - 4	08/13/09	3,596.60	-	15.63	0.00	3,580.97
MW - 4	08/17/09	3,596.60	-	15.59	0.00	3,581.01
MW - 4	08/25/09	3,596.60	-	15.61	0.00	3,580.99
MW - 4	09/01/09	3,596.60	-	15.60	0.00	3,581.00

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 4	09/08/09	3,596.60	-	15.70	0.00	3,580.90
MW - 4	09/15/09	3,596.60	-	15.72	0.00	3,580.88
MW - 4	09/25/09	3,596.60	-	15.59	0.00	3,581.01
MW - 4	09/28/09	3,596.60	-	15.68	0.00	3,580.92
MW - 4	10/01/09	3,596.60	-	15.63	0.00	3,580.97
MW - 4	10/05/09	3,596.60	-	15.61	0.00	3,580.99
MW - 4	10/07/09	3,596.60	-	15.65	0.00	3,580.95
MW - 4	10/12/09	3,596.60	-	15.73	0.00	3,580.87
MW - 4	10/19/09	3,596.60	-	15.73	0.00	3,580.87
MW - 4	10/26/09	3,596.60	-	15.75	0.00	3,580.85
MW - 4	10/30/09	3,596.60	-	16.70	0.00	3,579.90
MW - 4	11/12/09	3,596.60	-	15.72	0.00	3,580.88
MW - 4	01/13/10	3,596.60	-	15.82	0.00	3,580.78
MW - 4	01/20/10	3,596.60	-	15.97	0.00	3,580.63
MW - 4	02/18/10	3,596.60	-	15.80	0.00	3,580.80
MW - 4	03/03/10	3,596.60	-	15.82	0.00	3,580.78
MW - 4	03/16/10	3,596.60	-	15.39	0.00	3,581.21
MW - 4	04/05/10	3,596.60	-	15.37	0.00	3,581.23
MW - 4	04/15/10	3,596.60	-	15.84	0.00	3,580.76
MW - 4	04/19/10	3,596.60	-	15.87	0.00	3,580.73
MW - 4	04/28/10	3,596.60	-	15.37	0.00	3,581.23
MW - 4	05/19/10	3,596.60	-	15.26	0.00	3,581.34
MW - 4	05/21/10	3,596.60	-	15.83	0.00	3,580.77
MW - 4	08/18/10	3,596.60	-	15.83	0.00	3,580.77
MW - 4	11/16/10	3,596.60	-	15.80	0.00	3,580.80
MW - 4	02/24/11	3,596.60	-	15.81	0.00	3,580.79
MW - 4	05/24/11	3,596.60	-	15.83	0.00	3,580.77
MW - 4	08/25/11	3,596.60	-	16.15	0.00	3,580.45
MW - 4	11/02/11	3,596.60	-	15.77	0.00	3,580.83
MW - 4	03/01/12	3,596.60	-	15.70	0.00	3,580.90
MW - 4	05/30/12	3,596.60	-	15.66	0.00	3,580.94
MW - 4	08/13/12	3,596.60	-	15.66	0.00	3,580.94
MW - 4	11/08/12	3,596.60	-	15.59	0.00	3,581.01
MW - 4	02/19/13	3,596.60	-	15.57	0.00	3,581.03
MW - 4	04/01/13	3,596.60	-	15.55	0.00	3,581.05
MW - 4	04/15/13	3,596.60	-	15.58	0.00	3,581.02
MW - 4	05/06/13	3,596.60	-	15.53	0.00	3,581.07
MW - 4	05/20/13	3,596.60	-	15.54	0.00	3,581.06
MW - 4	06/03/13	3,596.60	-	15.61	0.00	3,580.99

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 4	06/18/13	3,596.60	-	15.66	0.00	3,580.94
MW - 4	06/25/13	3,596.60	-	15.65	0.00	3,580.95
MW - 4	07/08/13	3,596.60	-	15.67	0.00	3,580.93
MW - 4	07/16/13	3,596.60	-	15.67	0.00	3,580.93
MW - 4	07/25/13	3,596.60	-	15.33	0.00	3,581.27
MW - 4	07/30/13	3,596.60	-	15.33	0.00	3,581.27
MW - 4	08/05/13	3,596.60	-	15.36	0.00	3,581.24
MW - 4	08/16/13	3,596.60	-	15.31	0.00	3,581.29
MW - 4	08/19/13	3,596.60	-	15.31	0.00	3,581.29
MW - 4	08/27/13	3,596.60	-	15.32	0.00	3,581.28
MW - 4	09/05/13	3,596.60	-	15.35	0.00	3,581.25
MW - 4	09/09/13	3,596.60	-	15.33	0.00	3,581.27
MW - 4	09/19/13	3,596.60	-	15.38	0.00	3,581.22
MW - 4	09/25/13	3,596.60	-	15.39	0.00	3,581.21
MW - 4	10/03/13	3,596.60	-	15.46	0.00	3,581.14
MW - 4	10/09/13	3,596.60	-	15.45	0.00	3,581.15
MW - 4	10/15/13	3,596.60	-	15.43	0.00	3,581.17
MW - 4	10/22/13	3,596.60	-	15.49	0.00	3,581.11
MW - 4	11/01/13	3,596.60	-	15.49	0.00	3,581.11
MW - 4	11/04/13	3,596.60	-	15.49	0.00	3,581.11
MW - 4	11/15/13	3,596.60	-	15.44	0.00	3,581.16
MW - 4	11/19/13	3,596.60	-	15.45	0.00	3,581.15
MW - 4	12/13/13	3,596.60	-	15.53	0.00	3,581.07
MW - 4	12/24/13	3,596.60	-	15.54	0.00	3,581.06
MW - 4	12/30/13	3,596.60	-	15.55	0.00	3,581.05
MW - 4	01/07/14	3,596.60	-	15.56	0.00	3,581.04
MW - 4	01/23/14	3,596.60	-	15.57	0.00	3,581.03
MW - 4	01/31/14	3,596.60	-	15.55	0.00	3,581.05
MW - 4	02/05/14	3,596.60	-	15.56	0.00	3,581.04
MW - 4	02/18/14	3,596.60	-	15.54	0.00	3,581.06
MW - 4	02/27/14	3,596.60	-	15.51	0.00	3,581.09
MW - 4	03/05/14	3,596.60	-	15.50	0.00	3,581.10
MW - 4	03/18/14	3,596.60	-	15.51	0.00	3,581.09
MW - 4	03/26/14	3,596.60	-	15.53	0.00	3,581.07
MW - 4	05/21/14	3,596.60	-	15.49	0.00	3,581.11
MW - 4	07/23/14	3,596.60	-	15.53	0.00	3,581.07
MW - 4	08/28/14	3,596.60	-	15.61	0.00	3,580.99
MW - 4	10/29/14	3,596.60	-	13.85	0.00	3,582.75
MW - 4	11/21/14	3,596.60	-	14.03	0.00	3,582.57

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 4	02/24/15	3,596.60	-	14.80	0.00	3,581.80
MW - 4	03/12/15	3,596.60	-	14.96	0.00	3,581.64
MW - 4	04/30/15	3,596.60	-	19.02	0.00	3,577.58
MW - 4	05/04/15	3,596.60	-	15.07	0.00	3,581.53
MW - 4	07/23/15	3,596.60	-	15.23	0.00	3,581.37
MW - 4	08/05/15	3,596.60	-	15.21	0.00	3,581.39
MW - 4	09/29/15	3,596.60	-	15.34	0.00	3,581.26
MW - 4	10/14/15	3,596.60	-	15.30	0.00	3,581.30
MW - 4	11/23/15	3,596.60	-	15.31	0.00	3,581.29
MW - 4	02/23/16	3,596.60	-	15.38	0.00	3,581.22
MW - 4	04/28/16	3,596.60	-	15.38	0.00	3,581.22
MW - 4	06/01/16	3,596.60	-	15.42	0.00	3,581.18
MW - 4	08/11/16	3,596.60	-	15.47	0.00	3,581.13
MW - 4	12/06/16	3,596.60	-	14.94	0.00	3,581.66
MW - 4	02/23/17	3,596.60	-	15.30	0.00	3,581.30
MW - 4	03/16/17	3,596.60	-	15.35	0.00	3,581.25
MW - 4	05/31/17	3,596.60	-	15.39	0.00	3,581.21
MW - 5	02/16/00	3,596.56	17.30	17.38	0.08	3,579.25
MW - 5	06/09/00	3,596.56	17.37	17.68	0.31	3,579.14
MW - 5	09/19/00	3,596.56	16.88	16.88	0.00	3,579.68
MW - 5	12/19/00	3,596.56	17.21	17.59	0.38	3,579.29
MW - 5	03/21/01	3,596.56	17.18	17.67	0.49	3,579.31
MW - 5	06/05/01	3,596.56	17.13	18.85	1.72	3,579.17
MW - 5	09/26/01	3,596.56	17.22	18.81	1.59	3,579.10
MW - 5	11/24/01	3,596.56	17.25	18.96	1.71	3,579.05
MW - 5	03/25/02	3,596.56	17.30	17.39	0.09	3,579.25
MW - 5	08/01/02	3,596.56	17.04	17.05	0.01	3,579.52
MW - 5	09/23/02	3,596.56	17.27	17.29	0.02	3,579.29
MW - 5	11/05/02	3,596.56	17.12	17.13	0.01	3,579.44
MW - 5	12/02/02	3,596.56	17.31	17.32	0.01	3,579.25
MW - 5	12/27/02	3,596.56	17.31	17.35	0.04	3,579.24
MW - 5	03/03/03	3,596.56	17.34	17.66	0.32	3,579.17
MW - 5	03/13/03	3,596.56	17.18	17.24	0.06	3,579.37
MW - 5	04/03/03	3,596.56	17.37	17.69	0.32	3,579.14
MW - 5	09/09/04	3,596.56	16.85	17.83	0.98	3,579.56
MW - 5	09/14/04	3,596.56	16.98	17.83	0.85	3,579.45
MW - 5	10/08/04	3,596.56	16.91	17.80	0.89	3,579.52
MW - 5	10/13/04	3,596.56	15.11	15.70	0.59	3,581.36

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 5	10/21/04	3,596.56	15.82	16.25	0.43	3,580.68
MW - 5	10/27/04	3,596.56	15.89	16.27	0.38	3,580.61
MW - 5	11/03/04	3,596.56	16.41	16.53	0.12	3,580.13
MW - 5	11/10/04	3,596.56	16.36	16.47	0.11	3,580.18
MW - 5	11/30/04	3,596.56	-	14.98	0.00	3,581.58
MW - 5	12/07/04	3,596.56	-	15.22	0.00	3,581.34
MW - 5	12/16/04	3,596.56	-	15.33	0.00	3,581.23
MW - 5	12/23/04	3,596.56	-	15.50	0.00	3,581.06
MW - 5	12/28/04	3,596.56	-	15.65	0.00	3,580.91
MW - 5	01/05/05	3,596.56	-	15.49	0.00	3,581.07
MW - 5	01/12/05	3,596.56	-	15.62	0.00	3,580.94
MW - 5	01/19/05	3,596.56	-	15.62	0.00	3,580.94
MW - 5	01/26/05	3,596.56	-	15.68	0.00	3,580.88
MW - 5	02/01/05	3,596.56	-	15.69	0.00	3,580.87
MW - 5	02/09/05	3,596.56	-	15.70	0.00	3,580.86
MW - 5	02/16/05	3,596.56	-	15.66	0.00	3,580.90
MW - 5	02/23/05	3,596.56	-	15.64	0.00	3,580.92
MW - 5	03/02/05	3,596.56	-	15.80	0.00	3,580.76
MW - 5	03/09/05	3,596.56	-	15.89	0.00	3,580.67
MW - 5	03/17/05	3,596.56	-	15.88	0.00	3,580.68
MW - 5	03/19/05	3,596.56	-	15.88	0.00	3,580.68
MW - 5	03/23/05	3,596.56	-	15.88	0.00	3,580.68
MW - 5	03/30/05	3,596.56	-	15.94	0.00	3,580.62
MW - 5	04/06/05	3,596.56	-	15.90	0.00	3,580.66
MW - 5	04/14/05	3,596.56	-	16.04	0.00	3,580.52
MW - 5	05/26/05	3,596.56	-	16.24	0.00	3,580.32
MW - 5	06/08/05	3,596.56	-	16.32	0.00	3,580.24
MW - 5	06/17/05	3,596.56	16.24	16.25	0.01	3,580.32
MW - 5	06/23/05	3,596.56	-	16.23	0.00	3,580.33
MW - 5	07/13/05	3,596.56	-	16.30	0.00	3,580.26
MW - 5	07/28/05	3,596.56	-	16.45	0.00	3,580.11
MW - 5	08/11/05	3,596.56	16.31	16.32	0.01	3,580.25
MW - 5	08/25/05	3,596.56	-	16.03	0.00	3,580.53
MW - 5	09/13/05	3,596.56	-	16.15	0.00	3,580.41
MW - 5	09/22/05	3,596.56	16.24	16.26	0.02	3,580.32
MW - 5	09/30/05	3,596.56	-	16.30	0.00	3,580.26
MW - 5	10/11/05	3,596.56	16.29	16.30	0.01	3,580.27
MW - 5	10/28/05	3,596.56	16.27	16.29	0.02	3,580.29
MW - 5	11/17/05	3,596.56	16.29	16.33	0.04	3,580.26

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 5	12/02/05	3,596.56	16.33	16.34	0.01	3,580.23
MW - 5	12/20/05	3,596.56	-	16.27	0.00	3,580.29
MW - 5	12/30/05	3,596.56	16.31	16.34	0.03	3,580.25
MW - 5	01/12/06	3,596.56	-	16.22	0.00	3,580.34
MW - 5	01/25/06	3,596.56	-	16.28	0.00	3,580.28
MW - 5	02/08/06	3,596.56	-	16.29	0.00	3,580.27
MW - 5	02/23/06	3,596.56	-	16.33	0.00	3,580.23
MW - 5	03/08/06	3,596.56	-	16.25	0.00	3,580.31
MW - 5	03/21/06	3,596.56	16.34	16.43	0.09	3,580.21
MW - 5	03/24/06	3,596.56	16.41	16.43	0.02	3,580.15
MW - 5	03/30/06	3,596.56	16.38	16.40	0.02	3,580.18
MW - 5	04/19/06	3,596.56	-	16.32	0.00	3,580.24
MW - 5	05/03/06	3,596.56	-	16.38	0.00	3,580.18
MW - 5	06/02/06	3,596.56	-	16.39	0.00	3,580.17
MW - 5	06/15/06	3,596.56	-	16.41	0.00	3,580.15
MW - 5	06/22/06	3,596.56	-	16.40	0.00	3,580.16
MW - 5	06/29/06	3,596.56	-	16.29	0.00	3,580.27
MW - 5	07/14/06	3,596.56	16.46	16.49	0.03	3,580.10
MW - 5	07/28/06	3,596.56	-	17.86	0.00	3,578.70
MW - 5	08/11/06	3,596.56	-	16.56	0.00	3,580.00
MW - 5	09/07/06	3,596.56	-	14.44	0.00	3,582.12
MW - 5	09/16/06	3,596.56	-	14.72	0.00	3,581.84
MW - 5	10/04/06	3,596.56	-	14.50	0.00	3,582.06
MW - 5	11/17/06	3,596.56	-	15.35	0.00	3,581.21
MW - 5	01/11/07	3,596.56	-	15.87	0.00	3,580.69
MW - 5	01/25/07	3,596.56	-	15.94	0.00	3,580.62
MW - 5	02/15/07	3,596.56	-	16.32	0.00	3,580.24
MW - 5	05/11/07	3,596.56	-	16.20	0.00	3,580.36
MW - 5	08/27/07	3,596.56	-	16.37	0.00	3,580.19
MW - 5	11/14/07	3,596.56	16.38	16.44	0.06	3,580.17
MW - 5	02/20/08	3,596.56	16.32	16.44	0.12	3,580.22
MW - 5	05/20/08	3,596.56	-	16.44	0.00	3,580.12
MW - 5	08/20/08	3,596.56	-	16.44	0.00	3,580.12
MW - 5	09/18/08	3,596.56	16.40	16.41	0.01	3,580.16
MW - 5	09/30/08	3,596.56	-	16.38	0.00	3,580.18
MW - 5	10/08/08	3,596.56	16.46	16.47	0.01	3,580.10
MW - 5	10/16/08	3,596.56	16.37	16.38	0.01	3,580.19
MW - 5	10/22/08	3,596.56	-	16.53	0.00	3,580.03
MW - 5	10/31/08	3,596.56	-	16.54	0.00	3,580.02

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 5	11/05/08	3,596.56	-	16.57	0.00	3,579.99
MW - 5	11/10/08	3,596.56	-	17.66	0.00	3,578.90
MW - 5	11/18/08	3,596.56	-	16.47	0.00	3,580.09
MW - 5	11/26/08	3,596.56	-	17.59	0.00	3,578.97
MW - 5	12/01/08	3,596.56	-	16.42	0.00	3,580.14
MW - 5	12/17/08	3,596.56	-	16.48	0.00	3,580.08
MW - 5	12/30/08	3,596.56	-	15.50	0.00	3,581.06
MW - 5	01/07/09	3,596.56	-	16.50	0.00	3,580.06
MW - 5	01/15/09	3,596.56	-	16.55	0.00	3,580.01
MW - 5	01/21/09	3,596.56	-	16.54	0.00	3,580.02
MW - 5	01/29/09	3,596.56	-	16.56	0.00	3,580.00
MW - 5	02/09/09	3,596.56	-	16.65	0.00	3,579.91
MW - 5	02/17/09	3,596.56	-	16.53	0.00	3,580.03
MW - 5	02/25/09	3,596.56	-	16.53	0.00	3,580.03
MW - 5	03/02/09	3,596.56	-	16.42	0.00	3,580.14
MW - 5	03/05/09	3,596.56	-	16.41	0.00	3,580.15
MW - 5	03/09/09	3,596.56	-	16.54	0.00	3,580.02
MW - 5	03/18/09	3,596.56	-	16.38	0.00	3,580.18
MW - 5	03/20/09	3,596.56	-	16.38	0.00	3,580.18
MW - 5	03/25/09	3,596.56	-	16.39	0.00	3,580.17
MW - 5	03/30/09	3,596.56	-	16.49	0.00	3,580.07
MW - 5	04/06/09	3,596.56	-	16.48	0.00	3,580.08
MW - 5	04/14/09	3,596.56	-	16.41	0.00	3,580.15
MW - 5	04/17/09	3,596.56	-	16.42	0.00	3,580.14
MW - 5	04/21/09	3,596.56	-	16.43	0.00	3,580.13
MW - 5	04/27/09	3,596.56	-	16.41	0.00	3,580.15
MW - 5	04/30/09	3,596.56	-	16.39	0.00	3,580.17
MW - 5	05/06/09	3,596.56	-	16.38	0.00	3,580.18
MW - 5	05/18/09	3,596.56	-	16.46	0.00	3,580.10
MW - 5	05/26/09	3,596.56	-	16.46	0.00	3,580.10
MW - 5	06/02/09	3,596.56	-	16.50	0.00	3,580.06
MW - 5	06/08/09	3,596.56	-	16.55	0.00	3,580.01
MW - 5	06/17/09	3,596.56	-	16.44	0.00	3,580.12
MW - 5	07/01/09	3,596.56	-	16.48	0.00	3,580.08
MW - 5	07/07/09	3,596.56	-	16.54	0.00	3,580.02
MW - 5	07/14/09	3,596.56	-	16.44	0.00	3,580.12
MW - 5	07/23/09	3,596.56	-	16.37	0.00	3,580.19
MW - 5	07/27/09	3,596.56	-	16.46	0.00	3,580.10
MW - 5	07/31/09	3,596.56	-	16.96	0.00	3,579.60

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 5	08/06/09	3,596.56	-	16.44	0.00	3,580.12
MW - 5	08/13/09	3,596.56	-	16.45	0.00	3,580.11
MW - 5	08/17/09	3,596.56	-	16.45	0.00	3,580.11
MW - 5	08/25/09	3,596.56	-	16.49	0.00	3,580.07
MW - 5	09/01/09	3,596.56	-	16.51	0.00	3,580.05
MW - 5	09/08/09	3,596.56	-	16.98	0.00	3,579.58
MW - 5	09/15/09	3,596.56	-	16.99	0.00	3,579.57
MW - 5	09/25/09	3,596.56	-	16.50	0.00	3,580.06
MW - 5	09/28/09	3,596.56	-	16.54	0.00	3,580.02
MW - 5	10/01/09	3,596.56	-	16.43	0.00	3,580.13
MW - 5	10/05/09	3,596.56	-	16.54	0.00	3,580.02
MW - 5	10/07/09	3,596.56	-	16.41	0.00	3,580.15
MW - 5	10/12/09	3,596.56	-	16.56	0.00	3,580.00
MW - 5	10/19/09	3,596.56	-	16.56	0.00	3,580.00
MW - 5	10/26/09	3,596.56	-	16.59	0.00	3,579.97
MW - 5	10/30/09	3,596.56	-	16.45	0.00	3,580.11
MW - 5	11/12/09	3,596.56	-	16.54	0.00	3,580.02
MW - 5	11/13/09	3,596.56	-	16.54	0.00	3,580.02
MW - 5	11/25/09	3,596.56	-	16.56	0.00	3,580.00
MW - 5	12/11/09	3,596.56	-	16.54	0.00	3,580.02
MW - 5	12/23/09	3,596.56	-	16.57	0.00	3,579.99
MW - 5	01/13/10	3,596.56	-	16.52	0.00	3,580.04
MW - 5	01/20/10	3,596.56	-	17.07	0.00	3,579.49
MW - 5	02/18/10	3,596.56	-	16.61	0.00	3,579.95
MW - 5	03/03/10	3,596.56	sheen	16.65	0.00	3,579.91
MW - 5	03/16/10	3,596.56	-	17.10	0.00	3,579.46
MW - 5	04/05/10	3,596.56	-	17.07	0.00	3,579.49
MW - 5	04/15/10	3,596.56	-	16.65	0.00	3,579.91
MW - 5	04/19/10	3,596.56	-	16.67	0.00	3,579.89
MW - 5	04/28/10	3,596.56	-	17.09	0.00	3,579.47
MW - 5	05/19/10	3,596.56	-	16.68	0.00	3,579.88
MW - 5	05/21/10	3,596.56	-	16.70	0.00	3,579.86
MW - 5	07/28/10	3,596.56	sheen	15.63	0.00	3,580.93
MW - 5	08/06/10	3,596.56	sheen	15.55	0.00	3,581.01
MW - 5	08/18/10	3,596.56	-	16.68	0.00	3,579.88
MW - 5	08/31/10	3,596.56	sheen	15.70	0.00	3,580.86
MW - 5	09/10/10	3,596.56	sheen	15.79	0.00	3,580.77
MW - 5	09/23/10	3,596.56	sheen	15.78	0.00	3,580.78
MW - 5	10/06/10	3,596.56	sheen	15.76	0.00	3,580.80

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 5	10/27/10	3,596.56	sheen	15.74	0.00	3,580.82
MW - 5	11/16/10	3,596.56	-	16.70	0.00	3,579.86
MW - 5	12/16/10	3,596.56	sheen	15.49	0.00	3,581.07
MW - 5	01/27/11	3,596.56	-	16.71	0.00	3,579.85
MW - 5	02/24/11	3,596.56	-	16.72	0.00	3,579.84
MW - 5	05/12/11	3,596.56	-	16.47	0.00	3,580.09
MW - 5	05/16/11	3,596.56	-	16.40	0.00	3,580.16
MW - 5	05/24/11	3,596.56	-	16.70	0.00	3,579.86
MW - 5	05/26/11	3,596.56	-	16.38	0.00	3,580.18
MW - 5	06/09/11	3,596.56	sheen	16.47	0.00	3,580.09
MW - 5	06/29/11	3,596.56	sheen	16.49	0.00	3,580.07
MW - 5	07/05/11	3,596.56	sheen	16.90	0.00	3,579.66
MW - 5	08/04/11	3,596.56	-	16.39	0.00	3,580.17
MW - 5	08/25/11	3,596.56	-	16.39	0.00	3,580.17
MW - 5	09/08/11	3,596.56	odor	15.20	0.00	3,581.36
MW - 5	09/15/11	3,596.56	-	16.55	0.00	3,580.01
MW - 5	09/22/11	3,596.56	-	16.55	0.00	3,580.01
MW - 5	10/28/11	3,596.56	-	16.59	0.00	3,579.97
MW - 5	11/02/11	3,596.56	-	16.53	0.00	3,580.03
MW - 5	12/29/11	3,596.56	-	16.49	0.00	3,580.07
MW - 5	01/11/12	3,596.56	-	16.58	0.00	3,579.98
MW - 5	01/20/12	3,596.56	-	16.54	0.00	3,580.02
MW - 5	02/13/12	3,596.56	-	16.60	0.00	3,579.96
MW - 5	03/01/12	3,596.56	-	16.51	0.00	3,580.05
MW - 5	03/19/12	3,596.56	-	16.54	0.00	3,580.02
MW - 5	04/09/12	3,596.56	-	16.44	0.00	3,580.12
MW - 5	04/23/12	3,596.56	-	16.55	0.00	3,580.01
MW - 5	05/30/12	3,596.56	-	16.41	0.00	3,580.15
MW - 5	06/11/12	3,596.56	-	16.40	0.00	3,580.16
MW - 5	06/25/12	3,596.56	-	16.46	0.00	3,580.10
MW - 5	07/09/12	3,596.56	-	16.55	0.00	3,580.01
MW - 5	08/13/12	3,596.56	-	16.51	0.00	3,580.05
MW - 5	09/04/12	3,596.56	-	16.41	0.00	3,580.15
MW - 5	09/10/12	3,596.56	-	16.53	0.00	3,580.03
MW - 5	09/24/12	3,596.56	-	16.43	0.00	3,580.13
MW - 5	10/08/12	3,596.56	-	16.45	0.00	3,580.11
MW - 5	10/24/12	3,596.56	-	16.46	0.00	3,580.10
MW - 5	11/08/12	3,596.56	-	16.33	0.00	3,580.23
MW - 5	12/04/12	3,596.56	-	16.54	0.00	3,580.02

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 5	12/17/12	3,596.56	-	16.41	0.00	3,580.15
MW - 5	01/24/13	3,596.56	-	16.56	0.00	3,580.00
MW - 5	02/04/13	3,596.56	-	16.47	0.00	3,580.09
MW - 5	02/19/13	3,596.56	-	16.40	0.00	3,580.16
MW - 5	03/26/13	3,596.56	-	16.51	0.00	3,580.05
MW - 5	04/01/13	3,596.56	-	16.43	0.00	3,580.13
MW - 5	04/15/13	3,596.56	-	16.50	0.00	3,580.06
MW - 5	04/29/13	3,596.56	-	16.35	0.00	3,580.21
MW - 5	05/06/13	3,596.56	-	16.24	0.00	3,580.32
MW - 5	05/20/13	3,596.56	-	16.27	0.00	3,580.29
MW - 5	06/03/13	3,596.56	-	16.34	0.00	3,580.22
MW - 5	06/13/13	3,596.56	-	16.37	0.00	3,580.19
MW - 5	06/18/13	3,596.56	-	16.50	0.00	3,580.06
MW - 5	06/25/13	3,596.56	-	16.46	0.00	3,580.10
MW - 5	07/08/13	3,596.56	-	16.42	0.00	3,580.14
MW - 5	07/16/13	3,596.56	-	16.61	0.00	3,579.95
MW - 5	07/25/13	3,596.56	-	16.26	0.00	3,580.30
MW - 5	07/30/13	3,596.56	-	16.27	0.00	3,580.29
MW - 5	08/05/13	3,596.56	-	16.24	0.00	3,580.32
MW - 5	08/16/13	3,596.56	-	16.25	0.00	3,580.31
MW - 5	08/19/13	3,596.56	-	16.21	0.00	3,580.35
MW - 5	08/27/13	3,596.56	-	16.23	0.00	3,580.33
MW - 5	09/05/13	3,596.56	-	16.21	0.00	3,580.35
MW - 5	09/09/13	3,596.56	-	16.25	0.00	3,580.31
MW - 5	09/19/13	3,596.56	-	16.24	0.00	3,580.32
MW - 5	09/25/13	3,596.56	-	16.24	0.00	3,580.32
MW - 5	10/03/13	3,596.56	-	16.30	0.00	3,580.26
MW - 5	10/09/13	3,596.56	-	16.33	0.00	3,580.23
MW - 5	10/15/13	3,596.56	-	16.25	0.00	3,580.31
MW - 5	10/22/13	3,596.56	-	16.29	0.00	3,580.27
MW - 5	11/01/13	3,596.56	-	16.28	0.00	3,580.28
MW - 5	11/04/13	3,596.56	-	16.30	0.00	3,580.26
MW - 5	11/15/13	3,596.56	-	16.24	0.00	3,580.32
MW - 5	11/19/13	3,596.56	-	16.25	0.00	3,580.31
MW - 5	12/13/13	3,596.56	-	16.30	0.00	3,580.26
MW - 5	12/24/13	3,596.56	-	16.33	0.00	3,580.23
MW - 5	12/30/13	3,596.56	-	16.34	0.00	3,580.22
MW - 5	01/07/14	3,596.56	-	16.35	0.00	3,580.21
MW - 5	01/23/14	3,596.56	-	16.36	0.00	3,580.20

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 5	01/31/14	3,596.56	-	16.34	0.00	3,580.22
MW - 5	02/05/14	3,596.56	-	16.32	0.00	3,580.24
MW - 5	02/18/14	3,596.56	-	16.30	0.00	3,580.26
MW - 5	02/27/14	3,596.56	-	16.31	0.00	3,580.25
MW - 5	03/05/14	3,596.56	-	16.26	0.00	3,580.30
MW - 5	03/18/14	3,596.56	-	16.30	0.00	3,580.26
MW - 5	03/26/14	3,596.56	-	16.32	0.00	3,580.24
MW - 5	04/03/14	3,596.56	-	16.29	0.00	3,580.27
MW - 5	04/08/14	3,596.56	-	16.20	0.00	3,580.36
MW - 5	04/25/14	3,596.56	-	16.23	0.00	3,580.33
MW - 5	04/29/14	3,596.56	-	16.26	0.00	3,580.30
MW - 5	05/08/14	3,596.56	-	16.25	0.00	3,580.31
MW - 5	05/12/14	3,596.56	-	16.24	0.00	3,580.32
MW - 5	05/21/14	3,596.56	-	16.25	0.00	3,580.31
MW - 5	05/29/14	3,596.56	-	16.23	0.00	3,580.33
MW - 5	06/19/14	3,596.56	-	16.22	0.00	3,580.34
MW - 5	07/23/14	3,596.56	-	16.30	0.00	3,580.26
MW - 5	08/28/14	3,596.56	-	16.45	0.00	3,580.11
MW - 5	10/29/14	3,596.56	-	14.87	0.00	3,581.69
MW - 5	11/21/14	3,596.56	-	15.32	0.00	3,581.24
MW - 5	02/24/15	3,596.56	-	15.95	0.00	3,580.61
MW - 5	05/04/15	3,596.56	-	15.71	0.00	3,580.85
MW - 5	08/05/15	3,596.56	-	16.17	0.00	3,580.39
MW - 5	11/23/15	3,596.56	-	16.24	0.00	3,580.32
MW - 5	02/23/16	3,596.56	-	16.19	0.00	3,580.37
MW - 5	04/28/16	3,596.56	-	16.22	0.00	3,580.34
MW - 5	06/01/16	3,596.56	-	16.22	0.00	3,580.34
MW - 5	08/11/16	3,596.56	-	16.29	0.00	3,580.27
MW - 5	12/06/16	3,596.56	-	15.93	0.00	3,580.63
MW - 5	02/23/17	3,596.56	-	16.08	0.00	3,580.48
MW - 5	03/16/17	3,596.56	-	16.08	0.00	3,580.48
MW - 5	05/31/17	3,596.56	-	16.19	0.00	3,580.37
MW - 6	02/16/00	3,596.66	15.10	15.33	0.23	3,581.53
MW - 6	06/09/00	3,596.66	15.46	15.52	0.06	3,581.19
MW - 6	09/19/00	3,596.66	14.82	14.82	0.00	3,581.84
MW - 6	12/19/00	3,596.66	14.82	14.82	0.00	3,581.84
MW - 6	03/21/01	3,596.66	15.06	15.22	0.16	3,581.58
MW - 6	06/05/01	3,596.66	15.03	15.32	0.29	3,581.59

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 6	09/26/01	3,596.66	15.11	15.34	0.23	3,581.52
MW - 6	01/24/01	3,596.66	15.15	15.44	0.29	3,581.47
MW - 6	03/25/02	3,596.66	15.05	15.19	0.14	3,581.59
MW - 6	08/01/02	3,596.66	15.77	16.49	0.72	3,580.78
MW - 6	08/01/02	3,596.66	14.96	15.07	0.11	3,581.68
MW - 6	09/23/02	3,596.66	15.03	15.05	0.02	3,581.63
MW - 6	11/05/02	3,596.66	14.89	14.92	0.03	3,581.77
MW - 6	12/02/02	3,596.66	14.97	14.99	0.02	3,581.69
MW - 6	12/27/02	3,596.66	14.98	15.03	0.05	3,581.67
MW - 6	03/03/03	3,596.66	15.02	15.04	0.02	3,581.64
MW - 6	03/27/03	3,596.66	-	15.04	0.00	3,581.62
MW - 6	04/03/03	3,596.66	-	15.05	0.00	3,581.61
MW - 6	09/09/04	3,596.66	-	14.90	0.00	3,581.76
MW - 6	12/23/04	3,596.66	-	12.65	0.00	3,584.01
MW - 6	03/19/05	3,596.66	-	13.70	0.00	3,582.96
MW - 6	06/17/05	3,596.66	-	14.38	0.00	3,582.28
MW - 6	09/22/05	3,596.66	-	14.45	0.00	3,582.21
MW - 6	12/20/05	3,596.66	-	14.60	0.00	3,582.06
MW - 6	03/21/06	3,596.66	-	14.71	0.00	3,581.95
MW - 6	06/22/06	3,596.66	-	14.82	0.00	3,581.84
MW - 6	07/14/06	3,596.66	-	14.83	0.00	3,581.83
MW - 6	07/28/06	3,596.66	-	14.86	0.00	3,581.80
MW - 6	09/07/06	3,596.66	-	12.33	0.00	3,584.33
MW - 6	09/16/06	3,596.66	-	12.64	0.00	3,584.02
MW - 6	10/04/06	3,596.66	-	12.38	0.00	3,584.28
MW - 6	11/17/06	3,596.66	-	13.30	0.00	3,583.36
MW - 6	01/11/07	3,596.66	-	13.92	0.00	3,582.74
MW - 6	01/25/07	3,596.66	-	14.04	0.00	3,582.62
MW - 6	02/15/07	3,596.66	-	14.28	0.00	3,582.38
MW - 6	05/11/07	3,596.66	-	14.46	0.00	3,582.20
MW - 6	08/27/07	3,596.66	-	14.64	0.00	3,582.02
MW - 6	11/14/07	3,596.66	-	14.63	0.00	3,582.03
MW - 6	02/20/08	3,596.66	-	14.66	0.00	3,582.00
MW - 6	05/20/08	3,596.66	-	14.72	0.00	3,581.94
MW - 6	08/20/08	3,596.66	-	14.76	0.00	3,581.90
MW - 6	11/18/08	3,596.66	-	14.58	0.00	3,582.08
MW - 6	02/17/09	3,596.66	-	14.68	0.00	3,581.98
MW - 6	05/18/09	3,596.66	-	14.77	0.00	3,581.89
MW - 6	08/17/09	3,596.66	-	14.79	0.00	3,581.87

TABLE 1
COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 6	11/12/09	3,596.66	-	14.97	0.00	3,581.69
MW - 6	01/13/10	3,596.66	-	14.75	0.00	3,581.91
MW - 6	02/18/10	3,596.66	-	14.75	0.00	3,581.91
MW - 6	05/19/10	3,596.66	-	14.78	0.00	3,581.88
MW - 6	08/18/10	3,596.66	-	14.78	0.00	3,581.88
MW - 6	11/16/10	3,596.66	-	14.79	0.00	3,581.87
MW - 6	02/24/11	3,596.66	-	14.80	0.00	3,581.86
MW - 6	05/24/11	3,596.66	-	14.80	0.00	3,581.86
MW - 6	08/25/11	3,596.66	-	15.12	0.00	3,581.54
MW - 6	11/02/11	3,596.66	-	14.70	0.00	3,581.96
MW - 6	03/01/12	3,596.66	-	14.67	0.00	3,581.99
MW - 6	05/30/12	3,596.66	-	14.63	0.00	3,582.03
MW - 6	08/13/12	3,596.66	-	14.65	0.00	3,582.01
MW - 6	11/08/12	3,596.66	-	14.56	0.00	3,582.10
MW - 6	02/19/13	3,596.66	-	14.63	0.00	3,582.03
MW - 6	05/20/13	3,596.66	-	14.61	0.00	3,582.05
MW - 6	08/19/13	3,596.66	-	14.21	0.00	3,582.45
MW - 6	11/19/13	3,596.66	-	14.41	0.00	3,582.25
MW - 5	04/15/14	3,596.56	-	16.24	0.00	3,580.32
MW - 6	02/18/14	3,596.66	-	14.53	0.00	3,582.13
MW - 6	05/21/14	3,596.66	-	14.52	0.00	3,582.14
MW - 6	07/23/14	3,596.66	-	14.58	0.00	3,582.08
MW - 6	08/28/14	3,596.66	-	14.64	0.00	3,582.02
MW - 6	10/29/14	3,596.66	-	12.62	0.00	3,584.04
MW - 6	11/21/14	3,596.66	-	12.85	0.00	3,583.81
MW - 6	02/24/15	3,596.66	-	13.75	0.00	3,582.91
MW - 6	03/12/15	3,596.66	-	13.89	0.00	3,582.77
MW - 6	04/30/15	3,596.66	-	14.17	0.00	3,582.49
MW - 6	05/04/15	3,596.66	-	14.08	0.00	3,582.58
MW - 6	07/23/15	3,596.66	-	14.23	0.00	3,582.43
MW - 6	08/05/15	3,596.66	-	14.25	0.00	3,582.41
MW - 6	09/29/15	3,596.66	-	14.36	0.00	3,582.30
MW - 6	10/14/15	3,596.66	-	14.31	0.00	3,582.35
MW - 6	11/23/15	3,596.66	-	14.32	0.00	3,582.34
MW - 6	02/22/16	3,596.66	-	14.42	0.00	3,582.24
MW - 6	04/28/16	3,596.66	-	14.44	0.00	3,582.22
MW - 6	05/31/16	3,596.66	-	14.49	0.00	3,582.17
MW - 6	08/10/16	3,596.66	-	14.54	0.00	3,582.12
MW - 6	12/06/16	3,596.66	-	13.96	0.00	3,582.70

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 6	02/22/17	3,596.66	-	14.34	0.00	3,582.32
MW - 6	03/16/17	3,596.66	-	14.39	0.00	3,582.27
MW - 6	05/30/17	3,596.66	-	14.48	0.00	3,582.18
MW - 7	02/16/00	3,596.96	17.67	18.58	0.91	3,579.15
MW - 7	06/09/00	3,596.96	17.74	18.41	0.67	3,579.12
MW - 7	09/19/00	3,596.96	17.20	17.20	0.00	3,579.76
MW - 7	12/19/00	3,596.96	17.48	17.72	0.24	3,579.44
MW - 7	03/21/01	3,596.96	17.68	17.99	0.31	3,579.23
MW - 7	06/05/01	3,596.96	17.79	18.20	0.41	3,579.11
MW - 7	09/26/01	3,596.96	17.76	18.03	0.27	3,579.16
MW - 7	11/24/01	3,596.96	17.90	18.33	0.43	3,579.00
MW - 7	03/25/02	3,596.96	17.58	17.74	0.16	3,579.36
MW - 7	08/01/02	3,596.96	17.45	17.71	0.26	3,579.47
MW - 7	09/23/02	3,596.96	17.58	17.77	0.19	3,579.35
MW - 7	11/05/02	3,596.96	17.36	17.49	0.13	3,579.58
MW - 7	12/02/02	3,596.96	17.59	17.81	0.22	3,579.34
MW - 7	12/27/02	3,596.96	17.51	17.69	0.18	3,579.42
MW - 7	03/03/03	3,596.96	17.64	17.83	0.19	3,579.29
MW - 7	03/13/04	3,596.96	17.03	17.06	0.03	3,579.93
MW - 7	04/03/03	3,596.96	17.67	17.80	0.13	3,579.27
MW - 7	09/09/04	3,596.96	17.27	17.50	0.23	3,579.66
MW - 7	09/14/05	3,596.96	17.28	17.50	0.22	3,579.65
MW - 7	10/08/04	3,596.96	17.25	17.48	0.23	3,579.68
MW - 7	10/13/04	3,596.96	-	15.63	0.00	3,581.33
MW - 7	10/21/04	3,596.96	-	16.05	0.00	3,580.91
MW - 7	10/27/04	3,596.96	-	16.00	0.00	3,580.96
MW - 7	11/03/04	3,596.96	-	16.25	0.00	3,580.71
MW - 7	11/10/04	3,596.96	-	16.22	0.00	3,580.74
MW - 7	11/30/04	3,596.96	-	15.35	0.00	3,581.61
MW - 7	12/07/04	3,596.96	-	15.47	0.00	3,581.49
MW - 7	12/16/04	3,596.96	-	15.51	0.00	3,581.45
MW - 7	12/23/04	3,596.96	-	15.80	0.00	3,581.16
MW - 7	12/28/04	3,596.96	-	15.82	0.00	3,581.14
MW - 7	01/05/05	3,596.96	-	15.89	0.00	3,581.07
MW - 7	01/12/05	3,596.96	-	16.01	0.00	3,580.95
MW - 7	01/19/05	3,596.96	-	15.93	0.00	3,581.03
MW - 7	01/26/05	3,596.96	-	15.90	0.00	3,581.06
MW - 7	02/01/05	3,596.96	-	16.02	0.00	3,580.94

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 7	02/09/05	3,596.96	-	16.03	0.00	3,580.93
MW - 7	02/16/05	3,596.96	-	16.05	0.00	3,580.91
MW - 7	02/23/05	3,596.96	-	15.99	0.00	3,580.97
MW - 7	03/02/05	3,596.96	-	16.15	0.00	3,580.81
MW - 7	03/09/05	3,596.96	-	16.24	0.00	3,580.72
MW - 7	03/17/05	3,596.96	-	16.20	0.00	3,580.76
MW - 7	03/19/05	3,596.96	-	16.24	0.00	3,580.72
MW - 7	03/23/05	3,596.96	-	16.25	0.00	3,580.71
MW - 7	03/30/05	3,596.96	-	16.92	0.00	3,580.04
MW - 7	04/06/05	3,596.96	-	16.88	0.00	3,580.08
MW - 7	04/14/05	3,596.96	-	16.42	0.00	3,580.54
MW - 7	05/26/05	3,596.96	-	16.60	0.00	3,580.36
MW - 7	06/08/05	3,596.96	-	16.65	0.00	3,580.31
MW - 7	06/17/05	3,596.96	-	16.65	0.00	3,580.31
MW - 7	06/23/05	3,596.96	-	16.61	0.00	3,580.35
MW - 7	07/13/05	3,596.96	-	16.69	0.00	3,580.27
MW - 7	07/28/05	3,596.96	-	16.78	0.00	3,580.18
MW - 7	08/11/05	3,596.96	-	16.62	0.00	3,580.34
MW - 7	08/25/05	3,596.96	-	16.45	0.00	3,580.51
MW - 7	09/13/05	3,596.96	-	16.58	0.00	3,580.38
MW - 7	09/22/05	3,596.96	-	16.66	0.00	3,580.30
MW - 7	09/30/05	3,596.96	-	16.69	0.00	3,580.27
MW - 7	10/11/05	3,596.96	-	16.72	0.00	3,580.24
MW - 7	10/28/05	3,596.96	-	16.67	0.00	3,580.29
MW - 7	11/17/05	3,596.96	-	16.72	0.00	3,580.24
MW - 7	12/02/05	3,596.96	-	16.75	0.00	3,580.21
MW - 7	12/20/05	3,596.96	-	16.70	0.00	3,580.26
MW - 7	12/30/05	3,596.96	-	16.76	0.00	3,580.20
MW - 7	01/12/06	3,596.96	-	16.65	0.00	3,580.31
MW - 7	01/25/06	3,596.96	-	16.70	0.00	3,580.26
MW - 7	02/08/06	3,596.96	-	16.72	0.00	3,580.24
MW - 7	02/23/06	3,596.96	-	16.78	0.00	3,580.18
MW - 7	03/08/06	3,596.96	-	16.68	0.00	3,580.28
MW - 7	03/21/06	3,596.96	-	16.77	0.00	3,580.19
MW - 7	03/24/06	3,596.96	-	16.85	0.00	3,580.11
MW - 7	03/30/06	3,596.96	-	16.82	0.00	3,580.14
MW - 7	04/19/06	3,596.96	-	16.67	0.00	3,580.29
MW - 7	05/03/06	3,596.96	-	16.82	0.00	3,580.14
MW - 7	06/02/06	3,596.96	-	16.83	0.00	3,580.13

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 7	06/15/06	3,596.96	-	16.88	0.00	3,580.08
MW - 7	06/22/06	3,596.96	-	16.82	0.00	3,580.14
MW - 7	06/29/06	3,596.96	-	16.69	0.00	3,580.27
MW - 7	07/14/06	3,596.96	-	16.92	0.00	3,580.04
MW - 7	07/28/06	3,596.96	-	17.54	0.00	3,579.42
MW - 7	08/11/06	3,596.96	-	16.99	0.00	3,579.97
MW - 7	09/07/06	3,596.96	-	15.08	0.00	3,581.88
MW - 7	09/16/06	3,596.96	-	15.39	0.00	3,581.57
MW - 7	10/04/06	3,596.96	-	15.11	0.00	3,581.85
MW - 7	11/17/06	3,596.96	-	15.81	0.00	3,581.15
MW - 7	01/11/07	3,596.96	-	16.21	0.00	3,580.75
MW - 7	01/25/07	3,596.96	-	15.55	0.00	3,581.41
MW - 7	02/15/07	3,596.96	-	16.83	0.00	3,580.13
MW - 7	05/11/07	3,596.96	-	16.57	0.00	3,580.39
MW - 7	08/27/07	3,596.96	-	16.79	0.00	3,580.17
MW - 7	11/14/07	3,596.96	-	16.83	0.00	3,580.13
MW - 7	02/20/08	3,596.96	-	16.82	0.00	3,580.14
MW - 7	05/20/08	3,596.96	-	16.72	0.00	3,580.24
MW - 7	08/20/08	3,596.96	-	16.89	0.00	3,580.07
MW - 7	11/18/08	3,596.96	-	16.74	0.00	3,580.22
MW - 7	02/17/09	3,596.96	-	16.87	0.00	3,580.09
MW - 7	05/18/09	3,596.96	-	16.74	0.00	3,580.22
MW - 7	08/17/09	3,596.96	-	16.78	0.00	3,580.18
MW - 7	11/12/09	3,596.96	-	16.88	0.00	3,580.08
MW - 7	01/13/10	3,596.96	-	16.93	0.00	3,580.03
MW - 7	01/20/10	3,596.96	-	16.87	0.00	3,580.09
MW - 7	02/18/10	3,596.96	-	16.93	0.00	3,580.03
MW - 7	03/03/10	3,596.96	-	16.95	0.00	3,580.01
MW - 7	03/16/10	3,596.96	-	16.90	0.00	3,580.06
MW - 7	04/05/10	3,596.96	-	16.87	0.00	3,580.09
MW - 7	04/15/10	3,596.96	-	16.99	0.00	3,579.97
MW - 7	04/19/10	3,596.96	-	17.01	0.00	3,579.95
MW - 7	04/28/10	3,596.96	-	16.86	0.00	3,580.10
MW - 7	05/19/10	3,596.96	-	16.96	0.00	3,580.00
MW - 7	05/21/10	3,596.96	-	16.97	0.00	3,579.99
MW - 7	08/18/10	3,596.96	-	16.95	0.00	3,580.01
MW - 7	11/15/10	3,596.96	-	16.95	0.00	3,580.01
MW - 7	02/24/11	3,596.96	-	16.96	0.00	3,580.00
MW - 7	05/24/11	3,596.96	-	19.95	0.00	3,577.01

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 7	08/24/11	3,596.96	-	19.62	0.00	3,577.34
MW - 7	11/02/11	3,596.96	-	16.89	0.00	3,580.07
MW - 7	03/01/12	3,596.96	-	16.84	0.00	3,580.12
MW - 7	05/30/12	3,596.96	-	16.80	0.00	3,580.16
MW - 7	08/13/12	3,596.96	-	16.81	0.00	3,580.15
MW - 7	11/08/12	3,596.96	-	16.82	0.00	3,580.14
MW - 7	02/19/13	3,596.96	-	16.75	0.00	3,580.21
MW - 7	04/01/13	3,596.96	-	16.73	0.00	3,580.23
MW - 7	04/15/13	3,596.96	-	16.76	0.00	3,580.20
MW - 7	05/06/13	3,596.96	-	16.51	0.00	3,580.45
MW - 7	05/20/13	3,596.96	-	16.71	0.00	3,580.25
MW - 7	06/03/13	3,596.96	-	16.72	0.00	3,580.24
MW - 7	06/18/13	3,596.96	-	16.85	0.00	3,580.11
MW - 7	06/25/13	3,596.96	-	16.88	0.00	3,580.08
MW - 7	07/08/13	3,596.96	-	16.80	0.00	3,580.16
MW - 7	07/16/13	3,596.96	-	16.87	0.00	3,580.09
MW - 7	07/25/13	3,596.96	-	16.58	0.00	3,580.38
MW - 7	07/30/13	3,596.96	-	16.58	0.00	3,580.38
MW - 7	08/05/13	3,596.96	-	16.67	0.00	3,580.29
MW - 7	08/16/13	3,596.96	-	16.65	0.00	3,580.31
MW - 7	08/19/13	3,596.96	-	16.65	0.00	3,580.31
MW - 7	08/27/13	3,596.96	-	16.67	0.00	3,580.29
MW - 7	09/05/13	3,596.96	-	16.66	0.00	3,580.30
MW - 7	09/09/13	3,596.96	-	16.67	0.00	3,580.29
MW - 7	09/19/13	3,596.96	-	16.71	0.00	3,580.25
MW - 7	09/25/13	3,596.96	-	16.70	0.00	3,580.26
MW - 7	10/03/13	3,596.96	-	16.80	0.00	3,580.16
MW - 7	10/09/13	3,596.96	-	16.77	0.00	3,580.19
MW - 7	10/15/13	3,596.96	-	16.74	0.00	3,580.22
MW - 7	10/22/13	3,596.96	-	16.80	0.00	3,580.16
MW - 7	11/01/13	3,596.96	-	16.78	0.00	3,580.18
MW - 7	11/04/13	3,596.96	-	16.77	0.00	3,580.19
MW - 7	11/15/13	3,596.96	-	16.75	0.00	3,580.21
MW - 7	11/19/13	3,596.96	-	16.75	0.00	3,580.21
MW - 7	12/13/13	3,596.96	-	16.78	0.00	3,580.18
MW - 7	12/24/13	3,596.96	-	16.81	0.00	3,580.15
MW - 7	12/30/13	3,596.96	-	16.82	0.00	3,580.14
MW - 7	01/07/14	3,596.96	-	16.83	0.00	3,580.13
MW - 7	01/23/14	3,596.96	-	16.85	0.00	3,580.11

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 7	01/31/14	3,596.96	-	16.83	0.00	3,580.13
MW - 7	02/05/14	3,596.96	-	16.81	0.00	3,580.15
MW - 7	02/18/14	3,596.96	-	16.81	0.00	3,580.15
MW - 7	02/27/14	3,596.96	-	16.77	0.00	3,580.19
MW - 7	03/05/14	3,596.96	-	16.78	0.00	3,580.18
MW - 7	03/18/14	3,596.96	-	16.78	0.00	3,580.18
MW - 7	03/26/14	3,596.96	-	16.81	0.00	3,580.15
MW - 7	04/03/14	3,596.96	-	16.80	0.00	3,580.16
MW - 7	04/08/14	3,596.96	-	16.79	0.00	3,580.17
MW - 7	04/15/14	3,596.96	-	16.81	0.00	3,580.15
MW - 7	04/25/14	3,596.96	-	16.82	0.00	3,580.14
MW - 7	04/29/14	3,596.96	-	16.81	0.00	3,580.15
MW - 7	05/08/14	3,596.96	-	16.80	0.00	3,580.16
MW - 7	05/12/14	3,596.96	-	16.78	0.00	3,580.18
MW - 7	05/21/14	3,596.96	-	16.81	0.00	3,580.15
MW - 7	05/29/14	3,596.96	-	16.74	0.00	3,580.22
MW - 7	06/19/14	3,596.96	-	16.71	0.00	3,580.25
MW - 7	07/23/14	3,596.96	-	16.89	0.00	3,580.07
MW - 7	08/28/14	3,596.96	-	Dry	0.00	-
MW - 7	10/29/14	3,596.96	-	15.87	0.00	3,581.09
MW - 7	11/21/14	3,596.96	-	15.97	0.00	3,580.99
MW - 7	02/24/15	3,596.96	-	16.50	0.00	3,580.46
MW - 7	03/12/15	3,596.96	-	16.65	0.00	3,580.31
MW - 7	04/30/15	3,596.96	-	16.80	0.00	3,580.16
MW - 7	05/04/15	3,596.96	-	16.41	0.00	3,580.55
MW - 7	07/23/15	3,596.96	-	16.78	0.00	3,580.18
MW - 7	08/05/15	3,596.96	-	16.77	0.00	3,580.19
MW - 7	09/29/15	3,596.96	-	16.86	0.00	3,580.10
MW - 7	10/14/15	3,596.96	-	16.83	0.00	3,580.13
MW - 7	11/23/15	3,596.96	-	16.85	0.00	3,580.11
MW - 7	02/22/16	3,596.96	-	16.87	0.00	3,580.09
MW - 7	04/28/16	3,596.96	-	16.91	0.00	3,580.05
MW - 7	05/31/16	3,596.96	-	16.87	0.00	3,580.09
MW - 7	08/10/16	3,596.96	-	16.90	0.00	3,580.06
MW - 7	12/06/16	3,596.96	-	16.59	0.00	3,580.37
MW - 7	02/22/17	3,596.96	-	16.69	0.00	3,580.27
MW - 7	03/16/17	3,596.96	-	16.71	0.00	3,580.25
MW - 7	05/31/17	3,596.96	-	16.82	0.00	3,580.14

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 8	02/16/00	3,597.35	16.83	17.12	0.29	3,580.48
MW - 8	06/09/00	3,597.35	16.90	17.13	0.23	3,580.42
MW - 8	09/19/00	3,597.35	16.60	16.60	0.00	3,580.75
MW - 8	12/19/00	3,597.35	16.60	16.60	0.00	3,580.75
MW - 8	03/21/01	3,597.35	16.81	17.07	0.26	3,580.50
MW - 8	06/05/01	3,597.35	16.81	16.88	0.07	3,580.53
MW - 8	09/26/01	3,597.35	16.91	16.93	0.02	3,580.44
MW - 8	11/24/01	3,597.35	16.91	16.98	0.07	3,580.43
MW - 8	03/25/02	3,597.35	16.85	16.97	0.12	3,580.48
MW - 8	08/01/02	3,597.35	16.79	16.80	0.01	3,580.56
MW - 8	09/23/02	3,597.35	16.83	16.85	0.02	3,580.52
MW - 8	11/05/02	3,597.35	16.69	16.70	0.01	3,580.66
MW - 8	12/02/02	3,597.35	16.73	16.74	0.01	3,580.62
MW - 8	12/27/02	3,597.35	16.74	16.75	0.01	3,580.61
MW - 8	03/03/03	3,597.35	16.79	16.81	0.02	3,580.56
MW - 8	03/27/03	3,597.35	-	16.78	0.00	3,580.57
MW - 8	04/03/03	3,597.35	16.79	16.80	0.01	3,580.56
MW - 8	09/09/04	3,597.35	-	16.70	0.00	3,580.65
MW - 8	12/23/04	3,597.35	-	14.35	0.00	3,583.00
MW - 8	03/19/05	3,597.35	-	15.47	0.00	3,581.88
MW - 8	06/17/05	3,597.35	16.25	16.27	0.02	3,581.10
MW - 8	09/22/05	3,597.35	-	16.30	0.00	3,581.05
MW - 8	12/20/05	3,597.35	-	16.45	0.00	3,580.90
MW - 8	03/21/06	3,597.35	-	16.54	0.00	3,580.81
MW - 8	06/22/06	3,597.35	-	16.65	0.00	3,580.70
MW - 8	07/14/06	3,597.35	-	16.63	0.00	3,580.72
MW - 8	07/28/06	3,597.35	-	16.65	0.00	3,580.70
MW - 8	09/07/06	3,597.35	-	14.29	0.00	3,583.06
MW - 8	09/16/06	3,597.35	-	14.35	0.00	3,583.00
MW - 8	10/04/06	3,597.35	-	14.34	0.00	3,583.01
MW - 8	11/17/06	3,597.35	-	15.00	0.00	3,582.35
MW - 8	01/11/07	3,597.35	-	15.62	0.00	3,581.73
MW - 8	01/25/07	3,597.35	-	15.83	0.00	3,581.52
MW - 8	02/15/07	3,597.35	-	16.01	0.00	3,581.34
MW - 8	05/11/07	3,597.35	-	16.21	0.00	3,581.14
MW - 8	08/27/07	3,597.35	-	16.41	0.00	3,580.94
MW - 8	11/14/07	3,597.35	-	16.39	0.00	3,580.96
MW - 8	02/20/08	3,597.35	-	16.46	0.00	3,580.89
MW - 8	05/20/08	3,597.35	-	16.50	0.00	3,580.85

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 8	08/20/08	3,597.35	-	16.54	0.00	3,580.81
MW - 8	11/18/08	3,597.35	-	16.29	0.00	3,581.06
MW - 8	02/17/09	3,597.35	-	16.46	0.00	3,580.89
MW - 8	05/18/09	3,597.35	-	16.53	0.00	3,580.82
MW - 8	08/17/09	3,597.35	-	16.56	0.00	3,580.79
MW - 8	11/12/09	3,597.35	-	16.45	0.00	3,580.90
MW - 8	01/13/10	3,597.35	-	16.53	0.00	3,580.82
MW - 8	02/18/10	3,597.35	-	16.52	0.00	3,580.83
MW - 8	05/19/10	3,597.35	-	16.56	0.00	3,580.79
MW - 8	08/18/10	3,597.35	-	16.57	0.00	3,580.78
MW - 8	11/15/10	3,597.35	-	16.58	0.00	3,580.77
MW - 8	02/24/11	3,597.35	-	16.57	0.00	3,580.78
MW - 8	05/24/11	3,597.35	-	16.57	0.00	3,580.78
MW - 8	08/24/11	3,597.35	-	16.89	0.00	3,580.46
MW - 8	11/02/11	3,597.35	-	16.52	0.00	3,580.83
MW - 8	03/01/12	3,597.35	-	16.51	0.00	3,580.84
MW - 8	05/30/12	3,597.35	-	16.48	0.00	3,580.87
MW - 8	08/13/12	3,597.35	-	16.51	0.00	3,580.84
MW - 8	11/08/12	3,597.35	-	16.41	0.00	3,580.94
MW - 8	02/19/13	3,597.35	-	16.49	0.00	3,580.86
MW - 8	05/20/13	3,597.35	-	16.53	0.00	3,580.82
MW - 8	08/19/13	3,597.35	-	16.19	0.00	3,581.16
MW - 8	11/19/13	3,597.35	-	16.37	0.00	3,580.98
MW - 8	02/18/14	3,597.35	-	16.49	0.00	3,580.86
MW - 8	05/21/14	3,597.35	-	16.50	0.00	3,580.85
MW - 8	07/23/14	3,597.35	-	16.57	0.00	3,580.78
MW - 8	08/28/14	3,597.35	-	16.57	0.00	3,580.78
MW - 8	10/29/14	3,597.35	-	14.88	0.00	3,582.47
MW - 8	11/21/14	3,597.35	-	15.08	0.00	3,582.27
MW - 8	02/24/15	3,597.35	-	15.92	0.00	3,581.43
MW - 8	03/12/15	3,597.35	-	16.04	0.00	3,581.31
MW - 8	04/30/15	3,597.35	-	16.26	0.00	3,581.09
MW - 8	05/04/15	3,597.35	-	16.23	0.00	3,581.12
MW - 8	07/23/15	3,597.35	-	16.35	0.00	3,581.00
MW - 8	08/05/15	3,597.35	-	16.37	0.00	3,580.98
MW - 8	09/29/15	3,597.35	-	16.45	0.00	3,580.90
MW - 8	10/14/15	3,597.35	-	16.39	0.00	3,580.96
MW - 8	11/23/15	3,597.35	-	16.42	0.00	3,580.93
MW - 8	02/22/16	3,597.35	-	16.50	0.00	3,580.85

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 8	04/28/16	3,597.35	-	16.55	0.00	3,580.80
MW - 8	06/01/16	3,597.35	-	16.59	0.00	3,580.76
MW - 8	08/10/16	3,597.35	-	16.62	0.00	3,580.73
MW - 8	12/06/16	3,597.35	-	16.14	0.00	3,581.21
MW - 8	02/22/17	3,597.35	-	16.46	0.00	3,580.89
MW - 8	03/16/17	3,597.35	-	16.50	0.00	3,580.85
MW - 8	05/31/17	3,597.35	-	16.58	0.00	3,580.77
MW - 9	02/16/00	3,593.95	-	18.23	0.00	3,575.72
MW - 9	06/09/00	3,593.95	-	18.20	0.00	3,575.75
MW - 9	09/19/00	3,593.95	-	18.22	0.00	3,575.73
MW - 9	12/19/00	3,593.95	-	18.23	0.00	3,575.72
MW - 9	03/21/01	3,593.95	-	18.19	0.00	3,575.76
MW - 9	06/05/01	3,593.95	-	18.18	0.00	3,575.77
MW - 9	09/26/01	3,593.95	-	18.20	0.00	3,575.75
MW - 9	11/24/01	3,593.95	-	18.22	0.00	3,575.73
MW - 9	03/25/02	3,593.95	-	18.21	0.00	3,575.74
MW - 9	08/01/02	3,593.95	-	18.22	0.00	3,575.73
MW - 9	09/23/02	3,593.95	-	18.26	0.00	3,575.69
MW - 9	11/05/02	3,593.95	-	18.23	0.00	3,575.72
MW - 9	12/02/02	3,593.95	-	18.19	0.00	3,575.76
MW - 9	03/03/03	3,593.95	-	18.20	0.00	3,575.75
MW - 9	09/09/04	3,593.95	-	18.17	0.00	3,575.78
MW - 9	12/23/04	3,593.95	-	17.68	0.00	3,576.27
MW - 9	03/19/05	3,593.95	-	17.80	0.00	3,576.15
MW - 9	06/17/05	3,593.95	-	18.04	0.00	3,575.91
MW - 9	09/22/05	3,593.95	-	18.13	0.00	3,575.82
MW - 9	12/20/05	3,593.95	-	18.12	0.00	3,575.83
MW - 9	03/21/06	3,593.95	-	18.17	0.00	3,575.78
MW - 9	06/22/06	3,593.95	-	18.16	0.00	3,575.79
MW - 9	09/07/06	3,593.95	-	17.90	0.00	3,576.05
MW - 9	11/17/06	3,593.95	-	18.09	0.00	3,575.86
MW - 9	02/15/07	3,593.95	-	18.13	0.00	3,575.82
MW - 9	05/11/07	3,593.95	-	18.11	0.00	3,575.84
MW - 9	08/27/07	3,593.95	-	18.14	0.00	3,575.81
MW - 9	11/14/07	3,593.95	-	18.16	0.00	3,575.79
MW - 9	02/20/08	3,593.95	-	18.13	0.00	3,575.82
MW - 9	05/20/08	3,593.95	-	18.12	0.00	3,575.83
MW - 9	08/20/08	3,593.95	-	18.15	0.00	3,575.80

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 9	11/18/08	3,593.95	-	18.14	0.00	3,575.81
MW - 9	02/17/09	3,593.95	-	18.15	0.00	3,575.80
MW - 9	05/18/09	3,593.95	-	18.15	0.00	3,575.80
MW - 9	08/17/09	3,593.95	-	18.32	0.00	3,575.63
MW - 9	11/12/09	3,593.95	-	18.18	0.00	3,575.77
MW - 9	01/13/10	3,593.95	-	18.15	0.00	3,575.80
MW - 9	02/18/10	3,593.95	-	18.15	0.00	3,575.80
MW - 9	05/19/10	3,593.95	-	18.19	0.00	3,575.76
MW - 9	05/28/10	PLUGGED & ABANDONED				
MW - 10	02/16/00	3,594.57	-	20.32	0.00	3,574.25
MW - 10	06/09/00	3,594.57	-	20.41	0.00	3,574.16
MW - 10	09/19/00	3,594.57	-	20.21	0.00	3,574.36
MW - 10	12/19/00	3,594.57	-	20.36	0.00	3,574.21
MW - 10	03/21/01	3,594.57	-	20.40	0.00	3,574.17
MW - 10	06/05/01	3,594.57	-	20.28	0.00	3,574.29
MW - 10	09/26/01	3,594.57	-	20.38	0.00	3,574.19
MW - 10	11/24/01	3,594.57	-	20.50	0.00	3,574.07
MW - 10	03/25/02	3,594.57	-	20.34	0.00	3,574.23
MW - 10	08/01/02	3,594.57	-	20.32	0.00	3,574.25
MW - 10	09/23/02	3,594.57	-	20.38	0.00	3,574.19
MW - 10	11/05/02	3,594.57	-	20.29	0.00	3,574.28
MW - 10	12/02/02	3,594.57	-	20.31	0.00	3,574.26
MW - 10	03/03/03	3,594.57	-	19.32	0.00	3,575.25
MW - 10	09/09/04	3,594.57	-	20.14	0.00	3,574.43
MW - 10	12/23/04	3,594.57	-	18.20	0.00	3,576.37
MW - 10	03/19/05	3,594.57	-	18.47	0.00	3,576.10
MW - 10	06/17/05	3,594.57	19.48	19.50	0.02	3,575.09
MW - 10	09/22/05	3,594.57	19.51	19.53	0.02	3,575.06
MW - 10	12/20/05	3,594.57	-	19.66	0.00	3,574.91
MW - 10	03/21/06	3,594.57	-	19.75	0.00	3,574.82
MW - 10	06/22/06	3,594.57	-	19.86	0.00	3,574.71
MW - 10	09/07/06	3,594.57	-	18.12	0.00	3,576.45
MW - 10	11/17/06	3,594.57	-	18.37	0.00	3,576.20
MW - 10	02/15/07	3,594.57	-	19.08	0.00	3,575.49
MW - 10	05/11/07	3,594.57	-	19.33	0.00	3,575.24
MW - 10	08/27/07	3,594.57	-	19.81	0.00	3,574.76
MW - 10	11/14/07	3,594.57	-	19.86	0.00	3,574.71
MW - 10	02/20/08	3,594.57	-	19.85	0.00	3,574.72

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 10	05/20/08	3,594.57	-	19.64	0.00	3,574.93
MW - 10	08/20/08	3,594.57	-	20.00	0.00	3,574.57
MW - 10	11/18/08	3,594.57	-	19.71	0.00	3,574.86
MW - 10	02/17/09	3,594.57	-	19.97	0.00	3,574.60
MW - 10	05/18/09	3,594.57	-	19.86	0.00	3,574.71
MW - 10	08/17/09	3,594.57	-	19.88	0.00	3,574.69
MW - 10	11/12/09	3,594.57	-	19.93	0.00	3,574.64
MW - 10	01/13/10	3,594.57	-	17.40	0.00	3,577.17
MW - 10	02/18/10	3,594.57	-	19.41	0.00	3,575.16
MW - 10	05/19/10	3,594.57	-	19.43	0.00	3,575.14
MW - 10	08/18/10	3,594.57	-	19.43	0.00	3,575.14
MW - 10	11/16/10	3,594.57	-	19.45	0.00	3,575.12
MW - 10	02/24/11	3,594.57	-	19.44	0.00	3,575.13
MW - 10	05/24/11	3,594.57	-	19.42	0.00	3,575.15
MW - 10	08/24/11	3,594.57	-	19.70	0.00	3,574.87
MW - 10	11/02/11	3,594.57	-	19.97	0.00	3,574.60
MW - 10	03/01/12	3,594.57	-	19.90	0.00	3,574.67
MW - 10	05/30/12	3,594.57	-	19.86	0.00	3,574.71
MW - 10	08/13/12	3,594.57	-	19.91	0.00	3,574.66
MW - 10	11/08/12	3,594.57	-	19.88	0.00	3,574.69
MW - 10	02/19/13	3,594.57	-	19.85	0.00	3,574.72
MW - 10	05/20/13	3,594.57	-	19.59	0.00	3,574.98
MW - 10	08/19/13	3,594.57	-	19.09	0.00	3,575.48
MW - 10	11/19/13	3,594.57	-	19.64	0.00	3,574.93
MW - 10	02/18/14	3,594.57	-	19.83	0.00	3,574.74
MW - 10	05/21/14	3,594.57	-	19.49	0.00	3,575.08
MW - 10	07/23/14	3,594.57	-	19.69	0.00	3,574.88
MW - 10	08/28/14	3,594.57	-	19.92	0.00	3,574.65
MW - 10	10/29/14	3,594.57	-	18.37	0.00	3,576.20
MW - 10	11/20/14	3,594.57	-	18.41	0.00	3,576.16
MW - 10	02/24/15	3,594.57	-	18.70	0.00	3,575.87
MW - 10	03/12/15	3,594.57	-	19.07	0.00	3,575.50
MW - 10	04/30/15	3,594.57	-	20.56	0.00	3,574.01
MW - 10	05/04/15	3,594.57	-	19.49	0.00	3,575.08
MW - 10	07/23/15	3,594.57	-	19.27	0.00	3,575.30
MW - 10	08/05/15	3,594.57	-	19.25	0.00	3,575.32
MW - 10	09/29/15	3,594.57	-	19.51	0.00	3,575.06
MW - 10	10/14/15	3,594.57	-	19.25	0.00	3,575.32
MW - 10	11/23/15	3,594.57	-	19.60	0.00	3,574.97

TABLE 1
COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 10	02/22/16	3,594.57	-	19.38	0.00	3,575.19
MW - 10	04/28/16	3,594.57	-	19.25	0.00	3,575.32
MW - 10	06/01/16	3,594.57	-	19.13	0.00	3,575.44
MW - 10	08/10/16	3,594.57	-	19.24	0.00	3,575.33
MW - 10	12/06/16	3,594.57	-	18.51	0.00	3,576.06
MW - 10	02/22/17	3,594.57	-	19.12	0.00	3,575.45
MW - 10	03/16/17	3,594.57	-	19.28	0.00	3,575.29
MW - 10	05/30/17	3,594.57	-	19.47	0.00	3,575.10
MW - 11	02/16/00	3,593.77	-	19.37	0.00	3,574.40
MW - 11	06/09/00	3,593.77	-	19.45	0.00	3,574.32
MW - 11	09/19/00	3,593.77	-	19.58	0.00	3,574.19
MW - 11	12/19/00	3,593.77	-	19.33	0.00	3,574.44
MW - 11	03/21/01	3,593.77	-	19.33	0.00	3,574.44
MW - 11	06/05/01	3,593.77	-	19.41	0.00	3,574.36
MW - 11	09/26/01	3,593.77	-	19.32	0.00	3,574.45
MW - 11	11/24/01	3,593.77	-	19.05	0.00	3,574.72
MW - 11	03/25/02	3,593.77	-	18.82	0.00	3,574.95
MW - 11	08/01/02	3,593.77	-	18.86	0.00	3,574.91
MW - 11	09/23/02	3,593.77	-	18.93	0.00	3,574.84
MW - 11	11/05/02	3,593.77	-	18.94	0.00	3,574.83
MW - 11	12/02/02	3,593.77	-	19.10	0.00	3,574.67
MW - 11	03/03/03	3,593.77	-	19.43	0.00	3,574.34
MW - 11	09/09/04	3,593.77	-	19.00	0.00	3,574.77
MW - 11	12/23/04	3,593.77	-	18.00	0.00	3,575.77
MW - 11	03/19/05	3,593.77	-	18.83	0.00	3,574.94
MW - 11	06/17/05	3,593.77	-	19.61	0.00	3,574.16
MW - 11	09/22/05	3,593.77	-	19.37	0.00	3,574.40
MW - 11	12/20/05	3,593.77	-	19.03	0.00	3,574.74
MW - 11	03/21/06	3,593.77	-	19.07	0.00	3,574.70
MW - 11	06/22/06	3,593.77	-	19.20	0.00	3,574.57
MW - 11	09/07/06	3,593.77	-	17.87	0.00	3,575.90
MW - 11	11/16/06	3,593.77	-	18.72	0.00	3,575.05
MW - 11	02/15/07	3,593.77	-	18.94	0.00	3,574.83
MW - 11	05/11/07	3,593.77	-	19.59	0.00	3,574.18
MW - 11	08/27/07	3,593.77	-	19.59	0.00	3,574.18
MW - 11	11/14/07	3,593.77	-	19.63	0.00	3,574.14
MW - 11	02/20/08	3,593.77	-	19.65	0.00	3,574.12
MW - 11	05/20/08	3,593.77	-	19.48	0.00	3,574.29

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 11	08/20/08	3,593.77	-	19.43	0.00	3,574.34
MW - 11	11/18/08	3,593.77	-	19.46	0.00	3,574.31
MW - 11	02/18/09	3,593.77	-	19.38	0.00	3,574.39
MW - 11	05/18/09	3,593.77	-	19.31	0.00	3,574.46
MW - 11	08/17/09	3,593.77	-	19.32	0.00	3,574.45
MW - 11	11/12/09	3,593.77	-	19.38	0.00	3,574.39
MW - 11	01/13/10	3,593.77	-	18.91	0.00	3,574.86
MW - 11	02/18/10	3,593.77	-	19.00	0.00	3,574.77
MW - 11	05/19/10	3,593.77	-	19.07	0.00	3,574.70
MW - 11	08/18/10	3,593.77	-	19.07	0.00	3,574.70
MW - 11	11/15/10	3,593.77	-	19.10	0.00	3,574.67
MW - 11	02/23/11	3,593.77	-	19.09	0.00	3,574.68
MW - 11	05/24/11	3,593.77	-	19.07	0.00	3,574.70
MW - 11	08/24/11	3,593.77	-	19.39	0.00	3,574.38
MW - 11	11/02/11	3,593.77	-	19.66	0.00	3,574.11
MW - 11	03/01/12	3,593.77	-	19.42	0.00	3,574.35
MW - 11	05/30/12	3,593.77	-	19.22	0.00	3,574.55
MW - 11	08/13/12	3,593.77	-	19.02	0.00	3,574.75
MW - 11	11/08/12	3,593.77	-	18.97	0.00	3,574.80
MW - 11	02/19/13	3,593.77	-	18.98	0.00	3,574.79
MW - 11	05/20/13	3,593.77	-	18.92	0.00	3,574.85
MW - 11	08/19/13	3,593.77	-	18.92	0.00	3,574.85
MW - 11	11/19/13	3,593.77	-	19.02	0.00	3,574.75
MW - 11	02/18/14	3,593.77	-	19.05	0.00	3,574.72
MW - 11	05/21/14	3,593.77	-	19.01	0.00	3,574.76
MW - 11	07/23/14	3,593.77	-	19.07	0.00	3,574.70
MW - 11	08/28/14	3,593.77	-	19.14	0.00	3,574.63
MW - 11	10/29/14	3,593.77	-	18.34	0.00	3,575.43
MW - 11	11/20/14	3,593.77	-	18.52	0.00	3,575.25
MW - 11	02/24/15	3,593.77	-	18.98	0.00	3,574.79
MW - 11	03/12/15	3,593.77	-	19.04	0.00	3,574.73
MW - 11	04/30/15	3,593.77	-	19.09	0.00	3,574.68
MW - 11	05/04/15	3,593.77	-	19.08	0.00	3,574.69
MW - 11	07/23/15	3,593.77	-	18.99	0.00	3,574.78
MW - 11	08/05/15	3,593.77	-	19.01	0.00	3,574.76
MW - 11	09/29/15	3,593.77	-	19.08	0.00	3,574.69
MW - 11	10/14/15	3,593.77	-	19.03	0.00	3,574.74
MW - 11	11/23/15	3,593.77	-	19.01	0.00	3,574.76
MW - 11	02/22/16	3,593.77	-	18.97	0.00	3,574.80

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 11	04/28/16	3,593.77	-	18.80	0.00	3,574.97
MW - 11	05/31/16	3,593.77	-	18.85	0.00	3,574.92
MW - 11	08/10/16	3,593.77	-	18.71	0.00	3,575.06
MW - 11	12/05/16	3,593.77	-	18.72	0.00	3,575.05
MW - 11	02/22/17	3,593.77	-	18.78	0.00	3,574.99
MW - 11	03/16/17	3,593.77	-	18.85	0.00	3,574.92
MW - 11	05/30/17	3,593.77	-	18.89	0.00	3,574.88
MW - 12	02/16/00	3,596.39	18.82	20.21	1.39	3,577.36
MW - 12	06/09/00	3,596.39	18.55	18.91	0.36	3,577.79
MW - 12	09/19/00	3,596.39	18.48	18.86	0.38	3,577.85
MW - 12	12/19/00	3,596.39	18.55	18.91	0.36	3,577.79
MW - 12	03/21/01	3,596.39	18.68	18.85	0.17	3,577.68
MW - 12	06/05/01	3,596.39	18.67	18.85	0.18	3,577.69
MW - 12	09/26/01	3,596.39	18.65	19.12	0.47	3,577.67
MW - 12	11/24/01	3,596.39	18.77	19.01	0.24	3,577.58
MW - 12	03/25/02	3,596.39	18.58	18.98	0.40	3,577.75
MW - 12	08/01/02	3,596.39	18.52	18.69	0.17	3,577.84
MW - 12	09/23/02	3,596.39	18.59	18.74	0.15	3,577.78
MW - 12	11/05/02	3,596.39	18.50	18.55	0.05	3,577.88
MW - 12	12/02/02	3,596.39	18.58	18.66	0.08	3,577.80
MW - 12	12/27/02	3,596.39	18.55	18.64	0.09	3,577.83
MW - 12	03/03/03	3,596.39	18.66	18.72	0.06	3,577.72
MW - 12	03/13/03	3,596.39	-	17.41	0.00	3,578.98
MW - 12	04/03/03	3,596.39	18.61	18.69	0.08	3,577.77
MW - 12	09/09/04	3,596.39	18.20	18.65	0.45	3,578.12
MW - 12	09/14/05	3,596.39	18.21	18.65	0.44	3,578.11
MW - 12	10/08/04	3,596.39	18.18	18.61	0.43	3,578.15
MW - 12	10/13/04	3,596.39	17.51	17.92	0.41	3,578.82
MW - 12	10/21/04	3,596.39	17.69	17.80	0.11	3,578.68
MW - 12	10/27/04	3,596.39	17.75	17.84	0.09	3,578.63
MW - 12	11/03/04	3,596.39	17.78	17.92	0.14	3,578.59
MW - 12	11/10/04	3,596.39	17.70	17.75	0.05	3,578.68
MW - 12	11/30/04	3,596.39	-	17.50	0.00	3,578.89
MW - 12	12/07/04	3,596.39	-	17.56	0.00	3,578.83
MW - 12	12/16/04	3,596.39	-	17.68	0.00	3,578.71
MW - 12	12/23/04	3,596.39	17.61	17.63	0.02	3,578.78
MW - 12	12/28/04	3,596.39	17.63	17.76	0.13	3,578.74
MW - 12	01/05/05	3,596.39	17.67	17.82	0.15	3,578.70

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 12	01/12/05	3,596.39	17.70	17.73	0.03	3,578.69
MW - 12	01/19/05	3,596.39	-	17.70	0.00	3,578.69
MW - 12	01/26/05	3,596.39	-	17.71	0.00	3,578.68
MW - 12	02/01/05	3,596.39	-	17.72	0.00	3,578.67
MW - 12	02/09/05	3,596.39	-	17.76	0.00	3,578.63
MW - 12	02/16/05	3,596.39	-	17.74	0.00	3,578.65
MW - 12	02/23/05	3,596.39	-	17.70	0.00	3,578.69
MW - 12	03/02/05	3,596.39	-	17.76	0.00	3,578.63
MW - 12	03/09/05	3,596.39	-	17.82	0.00	3,578.57
MW - 12	03/17/05	3,596.39	-	17.78	0.00	3,578.61
MW - 12	03/19/05	3,596.39	-	17.80	0.00	3,578.59
MW - 12	03/23/05	3,596.39	-	17.84	0.00	3,578.55
MW - 12	03/30/05	3,596.39	-	17.82	0.00	3,578.57
MW - 12	04/06/05	3,596.39	-	17.79	0.00	3,578.60
MW - 12	04/14/05	3,596.39	-	17.88	0.00	3,578.51
MW - 12	05/26/05	3,596.39	-	18.00	0.00	3,578.39
MW - 12	06/08/05	3,596.39	-	18.01	0.00	3,578.38
MW - 12	06/17/05	3,596.39	17.99	18.01	0.02	3,578.40
MW - 12	06/23/05	3,596.39	-	17.99	0.00	3,578.40
MW - 12	07/13/05	3,596.39	-	18.05	0.00	3,578.34
MW - 12	07/28/05	3,596.39	18.10	18.20	0.10	3,578.28
MW - 12	08/11/05	3,596.39	18.03	18.15	0.12	3,578.34
MW - 12	08/25/05	3,596.39	17.85	17.97	0.12	3,578.52
MW - 12	09/13/05	3,596.39	17.97	18.05	0.08	3,578.41
MW - 12	09/22/05	3,596.39	18.01	18.12	0.11	3,578.36
MW - 12	09/30/05	3,596.39	17.97	18.14	0.17	3,578.39
MW - 12	10/11/05	3,596.39	18.05	18.15	0.10	3,578.33
MW - 12	10/28/05	3,596.39	18.03	18.15	0.12	3,578.34
MW - 12	11/17/05	3,596.39	18.07	18.19	0.12	3,578.30
MW - 12	12/02/05	3,596.39	18.08	18.11	0.03	3,578.31
MW - 12	12/20/05	3,596.39	18.07	18.30	0.23	3,578.29
MW - 12	12/30/05	3,596.39	18.11	18.34	0.23	3,578.25
MW - 12	01/12/06	3,596.39	18.01	18.26	0.25	3,578.34
MW - 12	01/25/06	3,596.39	18.07	18.30	0.23	3,578.29
MW - 12	02/08/06	3,596.39	18.08	18.32	0.24	3,578.27
MW - 12	02/23/06	3,596.39	18.10	18.30	0.20	3,578.26
MW - 12	03/08/06	3,596.39	18.08	18.30	0.22	3,578.28
MW - 12	03/21/06	3,596.39	18.11	18.36	0.25	3,578.24
MW - 12	03/24/06	3,596.39	18.06	18.28	0.22	3,578.30

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 12	03/30/06	3,596.39	18.17	18.43	0.26	3,578.18
MW - 12	04/19/06	3,596.39	18.02	18.25	0.23	3,578.34
MW - 12	05/03/06	3,596.39	18.13	18.40	0.27	3,578.22
MW - 12	06/02/06	3,596.39	18.04	18.37	0.33	3,578.30
MW - 12	06/15/06	3,596.39	18.18	18.72	0.54	3,578.13
MW - 12	06/22/06	3,596.39	18.13	18.42	0.29	3,578.22
MW - 12	06/29/06	3,596.39	17.97	18.22	0.25	3,578.38
MW - 12	07/14/06	3,596.39	18.17	18.44	0.27	3,578.18
MW - 12	07/28/06	3,596.39	18.25	18.54	0.29	3,578.10
MW - 12	08/11/06	3,596.39	17.61	18.01	0.40	3,578.72
MW - 12	09/07/06	3,596.39	17.29	17.65	0.36	3,579.05
MW - 12	09/16/06	3,596.39	17.42	17.89	0.47	3,578.90
MW - 12	10/04/06	3,596.39	17.34	17.71	0.37	3,578.99
MW - 12	11/17/06	3,596.39	17.56	18.02	0.46	3,578.76
MW - 12	01/11/07	3,596.39	17.75	18.08	0.33	3,578.59
MW - 12	01/25/07	3,596.39	17.79	18.07	0.28	3,578.56
MW - 12	02/08/07	3,596.39	17.90	18.13	0.23	3,578.46
MW - 12	02/15/07	3,596.39	17.97	18.31	0.34	3,578.37
MW - 12	03/08/07	3,596.39	17.91	18.11	0.20	3,578.45
MW - 12	03/28/07	3,596.39	17.90	18.11	0.21	3,578.46
MW - 12	04/25/07	3,596.39	17.96	18.16	0.20	3,578.40
MW - 12	05/04/07	3,596.39	17.89	18.05	0.16	3,578.48
MW - 12	05/11/07	3,596.39	17.93	18.24	0.31	3,578.41
MW - 12	06/14/07	3,596.39	17.91	18.16	0.25	3,578.44
MW - 12	07/12/07	3,596.39	17.98	18.18	0.20	3,578.38
MW - 12	08/27/07	3,596.39	18.09	18.34	0.25	3,578.26
MW - 12	09/18/07	3,596.39	18.16	18.41	0.25	3,578.19
MW - 12	10/03/07	3,596.39	18.12	18.41	0.29	3,578.23
MW - 12	10/17/07	3,596.39	18.11	18.30	0.19	3,578.25
MW - 12	11/14/07	3,596.39	18.14	18.43	0.29	3,578.21
MW - 12	01/23/08	3,596.39	18.19	18.46	0.27	3,578.16
MW - 12	02/15/08	3,596.39	18.12	18.36	0.24	3,578.23
MW - 12	02/20/08	3,596.39	18.13	18.40	0.27	3,578.22
MW - 12	04/04/08	3,596.39	18.16	18.40	0.24	3,578.19
MW - 12	04/18/08	3,596.39	18.14	18.33	0.19	3,578.22
MW - 12	05/14/08	3,596.39	18.05	18.25	0.20	3,578.31
MW - 12	05/20/08	3,596.39	17.97	18.19	0.22	3,578.39
MW - 12	06/05/08	3,596.39	17.89	18.08	0.19	3,578.47
MW - 12	06/27/08	3,596.39	18.07	18.32	0.25	3,578.28

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 12	07/15/08	3,596.39	18.11	18.32	0.21	3,578.25
MW - 12	08/18/08	3,596.39	18.14	18.37	0.23	3,578.22
MW - 12	08/20/08	3,596.39	18.19	18.39	0.20	3,578.17
MW - 12	09/12/08	3,596.39	18.06	18.31	0.25	3,578.29
MW - 12	09/18/08	3,596.39	18.15	18.37	0.22	3,578.21
MW - 12	09/30/08	3,596.39	18.09	18.32	0.23	3,578.27
MW - 12	10/08/08	3,596.39	18.19	18.41	0.22	3,578.17
MW - 12	10/16/08	3,596.39	18.15	18.34	0.19	3,578.21
MW - 12	10/22/08	3,596.39	18.11	18.33	0.22	3,578.25
MW - 12	10/31/08	3,596.39	18.11	18.31	0.20	3,578.25
MW - 12	11/05/08	3,596.39	18.11	18.20	0.09	3,578.27
MW - 12	11/10/08	3,596.39	18.01	18.23	0.22	3,578.35
MW - 12	11/18/08	3,596.39	18.08	18.21	0.13	3,578.29
MW - 12	11/26/08	3,596.39	18.05	18.29	0.24	3,578.30
MW - 12	12/01/08	3,596.39	17.92	18.05	0.13	3,578.45
MW - 12	12/17/08	3,596.39	18.05	18.24	0.19	3,578.31
MW - 12	12/30/08	3,596.39	18.14	18.32	0.18	3,578.22
MW - 12	01/07/09	3,596.39	18.14	18.36	0.22	3,578.22
MW - 12	01/15/09	3,596.39	18.13	18.41	0.28	3,578.22
MW - 12	01/21/09	3,596.39	18.10	18.29	0.19	3,578.26
MW - 12	01/29/09	3,596.39	18.19	18.44	0.25	3,578.16
MW - 12	02/09/09	3,596.39	18.14	18.39	0.25	3,578.21
MW - 12	02/17/09	3,596.39	18.14	18.79	0.65	3,578.15
MW - 12	02/23/09	3,596.39	18.17	18.23	0.06	3,578.21
MW - 12	03/02/09	3,596.39	18.00	18.22	0.22	3,578.36
MW - 12	03/05/09	3,596.39	17.95	18.15	0.20	3,578.41
MW - 12	03/09/09	3,596.39	18.19	18.25	0.06	3,578.19
MW - 12	03/18/09	3,596.39	18.04	18.24	0.20	3,578.32
MW - 12	03/20/09	3,596.39	17.95	18.11	0.16	3,578.42
MW - 12	03/25/09	3,596.39	17.99	18.41	0.42	3,578.34
MW - 12	03/30/09	3,596.39	18.02	18.18	0.16	3,578.35
MW - 12	04/06/09	3,596.39	18.02	18.15	0.13	3,578.35
MW - 12	04/14/09	3,596.39	18.00	18.16	0.16	3,578.37
MW - 12	04/16/09	3,596.39	18.01	18.17	0.16	3,578.36
MW - 12	04/21/09	3,596.39	18.00	18.12	0.12	3,578.37
MW - 12	04/27/09	3,596.39	18.02	18.17	0.15	3,578.35
MW - 12	04/30/09	3,596.39	18.01	18.16	0.15	3,578.36
MW - 12	05/06/09	3,596.39	18.03	18.14	0.11	3,578.34
MW - 12	05/18/09	3,596.39	18.19	18.27	0.08	3,578.19

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 12	05/26/09	3,596.39	18.05	18.26	0.21	3,578.31
MW - 12	06/02/09	3,596.39	18.10	18.28	0.18	3,578.26
MW - 12	06/08/09	3,596.39	18.15	18.35	0.20	3,578.21
MW - 12	06/17/09	3,596.39	17.98	18.16	0.18	3,578.38
MW - 12	07/01/09	3,596.39	18.30	18.38	0.08	3,578.08
MW - 12	07/07/09	3,596.39	18.14	18.34	0.20	3,578.22
MW - 12	07/14/09	3,596.39	18.02	18.22	0.20	3,578.34
MW - 12	07/23/09	3,596.39	18.04	18.25	0.21	3,578.32
MW - 12	07/27/09	3,596.39	18.05	18.24	0.19	3,578.31
MW - 12	07/31/09	3,596.39	18.25	18.50	0.25	3,578.10
MW - 12	08/06/09	3,596.39	18.19	18.29	0.10	3,578.19
MW - 12	08/13/09	3,596.39	18.07	18.29	0.22	3,578.29
MW - 12	08/17/09	3,596.39	18.01	18.18	0.17	3,578.35
MW - 12	08/25/09	3,596.39	18.03	18.21	0.18	3,578.33
MW - 12	09/01/09	3,596.39	18.01	18.20	0.19	3,578.35
MW - 12	09/08/09	3,596.39	18.27	18.50	0.23	3,578.09
MW - 12	09/15/09	3,596.39	18.29	18.48	0.19	3,578.07
MW - 12	09/25/09	3,596.39	18.06	18.25	0.19	3,578.30
MW - 12	09/28/09	3,596.39	18.12	18.34	0.22	3,578.24
MW - 12	10/01/09	3,596.39	18.02	18.28	0.26	3,578.33
MW - 12	10/05/09	3,596.39	18.13	18.31	0.18	3,578.23
MW - 12	10/07/09	3,596.39	18.06	18.26	0.20	3,578.30
MW - 12	10/12/09	3,596.39	18.16	18.34	0.18	3,578.20
MW - 12	10/19/09	3,596.39	18.14	18.33	0.19	3,578.22
MW - 12	10/26/09	3,596.39	18.22	18.41	0.19	3,578.14
MW - 12	10/30/09	3,596.39	18.05	18.34	0.29	3,578.30
MW - 12	11/12/09	3,596.39	18.06	18.34	0.28	3,578.29
MW - 12	11/13/09	3,596.39	18.06	18.34	0.28	3,578.29
MW - 12	11/25/09	3,596.39	18.14	18.35	0.21	3,578.22
MW - 12	12/11/09	3,596.39	18.17	18.43	0.26	3,578.18
MW - 12	12/23/09	3,596.39	18.18	18.48	0.30	3,578.17
MW - 12	01/13/10	3,596.39	17.82	18.05	0.23	3,578.54
MW - 12	01/20/10	3,596.39	18.13	18.24	0.11	3,578.24
MW - 12	02/18/10	3,596.39	18.29	18.53	0.24	3,578.06
MW - 12	03/03/10	3,596.39	18.31	18.54	0.23	3,578.05
MW - 12	03/16/10	3,596.39	18.17	18.23	0.06	3,578.21
MW - 12	04/05/10	3,596.39	18.17	18.41	0.24	3,578.18
MW - 12	04/15/10	3,596.39	18.30	18.60	0.30	3,578.05
MW - 12	04/19/10	3,596.39	18.32	18.53	0.21	3,578.04

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 12	04/28/10	3,596.39	18.19	18.40	0.21	3,578.17
MW - 12	05/19/10	3,596.39	18.19	18.42	0.23	3,578.17
MW - 12	05/21/10	3,596.39	18.19	18.43	0.24	3,578.16
MW - 12	07/02/10	3,596.39	18.11	18.22	0.11	3,578.26
MW - 12	07/28/10	3,596.39	17.54	17.76	0.22	3,578.82
MW - 12	08/06/10	3,596.39	17.60	17.73	0.13	3,578.77
MW - 12	08/18/10	3,596.39	18.20	18.43	0.23	3,578.16
MW - 12	08/31/10	3,596.39	17.64	17.73	0.09	3,578.74
MW - 12	09/10/10	3,596.39	17.67	17.75	0.08	3,578.71
MW - 12	09/23/10	3,596.39	17.68	17.73	0.05	3,578.70
MW - 12	10/06/10	3,596.39	17.70	17.72	0.02	3,578.69
MW - 12	10/27/10	3,596.39	17.72	17.74	0.02	3,578.67
MW - 12	11/16/10	3,596.39	18.19	18.44	0.25	3,578.16
MW - 12	12/16/10	3,596.39	17.61	17.84	0.23	3,578.75
MW - 12	01/27/11	3,596.39	18.18	18.46	0.28	3,578.17
MW - 12	02/23/11	3,596.39	18.17	18.45	0.28	3,578.18
MW - 12	05/12/11	3,596.39	18.02	18.17	0.15	3,578.35
MW - 12	05/16/11	3,596.39	18.00	18.12	0.12	3,578.37
MW - 12	05/24/11	3,596.39	18.18	18.43	0.25	3,578.17
MW - 12	05/26/11	3,596.39	18.01	18.09	0.08	3,578.37
MW - 12	06/09/11	3,596.39	18.04	18.07	0.03	3,578.35
MW - 12	06/29/11	3,596.39	18.05	18.14	0.09	3,578.33
MW - 12	07/05/11	3,596.39	18.07	18.11	0.04	3,578.31
MW - 12	08/04/11	3,596.39	18.03	18.21	0.18	3,578.33
MW - 12	08/25/11	3,596.39	18.03	18.21	0.18	3,578.33
MW - 12	09/08/11	3,596.39	18.11	18.32	0.21	3,578.25
MW - 12	09/15/11	3,596.39	18.13	18.30	0.17	3,578.23
MW - 12	09/22/11	3,596.39	18.13	18.28	0.15	3,578.24
MW - 12	10/28/11	3,596.39	18.14	18.33	0.19	3,578.22
MW - 12	11/02/11	3,596.39	18.11	18.13	0.02	3,578.28
MW - 12	12/29/11	3,596.39	18.10	18.30	0.20	3,578.26
MW - 12	01/11/12	3,596.39	18.10	18.28	0.18	3,578.26
MW - 12	01/20/12	3,596.39	18.07	18.27	0.20	3,578.29
MW - 12	02/13/12	3,596.39	18.05	18.23	0.18	3,578.31
MW - 12	03/01/12	3,596.39	18.08	18.21	0.13	3,578.29
MW - 12	03/19/12	3,596.39	18.07	18.32	0.25	3,578.28
MW - 12	04/09/12	3,596.39	18.00	18.15	0.15	3,578.37
MW - 12	04/23/12	3,596.39	18.01	18.20	0.19	3,578.35
MW - 12	05/30/12	3,596.39	17.98	18.16	0.18	3,578.38

TABLE 1
COMPREHENSIVE GROUNDWATER ELEVATION DATA
PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 12	06/11/12	3,596.39	17.98	18.17	0.19	3,578.38
MW - 12	06/25/12	3,596.39	18.06	18.21	0.15	3,578.31
MW - 12	07/09/12	3,596.39	18.15	18.27	0.12	3,578.22
MW - 12	08/13/12	3,596.39	18.00	18.22	0.22	3,578.36
MW - 12	09/04/12	3,596.39	17.97	18.16	0.19	3,578.39
MW - 12	09/10/12	3,596.39	18.00	18.09	0.09	3,578.38
MW - 12	09/24/12	3,596.39	17.91	17.98	0.07	3,578.47
MW - 12	10/08/12	3,596.39	17.90	18.15	0.25	3,578.45
MW - 12	10/24/12	3,596.39	17.98	18.01	0.03	3,578.41
MW - 12	11/08/12	3,596.39	18.01	18.06	0.05	3,578.37
MW - 12	12/04/12	3,596.39	18.02	18.06	0.04	3,578.36
MW - 12	12/17/12	3,596.39	18.00	18.10	0.10	3,578.38
MW - 12	01/24/13	3,596.39	17.91	18.02	0.11	3,578.46
MW - 12	02/04/13	3,596.39	17.97	18.14	0.17	3,578.39
MW - 12	02/19/13	3,596.39	17.95	18.00	0.05	3,578.43
MW - 12	03/26/13	3,596.39	17.89	17.92	0.03	3,578.50
MW - 12	04/01/13	3,596.39	17.89	17.90	0.01	3,578.50
MW - 12	04/15/13	3,596.39	17.91	17.92	0.01	3,578.48
MW - 12	04/29/13	3,596.39	-	17.87	0.00	3,578.52
MW - 12	05/06/13	3,596.39	-	17.69	0.00	3,578.70
MW - 12	05/20/13	3,596.39	-	17.84	0.00	3,578.55
MW - 12	05/23/13	3,596.39	-	17.82	0.00	3,578.57
MW - 12	06/03/13	3,596.39	-	17.82	0.00	3,578.57
MW - 12	06/13/13	3,596.39	-	17.90	0.00	3,578.49
MW - 12	06/18/13	3,596.39	17.96	17.99	0.03	3,578.43
MW - 12	06/25/13	3,596.39	17.98	18.00	0.02	3,578.41
MW - 12	07/08/13	3,596.39	-	17.88	0.00	3,578.51
MW - 12	07/16/13	3,596.39	17.95	17.98	0.03	3,578.44
MW - 12	07/25/13	3,596.39	17.92	17.95	0.03	3,578.47
MW - 12	07/30/13	3,596.39	17.91	17.95	0.04	3,578.47
MW - 12	08/05/13	3,596.39	-	17.80	0.00	3,578.59
MW - 12	08/16/13	3,596.39	17.74	17.78	0.04	3,578.64
MW - 12	08/19/13	3,596.39	-	17.80	0.00	3,578.59
MW - 12	08/27/13	3,596.39	-	17.82	0.00	3,578.57
MW - 12	09/05/13	3,596.39	-	17.82	0.00	3,578.57
MW - 12	09/09/13	3,596.39	-	17.82	0.00	3,578.57
MW - 12	09/19/13	3,596.39	-	17.86	0.00	3,578.53
MW - 12	09/25/13	3,596.39	-	17.83	0.00	3,578.56
MW - 12	10/03/13	3,596.39	-	17.91	0.00	3,578.48

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 12	10/09/13	3,596.39	-	17.90	0.00	3,578.49
MW - 12	10/15/13	3,596.39	-	17.88	0.00	3,578.51
MW - 12	10/22/13	3,596.39	-	17.92	0.00	3,578.47
MW - 12	11/01/13	3,596.39	-	17.91	0.00	3,578.48
MW - 12	11/04/13	3,596.39	-	17.98	0.00	3,578.41
MW - 12	11/15/13	3,596.39	-	17.86	0.00	3,578.53
MW - 12	11/19/13	3,596.39	-	17.85	0.00	3,578.54
MW - 12	12/13/13	3,596.39	17.90	17.91	0.01	3,578.49
MW - 12	12/24/13	3,596.39	17.90	17.92	0.02	3,578.49
MW - 12	12/30/13	3,596.39	-	17.93	0.00	3,578.46
MW - 12	01/07/14	3,596.39	17.93	17.95	0.02	3,578.46
MW - 12	01/23/14	3,596.39	17.96	17.97	0.01	3,578.43
MW - 12	01/31/14	3,596.39	17.94	17.97	0.03	3,578.45
MW - 12	02/05/14	3,596.39	18.00	18.01	0.01	3,578.39
MW - 12	02/18/14	3,596.39	18.90	18.91	0.01	3,577.49
MW - 12	02/27/14	3,596.39	-	17.85	0.00	3,578.54
MW - 12	03/05/14	3,596.39	-	17.88	0.00	3,578.51
MW - 12	03/18/14	3,596.39	-	17.83	0.00	3,578.56
MW - 12	03/26/14	3,596.39	-	17.89	0.00	3,578.50
MW - 12	04/03/14	3,596.39	17.75	17.76	0.01	3,578.64
MW - 12	04/08/14	3,596.39	-	17.79	0.00	3,578.60
MW - 12	04/15/14	3,596.39	-	17.83	0.00	3,578.56
MW - 12	04/25/14	3,596.39	-	17.85	0.00	3,578.54
MW - 12	04/29/14	3,596.39	-	17.85	0.00	3,578.54
MW - 12	05/08/14	3,596.39	-	17.80	0.00	3,578.59
MW - 12	05/12/14	3,596.39	-	17.80	0.00	3,578.59
MW - 12	05/21/14	3,596.39	-	17.80	0.00	3,578.59
MW - 12	05/29/14	3,596.39	-	17.74	0.00	3,578.65
MW - 12	06/19/14	3,596.39	-	17.75	0.00	3,578.64
MW - 12	06/25/14	3,596.39	-	17.87	0.00	3,578.52
MW - 12	06/30/14	3,596.39	-	17.73	0.00	3,578.66
MW - 12	07/10/14	3,596.39	-	17.80	0.00	3,578.59
MW - 12	07/17/14	3,596.39	-	17.85	0.00	3,578.54
MW - 12	07/23/14	3,596.39	17.84	17.90	0.06	3,578.54
MW - 12	08/08/14	3,596.39	-	17.75	0.00	3,578.64
MW - 12	08/12/14	3,596.39	-	17.89	0.00	3,578.50
MW - 12	08/21/14	3,596.39	17.95	18.25	0.30	3,578.40
MW - 12	08/28/14	3,596.39	17.95	17.98	0.03	3,578.44
MW - 12	09/04/14	3,596.39	17.98	18.30	0.32	3,578.36

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 12	10/10/14	3,596.39	-	17.28	0.00	3,579.11
MW - 12	10/15/14	3,596.39	-	17.36	0.00	3,579.03
MW - 12	10/23/14	3,596.39	-	17.40	0.00	3,578.99
MW - 12	10/29/14	3,596.39	-	17.46	0.00	3,578.93
MW - 12	10/30/14	3,596.39	-	17.34	0.00	3,579.05
MW - 12	11/05/14	3,596.39	-	17.28	0.00	3,579.11
MW - 12	11/19/14	3,596.39	-	17.48	0.00	3,578.91
MW - 12	11/21/14	3,596.39	17.49	17.51	0.02	3,578.90
MW - 12	12/04/14	3,596.39	-	17.55	0.00	3,578.84
MW - 12	12/11/14	3,596.39	-	17.57	0.00	3,578.82
MW - 12	12/23/14	3,596.39	-	17.62	0.00	3,578.77
MW - 12	01/08/15	3,596.39	17.62	17.64	0.02	3,578.77
MW - 12	02/13/15	3,596.39	17.70	17.84	0.14	3,578.67
MW - 12	02/24/15	3,596.39	17.73	17.77	0.04	3,578.65
MW - 12	03/06/15	3,596.39	17.77	17.84	0.07	3,578.61
MW - 12	03/12/15	3,596.39	17.82	17.84	0.02	3,578.57
MW - 12	04/10/15	3,596.39	17.86	17.94	0.08	3,578.52
MW - 12	04/17/15	3,596.39	17.85	17.89	0.04	3,578.53
MW - 12	04/24/15	3,596.39	-	17.84	0.00	3,578.55
MW - 12	04/30/15	3,596.39	-	17.89	0.00	3,578.50
MW - 12	05/04/15	3,596.39	-	17.87	0.00	3,578.52
MW - 12	05/12/15	3,596.39	-	17.74	0.00	3,578.65
MW - 12	05/29/15	3,596.39	-	17.75	0.00	3,578.64
MW - 12	06/04/15	3,596.39	-	17.80	0.00	3,578.59
MW - 12	06/11/15	3,596.39	-	17.77	0.00	3,578.62
MW - 12	06/18/15	3,596.39	-	17.75	0.00	3,578.64
MW - 12	06/26/15	3,596.39	-	17.82	0.00	3,578.57
MW - 12	06/30/15	3,596.39	-	17.69	0.00	3,578.70
MW - 12	07/07/15	3,596.39	-	17.79	0.00	3,578.60
MW - 12	07/17/15	3,596.39	-	17.86	0.00	3,578.53
MW - 12	07/23/15	3,596.39	-	17.81	0.00	3,578.58
MW - 12	07/29/15	3,596.39	-	17.83	0.00	3,578.56
MW - 12	08/05/15	3,596.39	-	17.81	0.00	3,578.58
MW - 12	08/14/15	3,596.39	-	17.85	0.00	3,578.54
MW - 12	08/17/15	3,596.39	-	17.82	0.00	3,578.57
MW - 12	08/27/15	3,596.39	-	17.87	0.00	3,578.52
MW - 12	09/04/15	3,596.39	-	17.90	0.00	3,578.49
MW - 12	09/10/15	3,596.39	-	17.90	0.00	3,578.49
MW - 12	09/18/15	3,596.39	-	17.79	0.00	3,578.60

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 12	09/29/15	3,596.39	-	17.88	0.00	3,578.51
MW - 12	10/05/15	3,596.39	-	17.88	0.00	3,578.51
MW - 12	10/14/15	3,596.39	-	17.82	0.00	3,578.57
MW - 12	10/15/15	3,596.39	-	17.82	0.00	3,578.57
MW - 12	10/21/15	3,596.39	-	17.88	0.00	3,578.51
MW - 12	10/27/15	3,596.39	-	17.82	0.00	3,578.57
MW - 12	11/06/15	3,596.39	-	17.89	0.00	3,578.50
MW - 12	11/13/15	3,596.39	-	17.88	0.00	3,578.51
MW - 12	11/23/15	3,596.39	-	17.90	0.00	3,578.49
MW - 12	12/03/15	3,596.39	-	17.90	0.00	3,578.49
MW - 12	12/09/15	3,596.39	-	17.90	0.00	3,578.49
MW - 12	12/18/15	3,596.39	-	17.93	0.00	3,578.46
MW - 12	12/23/15	3,596.39	-	17.92	0.00	3,578.47
MW - 12	01/06/16	3,596.39	-	17.90	0.00	3,578.49
MW - 12	01/15/16	3,596.39	-	17.87	0.00	3,578.52
MW - 12	01/18/16	3,596.39	-	17.90	0.00	3,578.49
MW - 12	01/29/16	3,596.39	-	17.89	0.00	3,578.50
MW - 12	02/05/16	3,596.39	-	17.90	0.00	3,578.49
MW - 12	02/11/16	3,596.39	-	17.83	0.00	3,578.56
MW - 12	02/18/16	3,596.39	-	17.84	0.00	3,578.55
MW - 12	02/23/16	3,596.39	-	17.90	0.00	3,578.49
MW - 12	03/03/16	3,596.39	-	17.89	0.00	3,578.50
MW - 12	03/07/16	3,596.39	-	17.82	0.00	3,578.57
MW - 12	03/17/16	3,596.39	-	17.79	0.00	3,578.60
MW - 12	04/04/16	3,596.39	-	17.79	0.00	3,578.60
MW - 12	04/11/16	3,596.39	-	17.85	0.00	3,578.54
MW - 12	04/19/16	3,596.39	-	17.81	0.00	3,578.58
MW - 12	04/28/16	3,596.39	-	17.79	0.00	3,578.60
MW - 12	05/06/16	3,596.39	-	17.79	0.00	3,578.60
MW - 12	05/13/16	3,596.39	-	17.76	0.00	3,578.63
MW - 12	05/19/16	3,596.39	-	17.80	0.00	3,578.59
MW - 12	06/01/16	3,596.39	-	17.77	0.00	3,578.62
MW - 12	06/09/16	3,596.39	-	17.77	0.00	3,578.62
MW - 12	06/14/16	3,596.39	-	17.82	0.00	3,578.57
MW - 12	06/23/16	3,596.39	-	17.83	0.00	3,578.56
MW - 12	06/27/16	3,596.39	-	17.72	0.00	3,578.67
MW - 12	06/29/16	3,596.39	-	17.71	0.00	3,578.68
MW - 12	07/08/16	3,596.39	-	17.74	0.00	3,578.65
MW - 12	07/14/16	3,596.39	-	17.78	0.00	3,578.61

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 12	07/22/16	3,596.39	-	17.79	0.00	3,578.60
MW - 12	07/27/16	3,596.39	-	17.80	0.00	3,578.59
MW - 12	08/11/16	3,596.39	-	17.52	0.00	3,578.87
MW - 12	08/19/16	3,596.39	-	17.82	0.00	3,578.57
MW - 12	08/24/16	3,596.39	-	17.77	0.00	3,578.62
MW - 12	09/02/16	3,596.39	-	17.46	0.00	3,578.93
MW - 12	09/09/16	3,596.39	-	17.50	0.00	3,578.89
MW - 12	09/16/16	3,596.39	-	17.46	0.00	3,578.93
MW - 12	09/23/16	3,596.39	-	17.52	0.00	3,578.87
MW - 12	10/14/16	3,596.39	-	17.59	0.00	3,578.80
MW - 12	10/19/16	3,596.39	-	17.57	0.00	3,578.82
MW - 12	11/08/16	3,596.39	-	17.62	0.00	3,578.77
MW - 12	11/16/16	3,596.39	-	17.63	0.00	3,578.76
MW - 12	12/02/16	3,596.39	-	17.70	0.00	3,578.69
MW - 12	12/06/16	3,596.39	-	17.72	0.00	3,578.67
MW - 12	12/12/16	3,596.39	-	17.68	0.00	3,578.71
MW - 12	12/19/16	3,596.39	-	17.71	0.00	3,578.68
MW - 12	12/26/16	3,596.39	-	17.72	0.00	3,578.67
MW - 12	01/06/17	3,596.39	-	17.74	0.00	3,578.65
MW - 12	01/13/17	3,596.39	-	17.76	0.00	3,578.63
MW - 12	01/19/17	3,596.39	-	17.72	0.00	3,578.67
MW - 12	01/26/17	3,596.39	-	17.75	0.00	3,578.64
MW - 12	02/03/17	3,596.39	-	17.75	0.00	3,578.64
MW - 12	02/08/17	3,596.39	-	17.77	0.00	3,578.62
MW - 12	02/17/17	3,596.39	-	17.79	0.00	3,578.60
MW - 12	02/22/17	3,596.39	-	17.77	0.00	3,578.62
MW - 12	03/01/17	3,596.39	-	17.82	0.00	3,578.57
MW - 12	03/09/17	3,596.39	-	17.79	0.00	3,578.60
MW - 12	03/15/17	3,596.39	-	17.80	0.00	3,578.59
MW - 12	03/16/17	3,596.39	-	17.79	0.00	3,578.60
MW - 12	03/21/17	3,596.39	-	17.79	0.00	3,578.60
MW - 12	03/29/17	3,596.39	-	17.76	0.00	3,578.63
MW - 12	04/07/17	3,596.39	-	17.73	0.00	3,578.66
MW - 12	04/19/17	3,596.39	-	17.74	0.00	3,578.65
MW - 12	04/24/17	3,596.39	-	17.70	0.00	3,578.69
MW - 12	05/05/17	3,596.39	-	17.71	0.00	3,578.68
MW - 12	05/19/17	3,596.39	-	17.73	0.00	3,578.66
MW - 12	05/31/17	3,596.39	-	17.85	0.00	3,578.54
MW - 12	06/07/17	3,596.39	-	17.96	0.00	3,578.43

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 12	06/14/17	3,596.39	-	17.87	0.00	3,578.52
MW - 13	02/16/00	3,592.71	-	19.59	0.00	3,573.12
MW - 13	06/09/00	3,592.71	-	19.61	0.00	3,573.10
MW - 13	09/19/00	3,592.71	-	19.56	0.00	3,573.15
MW - 13	12/19/00	3,592.71	-	19.60	0.00	3,573.11
MW - 13	03/21/01	3,592.71	-	19.58	0.00	3,573.13
MW - 13	06/05/01	3,592.71	-	19.57	0.00	3,573.14
MW - 13	09/26/01	3,592.71	-	19.62	0.00	3,573.09
MW - 13	11/24/01	3,592.71	-	19.65	0.00	3,573.06
MW - 13	03/25/02	3,592.71	-	19.65	0.00	3,573.06
MW - 13	08/01/02	3,592.71	-	19.67	0.00	3,573.04
MW - 13	09/23/02	3,592.71	-	19.96	0.00	3,572.75
MW - 13	11/05/02	3,592.71	-	19.66	0.00	3,573.05
MW - 13	12/02/02	3,592.71	-	19.67	0.00	3,573.04
MW - 13	03/03/03	3,592.71	-	19.65	0.00	3,573.06
MW - 13	09/09/04	3,592.71	-	19.67	0.00	3,573.04
MW - 13	12/23/04	3,592.71	-	17.45	0.00	3,575.26
MW - 13	03/18/05	3,592.71	-	19.00	0.00	3,573.71
MW - 13	06/17/05	3,592.71	-	19.56	0.00	3,573.15
MW - 13	09/22/05	3,592.71	-	19.61	0.00	3,573.10
MW - 13	12/20/05	3,592.71	-	19.64	0.00	3,573.07
MW - 13	03/21/06	3,592.71	-	19.70	0.00	3,573.01
MW - 13	06/22/06	3,592.71	-	19.71	0.00	3,573.00
MW - 13	07/14/06	3,592.71	-	19.74	0.00	3,572.97
MW - 13	07/28/06	3,592.71	-	19.77	0.00	3,572.94
MW - 13	08/11/06	3,592.71	-	15.63	0.00	3,577.08
MW - 13	09/07/06	3,592.71	-	17.57	0.00	3,575.14
MW - 13	09/16/06	3,592.71	-	17.66	0.00	3,575.05
MW - 13	10/04/06	3,592.71	-	17.63	0.00	3,575.08
MW - 13	11/17/06	3,592.71	-	18.61	0.00	3,574.10
MW - 13	01/11/07	3,592.71	-	19.35	0.00	3,573.36
MW - 13	01/25/07	3,592.71	-	19.41	0.00	3,573.30
MW - 13	02/15/07	3,592.71	-	19.49	0.00	3,573.22
MW - 13	05/11/07	3,592.71	-	19.55	0.00	3,573.16
MW - 13	08/27/07	3,592.71	-	19.68	0.00	3,573.03
MW - 13	11/14/07	3,592.71	-	19.71	0.00	3,573.00
MW - 13	02/20/08	3,592.71	-	19.70	0.00	3,573.01
MW - 13	05/20/08	3,592.71	-	19.68	0.00	3,573.03

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 13	08/20/08	3,592.71	-	19.78	0.00	3,572.93
MW - 13	11/18/08	3,592.71	-	19.64	0.00	3,573.07
MW - 13	02/17/09	3,592.71	-	19.70	0.00	3,573.01
MW - 13	05/18/09	3,592.71	-	19.59	0.00	3,573.12
MW - 13	08/17/09	3,592.71	-	19.61	0.00	3,573.10
MW - 13	11/12/09	3,592.71	-	18.73	0.00	3,573.98
MW - 13	01/13/10	3,592.71	-	19.04	0.00	3,573.67
MW - 13	02/18/10	3,592.71	-	19.65	0.00	3,573.06
MW - 13	05/19/10	3,592.71	-	19.67	0.00	3,573.04
MW - 13	08/18/10	3,592.71	-	19.66	0.00	3,573.05
MW - 13	11/16/10	3,592.71	-	19.65	0.00	3,573.06
MW - 13	02/22/11	3,592.71	-	19.65	0.00	3,573.06
MW - 13	05/24/11	3,592.71	-	19.64	0.00	3,573.07
MW - 13	08/25/11	3,592.71	-	19.96	0.00	3,572.75
MW - 13	11/02/11	3,592.71	-	19.82	0.00	3,572.89
MW - 13	03/01/12	3,592.71	-	19.78	0.00	3,572.93
MW - 13	05/30/12	3,592.71	-	19.73	0.00	3,572.98
MW - 13	08/13/12	3,592.71	-	19.74	0.00	3,572.97
MW - 13	11/08/12	3,592.71	-	19.67	0.00	3,573.04
MW - 13	02/19/13	3,592.71	-	19.62	0.00	3,573.09
MW - 13	05/20/13	3,592.71	-	19.58	0.00	3,573.13
MW - 13	08/19/13	3,592.71	-	19.44	0.00	3,573.27
MW - 13	11/19/13	3,592.71	-	19.59	0.00	3,573.12
MW - 13	02/18/14	3,592.71	-	19.64	0.00	3,573.07
MW - 13	02/27/14	3,592.71	-	19.62	0.00	3,573.09
MW - 13	03/05/14	3,592.71	-	19.60	0.00	3,573.11
MW - 13	03/18/14	3,592.71	-	19.59	0.00	3,573.12
MW - 13	05/21/14	3,592.71	-	19.54	0.00	3,573.17
MW - 13	07/23/14	3,592.71	-	19.59	0.00	3,573.12
MW - 13	08/28/14	3,592.71	-	19.66	0.00	3,573.05
MW - 13	10/29/14	3,592.71	-	18.60	0.00	3,574.11
MW - 13	11/20/14	3,592.71	-	18.81	0.00	3,573.90
MW - 13	02/24/15	3,592.71	-	19.30	0.00	3,573.41
MW - 13	03/12/15	3,592.71	-	19.36	0.00	3,573.35
MW - 13	04/30/15	3,592.71	-	19.47	0.00	3,573.24
MW - 13	05/04/15	3,592.71	-	19.48	0.00	3,573.23
MW - 13	07/23/15	3,592.71	-	19.42	0.00	3,573.29
MW - 13	08/05/15	3,592.71	-	19.47	0.00	3,573.24
MW - 13	09/29/15	3,592.71	-	19.50	0.00	3,573.21

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 13	10/14/15	3,592.71	-	19.43	0.00	3,573.28
MW - 13	11/23/15	3,592.71	-	19.51	0.00	3,573.20
MW - 13	02/22/16	3,592.71	-	19.52	0.00	3,573.19
MW - 13	04/28/16	3,592.71	-	19.46	0.00	3,573.25
MW - 13	06/01/16	3,592.71	-	19.45	0.00	3,573.26
MW - 13	08/10/16	3,592.71	-	19.49	0.00	3,573.22
MW - 13	12/06/16	3,592.71	-	19.32	0.00	3,573.39
MW - 13	02/22/17	3,592.71	-	19.40	0.00	3,573.31
MW - 13	03/16/17	3,592.71	-	19.42	0.00	3,573.29
MW - 13	05/31/17	3,592.71	-	19.48	0.00	3,573.23
MW - 14	02/16/00	3,592.73	-	19.53	0.00	3,573.20
MW - 14	06/09/00	3,592.73	-	19.57	0.00	3,573.16
MW - 14	09/19/00	3,592.73	-	19.45	0.00	3,573.28
MW - 14	12/19/00	3,592.73	-	19.49	0.00	3,573.24
MW - 14	03/21/01	3,592.73	-	19.58	0.00	3,573.15
MW - 14	06/05/01	3,592.73	-	19.58	0.00	3,573.15
MW - 14	09/26/01	3,592.73	-	19.72	0.00	3,573.01
MW - 14	11/24/01	3,592.73	-	19.84	0.00	3,572.89
MW - 14	03/25/02	3,592.73	-	19.66	0.00	3,573.07
MW - 14	08/01/02	3,592.73	-	19.70	0.00	3,573.03
MW - 14	09/23/02	3,592.73	-	19.66	0.00	3,573.07
MW - 14	11/05/02	3,592.73	-	19.61	0.00	3,573.12
MW - 14	12/02/02	3,592.73	-	19.63	0.00	3,573.10
MW - 14	03/03/03	3,592.73	-	19.68	0.00	3,573.05
MW - 14	09/09/04	3,592.73	-	19.60	0.00	3,573.13
MW - 14	12/23/04	3,592.73	-	17.15	0.00	3,575.58
MW - 14	03/18/05	3,592.73	-	18.85	0.00	3,573.88
MW - 14	06/17/05	3,592.73	-	19.48	0.00	3,573.25
MW - 14	09/22/05	3,592.73	-	19.47	0.00	3,573.26
MW - 14	12/20/05	3,592.73	-	19.48	0.00	3,573.25
MW - 14	03/21/06	3,592.73	-	19.53	0.00	3,573.20
MW - 14	06/22/06	3,592.73	-	19.54	0.00	3,573.19
MW - 14	09/07/06	3,592.73	-	17.09	0.00	3,575.64
MW - 14	11/16/06	3,592.73	-	18.46	0.00	3,574.27
MW - 14	02/15/07	3,592.73	-	19.40	0.00	3,573.33
MW - 14	05/11/07	3,592.73	-	19.43	0.00	3,573.30
MW - 14	08/27/07	3,592.73	-	19.58	0.00	3,573.15
MW - 14	11/14/07	3,592.73	-	19.53	0.00	3,573.20

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 14	02/20/08	3,592.73	-	19.53	0.00	3,573.20
MW - 14	05/20/08	3,592.73	-	19.50	0.00	3,573.23
MW - 14	08/20/08	3,592.73	-	19.56	0.00	3,573.17
MW - 14	11/18/08	3,592.73	-	19.42	0.00	3,573.31
MW - 14	02/18/09	3,592.73	-	19.54	0.00	3,573.19
MW - 14	05/18/09	3,592.73	-	19.49	0.00	3,573.24
MW - 14	08/17/09	3,592.73	-	19.45	0.00	3,573.28
MW - 14	11/12/09	3,592.73	-	19.52	0.00	3,573.21
MW - 14	01/13/10	3,592.73	-	19.53	0.00	3,573.20
MW - 14	02/18/10	3,592.73	-	19.55	0.00	3,573.18
MW - 14	05/19/10	3,592.73	-	19.61	0.00	3,573.12
MW - 14	05/28/10	PLUGGED & ABANDONED				
MW - 15	02/16/00	3,595.93	-	18.54	0.00	3,577.39
MW - 15	06/09/00	3,595.93	-	18.30	0.00	3,577.63
MW - 15	09/19/00	3,595.93	-	18.11	0.00	3,577.82
MW - 15	12/19/00	3,595.93	-	18.25	0.00	3,577.68
MW - 15	03/21/01	3,595.93	-	18.28	0.00	3,577.65
MW - 15	06/05/01	3,595.93	-	18.12	0.00	3,577.81
MW - 15	09/26/01	3,595.93	-	18.25	0.00	3,577.68
MW - 15	11/24/01	3,595.93	-	18.37	0.00	3,577.56
MW - 15	03/25/02	3,595.93	-	18.22	0.00	3,577.71
MW - 15	08/01/02	3,595.93	-	18.18	0.00	3,577.75
MW - 15	09/23/02	3,595.93	-	18.22	0.00	3,577.71
MW - 15	11/05/02	3,595.93	-	18.14	0.00	3,577.79
MW - 15	12/02/02	3,595.93	-	18.19	0.00	3,577.74
MW - 15	03/03/03	3,595.93	-	18.18	0.00	3,577.75
MW - 15	09/09/04	3,595.93	-	18.05	0.00	3,577.88
MW - 15	12/23/04	3,595.93	-	17.23	0.00	3,578.70
MW - 15	03/18/05	3,595.93	-	17.49	0.00	3,578.44
MW - 15	06/17/05	3,595.93	-	17.73	0.00	3,578.20
MW - 15	09/22/05	3,595.93	-	17.74	0.00	3,578.19
MW - 15	12/20/05	3,595.93	-	18.78	0.00	3,577.15
MW - 15	03/21/06	3,595.93	-	17.82	0.00	3,578.11
MW - 15	06/22/06	3,595.93	-	17.85	0.00	3,578.08
MW - 15	09/07/06	3,595.93	-	16.81	0.00	3,579.12
MW - 15	11/17/06	3,595.93	-	17.22	0.00	3,578.71
MW - 15	02/15/07	3,595.93	-	17.64	0.00	3,578.29
MW - 15	05/11/07	3,595.93	-	17.63	0.00	3,578.30

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 15	08/27/07	3,595.93	-	17.81	0.00	3,578.12
MW - 15	11/14/07	3,595.93	-	17.85	0.00	3,578.08
MW - 15	02/20/08	3,595.93	-	17.82	0.00	3,578.11
MW - 15	05/20/08	3,595.93	-	17.65	0.00	3,578.28
MW - 15	08/20/08	3,595.93	-	17.86	0.00	3,578.07
MW - 15	11/18/08	3,595.93	-	17.72	0.00	3,578.21
MW - 15	02/17/09	3,595.93	-	17.84	0.00	3,578.09
MW - 15	05/18/09	3,595.93	-	17.66	0.00	3,578.27
MW - 15	08/17/09	3,595.93	-	17.69	0.00	3,578.24
MW - 15	11/12/09	3,595.93	-	17.80	0.00	3,578.13
MW - 15	01/13/10	3,595.93	-	17.56	0.00	3,578.37
MW - 15	02/18/10	3,595.93	-	17.87	0.00	3,578.06
MW - 15	05/19/10	3,595.93	-	17.91	0.00	3,578.02
MW - 15	08/18/10	3,595.93	-	17.91	0.00	3,578.02
MW - 15	11/15/10	3,595.93	-	17.94	0.00	3,577.99
MW - 15	02/24/11	3,595.93	-	17.94	0.00	3,577.99
MW - 15	05/24/11	3,595.93	-	17.96	0.00	3,577.97
MW - 15	08/24/11	3,595.93	-	17.64	0.00	3,578.29
MW - 15	11/02/11	3,595.93	-	17.82	0.00	3,578.11
MW - 15	03/01/12	3,595.93	-	17.74	0.00	3,578.19
MW - 15	05/30/12	3,595.93	-	17.68	0.00	3,578.25
MW - 15	08/13/12	3,595.93	-	17.69	0.00	3,578.24
MW - 15	11/08/12	3,595.93	-	17.71	0.00	3,578.22
MW - 15	02/19/13	3,595.93	-	17.62	0.00	3,578.31
MW - 15	05/20/13	3,595.93	-	17.54	0.00	3,578.39
MW - 15	08/19/13	3,595.93	-	17.48	0.00	3,578.45
MW - 15	11/19/13	3,595.93	-	17.54	0.00	3,578.39
MW - 15	02/18/14	3,595.93	-	17.59	0.00	3,578.34
MW - 15	05/21/14	3,595.93	-	17.50	0.00	3,578.43
MW - 15	07/23/14	3,595.93	-	17.58	0.00	3,578.35
MW - 15	08/28/14	3,595.93	-	17.68	0.00	3,578.25
MW - 15	10/29/14	3,595.93	-	16.99	0.00	3,578.94
MW - 15	11/20/14	3,595.93	-	17.06	0.00	3,578.87
MW - 15	02/24/15	3,595.93	-	17.38	0.00	3,578.55
MW - 15	03/12/15	3,595.93	-	17.97	0.00	3,577.96
MW - 15	04/30/15	3,595.93	-	17.58	0.00	3,578.35
MW - 15	05/04/15	3,595.93	-	17.55	0.00	3,578.38
MW - 15	07/23/15	3,595.93	-	17.48	0.00	3,578.45
MW - 15	08/05/15	3,595.93	-	17.49	0.00	3,578.44

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 15	09/29/15	3,595.93	-	17.55	0.00	3,578.38
MW - 15	10/14/15	3,595.93	-	17.47	0.00	3,578.46
MW - 15	11/23/15	3,595.93	-	17.56	0.00	3,578.37
MW - 15	02/22/16	3,595.93	-	17.51	0.00	3,578.42
MW - 15	04/28/16	3,595.93	-	17.35	0.00	3,578.58
MW - 15	05/31/16	3,595.93	-	17.44	0.00	3,578.49
MW - 15	08/10/16	3,595.93	-	17.51	0.00	3,578.42
MW - 15	12/05/16	3,595.93	-	17.29	0.00	3,578.64
MW - 15	02/22/17	3,595.93	-	17.44	0.00	3,578.49
MW - 15	03/16/17	3,595.93	-	17.46	0.00	3,578.47
MW - 15	05/30/17	3,595.93	-	17.51	0.00	3,578.42
MW - 16	02/16/00	3,595.75	16.53	17.01	0.48	3,579.15
MW - 16	06/09/00	3,595.75	16.89	17.08	0.19	3,578.83
MW - 16	09/19/00	3,595.75	16.41	16.53	0.12	3,579.32
MW - 16	12/19/00	3,595.75	-	16.65	0.00	3,579.10
MW - 16	03/21/01	3,595.75	16.87	16.98	0.11	3,578.86
MW - 16	06/05/01	3,595.75	16.97	17.23	0.26	3,578.74
MW - 16	09/26/01	3,595.75	16.50	16.72	0.22	3,579.22
MW - 16	11/24/01	3,595.75	17.08	17.34	0.26	3,578.63
MW - 16	03/25/02	3,595.75	16.38	16.45	0.07	3,579.36
MW - 16	08/01/02	3,595.75	16.25	16.41	0.16	3,579.48
MW - 16	09/23/02	3,595.75	-	16.40	0.00	3,579.35
MW - 16	11/05/02	3,595.75	-	16.19	0.00	3,579.56
MW - 16	12/02/02	3,595.75	-	16.39	0.00	3,579.36
MW - 16	12/27/02	3,595.75	-	16.34	0.00	3,579.41
MW - 16	03/03/03	3,595.75	16.42	16.50	0.08	3,579.32
MW - 16	03/13/03	3,595.75	-	16.63	0.00	3,579.12
MW - 16	04/03/03	3,595.75	-	16.47	0.00	3,579.28
MW - 16	09/09/04	3,595.75	-	16.07	0.00	3,579.68
MW - 16	12/23/04	3,595.75	14.92	14.94	0.02	3,580.83
MW - 16	12/28/04	3,595.75	-	15.92	0.00	3,579.83
MW - 16	01/05/05	3,595.75	-	15.02	0.00	3,580.73
MW - 16	01/12/05	3,595.75	-	15.11	0.00	3,580.64
MW - 16	01/19/05	3,595.75	-	15.08	0.00	3,580.67
MW - 16	01/26/05	3,595.75	-	15.17	0.00	3,580.58
MW - 16	02/01/05	3,595.75	-	15.11	0.00	3,580.64
MW - 16	02/09/05	3,595.75	-	15.13	0.00	3,580.62
MW - 16	02/16/05	3,595.75	-	15.13	0.00	3,580.62

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 16	02/23/05	3,595.75	-	15.10	0.00	3,580.65
MW - 16	03/02/05	3,595.75	-	15.20	0.00	3,580.55
MW - 16	03/09/05	3,595.75	-	15.31	0.00	3,580.44
MW - 16	03/17/05	3,595.75	-	15.31	0.00	3,580.44
MW - 16	03/19/05	3,595.75	-	15.25	0.00	3,580.50
MW - 16	03/23/05	3,595.75	-	15.27	0.00	3,580.48
MW - 16	03/30/05	3,595.75	-	15.30	0.00	3,580.45
MW - 16	04/06/05	3,595.75	-	15.28	0.00	3,580.47
MW - 16	04/14/05	3,595.75	-	15.35	0.00	3,580.40
MW - 16	05/26/05	3,595.75	-	15.47	0.00	3,580.28
MW - 16	06/08/05	3,595.75	-	15.51	0.00	3,580.24
MW - 16	06/17/05	3,595.75	15.49	15.50	0.01	3,580.26
MW - 16	06/23/05	3,595.75	-	15.50	0.00	3,580.25
MW - 16	07/13/05	3,595.75	-	15.53	0.00	3,580.22
MW - 16	07/28/05	3,595.75	-	15.60	0.00	3,580.15
MW - 16	08/11/05	3,595.75	15.47	15.48	0.01	3,580.28
MW - 16	08/25/05	3,595.75	-	15.34	0.00	3,580.41
MW - 16	09/13/05	3,595.75	-	15.46	0.00	3,580.29
MW - 16	09/22/05	3,595.75	15.50	15.51	0.01	3,580.25
MW - 16	09/30/05	3,595.75	-	15.54	0.00	3,580.21
MW - 16	10/11/05	3,595.75	15.55	15.56	0.01	3,580.20
MW - 16	10/28/05	3,595.75	15.52	15.53	0.01	3,580.23
MW - 16	11/17/05	3,595.75	15.54	15.55	0.01	3,580.21
MW - 16	12/02/05	3,595.75	15.56	15.57	0.01	3,580.19
MW - 16	12/20/05	3,595.75	-	15.52	0.00	3,580.23
MW - 16	12/30/05	3,595.75	-	15.59	0.00	3,580.16
MW - 16	01/12/06	3,595.75	-	15.50	0.00	3,580.25
MW - 16	01/25/06	3,595.75	-	15.52	0.00	3,580.23
MW - 16	02/08/06	3,595.75	-	15.51	0.00	3,580.24
MW - 16	02/23/06	3,595.75	-	15.53	0.00	3,580.22
MW - 16	03/08/06	3,595.75	-	15.52	0.00	3,580.23
MW - 16	03/21/06	3,595.75	-	15.59	0.00	3,580.16
MW - 16	03/24/06	3,595.75	-	15.64	0.00	3,580.11
MW - 16	03/30/06	3,595.75	-	15.63	0.00	3,580.12
MW - 16	04/19/06	3,595.75	-	15.53	0.00	3,580.22
MW - 16	05/03/06	3,595.75	-	15.64	0.00	3,580.11
MW - 16	06/02/06	3,595.75	-	15.34	0.00	3,580.41
MW - 16	06/15/06	3,595.75	-	15.68	0.00	3,580.07
MW - 16	06/22/06	3,595.75	-	16.32	0.00	3,579.43

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 16	06/29/06	3,595.75	-	15.41	0.00	3,580.34
MW - 16	07/14/06	3,595.75	-	15.72	0.00	3,580.03
MW - 16	07/28/06	3,595.75	-	15.74	0.00	3,580.01
MW - 16	08/11/06	3,595.75	-	15.78	0.00	3,579.97
MW - 16	09/07/06	3,595.75	-	14.45	0.00	3,581.30
MW - 16	09/16/06	3,595.75	-	14.68	0.00	3,581.07
MW - 16	10/04/06	3,595.75	-	14.49	0.00	3,581.26
MW - 16	11/17/06	3,595.75	-	14.95	0.00	3,580.80
MW - 16	01/11/07	3,595.75	-	15.22	0.00	3,580.53
MW - 16	01/25/07	3,595.75	-	15.29	0.00	3,580.46
MW - 16	02/15/07	3,595.75	-	15.44	0.00	3,580.31
MW - 16	05/11/07	3,595.75	-	15.44	0.00	3,580.31
MW - 16	08/27/07	3,595.75	-	15.60	0.00	3,580.15
MW - 16	11/14/07	3,595.75	-	15.62	0.00	3,580.13
MW - 16	02/20/08	3,595.75	-	15.61	0.00	3,580.14
MW - 16	05/20/08	3,595.75	-	15.55	0.00	3,580.20
MW - 16	08/20/08	3,595.75	-	15.68	0.00	3,580.07
MW - 16	11/18/08	3,595.75	-	15.64	0.00	3,580.11
MW - 16	12/17/08	3,595.75	-	15.58	0.00	3,580.17
MW - 16	12/30/08	3,595.75	-	15.63	0.00	3,580.12
MW - 16	01/07/09	3,595.75	-	15.64	0.00	3,580.11
MW - 16	01/15/09	3,595.75	-	15.67	0.00	3,580.08
MW - 16	01/21/09	3,595.75	-	15.61	0.00	3,580.14
MW - 16	01/29/09	3,595.75	-	15.65	0.00	3,580.10
MW - 16	02/09/09	3,595.75	-	15.65	0.00	3,580.10
MW - 16	02/17/09	3,595.75	-	15.65	0.00	3,580.10
MW - 16	02/23/09	3,595.75	-	15.60	0.00	3,580.15
MW - 16	03/02/09	3,595.75	-	15.62	0.00	3,580.13
MW - 16	03/05/09	3,595.75	-	15.50	0.00	3,580.25
MW - 16	03/09/09	3,595.75	-	15.61	0.00	3,580.14
MW - 16	03/18/09	3,595.75	-	15.57	0.00	3,580.18
MW - 16	03/20/09	3,595.75	-	15.52	0.00	3,580.23
MW - 16	03/25/09	3,595.75	-	15.55	0.00	3,580.20
MW - 16	03/30/09	3,595.75	-	15.59	0.00	3,580.16
MW - 16	04/06/09	3,595.75	-	15.59	0.00	3,580.16
MW - 16	04/14/09	3,595.75	-	15.56	0.00	3,580.19
MW - 16	04/17/09	3,595.75	-	15.58	0.00	3,580.17
MW - 16	04/21/09	3,595.75	-	15.56	0.00	3,580.19
MW - 16	04/27/09	3,595.75	-	15.56	0.00	3,580.19

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 16	04/30/09	3,595.75	-	15.54	0.00	3,580.21
MW - 16	05/06/09	3,595.75	-	15.56	0.00	3,580.19
MW - 16	05/18/09	3,595.75	-	15.61	0.00	3,580.14
MW - 16	05/26/09	3,595.75	-	15.21	0.00	3,580.54
MW - 16	06/02/09	3,595.75	-	15.62	0.00	3,580.13
MW - 16	06/08/09	3,595.75	-	15.70	0.00	3,580.05
MW - 16	06/17/09	3,595.75	-	15.58	0.00	3,580.17
MW - 16	07/01/09	3,595.75	-	15.64	0.00	3,580.11
MW - 16	07/07/09	3,595.75	-	15.66	0.00	3,580.09
MW - 16	07/14/09	3,595.75	-	15.58	0.00	3,580.17
MW - 16	07/23/09	3,595.75	-	15.56	0.00	3,580.19
MW - 16	07/27/09	3,595.75	-	15.64	0.00	3,580.11
MW - 16	07/31/09	3,595.75	-	15.61	0.00	3,580.14
MW - 16	08/06/09	3,595.75	-	15.62	0.00	3,580.13
MW - 16	08/13/09	3,595.75	-	15.60	0.00	3,580.15
MW - 16	08/17/09	3,595.75	-	15.56	0.00	3,580.19
MW - 16	08/25/09	3,595.75	-	15.64	0.00	3,580.11
MW - 16	09/01/09	3,595.75	-	15.68	0.00	3,580.07
MW - 16	09/08/09	3,595.75	-	15.63	0.00	3,580.12
MW - 16	09/15/09	3,595.75	-	15.62	0.00	3,580.13
MW - 16	09/25/09	3,595.75	-	15.60	0.00	3,580.15
MW - 16	09/28/09	3,595.75	-	15.66	0.00	3,580.09
MW - 16	10/01/09	3,595.75	-	15.58	0.00	3,580.17
MW - 16	10/05/09	3,595.75	-	15.65	0.00	3,580.10
MW - 16	10/07/09	3,595.75	-	15.60	0.00	3,580.15
MW - 16	10/12/09	3,595.75	-	15.71	0.00	3,580.04
MW - 16	10/19/09	3,595.75	-	15.72	0.00	3,580.03
MW - 16	10/26/09	3,595.75	-	15.75	0.00	3,580.00
MW - 16	10/30/09	3,595.75	-	15.65	0.00	3,580.10
MW - 16	11/12/09	3,595.75	-	15.65	0.00	3,580.10
MW - 16	01/13/10	3,595.75	-	15.74	0.00	3,580.01
MW - 16	01/20/10	3,595.75	-	15.73	0.00	3,580.02
MW - 16	02/18/10	3,595.75	-	15.73	0.00	3,580.02
MW - 16	03/03/10	3,595.75	sheen	15.76	0.00	3,579.99
MW - 16	03/16/10	3,595.75	-	15.76	0.00	3,579.99
MW - 16	04/05/10	3,595.75	-	15.74	0.00	3,580.01
MW - 16	04/15/10	3,595.75	-	15.79	0.00	3,579.96
MW - 16	04/19/10	3,595.75	-	15.81	0.00	3,579.94
MW - 16	04/28/10	3,595.75	-	15.76	0.00	3,579.99

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 16	05/19/10	3,595.75	-	15.77	0.00	3,579.98
MW - 16	05/21/10	3,595.75	-	15.79	0.00	3,579.96
MW - 16	08/18/10	3,595.75	-	15.76	0.00	3,579.99
MW - 16	11/15/10	3,595.75	-	15.76	0.00	3,579.99
MW - 16	02/24/11	3,595.75	-	15.75	0.00	3,580.00
MW - 16	05/24/11	3,595.75	-	15.72	0.00	3,580.03
MW - 16	08/24/11	3,595.75	-	16.04	0.00	3,579.71
MW - 16	11/02/11	3,595.75	-	15.68	0.00	3,580.07
MW - 16	03/01/12	3,595.75	-	15.63	0.00	3,580.12
MW - 16	05/30/12	3,595.75	-	15.60	0.00	3,580.15
MW - 16	08/13/12	3,595.75	-	15.61	0.00	3,580.14
MW - 16	10/08/12	3,595.75	-	15.57	0.00	3,580.18
MW - 16	10/24/12	3,595.75	-	15.60	0.00	3,580.15
MW - 16	11/08/12	3,595.75	-	15.62	0.00	3,580.13
MW - 16	12/04/12	3,595.75	-	15.62	0.00	3,580.13
MW - 16	12/17/12	3,595.75	-	15.61	0.00	3,580.14
MW - 16	01/24/13	3,595.75	-	15.59	0.00	3,580.16
MW - 16	02/04/13	3,595.75	-	15.62	0.00	3,580.13
MW - 16	02/19/13	3,595.75	-	15.58	0.00	3,580.17
MW - 16	03/26/13	3,595.75	-	15.99	0.00	3,579.76
MW - 16	04/01/13	3,595.75	-	15.58	0.00	3,580.17
MW - 16	04/15/13	3,595.75	-	15.61	0.00	3,580.14
MW - 16	04/29/13	3,595.75	-	15.63	0.00	3,580.12
MW - 16	05/06/13	3,595.75	-	15.47	0.00	3,580.28
MW - 16	05/20/13	3,595.75	-	15.56	0.00	3,580.19
MW - 16	06/03/13	3,595.75	-	15.59	0.00	3,580.16
MW - 16	06/13/13	3,595.75	-	15.64	0.00	3,580.11
MW - 16	06/18/13	3,595.75	-	15.66	0.00	3,580.09
MW - 16	06/25/13	3,595.75	-	15.66	0.00	3,580.09
MW - 16	07/08/13	3,595.75	-	15.64	0.00	3,580.11
MW - 16	07/16/13	3,595.75	-	15.67	0.00	3,580.08
MW - 16	07/25/13	3,595.75	-	15.47	0.00	3,580.28
MW - 16	07/30/13	3,595.75	-	15.47	0.00	3,580.28
MW - 16	08/05/13	3,595.75	-	15.50	0.00	3,580.25
MW - 16	08/16/13	3,595.75	-	15.50	0.00	3,580.25
MW - 16	08/19/13	3,595.75	-	15.50	0.00	3,580.25
MW - 16	08/27/13	3,595.75	-	15.52	0.00	3,580.23
MW - 16	09/05/13	3,595.75	-	15.53	0.00	3,580.22
MW - 16	09/09/13	3,595.75	-	15.53	0.00	3,580.22

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 16	09/19/13	3,595.75	-	15.57	0.00	3,580.18
MW - 16	09/25/13	3,595.75	-	15.55	0.00	3,580.20
MW - 16	10/03/13	3,595.75	-	15.61	0.00	3,580.14
MW - 16	10/09/13	3,595.75	-	15.61	0.00	3,580.14
MW - 16	10/15/13	3,595.75	-	15.58	0.00	3,580.17
MW - 16	10/22/13	3,595.75	-	15.62	0.00	3,580.13
MW - 16	11/01/13	3,595.75	-	15.62	0.00	3,580.13
MW - 16	11/04/13	3,595.75	-	15.60	0.00	3,580.15
MW - 16	11/15/13	3,595.75	-	15.59	0.00	3,580.16
MW - 16	11/19/13	3,595.75	-	15.59	0.00	3,580.16
MW - 16	12/13/13	3,595.75	-	15.60	0.00	3,580.15
MW - 16	12/24/13	3,595.75	-	15.63	0.00	3,580.12
MW - 16	12/30/13	3,595.75	-	15.64	0.00	3,580.11
MW - 16	01/07/14	3,595.75	-	15.65	0.00	3,580.10
MW - 16	01/23/14	3,595.75	-	15.67	0.00	3,580.08
MW - 16	01/31/14	3,595.75	-	15.66	0.00	3,580.09
MW - 16	02/05/14	3,595.75	-	15.63	0.00	3,580.12
MW - 16	02/18/14	3,595.75	-	15.63	0.00	3,580.12
MW - 16	02/27/14	3,595.75	-	15.61	0.00	3,580.14
MW - 16	03/05/14	3,595.75	-	15.59	0.00	3,580.16
MW - 16	03/18/14	3,595.75	-	15.60	0.00	3,580.15
MW - 16	03/26/14	3,595.75	-	15.64	0.00	3,580.11
MW - 16	05/21/14	3,595.75	-	15.62	0.00	3,580.13
MW - 16	07/23/14	3,595.75	-	15.70	0.00	3,580.05
MW - 16	08/28/14	3,595.75	-	15.77	0.00	3,579.98
MW - 16	10/29/14	3,595.75	-	15.05	0.00	3,580.70
MW - 16	11/20/14	3,595.75	-	15.10	0.00	3,580.65
MW - 16	02/24/15	3,595.75	-	15.41	0.00	3,580.34
MW - 16	03/12/15	3,595.75	-	15.50	0.00	3,580.25
MW - 16	04/30/15	3,595.75	-	15.64	0.00	3,580.11
MW - 16	05/04/15	3,595.75	-	15.28	0.00	3,580.47
MW - 16	07/23/15	3,595.75	-	15.60	0.00	3,580.15
MW - 16	08/05/15	3,595.75	-	15.57	0.00	3,580.18
MW - 16	09/29/15	3,595.75	-	15.55	0.00	3,580.20
MW - 16	10/14/15	3,595.75	-	15.60	0.00	3,580.15
MW - 16	11/23/15	3,595.75	-	15.64	0.00	3,580.11
MW - 16	02/22/16	3,595.75	-	15.67	0.00	3,580.08
MW - 16	04/28/16	3,595.75	-	15.72	0.00	3,580.03
MW - 16	06/01/16	3,595.75	-	15.69	0.00	3,580.06

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 16	08/10/16	3,595.75	-	15.72	0.00	3,580.03
MW - 16	12/06/16	3,595.75	-	15.50	0.00	3,580.25
MW - 16	02/22/17	3,595.75	-	15.56	0.00	3,580.19
MW - 16	03/16/17	3,595.75	-	15.56	0.00	3,580.19
MW - 16	05/30/17	3,595.75	-	15.63	0.00	3,580.12
MW - 17	02/16/00	3,593.17	-	18.24	0.00	3,574.93
MW - 17	06/09/00	3,593.17	-	18.27	0.00	3,574.90
MW - 17	09/19/00	3,593.17	-	18.21	0.00	3,574.96
MW - 17	12/19/00	3,593.17	-	18.24	0.00	3,574.93
MW - 17	03/21/01	3,593.17	-	18.24	0.00	3,574.93
MW - 17	06/05/01	3,593.17	-	18.19	0.00	3,574.98
MW - 17	09/26/01	3,593.17	-	18.27	0.00	3,574.90
MW - 17	11/24/01	3,593.17	-	18.29	0.00	3,574.88
MW - 17	03/25/02	3,593.17	-	18.25	0.00	3,574.92
MW - 17	08/01/02	3,593.17	-	18.26	0.00	3,574.91
MW - 17	09/23/02	3,593.17	-	18.25	0.00	3,574.92
MW - 17	11/05/02	3,593.17	-	18.23	0.00	3,574.94
MW - 17	12/02/02	3,593.17	-	18.23	0.00	3,574.94
MW - 17	03/03/03	3,593.17	NM	NM	NM	NM
MW - 17	09/09/04	3,593.17	-	18.25	0.00	3,574.92
MW - 17	12/23/04	3,593.17	-	17.15	0.00	3,576.02
MW - 17	03/18/05	3,593.17	-	18.08	0.00	3,575.09
MW - 17	06/17/05	3,593.17	-	18.14	0.00	3,575.03
MW - 17	09/13/05	PLUGGED & ABANDONED				
MW - 18	02/16/00	3,593.39	-	18.65	0.00	3,574.74
MW - 18	06/09/00	3,593.39	-	18.79	0.00	3,574.60
MW - 18	09/19/00	3,593.39	-	18.65	0.00	3,574.74
MW - 18	12/19/00	3,593.39	-	18.65	0.00	3,574.74
MW - 18	03/21/01	3,593.39	-	18.65	0.00	3,574.74
MW - 18	06/05/01	3,593.39	-	18.67	0.00	3,574.72
MW - 18	09/26/01	3,593.39	-	18.80	0.00	3,574.59
MW - 18	11/24/01	3,593.39	-	18.90	0.00	3,574.49
MW - 18	03/25/02	3,593.39	-	18.73	0.00	3,574.66
MW - 18	08/01/02	3,593.39	-	18.79	0.00	3,574.60
MW - 18	09/23/02	3,593.39	-	18.75	0.00	3,574.64
MW - 18	11/05/02	3,593.39	-	18.70	0.00	3,574.69
MW - 18	12/02/02	3,593.39	-	18.71	0.00	3,574.68

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 18	03/03/03	3,593.39	NM	NM	NM	NM
MW - 18	09/09/04	3,593.39	-	18.70	0.00	3,574.69
MW - 18	12/23/04	3,593.39	-	17.20	0.00	3,576.19
MW - 18	03/18/05	3,593.39	-	18.36	0.00	3,575.03
MW - 18	06/17/05	3,593.39	-	18.53	0.00	3,574.86
MW - 18	09/13/05	PLUGGED & ABANDONED				
MW - 19	02/16/00	3,599.33	-	17.45	0.00	3,581.88
MW - 19	06/09/00	3,599.33	-	17.45	0.00	3,581.88
MW - 19	09/19/00	3,599.33	-	17.44	0.00	3,581.89
MW - 19	12/19/00	3,599.33	-	17.45	0.00	3,581.88
MW - 19	03/21/01	3,599.33	-	17.44	0.00	3,581.89
MW - 19	06/05/01	3,599.33	-	17.44	0.00	3,581.89
MW - 19	09/26/01	3,599.33	-	17.42	0.00	3,581.91
MW - 19	11/24/01	3,599.33	-	17.42	0.00	3,581.91
MW - 19	03/25/02	3,599.33	-	17.41	0.00	3,581.92
MW - 19	08/01/02	3,599.33	-	17.41	0.00	3,581.92
MW - 19	09/23/02	3,599.33	-	17.42	0.00	3,581.91
MW - 19	11/05/02	3,599.33	-	17.43	0.00	3,581.90
MW - 19	12/02/02	3,599.33	-	17.43	0.00	3,581.90
MW - 19	03/03/03	3,599.33	-	17.43	0.00	3,581.90
MW - 19	09/09/04	3,599.33	-	17.44	0.00	3,581.89
MW - 19	12/23/04	3,599.33	-	15.10	0.00	3,584.23
MW - 19	03/18/05	3,599.33	-	16.54	0.00	3,582.79
MW - 19	06/17/05	3,599.33	-	17.35	0.00	3,581.98
MW - 19	09/13/05	PLUGGED & ABANDONED				
MW - 20	02/16/00	3,597.64	-	17.13	0.00	3,580.51
MW - 20	06/09/00	3,597.64	-	17.16	0.00	3,580.48
MW - 20	09/19/00	3,597.64	-	17.07	0.00	3,580.57
MW - 20	12/19/00	3,597.64	-	17.06	0.00	3,580.58
MW - 20	03/21/01	3,597.64	-	17.11	0.00	3,580.53
MW - 20	06/05/01	3,597.64	-	17.11	0.00	3,580.53
MW - 20	09/26/01	3,597.64	-	17.14	0.00	3,580.50
MW - 20	11/24/01	3,597.64	-	17.14	0.00	3,580.50
MW - 20	03/25/02	3,597.64	-	17.11	0.00	3,580.53
MW - 20	08/01/02	3,597.64	-	17.13	0.00	3,580.51
MW - 20	09/23/02	3,597.64	-	17.10	0.00	3,580.54
MW - 20	11/05/02	3,597.64	-	17.10	0.00	3,580.54

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 20	12/02/02	3,597.64	-	17.09	0.00	3,580.55
MW - 20	03/03/03	3,597.64	-	17.10	0.00	3,580.54
MW - 20	09/09/04	3,597.64	-	17.09	0.00	3,580.55
MW - 20	12/23/04	3,597.64	-	15.26	0.00	3,582.38
MW - 20	03/18/05	3,597.64	-	16.15	0.00	3,581.49
MW - 20	03/30/05	3,597.64	-	16.34	0.00	3,581.30
MW - 20	04/06/05	3,597.64	-	16.49	0.00	3,581.15
MW - 20	04/14/05	3,597.64	-	16.54	0.00	3,581.10
MW - 20	06/17/05	3,597.64	-	16.89	0.00	3,580.75
MW - 20	09/22/05	3,597.64	-	16.93	0.00	3,580.71
MW - 20	12/20/05	3,597.64	-	16.90	0.00	3,580.74
MW - 20	03/21/06	3,597.64	-	16.92	0.00	3,580.72
MW - 20	06/22/06	3,597.64	-	16.90	0.00	3,580.74
MW - 20	09/07/06	3,597.64	-	14.39	0.00	3,583.25
MW - 20	11/16/06	3,597.64	-	15.47	0.00	3,582.17
MW - 20	02/15/07	3,597.64	-	16.72	0.00	3,580.92
MW - 20	05/11/07	3,597.64	-	16.73	0.00	3,580.91
MW - 20	08/27/07	3,597.64	-	16.91	0.00	3,580.73
MW - 20	11/14/07	3,597.64	-	16.95	0.00	3,580.69
MW - 20	02/20/08	3,597.64	-	16.92	0.00	3,580.72
MW - 20	05/20/08	3,597.64	-	16.89	0.00	3,580.75
MW - 20	08/20/08	3,597.64	-	16.98	0.00	3,580.66
MW - 20	11/18/08	3,597.64	-	16.89	0.00	3,580.75
MW - 20	02/18/09	3,597.64	-	16.95	0.00	3,580.69
MW - 20	05/18/09	3,597.64	-	16.88	0.00	3,580.76
MW - 20	08/17/09	3,597.64	-	16.90	0.00	3,580.74
MW - 20	11/12/09	3,597.64	-	16.99	0.00	3,580.65
MW - 20	01/13/10	3,597.64	-	17.03	0.00	3,580.61
MW - 20	02/18/10	3,597.64	-	17.00	0.00	3,580.64
MW - 20	05/19/10	3,597.64	-	17.05	0.00	3,580.59
MW - 20	08/18/10	3,597.64	-	17.06	0.00	3,580.58
MW - 20	11/15/10	3,597.64	-	17.07	0.00	3,580.57
MW - 20	02/23/11	3,597.64	-	17.09	0.00	3,580.55
MW - 20	05/24/11	3,597.64	-	17.06	0.00	3,580.58
MW - 20	08/24/11	3,597.64	-	17.39	0.00	3,580.25
MW - 20	11/02/11	3,597.64	-	17.07	0.00	3,580.57
MW - 20	03/01/12	3,597.64	-	16.94	0.00	3,580.70
MW - 20	05/30/12	3,597.64	-	16.92	0.00	3,580.72
MW - 20	08/13/12	3,597.64	-	16.82	0.00	3,580.82

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 20	11/08/12	3,597.64	-	16.88	0.00	3,580.76
MW - 20	02/19/13	3,597.64	-	16.77	0.00	3,580.87
MW - 20	05/20/13	3,597.64	-	16.70	0.00	3,580.94
MW - 20	08/19/13	3,597.64	-	16.66	0.00	3,580.98
MW - 20	11/19/13	3,597.64	-	16.80	0.00	3,580.84
MW - 20	02/18/14	3,597.64	-	16.88	0.00	3,580.76
MW - 20	05/21/14	3,597.64	-	16.71	0.00	3,580.93
MW - 20	07/23/14	3,597.64	-	16.84	0.00	3,580.80
MW - 20	08/28/14	3,597.64	-	16.92	0.00	3,580.72
MW - 20	10/29/14	3,597.64	-	15.24	0.00	3,582.40
MW - 20	11/20/14	3,597.64	-	15.49	0.00	3,582.15
MW - 20	02/24/15	3,597.64	-	16.42	0.00	3,581.22
MW - 20	03/12/15	3,597.64	-	16.60	0.00	3,581.04
MW - 20	04/30/15	3,597.64	-	16.27	0.00	3,581.37
MW - 20	05/04/15	3,597.64	-	16.25	0.00	3,581.39
MW - 20	07/23/15	3,597.64	-	16.78	0.00	3,580.86
MW - 20	08/05/15	3,597.64	-	16.72	0.00	3,580.92
MW - 20	09/29/15	3,597.64	-	16.89	0.00	3,580.75
MW - 20	10/14/15	3,597.64	-	16.84	0.00	3,580.80
MW - 20	11/23/15	3,597.64	-	16.86	0.00	3,580.78
MW - 20	02/22/16	3,597.64	-	16.84	0.00	3,580.80
MW - 20	04/28/16	3,597.64	-	16.81	0.00	3,580.83
MW - 20	05/31/16	3,597.64	-	16.80	0.00	3,580.84
MW - 20	08/10/16	3,597.64	-	16.72	0.00	3,580.92
MW - 21	02/16/00	3,596.88	-	15.98	0.00	3,580.90
MW - 21	06/09/00	3,596.88	-	15.96	0.00	3,580.92
MW - 21	09/19/00	3,596.88	-	15.88	0.00	3,581.00
MW - 21	12/19/00	3,596.88	-	15.91	0.00	3,580.97
MW - 21	03/21/01	3,596.88	-	15.92	0.00	3,580.96
MW - 21	06/05/01	3,596.88	-	15.91	0.00	3,580.97
MW - 21	09/26/01	3,596.88	-	15.92	0.00	3,580.96
MW - 21	11/24/01	3,596.88	-	15.96	0.00	3,580.92
MW - 21	03/25/02	3,596.88	-	15.93	0.00	3,580.95
MW - 21	08/01/02	3,596.88	-	15.88	0.00	3,581.00
MW - 21	09/23/02	3,596.88	-	15.90	0.00	3,580.98
MW - 21	11/05/02	3,596.88	-	15.88	0.00	3,581.00
MW - 21	12/02/02	3,596.88	-	15.89	0.00	3,580.99
MW - 21	03/03/03	3,596.88	-	15.84	0.00	3,581.04

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 21	09/09/04	3,596.88	-	15.87	0.00	3,581.01
MW - 21	12/23/04	3,596.88	-	13.08	0.00	3,583.80
MW - 21	03/18/05	3,596.88	-	14.50	0.00	3,582.38
MW - 21	06/17/05	3,596.88	-	15.43	0.00	3,581.45
MW - 21	09/22/05	3,596.88	-	15.52	0.00	3,581.36
MW - 21	12/20/05	3,596.88	-	15.63	0.00	3,581.25
MW - 21	03/21/06	3,596.88	-	15.72	0.00	3,581.16
MW - 21	06/22/06	3,596.88	-	15.77	0.00	3,581.11
MW - 21	09/07/06	3,596.88	-	12.42	0.00	3,584.46
MW - 21	11/16/06	3,596.88	-	13.88	0.00	3,583.00
MW - 21	02/15/07	3,596.88	-	15.23	0.00	3,581.65
MW - 21	05/11/07	3,596.88	-	15.34	0.00	3,581.54
MW - 21	08/27/07	3,596.88	-	15.68	0.00	3,581.20
MW - 21	11/14/07	3,596.88	-	15.70	0.00	3,581.18
MW - 21	02/20/08	3,596.88	-	15.72	0.00	3,581.16
MW - 21	05/20/08	3,596.88	-	15.75	0.00	3,581.13
MW - 21	08/20/08	3,596.88	-	15.78	0.00	3,581.10
MW - 21	11/18/08	3,596.88	-	15.54	0.00	3,581.34
MW - 21	12/17/08	3,596.88	-	15.32	0.00	3,581.56
MW - 21	02/18/09	3,596.88	-	15.74	0.00	3,581.14
MW - 21	05/18/09	3,596.88	-	15.76	0.00	3,581.12
MW - 21	08/17/09	3,596.88	-	15.74	0.00	3,581.14
MW - 21	11/12/09	3,596.88	-	15.73	0.00	3,581.15
MW - 21	01/13/10	3,596.88	-	15.79	0.00	3,581.09
MW - 21	02/18/10	3,596.88	-	15.78	0.00	3,581.10
MW - 21	05/19/10	3,596.88	-	15.84	0.00	3,581.04
MW - 21	08/18/10	3,596.88	-	15.83	0.00	3,581.05
MW - 21	11/15/10	3,596.88	-	15.82	0.00	3,581.06
MW - 21	02/22/11	3,596.88	-	18.81	0.00	3,578.07
MW - 21	05/24/11	3,596.88	-	18.83	0.00	3,578.05
MW - 21	08/24/11	3,596.88	-	18.51	0.00	3,578.37
MW - 21	11/02/11	3,596.88	-	15.85	0.00	3,581.03
MW - 21	03/01/12	3,596.88	-	15.77	0.00	3,581.11
MW - 21	05/30/12	3,596.88	-	15.74	0.00	3,581.14
MW - 21	08/13/12	3,596.88	-	15.72	0.00	3,581.16
MW - 21	11/08/12	3,596.88	-	15.73	0.00	3,581.15
MW - 21	02/19/13	3,596.88	-	15.72	0.00	3,581.16
MW - 21	05/20/13	3,596.88	-	15.70	0.00	3,581.18
MW - 21	08/19/13	3,596.88	-	15.37	0.00	3,581.51

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 21	11/19/13	3,596.88	-	15.69	0.00	3,581.19
MW - 21	02/18/14	3,596.88	-	15.78	0.00	3,581.10
MW - 21	05/21/14	3,596.88	-	15.71	0.00	3,581.17
MW - 21	07/23/14	3,596.88	-	15.77	0.00	3,581.11
MW - 21	08/28/14	3,596.88	-	15.82	0.00	3,581.06
MW - 21	10/29/14	3,596.88	-	13.63	0.00	3,583.25
MW - 21	11/20/14	3,596.88	-	13.92	0.00	3,582.96
MW - 21	02/24/15	3,596.88	-	14.90	0.00	3,581.98
MW - 21	03/12/15	3,596.88	-	15.08	0.00	3,581.80
MW - 21	04/30/15	3,596.88	-	17.13	0.00	3,579.75
MW - 21	05/04/15	3,596.88	-	15.29	0.00	3,581.59
MW - 21	07/23/15	3,596.88	-	15.50	0.00	3,581.38
MW - 21	08/05/15	3,596.88	-	15.48	0.00	3,581.40
MW - 21	09/29/15	3,596.88	-	15.66	0.00	3,581.22
MW - 21	10/14/15	3,596.88	-	15.61	0.00	3,581.27
MW - 21	11/23/15	3,596.88	-	15.63	0.00	3,581.25
MW - 21	02/22/16	3,596.88	-	15.70	0.00	3,581.18
MW - 21	04/28/16	3,596.88	-	15.70	0.00	3,581.18
MW - 21	05/31/16	3,596.88	-	15.72	0.00	3,581.16
MW - 21	08/10/16	3,596.88	-	15.74	0.00	3,581.14
MW - 22	02/16/00	3,598.34	-	17.23	0.00	3,581.11
MW - 22	06/09/00	3,598.34	-	17.23	0.00	3,581.11
MW - 22	09/19/00	3,598.34	-	17.22	0.00	3,581.12
MW - 22	12/19/00	3,598.34	-	17.24	0.00	3,581.10
MW - 22	03/21/01	3,598.34	-	17.24	0.00	3,581.10
MW - 22	06/05/01	3,598.34	-	17.21	0.00	3,581.13
MW - 22	09/26/01	3,598.34	-	17.25	0.00	3,581.09
MW - 22	11/24/01	3,598.34	-	17.22	0.00	3,581.12
MW - 22	03/25/02	3,598.34	-	17.22	0.00	3,581.12
MW - 22	08/01/02	3,598.34	-	17.25	0.00	3,581.09
MW - 22	09/23/02	3,598.34	-	17.21	0.00	3,581.13
MW - 22	11/05/02	3,598.34	-	17.25	0.00	3,581.09
MW - 22	12/02/02	3,598.34	-	17.22	0.00	3,581.12
MW - 22	03/03/03	3,598.34	-	17.23	0.00	3,581.11
MW - 22	09/09/04	3,598.34	-	17.25	0.00	3,581.09
MW - 22	12/23/04	3,598.34	-	15.00	0.00	3,583.34
MW - 22	03/18/05	3,598.34	-	16.15	0.00	3,582.19
MW - 22	06/17/05	3,598.34	-	17.20	0.00	3,581.14

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 22	09/13/05	PLUGGED & ABANDONED				
MW - 23	02/16/00	3,598.07	-	17.83	0.00	3,580.24
MW - 23	06/09/00	3,598.07	-	17.68	0.00	3,580.39
MW - 23	09/19/00	3,598.07	-	17.77	0.00	3,580.30
MW - 23	12/19/00	3,598.07	-	17.77	0.00	3,580.30
MW - 23	03/21/01	3,598.07	-	17.80	0.00	3,580.27
MW - 23	06/05/01	3,598.07	-	17.71	0.00	3,580.36
MW - 23	09/26/01	3,598.07	-	17.81	0.00	3,580.26
MW - 23	11/24/01	3,598.07	-	17.80	0.00	3,580.27
MW - 23	03/25/02	3,598.07	-	17.78	0.00	3,580.29
MW - 23	08/01/02	3,598.07	17.74	17.75	0.01	3,580.33
MW - 23	08/01/02	3,598.07	-	17.77	0.00	3,580.30
MW - 23	09/23/02	3,598.07	-	17.75	0.00	3,580.32
MW - 23	11/05/02	3,598.07	-	17.75	0.00	3,580.32
MW - 23	12/02/02	3,598.07	-	17.76	0.00	3,580.31
MW - 23	12/27/02	3,598.07	-	17.73	0.00	3,580.34
MW - 23	03/03/03	3,598.07	17.75	17.78	0.03	3,580.32
MW - 23	03/27/03	3,598.07	-	17.77	0.00	3,580.30
MW - 23	04/03/03	3,598.07	-	17.75	0.00	3,580.32
MW - 23	09/09/04	3,598.07	-	17.70	0.00	3,580.37
MW - 23	12/23/04	3,598.07	-	16.60	0.00	3,581.47
MW - 23	03/18/05	3,598.07	-	17.22	0.00	3,580.85
MW - 23	06/17/05	3,598.07	-	17.61	0.00	3,580.46
MW - 23	09/22/05	3,598.07	-	17.61	0.00	3,580.46
MW - 23	12/20/05	3,598.07	-	17.60	0.00	3,580.47
MW - 23	03/21/06	3,598.07	-	17.62	0.00	3,580.45
MW - 23	06/22/06	3,598.07	-	17.60	0.00	3,580.47
MW - 23	09/07/06	3,598.07	-	15.82	0.00	3,582.25
MW - 23	11/16/06	3,598.07	-	16.68	0.00	3,581.39
MW - 23	02/15/07	3,598.07	-	17.54	0.00	3,580.53
MW - 23	05/11/07	3,598.07	-	17.49	0.00	3,580.58
MW - 23	08/27/07	3,598.07	-	17.62	0.00	3,580.45
MW - 23	11/14/07	3,598.07	-	17.62	0.00	3,580.45
MW - 23	02/20/08	3,598.07	-	17.58	0.00	3,580.49
MW - 23	05/20/08	3,598.07	-	17.57	0.00	3,580.50
MW - 23	08/20/08	3,598.07	-	17.63	0.00	3,580.44
MW - 23	11/18/08	3,598.07	-	17.58	0.00	3,580.49
MW - 23	02/17/09	3,598.07	-	17.63	0.00	3,580.44

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 23	05/18/09	3,598.07	-	17.58	0.00	3,580.49
MW - 23	08/17/09	3,598.07	-	17.61	0.00	3,580.46
MW - 23	11/12/09	3,598.07	-	17.64	0.00	3,580.43
MW - 23	01/13/10	3,598.07	-	17.65	0.00	3,580.42
MW - 23	02/18/10	3,598.07	-	17.64	0.00	3,580.43
MW - 23	05/19/10	3,598.07	-	17.69	0.00	3,580.38
MW - 23	08/18/10	3,598.07	-	17.69	0.00	3,580.38
MW - 23	11/15/10	3,598.07	-	17.69	0.00	3,580.38
MW - 23	02/24/11	3,598.07	-	17.70	0.00	3,580.37
MW - 23	05/24/11	3,598.07	-	17.68	0.00	3,580.39
MW - 23	08/25/11	3,598.07	-	18.00	0.00	3,580.07
MW - 23	11/02/11	3,598.07	-	17.66	0.00	3,580.41
MW - 23	03/01/12	3,598.07	-	17.59	0.00	3,580.48
MW - 23	05/30/12	3,598.07	-	17.58	0.00	3,580.49
MW - 23	08/13/12	3,598.07	-	17.53	0.00	3,580.54
MW - 23	11/08/12	3,598.07	-	17.55	0.00	3,580.52
MW - 23	02/19/13	3,598.07	-	17.99	0.00	3,580.08
MW - 23	05/20/13	3,598.07	-	17.46	0.00	3,580.61
MW - 23	08/19/13	3,598.07	-	17.44	0.00	3,580.63
MW - 23	11/19/13	3,598.07	-	17.49	0.00	3,580.58
MW - 23	02/18/14	3,598.07	-	17.53	0.00	3,580.54
MW - 23	05/21/14	3,598.07	-	17.46	0.00	3,580.61
MW - 23	07/23/14	3,598.07	-	17.57	0.00	3,580.50
MW - 23	08/28/14	3,598.07	-	17.58	0.00	3,580.49
MW - 23	10/29/14	3,598.07	-	16.45	0.00	3,581.62
MW - 23	11/20/14	3,598.07	-	16.67	0.00	3,581.40
MW - 23	02/24/15	3,598.07	-	17.33	0.00	3,580.74
MW - 23	03/12/15	3,598.07	-	17.42	0.00	3,580.65
MW - 23	04/30/15	3,598.07	-	17.53	0.00	3,580.54
MW - 23	05/04/15	3,598.07	-	17.41	0.00	3,580.66
MW - 23	07/23/15	3,598.07	-	17.48	0.00	3,580.59
MW - 23	08/05/15	3,598.07	-	17.46	0.00	3,580.61
MW - 23	09/29/15	3,598.07	-	17.53	0.00	3,580.54
MW - 23	10/14/15	3,598.07	-	17.52	0.00	3,580.55
MW - 23	11/23/15	3,598.07	-	17.53	0.00	3,580.54
MW - 23	02/22/16	3,598.07	-	17.56	0.00	3,580.51
MW - 23	04/28/16	3,598.07	-	17.54	0.00	3,580.53
MW - 23	05/31/16	3,598.07	-	17.56	0.00	3,580.51
MW - 23	08/10/16	3,598.07	-	17.57	0.00	3,580.50

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 23	12/05/16	3,598.07	-	17.44	0.00	3,580.63
MW - 23	02/22/17	3,598.07	-	17.55	0.00	3,580.52
MW - 23	03/16/17	3,598.07	-	17.55	0.00	3,580.52
MW - 23	05/30/17	3,598.07	-	17.55	0.00	3,580.52
MW - 24	02/16/00	3,598.01	-	16.97	0.00	3,581.04
MW - 24	06/09/00	3,598.01	-	16.98	0.00	3,581.03
MW - 24	09/19/00	3,598.01	-	16.82	0.00	3,581.19
MW - 24	12/19/00	3,598.01	-	16.97	0.00	3,581.04
MW - 24	03/21/01	3,598.01	-	16.94	0.00	3,581.07
MW - 24	06/05/01	3,598.01	-	16.95	0.00	3,581.06
MW - 24	09/26/01	3,598.01	-	16.95	0.00	3,581.06
MW - 24	11/24/01	3,598.01	-	16.98	0.00	3,581.03
MW - 24	03/25/02	3,598.01	-	16.95	0.00	3,581.06
MW - 24	08/01/02	3,598.01	-	16.94	0.00	3,581.07
MW - 24	09/23/02	3,598.01	-	16.95	0.00	3,581.06
MW - 24	11/05/02	3,598.01	-	16.95	0.00	3,581.06
MW - 24	12/02/02	3,598.01	-	16.94	0.00	3,581.07
MW - 24	03/03/03	3,598.01	-	16.95	0.00	3,581.06
MW - 24	09/09/04	3,598.01	-	16.87	0.00	3,581.14
MW - 24	12/23/04	3,598.01	-	14.10	0.00	3,583.91
MW - 24	03/18/05	3,598.01	-	15.40	0.00	3,582.61
MW - 24	06/17/05	3,598.01	-	16.26	0.00	3,581.75
MW - 24	09/22/05	3,598.01	-	16.34	0.00	3,581.67
MW - 24	12/20/05	3,598.01	-	16.50	0.00	3,581.51
MW - 24	03/21/06	3,598.01	-	16.61	0.00	3,581.40
MW - 24	06/22/06	3,598.01	-	16.74	0.00	3,581.27
MW - 24	09/07/06	3,598.01	-	13.41	0.00	3,584.60
MW - 24	11/16/06	3,598.01	-	14.86	0.00	3,583.15
MW - 24	02/15/07	3,598.01	-	16.06	0.00	3,581.95
MW - 24	05/11/07	3,598.01	-	16.31	0.00	3,581.70
MW - 24	08/27/07	3,598.01	-	16.52	0.00	3,581.49
MW - 24	11/14/07	3,598.01	-	16.53	0.00	3,581.48
MW - 24	02/20/08	3,598.01	-	16.57	0.00	3,581.44
MW - 24	05/20/08	3,598.01	-	16.62	0.00	3,581.39
MW - 24	08/20/08	3,598.01	-	16.71	0.00	3,581.30
MW - 24	11/18/08	3,598.01	-	16.34	0.00	3,581.67
MW - 24	02/18/09	3,598.01	-	16.58	0.00	3,581.43
MW - 24	05/18/09	3,598.01	-	16.68	0.00	3,581.33

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 24	08/17/09	3,598.01	-	16.71	0.00	3,581.30
MW - 24	11/12/09	3,598.01	-	16.55	0.00	3,581.46
MW - 24	01/13/10	3,598.01	-	16.64	0.00	3,581.37
MW - 24	02/18/10	3,598.01	-	16.63	0.00	3,581.38
MW - 24	05/19/10	3,598.01	-	16.66	0.00	3,581.35
MW - 24	08/18/10	3,598.01	-	16.67	0.00	3,581.34
MW - 24	11/15/10	3,598.01	-	16.68	0.00	3,581.33
MW - 24	02/23/11	3,598.01	-	16.70	0.00	3,581.31
MW - 24	05/24/11	3,598.01	-	16.70	0.00	3,581.31
MW - 24	08/24/11	3,598.01	-	16.38	0.00	3,581.63
MW - 24	11/02/11	3,598.01	-	16.70	0.00	3,581.31
MW - 24	03/01/12	3,598.01	-	16.63	0.00	3,581.38
MW - 24	05/30/12	3,598.01	-	16.66	0.00	3,581.35
MW - 24	08/13/12	3,598.01	-	16.63	0.00	3,581.38
MW - 24	11/08/12	3,598.01	-	16.56	0.00	3,581.45
MW - 24	02/19/13	3,598.01	-	16.68	0.00	3,581.33
MW - 24	05/20/13	3,598.01	-	16.73	0.00	3,581.28
MW - 24	08/19/13	3,598.01	-	16.31	0.00	3,581.70
MW - 24	11/19/13	3,598.01	-	16.56	0.00	3,581.45
MW - 24	02/18/14	3,598.01	-	16.72	0.00	3,581.29
MW - 24	05/21/14	3,598.01	-	16.70	0.00	3,581.31
MW - 24	07/23/14	3,598.01	-	16.77	0.00	3,581.24
MW - 24	08/28/14	3,598.01	-	16.84	0.00	3,581.17
MW - 24	10/29/14	3,598.01	-	14.62	0.00	3,583.39
MW - 24	11/21/14	3,598.01	-	14.91	0.00	3,583.10
MW - 24	02/24/15	3,598.01	-	15.85	0.00	3,582.16
MW - 24	03/12/15	3,598.01	-	16.00	0.00	3,582.01
MW - 24	04/30/15	3,598.01	-	18.01	0.00	3,580.00
MW - 24	05/04/15	3,598.01	-	16.20	0.00	3,581.81
MW - 24	07/23/15	3,598.01	-	16.35	0.00	3,581.66
MW - 24	08/05/15	3,598.01	-	16.39	0.00	3,581.62
MW - 24	09/29/15	3,598.01	-	16.51	0.00	3,581.50
MW - 24	10/14/15	3,598.01	-	16.45	0.00	3,581.56
MW - 24	11/23/15	3,598.01	-	16.45	0.00	3,581.56
MW - 24	02/22/16	3,598.01	-	16.59	0.00	3,581.42
MW - 24	04/28/16	3,598.01	-	16.63	0.00	3,581.38
MW - 24	05/31/16	3,598.01	-	16.69	0.00	3,581.32
MW - 24	08/10/16	3,598.01	-	16.74	0.00	3,581.27

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 25	02/16/00	3,599.25	-	18.79	0.00	3,580.46
MW - 25	06/09/00	3,599.25	-	18.88	0.00	3,580.37
MW - 25	09/19/00	3,599.25	-	18.57	0.00	3,580.68
MW - 25	12/19/00	3,599.25	-	18.71	0.00	3,580.54
MW - 25	03/21/01	3,599.25	-	18.72	0.00	3,580.53
MW - 25	06/05/01	3,599.25	-	18.69	0.00	3,580.56
MW - 25	09/26/01	3,599.25	-	18.88	0.00	3,580.37
MW - 25	11/24/01	3,599.25	-	18.79	0.00	3,580.46
MW - 25	03/25/02	3,599.25	-	18.76	0.00	3,580.49
MW - 25	08/01/02	3,599.25	-	18.69	0.00	3,580.56
MW - 25	09/23/02	3,599.25	-	18.74	0.00	3,580.51
MW - 25	11/05/02	3,599.25	-	18.63	0.00	3,580.62
MW - 25	12/02/02	3,599.25	-	18.64	0.00	3,580.61
MW - 25	03/03/03	3,599.25	-	18.70	0.00	3,580.55
MW - 25	09/09/04	3,599.25	-	18.62	0.00	3,580.63
MW - 25	12/23/04	3,599.25	-	16.30	0.00	3,582.95
MW - 25	03/18/05	3,599.25	-	17.39	0.00	3,581.86
MW - 25	06/17/05	3,599.25	-	18.17	0.00	3,581.08
MW - 25	09/22/05	3,599.25	-	18.22	0.00	3,581.03
MW - 25	12/20/05	3,599.25	-	18.36	0.00	3,580.89
MW - 25	03/21/06	3,599.25	-	18.46	0.00	3,580.79
MW - 25	06/22/06	3,599.25	-	18.56	0.00	3,580.69
MW - 25	09/07/06	3,599.25	-	16.27	0.00	3,582.98
MW - 25	11/16/06	3,599.25	-	16.94	0.00	3,582.31
MW - 25	02/15/07	3,599.25	-	18.01	0.00	3,581.24
MW - 25	05/14/07	3,599.25	-	18.16	0.00	3,581.09
MW - 25	08/27/07	3,599.25	-	18.36	0.00	3,580.89
MW - 25	11/14/07	3,599.25	-	18.35	0.00	3,580.90
MW - 25	02/20/08	3,599.25	-	18.39	0.00	3,580.86
MW - 25	05/20/08	3,599.25	-	18.45	0.00	3,580.80
MW - 25	08/20/08	3,599.25	-	18.51	0.00	3,580.74
MW - 25	11/18/08	3,599.25	-	18.26	0.00	3,580.99
MW - 25	02/18/09	3,599.25	-	18.40	0.00	3,580.85
MW - 25	05/18/09	3,599.25	-	18.48	0.00	3,580.77
MW - 25	08/17/09	3,599.25	-	18.49	0.00	3,580.76
MW - 25	11/12/09	3,599.25	-	18.40	0.00	3,580.85
MW - 25	01/13/10	3,599.25	-	18.48	0.00	3,580.77
MW - 25	02/18/10	3,599.25	-	18.48	0.00	3,580.77
MW - 25	05/19/10	3,599.25	-	18.53	0.00	3,580.72

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 25	08/18/10	3,599.25	-	18.53	0.00	3,580.72
MW - 25	11/15/10	3,599.25	-	18.55	0.00	3,580.70
MW - 25	02/22/11	3,599.25	-	18.54	0.00	3,580.71
MW - 25	05/24/11	3,599.25	-	18.54	0.00	3,580.71
MW - 25	08/24/11	3,599.25	-	18.21	0.00	3,581.04
MW - 25	11/02/11	3,599.25	-	18.46	0.00	3,580.79
MW - 25	03/01/12	3,599.25	-	18.45	0.00	3,580.80
MW - 25	05/30/12	3,599.25	-	18.42	0.00	3,580.83
MW - 25	08/13/12	3,599.25	-	18.46	0.00	3,580.79
MW - 25	11/08/12	3,599.25	-	18.36	0.00	3,580.89
MW - 25	02/19/13	3,599.25	-	18.43	0.00	3,580.82
MW - 25	05/20/13	3,599.25	-	18.48	0.00	3,580.77
MW - 25	08/19/13	3,599.25	-	18.15	0.00	3,581.10
MW - 25	11/19/13	3,599.25	-	18.32	0.00	3,580.93
MW - 25	02/18/14	3,599.25	-	18.41	0.00	3,580.84
MW - 25	05/21/14	3,599.25	-	18.45	0.00	3,580.80
MW - 25	07/23/14	3,599.25	-	18.50	0.00	3,580.75
MW - 25	08/28/14	3,599.25	-	18.53	0.00	3,580.72
MW - 25	10/29/14	3,599.25	-	16.93	0.00	3,582.32
MW - 25	11/21/14	3,599.25	-	17.13	0.00	3,582.12
MW - 25	02/24/15	3,599.25	-	17.89	0.00	3,581.36
MW - 25	03/12/15	3,599.25	-	17.99	0.00	3,581.26
MW - 25	04/30/15	3,599.25	-	18.19	0.00	3,581.06
MW - 25	05/04/15	3,599.25	-	18.16	0.00	3,581.09
MW - 25	07/23/15	3,599.25	-	18.25	0.00	3,581.00
MW - 25	08/05/15	3,599.25	-	18.28	0.00	3,580.97
MW - 25	09/29/15	3,599.25	-	18.36	0.00	3,580.89
MW - 25	10/14/15	3,599.25	-	18.32	0.00	3,580.93
MW - 25	11/23/15	3,599.25	-	18.32	0.00	3,580.93
MW - 25	02/22/16	3,599.25	-	18.40	0.00	3,580.85
MW - 25	04/28/16	3,599.25	-	18.44	0.00	3,580.81
MW - 25	05/31/16	3,599.25	-	18.50	0.00	3,580.75
MW - 25	08/10/16	3,599.25	-	18.52	0.00	3,580.73
MW - 25	12/05/16	3,599.25	-	18.05	0.00	3,581.20
MW - 25	02/22/17	3,599.25	-	18.36	0.00	3,580.89
MW - 25	03/16/17	3,599.25	-	18.40	0.00	3,580.85
MW - 25	05/30/17	3,599.25	-	17.47	0.00	3,581.78
MW - 26	06/09/00	3,595.26	-	14.73	0.00	3,580.53

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 26	09/19/00	3,595.26	-	14.68	0.00	3,580.58
MW - 26	12/19/00	3,595.26	-	14.64	0.00	3,580.62
MW - 26	03/21/01	3,595.26	-	14.60	0.00	3,580.66
MW - 26	06/05/01	3,595.26	-	14.67	0.00	3,580.59
MW - 26	09/26/01	3,595.26	-	14.69	0.00	3,580.57
MW - 26	11/24/01	3,596.26	-	14.75	0.00	3,581.51
MW - 26	03/25/02	3,596.26	-	14.68	0.00	3,581.58
MW - 26	08/01/02	3,596.26	-	14.76	0.00	3,581.50
MW - 26	09/23/02	3,596.26	-	14.67	0.00	3,581.59
MW - 26	12/02/02	3,596.26	-	14.63	0.00	3,581.63
MW - 26	03/03/03	3,596.26	-	14.64	0.00	3,581.62
MW - 26	03/18/05	3,596.26	-	14.05	0.00	3,582.21
MW - 26	03/21/06	3,596.26	-	14.60	0.00	3,581.66
MW - 26	06/22/06	3,596.26	-	14.59	0.00	3,581.67
MW - 26	09/07/06	3,596.26	-	13.75	0.00	3,582.51
MW - 26	11/16/06	3,596.26	-	13.61	0.00	3,582.65
MW - 26	02/15/07	3,596.26	-	14.45	0.00	3,581.81
MW - 26	05/11/07	3,596.26	-	14.48	0.00	3,581.78
MW - 26	08/27/07	3,596.26	-	14.60	0.00	3,581.66
MW - 26	11/14/07	3,596.26	-	14.56	0.00	3,581.70
MW - 26	02/20/08	3,596.26	-	14.51	0.00	3,581.75
MW - 26	05/20/08	3,596.26	-	14.60	0.00	3,581.66
MW - 26	08/20/08	3,596.26	-	14.60	0.00	3,581.66
MW - 26	11/18/08	3,596.26	-	14.51	0.00	3,581.75
MW - 26	02/17/09	3,596.26	-	14.61	0.00	3,581.65
MW - 26	05/18/09	3,596.26	-	14.51	0.00	3,581.75
MW - 26	08/17/09	3,596.26	-	14.53	0.00	3,581.73
MW - 26	11/12/09	3,596.26	-	14.55	0.00	3,581.71
MW - 26	01/13/10	3,596.26	-	14.57	0.00	3,581.69
MW - 26	02/18/10	3,596.26	-	14.52	0.00	3,581.74
MW - 26	05/19/10	3,596.26	-	14.56	0.00	3,581.70
MW - 26	05/28/10	PLUGGED & ABANDONED				
MW - 27	06/09/00	3,592.64	-	14.13	0.00	3,578.51
MW - 27	09/19/00	3,592.64	-	14.08	0.00	3,578.56
MW - 27	12/19/00	3,592.64	-	14.09	0.00	3,578.55
MW - 27	03/21/01	3,592.64	-	14.02	0.00	3,578.62
MW - 27	06/05/01	3,592.64	-	14.05	0.00	3,578.59
MW - 27	09/26/01	3,592.64	-	14.09	0.00	3,578.55

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 27	11/24/01	3,592.64	-	14.11	0.00	3,578.53
MW - 27	03/25/02	3,592.64	-	14.09	0.00	3,578.55
MW - 27	08/01/02	3,592.64	-	14.11	0.00	3,578.53
MW - 27	09/23/02	3,592.64	-	14.09	0.00	3,578.55
MW - 27	11/05/02	3,592.64	-	14.09	0.00	3,578.55
MW - 27	12/02/02	3,592.64	-	14.09	0.00	3,578.55
MW - 27	03/03/03	3,592.64	-	14.10	0.00	3,578.54
MW - 27	09/09/04	3,592.64	-	14.10	0.00	3,578.54
MW - 27	03/18/05	3,592.64	-	13.91	0.00	3,578.73
MW - 27	03/21/06	3,592.64	-	14.06	0.00	3,578.58
MW - 27	06/22/06	3,592.64	-	14.03	0.00	3,578.61
MW - 27	09/07/06	3,592.64	-	12.54	0.00	3,580.10
MW - 27	11/16/06	3,592.64	-	13.80	0.00	3,578.84
MW - 27	02/15/07	3,592.64	-	13.99	0.00	3,578.65
MW - 27	05/11/07	3,592.64	-	13.97	0.00	3,578.67
MW - 27	08/27/07	3,592.64	-	14.06	0.00	3,578.58
MW - 27	11/14/07	3,592.64	-	14.07	0.00	3,578.57
MW - 27	02/20/08	3,592.64	-	14.04	0.00	3,578.60
MW - 27	05/20/08	3,592.64	-	14.06	0.00	3,578.58
MW - 27	08/20/08	3,592.64	-	14.05	0.00	3,578.59
MW - 27	11/18/08	3,592.64	-	14.02	0.00	3,578.62
MW - 27	02/18/09	3,592.64	-	14.07	0.00	3,578.57
MW - 27	05/18/09	3,592.64	-	14.04	0.00	3,578.60
MW - 27	08/17/09	3,592.64	-	14.03	0.00	3,578.61
MW - 27	11/12/09	3,592.64	-	14.07	0.00	3,578.57
MW - 27	01/13/10	3,592.64	-	14.09	0.00	3,578.55
MW - 27	02/18/10	3,592.64	-	14.07	0.00	3,578.57
MW - 27	08/18/10	3,592.64	-	14.09	0.00	3,578.55
MW - 27	11/15/10	3,592.64	-	14.09	0.00	3,578.55
MW - 27	02/23/11	3,592.64	-	14.10	0.00	3,578.54
MW - 27	05/24/11	3,592.64	-	19.11	0.00	3,573.53
MW - 27	08/24/11	3,592.64	-	18.79	0.00	3,573.85
MW - 27	11/03/11	3,592.64	-	14.09	0.00	3,578.55
MW - 27	03/01/12	3,592.64	-	14.09	0.00	3,578.55
MW - 27	05/30/12	3,592.64	-	14.06	0.00	3,578.58
MW - 27	08/13/12	3,592.64	-	14.05	0.00	3,578.59
MW - 27	11/08/12	3,592.64	-	14.08	0.00	3,578.56
MW - 27	02/19/13	3,592.64	-	14.06	0.00	3,578.58
MW - 27	05/20/13	3,592.64	-	14.05	0.00	3,578.59

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 27	08/19/13	3,592.64	-	14.03	0.00	3,578.61
MW - 27	11/19/13	3,592.64	-	14.04	0.00	3,578.60
MW - 27	02/18/14	3,592.64	-	14.06	0.00	3,578.58
MW - 27	05/21/14	3,592.64	-	14.05	0.00	3,578.59
MW - 27	07/23/14	3,592.64	-	14.07	0.00	3,578.57
MW - 27	10/29/14	3,592.64	-	13.79	0.00	3,578.85
MW - 27	11/21/14	3,592.64	-	13.85	0.00	3,578.79
MW - 27	02/24/15	3,592.64	-	13.96	0.00	3,578.68
MW - 27	05/04/15	3,592.64	-	13.80	0.00	3,578.84
MW - 27	07/23/15	3,592.64	-	13.83	0.00	3,578.81
MW - 27	08/05/15	3,592.64	-	13.86	0.00	3,578.78
MW - 27	09/29/15	3,592.64	-	14.97	0.00	3,577.67
MW - 27	11/23/15	3,592.64	-	14.01	0.00	3,578.63
MW - 27	02/22/16	3,592.64	-	14.07	0.00	3,578.57
MW - 27	04/28/16	3,592.64	-	14.05	0.00	3,578.59
MW - 27	05/31/16	3,592.64	-	14.09	0.00	3,578.55
MW - 27	08/10/16	3,592.64	-	14.08	0.00	3,578.56
MW - 27	12/05/16	3,592.64	-	14.03	0.00	3,578.61
MW - 27	03/16/17	3,592.64	-	14.04	0.00	3,578.60
MW - 27	05/30/17	3,592.64	-	13.96	0.00	3,578.68
MW - 28	07/13/00	3,598.02	-	dry	-	-
MW - 28	09/19/00	3,598.02	-	dry	-	-
MW - 28	12/19/00	3,598.02	-	dry	-	-
MW - 28	03/21/01	3,598.02	-	dry	-	-
MW - 28	06/05/01	3,598.02	-	dry	-	-
MW - 28	09/26/01	3,598.02	-	dry	-	-
MW - 28	11/24/01	3,598.02	-	dry	-	-
MW - 28	03/25/02	3,598.02	-	dry	-	-
MW - 28	08/01/02	3,598.02	-	dry	-	-
MW - 28	09/23/02	3,598.02	-	dry	-	-
MW - 28	12/02/02	3,598.02	-	dry	-	-
MW - 28	09/09/04	3,598.02	-	dry	-	-
MW - 28	12/23/04	3,598.02	-	17.75	0.00	3,580.27
MW - 28	03/18/05	3,598.02	-	18.63	0.00	3,579.39
MW - 28	06/17/05	3,598.02	-	19.69	0.00	3,578.33
MW - 28	09/22/05	3,598.02	-	20.66	0.00	3,577.36
MW - 28	12/20/05	3,598.02	-	21.53	0.00	3,576.49
MW - 28	03/21/06	3,598.02	-	23.72	0.00	3,574.30

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 28	06/22/06	3,598.02	-	24.73	0.00	3,573.29
MW - 28	09/07/06	3,598.02	-	25.04	0.00	3,572.98
MW - 28	11/16/06	3,598.02	-	19.00	0.00	3,579.02
MW - 28	02/15/07	3,598.02	-	19.69	0.00	3,578.33
MW - 28	05/11/07	3,598.02	-	20.22	0.00	3,577.80
MW - 28	08/27/07	3,598.02	-	20.84	0.00	3,577.18
MW - 28	11/14/07	3,598.02	-	22.69	0.00	3,575.33
MW - 28	02/20/08	3,598.02	-	23.29	0.00	3,574.73
MW - 28	05/20/08	3,598.02	-	23.41	0.00	3,574.61
MW - 28	08/20/08	3,598.02	-	23.74	0.00	3,574.28
MW - 28	11/18/08	3,598.02	-	24.80	0.00	3,573.22
MW - 28	02/17/09	3,598.02	-	24.49	0.00	3,573.53
MW - 28	05/18/09	3,598.02	-	24.06	0.00	3,573.96
MW - 28	08/17/09	3,598.02	-	24.01	0.00	3,574.01
MW - 28	11/12/09	3,598.02	-	24.47	0.00	3,573.55
MW - 28	01/13/10	3,598.02	-	24.86	0.00	3,573.16
MW - 28	02/18/10	3,598.02	-	24.62	0.00	3,573.40
MW - 28	05/19/10	3,598.02	-	24.25	0.00	3,573.77
MW - 28	08/18/10	3,598.02	-	24.24	0.00	3,573.78
MW - 28	11/15/10	3,598.02	-	24.23	0.00	3,573.79
MW - 28	02/24/11	3,598.02	-	24.23	0.00	3,573.79
MW - 28	05/24/11	3,598.02	-	24.23	0.00	3,573.79
MW - 28	08/24/11	3,598.02	-	24.62	0.00	3,573.40
MW - 28	11/02/11	3,598.02	-	23.89	0.00	3,574.13
MW - 28	03/01/12	3,598.02	-	24.80	0.00	3,573.22
MW - 28	05/30/12	3,598.02	-	25.32	0.00	3,572.70
MW - 28	08/13/12	3,598.02	-	25.96	0.00	3,572.06
MW - 28	11/08/12	3,598.02	-	26.46	0.00	3,571.56
MW - 28	02/19/13	3,598.02	-	26.08	0.00	3,571.94
MW - 28	05/20/13	3,598.02	-	26.73	0.00	3,571.29
MW - 28	08/19/13	3,598.02	-	26.64	0.00	3,571.38
MW - 28	11/19/13	3,598.02	-	26.83	0.00	3,571.19
MW - 28	02/18/14	3,598.02	-	27.06	0.00	3,570.96
MW - 28	05/21/14	3,598.02	-	27.04	0.00	3,570.98
MW - 28	07/23/14	3,598.02	-	27.05	0.00	3,570.97
MW - 28	08/28/14	3,598.02	-	27.08	0.00	3,570.94
MW - 28	10/29/14	3,598.02	-	27.06	0.00	3,570.96
MW - 28	11/21/14	3,598.02	-	27.06	0.00	3,570.96
MW - 28	02/24/15	3,598.02	-	24.60	0.00	3,573.42

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 28	03/12/15	3,598.02	-	23.80	0.00	3,574.22
MW - 28	05/04/15	3,598.02	-	21.82	0.00	3,576.20
MW - 28	07/23/15	3,598.02	-	21.61	0.00	3,576.41
MW - 28	08/05/15	3,598.02	-	21.79	0.00	3,576.23
MW - 28	09/29/15	3,598.02	-	22.49	0.00	3,575.53
MW - 28	10/14/15	3,598.02	-	22.68	0.00	3,575.34
MW - 28	11/23/15	3,598.02	-	22.93	0.00	3,575.09
MW - 28	02/22/16	3,598.02	-	23.89	0.00	3,574.13
MW - 28	04/28/16	3,598.02	-	23.63	0.00	3,574.39
MW - 28	05/31/16	3,598.02	-	23.59	0.00	3,574.43
MW - 28	08/10/16	3,598.02	-	23.97	0.00	3,574.05
MW - 28	12/05/16	3,598.02	-	24.69	0.00	3,573.33
MW - 28	02/22/17	3,598.02	-	25.16	0.00	3,572.86
MW - 28	03/16/17	3,598.02	-	25.12	0.00	3,572.90
MW - 28	05/30/17	3,598.02	-	24.90	0.00	3,573.12
MW - 29	07/13/00	3,595.29	-	21.42	0.00	3,573.87
MW - 29	09/19/00	3,595.29	-	21.55	0.00	3,573.74
MW - 29	12/19/00	3,595.29	-	21.55	0.00	3,573.74
MW - 29	03/21/01	3,595.29	-	21.51	0.00	3,573.78
MW - 29	06/05/01	3,595.29	-	21.52	0.00	3,573.77
MW - 29	09/26/01	3,595.29	-	21.44	0.00	3,573.85
MW - 29	11/24/01	3,595.29	-	21.57	0.00	3,573.72
MW - 29	03/25/02	3,595.29	-	21.49	0.00	3,573.80
MW - 29	08/01/02	3,595.29	-	21.55	0.00	3,573.74
MW - 29	09/23/02	3,595.29	-	21.58	0.00	3,573.71
MW - 29	11/05/02	3,595.29	-	21.54	0.00	3,573.75
MW - 29	12/02/02	3,595.29	-	21.53	0.00	3,573.76
MW - 29	03/03/03	3,595.29	-	21.54	0.00	3,573.75
MW - 29	09/09/04	3,595.29	-	dry	-	-
MW - 29	12/23/04	3,595.29	-	dry	-	-
MW - 29	03/18/05	3,595.29	-	21.48	0.00	3,573.81
MW - 29	06/17/05	3,595.29	-	21.51	0.00	3,573.78
MW - 29	09/22/05	3,595.29	-	21.52	0.00	3,573.77
MW - 29	12/20/05	3,595.29	-	25.55	0.00	3,569.74
MW - 29	03/21/06	3,595.29	-	21.57	0.00	3,573.72
MW - 29	06/22/06	3,595.29	-	21.58	0.00	3,573.71
MW - 29	09/07/06	3,595.29	-	21.12	0.00	3,574.17
MW - 29	11/16/06	3,595.29	-	21.47	0.00	3,573.82

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 29	02/15/07	3,595.29	-	21.55	0.00	3,573.74
MW - 29	05/11/07	3,595.29	-	21.51	0.00	3,573.78
MW - 29	08/27/07	3,595.29	-	21.54	0.00	3,573.75
MW - 29	11/14/07	3,595.29	-	21.57	0.00	3,573.72
MW - 29	02/20/08	3,595.29	-	21.56	0.00	3,573.73
MW - 29	05/20/08	3,595.29	-	21.53	0.00	3,573.76
MW - 29	08/20/08	3,595.29	-	21.62	0.00	3,573.67
MW - 29	11/18/08	3,595.29	-	19.59	0.00	3,575.70
MW - 29	02/18/09	3,595.29	-	21.55	0.00	3,573.74
MW - 29	05/18/09	3,595.29	-	21.53	0.00	3,573.76
MW - 29	08/17/09	3,595.29	-	21.52	0.00	3,573.77
MW - 29	11/12/09	3,595.29	-	21.58	0.00	3,573.71
MW - 29	01/13/10	3,595.29	-	21.57	0.00	3,573.72
MW - 29	02/18/10	3,595.29	-	21.56	0.00	3,573.73
MW - 29	05/19/10	3,595.29	-	21.62	0.00	3,573.67
MW - 29	05/28/10	PLUGGED & ABANDONED				
MW - 30	07/13/00	3,595.74	-	22.35	0.00	3,573.39
MW - 30	09/19/00	3,595.74	-	22.27	0.00	3,573.47
MW - 30	12/19/00	3,595.74	-	22.29	0.00	3,573.45
MW - 30	03/21/01	3,595.74	-	22.25	0.00	3,573.49
MW - 30	06/05/01	3,595.74	-	22.27	0.00	3,573.47
MW - 30	09/26/01	3,595.74	-	22.31	0.00	3,573.43
MW - 30	11/24/01	3,595.74	-	22.34	0.00	3,573.40
MW - 30	03/25/02	3,595.74	-	22.34	0.00	3,573.40
MW - 30	08/01/02	3,595.74	-	22.35	0.00	3,573.39
MW - 30	09/23/02	3,595.74	-	22.39	0.00	3,573.35
MW - 30	11/05/02	3,595.74	-	22.35	0.00	3,573.39
MW - 30	12/02/02	3,595.74	-	22.35	0.00	3,573.39
MW - 30	03/03/03	3,595.74	-	22.32	0.00	3,573.42
MW - 30	09/09/04	3,595.74	-	18.27	0.00	3,577.47
MW - 30	12/23/04	3,595.74	-	22.07	0.00	3,573.67
MW - 30	03/18/05	3,595.74	-	22.10	0.00	3,573.64
MW - 30	06/17/05	3,595.74	-	22.15	0.00	3,573.59
MW - 30	09/22/05	3,595.74	-	22.25	0.00	3,573.49
MW - 30	12/20/05	3,595.74	-	22.14	0.00	3,573.60
MW - 30	03/21/06	3,595.74	-	22.13	0.00	3,573.61
MW - 30	06/22/06	3,595.74	-	22.16	0.00	3,573.58
MW - 30	09/07/06	3,595.74	-	22.00	0.00	3,573.74

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 30	11/16/06	3,595.74	-	22.13	0.00	3,573.61
MW - 30	02/15/07	3,595.74	-	22.16	0.00	3,573.58
MW - 30	05/11/07	3,595.74	-	22.17	0.00	3,573.57
MW - 30	08/27/07	3,595.74	-	22.17	0.00	3,573.57
MW - 30	11/14/07	3,595.74	-	22.18	0.00	3,573.56
MW - 30	02/20/08	3,595.74	-	22.16	0.00	3,573.58
MW - 30	05/20/08	3,595.74	-	22.17	0.00	3,573.57
MW - 30	08/20/08	3,595.74	-	22.18	0.00	3,573.56
MW - 30	11/18/08	3,595.74	-	22.18	0.00	3,573.56
MW - 30	02/18/09	3,595.74	-	22.18	0.00	3,573.56
MW - 30	05/18/09	3,595.74	-	22.19	0.00	3,573.55
MW - 30	08/17/09	3,595.74	-	22.20	0.00	3,573.54
MW - 30	11/12/09	3,595.74	-	22.19	0.00	3,573.55
MW - 30	01/13/10	3,595.74	-	22.19	0.00	3,573.55
MW - 30	02/18/10	3,595.74	-	22.18	0.00	3,573.56
MW - 30	05/19/10	3,595.74	-	22.24	0.00	3,573.50
MW - 30	08/18/10	3,595.74	-	22.24	0.00	3,573.50
MW - 30	11/15/10	3,595.74	-	22.24	0.00	3,573.50
MW - 30	02/23/11	3,595.74	-	22.26	0.00	3,573.48
MW - 30	05/24/11	3,595.74	-	22.24	0.00	3,573.50
MW - 30	08/24/11	3,595.74	-	21.89	0.00	3,573.85
MW - 30	11/02/11	3,595.74	-	22.18	0.00	3,573.56
MW - 30	03/01/12	3,595.74	-	22.17	0.00	3,573.57
MW - 30	05/30/12	3,595.74	-	22.16	0.00	3,573.58
MW - 30	08/13/12	3,595.74	-	22.18	0.00	3,573.56
MW - 30	11/08/12	3,595.74	-	22.17	0.00	3,573.57
MW - 30	02/19/13	3,595.74	-	22.17	0.00	3,573.57
MW - 30	05/20/13	3,595.74	-	22.17	0.00	3,573.57
MW - 30	08/19/13	3,595.74	-	22.16	0.00	3,573.58
MW - 30	11/19/13	3,595.74	-	22.15	0.00	3,573.59
MW - 30	02/18/14	3,595.74	-	22.15	0.00	3,573.59
MW - 30	05/21/14	3,595.74	-	22.14	0.00	3,573.60
MW - 30	07/23/14	3,595.74	-	22.14	0.00	3,573.60
MW - 30	08/28/14	3,595.74	-	22.14	0.00	3,573.60
MW - 30	10/29/14	3,595.74	-	22.12	0.00	3,573.62
MW - 30	11/21/14	3,595.74	-	22.11	0.00	3,573.63
MW - 30	02/24/15	3,595.74	-	22.13	0.00	3,573.61
MW - 30	03/12/15	3,595.74	-	22.11	0.00	3,573.63
MW - 30	04/30/15	3,595.74	-	22.13	0.00	3,573.61

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 30	05/04/15	3,595.74	-	22.12	0.00	3,573.62
MW - 30	07/23/15	3,595.74	-	22.14	0.00	3,573.60
MW - 30	08/05/15	3,595.74	-	22.14	0.00	3,573.60
MW - 30	09/29/15	3,595.74	-	22.23	0.00	3,573.51
MW - 30	10/14/15	3,595.74	-	22.13	0.00	3,573.61
MW - 30	11/23/15	3,595.74	-	22.15	0.00	3,573.59
MW - 30	02/22/16	3,595.74	-	22.14	0.00	3,573.60
MW - 30	04/28/16	3,595.74	-	22.13	0.00	3,573.61
MW - 30	05/31/16	3,595.74	-	22.15	0.00	3,573.59
MW - 30	08/10/16	3,595.74	-	22.13	0.00	3,573.61
MW - 30	12/05/16	3,595.74	-	22.15	0.00	3,573.59
MW - 30	02/22/17	3,595.74	-	22.15	0.00	3,573.59
MW - 30	03/16/17	3,595.74	-	22.13	0.00	3,573.61
MW - 30	05/30/17	3,595.74	-	22.14	0.00	3,573.60
MW - 31	07/13/00	3,593.77	-	20.68	0.00	3,573.09
MW - 31	09/19/00	3,593.77	-	21.03	0.00	3,572.74
MW - 31	12/19/00	3,593.77	-	21.23	0.00	3,572.54
MW - 31	03/21/01	3,593.77	-	21.33	0.00	3,572.44
MW - 31	06/05/01	3,593.77	-	21.35	0.00	3,572.42
MW - 31	09/26/01	3,593.77	-	21.38	0.00	3,572.39
MW - 31	11/24/01	3,593.77	-	21.45	0.00	3,572.32
MW - 31	03/25/02	3,593.77	-	21.49	0.00	3,572.28
MW - 31	08/01/02	3,593.77	-	21.49	0.00	3,572.28
MW - 31	09/23/02	3,593.77	-	21.56	0.00	3,572.21
MW - 31	11/05/02	3,593.77	-	21.57	0.00	3,572.20
MW - 31	12/02/02	3,593.77	-	21.48	0.00	3,572.29
MW - 31	03/03/03	3,593.77	-	21.48	0.00	3,572.29
MW - 31	09/09/04	3,593.77	-	21.40	0.00	3,572.37
MW - 31	12/23/04	3,593.77	-	20.10	0.00	3,573.67
MW - 31	03/18/05	3,593.77	-	20.53	0.00	3,573.24
MW - 31	06/17/05	3,593.77	-	20.74	0.00	3,573.03
MW - 31	09/22/05	3,593.77	-	20.90	0.00	3,572.87
MW - 31	12/20/05	3,593.77	-	21.02	0.00	3,572.75
MW - 31	03/21/06	3,593.77	-	21.09	0.00	3,572.68
MW - 31	06/22/06	3,593.77	-	21.12	0.00	3,572.65
MW - 31	09/07/06	3,593.77	-	19.94	0.00	3,573.83
MW - 31	11/16/06	3,593.77	-	20.48	0.00	3,573.29
MW - 31	02/15/07	3,593.77	-	20.82	0.00	3,572.95

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 31	05/11/07	3,593.77	-	20.92	0.00	3,572.85
MW - 31	08/27/07	3,593.77	-	21.01	0.00	3,572.76
MW - 31	11/14/07	3,593.77	-	21.06	0.00	3,572.71
MW - 31	02/20/08	3,593.77	-	21.10	0.00	3,572.67
MW - 31	05/20/08	3,593.77	-	21.12	0.00	3,572.65
MW - 31	08/20/08	3,593.77	-	21.20	0.00	3,572.57
MW - 31	11/18/08	3,593.77	-	21.15	0.00	3,572.62
MW - 31	02/17/09	3,593.77	-	21.16	0.00	3,572.61
MW - 31	05/18/09	3,593.77	-	21.18	0.00	3,572.59
MW - 31	08/17/09	3,593.77	-	20.21	0.00	3,573.56
MW - 31	11/12/09	3,593.77	-	21.18	0.00	3,572.59
MW - 31	01/13/10	3,593.77	-	21.19	0.00	3,572.58
MW - 31	02/18/10	3,593.77	-	21.15	0.00	3,572.62
MW - 31	05/19/10	3,593.77	-	21.19	0.00	3,572.58
MW - 31	08/18/10	3,593.77	-	21.21	0.00	3,572.56
MW - 31	11/15/10	3,593.77	-	21.23	0.00	3,572.54
MW - 31	02/24/11	3,593.77	-	21.22	0.00	3,572.55
MW - 31	05/24/11	3,593.77	-	21.20	0.00	3,572.57
MW - 31	08/24/11	3,593.77	-	21.52	0.00	3,572.25
MW - 31	11/02/11	3,593.77	-	21.25	0.00	3,572.52
MW - 31	03/01/12	3,593.77	-	21.20	0.00	3,572.57
MW - 31	05/30/12	3,593.77	-	21.19	0.00	3,572.58
MW - 31	08/13/12	3,593.77	-	21.25	0.00	3,572.52
MW - 31	11/08/12	3,593.77	-	21.22	0.00	3,572.55
MW - 31	02/19/13	3,593.77	-	21.21	0.00	3,572.56
MW - 31	05/20/13	3,593.77	-	21.23	0.00	3,572.54
MW - 31	08/19/13	3,593.77	-	21.26	0.00	3,572.51
MW - 31	11/19/13	3,593.77	-	21.21	0.00	3,572.56
MW - 31	02/18/14	3,593.77	-	21.20	0.00	3,572.57
MW - 31	05/21/14	3,593.77	-	21.23	0.00	3,572.54
MW - 31	07/23/14	3,593.77	-	21.30	0.00	3,572.47
MW - 31	08/28/14	3,593.77	-	21.30	0.00	3,572.47
MW - 31	10/29/14	3,593.77	-	20.42	0.00	3,573.35
MW - 31	11/21/14	3,593.77	-	20.54	0.00	3,573.23
MW - 31	02/24/15	3,593.77	-	20.77	0.00	3,573.00
MW - 31	03/12/15	3,593.77	-	20.81	0.00	3,572.96
MW - 31	04/30/15	3,593.77	-	20.91	0.00	3,572.86
MW - 31	05/04/15	3,593.77	-	20.90	0.00	3,572.87
MW - 31	07/23/15	3,593.77	-	20.92	0.00	3,572.85

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 31	08/05/15	3,593.77	-	20.94	0.00	3,572.83
MW - 31	09/29/15	3,593.77	-	21.00	0.00	3,572.77
MW - 31	10/14/15	3,593.77	-	20.97	0.00	3,572.80
MW - 31	11/23/15	3,593.77	-	20.98	0.00	3,572.79
MW - 31	02/22/16	3,593.77	-	21.05	0.00	3,572.72
MW - 31	04/28/16	3,593.77	-	21.10	0.00	3,572.67
MW - 31	05/31/16	3,593.77	-	21.14	0.00	3,572.63
MW - 31	08/10/16	3,593.77	-	21.18	0.00	3,572.59
MW - 31	12/06/16	3,593.77	-	20.96	0.00	3,572.81
MW - 31	02/22/17	3,593.77	-	21.08	0.00	3,572.69
MW - 31	03/16/17	3,593.77	-	21.12	0.00	3,572.65
MW - 31	05/30/17	3,593.77	-	21.18	0.00	3,572.59
MW - 32	07/13/00	3,592.11	-	19.79	0.00	3,572.32
MW - 32	09/19/00	3,592.11	19.67	19.76	0.09	3,572.43
MW - 32	12/19/00	3,592.11	19.67	19.76	0.09	3,572.43
MW - 32	03/21/01	3,592.11	19.68	19.90	0.22	3,572.40
MW - 32	06/05/01	3,592.11	19.94	20.13	0.19	3,572.14
MW - 32	09/26/01	3,592.11	19.73	20.03	0.30	3,572.34
MW - 32	11/24/01	3,592.11	20.03	20.23	0.20	3,572.05
MW - 32	03/25/02	3,592.11	19.69	19.96	0.27	3,572.38
MW - 32	08/01/02	3,592.11	19.65	19.95	0.30	3,572.42
MW - 32	09/23/02	3,592.11	19.69	19.91	0.22	3,572.39
MW - 32	11/05/02	3,592.11	19.68	19.84	0.16	3,572.41
MW - 32	12/02/02	3,592.11	19.68	19.89	0.21	3,572.40
MW - 32	12/27/02	3,592.11	19.67	19.89	0.22	3,572.41
MW - 32	03/03/03	3,592.11	20.20	20.21	0.01	3,571.91
MW - 32	03/13/03	3,592.11	17.99	18.02	0.03	3,574.12
MW - 32	03/27/03	3,592.11	-	20.22	0.00	3,571.89
MW - 32	04/03/03	3,592.11	-	20.06	0.00	3,572.05
MW - 32	09/09/04	3,592.11	20.12	20.15	0.03	3,572.05
MW - 32	09/14/05	3,592.11	20.11	20.15	0.04	3,572.05
MW - 32	10/08/04	3,592.11	20.09	20.14	0.05	3,572.05
MW - 32	10/13/04	3,592.11	21.10	21.15	0.05	3,572.05
MW - 32	10/21/04	3,592.11	-	19.42	0.00	3,572.05
MW - 32	10/27/04	3,592.11	-	19.47	0.00	3,572.05
MW - 32	11/03/04	3,592.11	-	19.50	0.00	3,572.05
MW - 32	11/10/04	3,592.11	-	19.48	0.00	3,572.05
MW - 32	11/30/04	3,592.11	-	16.93	0.00	3,575.18

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 32	12/07/04	3,592.11	-	16.94	0.00	3,575.17
MW - 32	12/16/04	3,592.11	-	16.98	0.00	3,575.13
MW - 32	12/23/04	3,592.11	-	17.29	0.00	3,574.82
MW - 32	12/28/04	3,592.11	-	17.40	0.00	3,574.71
MW - 32	01/05/05	3,592.11	-	17.50	0.00	3,574.61
MW - 32	01/12/05	3,592.11	-	17.64	0.00	3,574.47
MW - 32	01/19/05	3,592.11	-	17.79	0.00	3,574.32
MW - 32	01/26/05	3,592.11	-	17.94	0.00	3,574.17
MW - 32	02/01/05	3,592.11	-	18.06	0.00	3,574.05
MW - 32	02/09/05	3,592.11	-	18.20	0.00	3,573.91
MW - 32	02/16/05	3,592.11	-	18.32	0.00	3,573.79
MW - 32	02/23/05	3,592.11	-	18.31	0.00	3,573.80
MW - 32	03/02/05	3,592.11	-	18.60	0.00	3,573.51
MW - 32	03/09/05	3,592.11	-	18.69	0.00	3,573.42
MW - 32	03/17/05	3,592.11	-	18.65	0.00	3,573.46
MW - 32	03/18/05	3,592.11	-	19.00	0.00	3,573.11
MW - 32	03/23/05	3,592.11	-	19.03	0.00	3,573.08
MW - 32	03/30/05	3,592.11	-	19.21	0.00	3,572.90
MW - 32	04/06/05	3,592.11	-	19.19	0.00	3,572.92
MW - 32	04/14/05	3,592.11	-	19.37	0.00	3,572.74
MW - 32	05/26/05	3,592.11	-	19.65	0.00	3,572.46
MW - 32	06/08/05	3,592.11	-	19.69	0.00	3,572.42
MW - 32	06/17/05	3,592.11	-	19.66	0.00	3,572.45
MW - 32	06/23/05	3,592.11	-	19.61	0.00	3,572.50
MW - 32	07/13/05	3,592.11	-	19.67	0.00	3,572.44
MW - 32	07/28/05	3,592.11	-	19.74	0.00	3,572.37
MW - 32	08/11/05	3,592.11	-	19.67	0.00	3,572.44
MW - 32	08/25/05	3,592.11	-	19.59	0.00	3,572.52
MW - 32	09/13/05	3,592.11	-	19.74	0.00	3,572.37
MW - 32	09/22/05	3,592.11	19.73	19.74	0.01	3,572.38
MW - 32	09/30/05	3,592.11	19.65	19.66	0.01	3,572.46
MW - 32	10/11/05	3,592.11	-	19.68	0.00	3,572.43
MW - 32	10/28/05	3,592.11	-	19.60	0.00	3,572.51
MW - 32	11/17/05	3,592.11	-	19.69	0.00	3,572.42
MW - 32	12/20/05	3,592.11	-	19.68	0.00	3,572.43
MW - 32	12/30/05	3,592.11	-	17.72	0.00	3,574.39
MW - 32	01/12/06	3,592.11	-	17.60	0.00	3,574.51
MW - 32	01/25/06	3,592.11	-	21.70	0.00	3,570.41
MW - 32	02/08/06	3,592.11	-	19.69	0.00	3,572.42

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 32	02/23/06	3,592.11	-	19.70	0.00	3,572.41
MW - 32	03/08/06	3,592.11	-	19.72	0.00	3,572.39
MW - 32	03/21/06	3,592.11	-	19.70	0.00	3,572.41
MW - 32	03/24/06	3,592.11	-	19.73	0.00	3,572.38
MW - 32	03/30/06	3,592.11	-	19.71	0.00	3,572.40
MW - 32	04/19/06	3,592.11	-	19.69	0.00	3,572.42
MW - 32	05/03/06	3,592.11	-	19.69	0.00	3,572.42
MW - 32	06/02/06	3,592.11	-	19.71	0.00	3,572.40
MW - 32	06/15/06	3,592.11	-	19.75	0.00	3,572.36
MW - 32	06/22/06	3,592.11	-	19.72	0.00	3,572.39
MW - 32	06/29/06	3,592.11	-	19.98	0.00	3,572.13
MW - 32	07/14/06	3,592.11	-	19.73	0.00	3,572.38
MW - 32	07/28/06	3,592.11	-	19.79	0.00	3,572.32
MW - 32	08/11/06	3,592.11	-	19.79	0.00	3,572.32
MW - 32	09/07/06	3,592.11	-	18.47	0.00	3,573.64
MW - 32	09/16/06	3,592.11	-	17.76	0.00	3,574.35
MW - 32	10/04/06	3,592.11	-	18.51	0.00	3,573.60
MW - 32	11/17/06	3,592.11	-	18.54	0.00	3,573.57
MW - 32	01/11/07	3,592.11	-	19.40	0.00	3,572.71
MW - 32	01/25/07	3,592.11	-	19.43	0.00	3,572.68
MW - 32	02/15/07	3,592.11	-	19.61	0.00	3,572.50
MW - 32	05/11/07	3,592.11	-	19.52	0.00	3,572.59
MW - 32	08/27/07	3,592.11	-	19.62	0.00	3,572.49
MW - 32	11/14/07	3,592.11	-	19.68	0.00	3,572.43
MW - 32	02/20/08	3,592.11	-	19.68	0.00	3,572.43
MW - 32	05/20/08	3,592.11	-	19.69	0.00	3,572.42
MW - 32	08/20/08	3,592.11	-	19.75	0.00	3,572.36
MW - 32	11/18/08	3,592.11	-	19.70	0.00	3,572.41
MW - 32	02/17/09	3,592.11	-	19.70	0.00	3,572.41
MW - 32	05/18/09	3,592.11	-	19.73	0.00	3,572.38
MW - 32	08/17/09	3,592.11	-	19.72	0.00	3,572.39
MW - 32	11/12/09	3,592.11	-	19.70	0.00	3,572.41
MW - 32	01/13/10	3,592.11	-	19.57	0.00	3,572.54
MW - 32	02/18/10	3,592.11	-	19.68	0.00	3,572.43
MW - 32	05/19/10	3,592.11	-	19.69	0.00	3,572.42
MW - 32	05/21/10	3,592.11	-	19.71	0.00	3,572.40
MW - 32	08/18/10	3,592.11	-	19.69	0.00	3,572.42
MW - 32	11/15/10	3,592.11	-	19.71	0.00	3,572.40
MW - 32	02/24/11	3,592.11	-	19.70	0.00	3,572.41

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 32	05/24/11	3,592.11	-	19.71	0.00	3,572.40
MW - 32	08/24/11	3,592.11	-	19.39	0.00	3,572.72
MW - 32	11/02/11	3,592.11	-	19.84	0.00	3,572.27
MW - 32	03/01/12	3,592.11	-	19.78	0.00	3,572.33
MW - 32	05/30/12	3,592.11	-	19.72	0.00	3,572.39
MW - 32	08/13/12	3,592.11	-	19.72	0.00	3,572.39
MW - 32	11/08/12	3,592.11	-	19.71	0.00	3,572.40
MW - 32	02/19/13	3,592.11	-	19.72	0.00	3,572.39
MW - 32	05/20/13	3,592.11	-	19.72	0.00	3,572.39
MW - 32	08/19/13	3,592.11	-	19.66	0.00	3,572.45
MW - 32	11/19/13	3,592.11	-	19.72	0.00	3,572.39
MW - 32	02/18/14	3,592.11	-	19.76	0.00	3,572.35
MW - 32	05/21/14	3,592.11	-	19.78	0.00	3,572.33
MW - 32	07/23/14	3,592.11	-	19.80	0.00	3,572.31
MW - 32	08/28/14	3,592.11	-	19.80	0.00	3,572.31
MW - 32	10/29/14	3,592.11	-	18.66	0.00	3,573.45
MW - 32	11/21/14	3,592.11	-	18.89	0.00	3,573.22
MW - 32	02/24/15	3,592.11	-	19.54	0.00	3,572.57
MW - 32	03/12/15	3,592.11	-	19.62	0.00	3,572.49
MW - 32	04/30/15	3,592.11	-	19.69	0.00	3,572.42
MW - 32	05/04/15	3,592.11	-	19.71	0.00	3,572.40
MW - 32	07/23/15	3,592.11	-	19.68	0.00	3,572.43
MW - 32	08/05/15	3,592.11	-	19.69	0.00	3,572.42
MW - 32	09/29/15	3,592.11	-	19.68	0.00	3,572.43
MW - 32	10/14/15	3,592.11	-	19.68	0.00	3,572.43
MW - 32	11/23/15	3,592.11	-	19.70	0.00	3,572.41
MW - 32	02/22/16	3,592.11	-	19.73	0.00	3,572.38
MW - 32	04/28/16	3,592.11	-	19.71	0.00	3,572.40
MW - 32	06/01/16	3,592.11	-	19.74	0.00	3,572.37
MW - 32	08/10/16	3,592.11	-	19.74	0.00	3,572.37
MW - 32	12/06/16	3,592.11	-	19.63	0.00	3,572.48
MW - 32	02/23/17	3,592.11	-	19.65	0.00	3,572.46
MW - 32	03/16/17	3,592.11	-	19.65	0.00	3,572.46
MW - 32	05/31/17	3,592.11	-	19.69	0.00	3,572.42
MW - 33	07/13/00	3,592.55	-	20.07	0.00	3,572.48
MW - 33	09/19/00	3,592.55	-	19.99	0.00	3,572.56
MW - 33	12/19/00	3,592.55	-	19.96	0.00	3,572.59
MW - 33	03/21/01	3,592.55	-	20.03	0.00	3,572.52

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 33	06/05/01	3,592.55	-	20.08	0.00	3,572.47
MW - 33	09/26/01	3,592.55	-	20.27	0.00	3,572.28
MW - 33	11/24/01	3,592.55	-	20.40	0.00	3,572.15
MW - 33	03/25/02	3,592.55	-	20.10	0.00	3,572.45
MW - 33	08/01/02	3,592.55	-	20.20	0.00	3,572.35
MW - 33	09/23/02	3,592.55	-	20.15	0.00	3,572.40
MW - 33	11/05/02	3,592.55	-	20.08	0.00	3,572.47
MW - 33	12/02/02	3,592.55	-	20.09	0.00	3,572.46
MW - 33	03/03/03	3,592.55	-	20.26	0.00	3,572.29
MW - 33	09/09/04	3,592.55	-	20.15	0.00	3,572.40
MW - 33	12/23/04	3,592.55	-	17.30	0.00	3,575.25
MW - 33	03/18/05	3,592.55	-	18.93	0.00	3,573.62
MW - 33	06/17/05	3,592.55	-	19.94	0.00	3,572.61
MW - 33	09/22/05	3,592.55	-	19.94	0.00	3,572.61
MW - 33	12/20/05	3,592.55	-	19.96	0.00	3,572.59
MW - 33	03/21/06	3,592.55	-	20.02	0.00	3,572.53
MW - 33	06/22/06	3,592.55	-	20.06	0.00	3,572.49
MW - 33	09/07/06	3,592.55	-	17.37	0.00	3,575.18
MW - 33	11/16/06	3,592.55	-	18.58	0.00	3,573.97
MW - 33	02/15/07	3,592.55	-	19.81	0.00	3,572.74
MW - 33	05/11/07	3,592.55	-	19.90	0.00	3,572.65
MW - 33	08/27/07	3,592.55	-	20.13	0.00	3,572.42
MW - 33	11/14/07	3,592.55	-	20.09	0.00	3,572.46
MW - 33	02/20/08	3,592.55	-	20.09	0.00	3,572.46
MW - 33	05/20/08	3,592.55	-	20.10	0.00	3,572.45
MW - 33	08/20/08	3,592.55	-	20.16	0.00	3,572.39
MW - 33	11/18/08	3,592.55	-	19.99	0.00	3,572.56
MW - 33	02/17/09	3,592.55	-	20.08	0.00	3,572.47
MW - 33	03/18/09	3,592.55	-	20.06	0.00	3,572.49
MW - 33	08/17/09	3,592.55	-	19.95	0.00	3,572.60
MW - 33	11/12/09	3,592.55	-	20.14	0.00	3,572.41
MW - 33	01/13/10	3,592.55	-	20.04	0.00	3,572.51
MW - 33	02/18/10	3,592.55	-	20.12	0.00	3,572.43
MW - 33	05/19/10	3,592.55	-	20.17	0.00	3,572.38
MW - 33	08/18/10	3,592.55	-	20.16	0.00	3,572.39
MW - 33	11/15/10	3,592.55	-	20.14	0.00	3,572.41
MW - 33	02/24/11	3,592.55	-	20.16	0.00	3,572.39
MW - 33	05/24/11	3,592.55	-	20.15	0.00	3,572.40
MW - 33	08/24/11	3,592.55	-	19.83	0.00	3,572.72

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 33	11/02/11	3,592.55	-	20.38	0.00	3,572.17
MW - 33	03/01/12	3,592.55	-	20.32	0.00	3,572.23
MW - 33	05/30/12	3,592.55	-	20.23	0.00	3,572.32
MW - 33	08/13/12	3,592.55	-	20.21	0.00	3,572.34
MW - 33	11/08/12	3,592.55	-	20.17	0.00	3,572.38
MW - 33	02/19/13	3,592.55	-	20.24	0.00	3,572.31
MW - 33	05/20/13	3,592.55	-	20.20	0.00	3,572.35
MW - 33	08/19/13	3,592.55	-	19.95	0.00	3,572.60
MW - 33	11/19/13	3,592.55	-	20.10	0.00	3,572.45
MW - 33	02/18/14	3,592.55	-	20.24	0.00	3,572.31
MW - 33	05/21/14	3,592.55	-	20.14	0.00	3,572.41
MW - 33	07/23/14	3,592.55	-	20.22	0.00	3,572.33
MW - 33	08/28/14	3,592.55	-	20.22	0.00	3,572.33
MW - 33	10/29/14	3,592.55	-	18.62	0.00	3,573.93
MW - 33	11/21/14	3,592.55	-	18.82	0.00	3,573.73
MW - 33	02/24/15	3,592.55	-	19.78	0.00	3,572.77
MW - 33	03/12/15	3,592.55	-	19.92	0.00	3,572.63
MW - 33	04/30/15	3,592.55	-	20.10	0.00	3,572.45
MW - 33	05/04/15	3,592.55	-	19.96	0.00	3,572.59
MW - 33	07/23/15	3,592.55	-	20.11	0.00	3,572.44
MW - 33	08/05/15	3,592.55	-	20.15	0.00	3,572.40
MW - 33	09/29/15	3,592.55	-	20.24	0.00	3,572.31
MW - 33	10/14/15	3,592.55	-	20.17	0.00	3,572.38
MW - 33	11/23/15	3,592.55	-	20.19	0.00	3,572.36
MW - 33	02/22/16	3,592.55	-	20.27	0.00	3,572.28
MW - 33	04/28/16	3,592.55	-	20.26	0.00	3,572.29
MW - 33	05/31/16	3,592.55	-	20.31	0.00	3,572.24
MW - 33	08/10/16	3,592.55	-	20.34	0.00	3,572.21
MW - 33	12/05/16	3,592.55	-	20.03	0.00	3,572.52
MW - 33	02/22/17	3,592.55	-	20.20	0.00	3,572.35
MW - 33	03/16/17	3,592.55	-	20.24	0.00	3,572.31
MW - 33	05/30/17	3,592.55	-	20.28	0.00	3,572.27
MW - 34	07/13/00	3,593.30	-	19.01	0.00	3,574.29
MW - 34	09/19/00	3,593.30	-	19.19	0.00	3,574.11
MW - 34	12/19/00	3,593.30	-	19.21	0.00	3,574.09
MW - 34	03/21/01	3,593.30	-	19.19	0.00	3,574.11
MW - 34	06/05/01	3,593.30	-	19.18	0.00	3,574.12
MW - 34	09/26/01	3,593.30	-	19.28	0.00	3,574.02

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 34	11/24/01	3,593.30	-	19.32	0.00	3,573.98
MW - 34	03/25/02	3,593.30	-	19.28	0.00	3,574.02
MW - 34	08/01/02	3,593.30	-	19.26	0.00	3,574.04
MW - 34	09/23/02	3,593.30	-	19.25	0.00	3,574.05
MW - 34	11/05/02	3,593.30	-	19.24	0.00	3,574.06
MW - 34	12/02/02	3,593.30	-	19.23	0.00	3,574.07
MW - 34	03/03/03	3,593.30	NM	NM	NM	NM
MW - 34	09/09/04	3,593.30	-	19.23	0.00	3,574.07
MW - 34	12/23/04	3,593.30	-	17.56	0.00	3,575.74
MW - 34	03/18/05	3,593.30	-	18.98	0.00	3,574.32
MW - 34	06/17/05	3,593.30	-	19.15	0.00	3,574.15
MW - 34	09/13/05	PLUGGED & ABANDONED				
MW - 35	07/13/00	3,594.47	-	18.67	0.00	3,575.80
MW - 35	09/19/00	3,594.47	-	18.73	0.00	3,575.74
MW - 35	12/19/00	3,594.47	-	18.78	0.00	3,575.69
MW - 35	03/21/01	3,594.47	-	18.81	0.00	3,575.66
MW - 35	06/05/01	3,594.47	-	18.88	0.00	3,575.59
MW - 35	09/26/01	3,594.47	-	18.88	0.00	3,575.59
MW - 35	11/24/01	3,594.47	-	18.90	0.00	3,575.57
MW - 35	03/25/02	3,594.47	-	18.81	0.00	3,575.66
MW - 35	08/01/02	3,594.47	-	18.88	0.00	3,575.59
MW - 35	09/23/02	3,594.47	-	18.85	0.00	3,575.62
MW - 35	11/05/02	3,594.47	-	18.83	0.00	3,575.64
MW - 35	12/02/02	3,594.47	-	18.83	0.00	3,575.64
MW - 35	03/03/03	3,594.47	NM	NM	NM	NM
MW - 35	12/23/04	3,594.47	-	17.70	0.00	3,576.77
MW - 35	03/18/05	3,594.47	-	18.31	0.00	3,576.16
MW - 35	06/17/05	3,594.47	-	18.58	0.00	3,575.89
MW - 35	09/13/05	PLUGGED & ABANDONED				
MW - 36	07/13/00	3,595.80	-	18.03	0.00	3,577.77
MW - 36	09/19/00	3,595.80	-	18.13	0.00	3,577.67
MW - 36	12/19/00	3,595.80	-	18.15	0.00	3,577.65
MW - 36	03/21/01	3,595.80	-	18.10	0.00	3,577.70
MW - 36	06/05/01	3,595.80	-	18.16	0.00	3,577.64
MW - 36	09/26/01	3,595.80	-	18.19	0.00	3,577.61
MW - 36	11/24/01	3,595.80	-	18.24	0.00	3,577.56
MW - 36	03/25/02	3,595.80	-	18.17	0.00	3,577.63

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 36	08/01/02	3,595.80	-	18.24	0.00	3,577.56
MW - 36	09/23/02	3,595.80	-	18.20	0.00	3,577.60
MW - 36	11/05/02	3,595.80	-	18.18	0.00	3,577.62
MW - 36	12/02/02	3,595.80	-	18.18	0.00	3,577.62
MW - 36	03/03/03	3,595.80	NM	NM	NM	NM
MW - 36	09/09/04	3,595.80	-	18.17	0.00	3,577.63
MW - 36	12/23/04	3,595.80	-	17.58	0.00	3,578.22
MW - 36	03/18/05	3,595.80	-	17.89	0.00	3,577.91
MW - 36	06/17/05	3,595.80	-	18.05	0.00	3,577.75
MW - 36	09/13/05	PLUGGED & ABANDONED				
MW - 37	08/01/02	3,592.00	20.08	20.09	0.01	3,571.92
MW - 37	09/23/02	3,592.00	-	20.11	0.00	3,571.89
MW - 37	03/03/03	3,592.00	-	20.10	0.00	3,571.90
MW - 37	09/09/04	3,592.00	-	20.10	0.00	3,571.90
MW - 37	12/23/04	3,592.00	-	17.00	0.00	3,575.00
MW - 37	03/18/05	3,592.00	-	18.67	0.00	3,573.33
MW - 37	06/17/05	3,592.00	-	19.89	0.00	3,572.11
MW - 37	09/22/05	3,592.00	-	20.00	0.00	3,572.00
MW - 37	12/20/05	3,592.00	-	20.03	0.00	3,571.97
MW - 37	03/21/06	3,592.00	-	20.05	0.00	3,571.95
MW - 37	06/22/06	3,592.00	-	20.07	0.00	3,571.93
MW - 37	09/07/06	3,592.00	-	17.18	0.00	3,574.82
MW - 37	11/17/06	3,592.00	-	18.23	0.00	3,573.77
MW - 37	02/15/07	3,592.00	-	19.51	0.00	3,572.49
MW - 37	05/11/07	3,592.00	-	19.72	0.00	3,572.28
MW - 37	08/27/07	3,592.00	-	20.03	0.00	3,571.97
MW - 37	11/14/07	3,592.00	-	20.01	0.00	3,571.99
MW - 37	02/20/08	3,592.00	-	20.02	0.00	3,571.98
MW - 37	05/20/08	3,592.00	-	20.00	0.00	3,572.00
MW - 37	08/20/08	3,592.00	-	20.05	0.00	3,571.95
MW - 37	11/18/08	3,592.00	-	19.90	0.00	3,572.10
MW - 37	02/17/09	3,592.00	-	19.98	0.00	3,572.02
MW - 37	05/18/09	3,592.00	-	19.97	0.00	3,572.03
MW - 37	08/17/09	3,592.00	-	19.81	0.00	3,572.19
MW - 37	11/12/09	3,592.00	-	19.98	0.00	3,572.02
MW - 37	01/13/10	3,592.00	-	19.84	0.00	3,572.16
MW - 37	02/18/10	3,592.00	-	19.96	0.00	3,572.04
MW - 37	05/19/10	3,592.00	-	19.98	0.00	3,572.02

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 37	08/18/10	3,592.00	-	19.98	0.00	3,572.02
MW - 37	11/15/10	3,592.00	-	20.00	0.00	3,572.00
MW - 37	02/24/11	3,592.00	-	20.02	0.00	3,571.98
MW - 37	05/24/11	3,592.00	-	20.06	0.00	3,571.94
MW - 37	08/24/11	3,592.00	-	20.38	0.00	3,571.62
MW - 37	11/02/11	3,592.00	-	20.10	0.00	3,571.90
MW - 37	03/01/12	3,592.00	-	20.05	0.00	3,571.95
MW - 37	05/30/12	3,592.00	-	19.98	0.00	3,572.02
MW - 37	08/13/12	3,592.00	-	19.99	0.00	3,572.01
MW - 37	11/08/12	3,592.00	-	19.97	0.00	3,572.03
MW - 37	02/19/13	3,592.00	-	20.02	0.00	3,571.98
MW - 37	05/20/13	3,592.00	-	19.99	0.00	3,572.01
MW - 37	08/19/13	3,592.00	-	19.84	0.00	3,572.16
MW - 37	11/19/13	3,592.00	-	19.95	0.00	3,572.05
MW - 37	02/18/14	3,592.00	-	20.01	0.00	3,571.99
MW - 37	05/21/14	3,592.00	-	19.99	0.00	3,572.01
MW - 37	07/23/14	3,592.00	-	20.01	0.00	3,571.99
MW - 37	08/28/14	3,592.00	-	20.05	0.00	3,571.95
MW - 37	10/29/14	3,592.00	-	18.37	0.00	3,573.63
MW - 37	11/21/14	3,592.00	-	18.58	0.00	3,573.42
MW - 37	02/24/15	3,592.00	-	19.56	0.00	3,572.44
MW - 37	03/12/15	3,592.00	-	19.78	0.00	3,572.22
MW - 37	04/30/15	3,592.00	-	19.97	0.00	3,572.03
MW - 37	05/04/15	3,592.00	-	19.97	0.00	3,572.03
MW - 37	07/23/15	3,592.00	-	20.01	0.00	3,571.99
MW - 37	08/05/15	3,592.00	-	20.00	0.00	3,572.00
MW - 37	09/29/15	3,592.00	-	20.04	0.00	3,571.96
MW - 37	10/14/15	3,592.00	-	20.04	0.00	3,571.96
MW - 37	11/23/15	3,592.00	-	20.05	0.00	3,571.95
MW - 37	02/22/16	3,592.00	-	20.08	0.00	3,571.92
MW - 37	04/28/16	3,592.00	-	20.08	0.00	3,571.92
MW - 37	05/31/16	3,592.00	-	20.10	0.00	3,571.90
MW - 37	08/10/16	3,592.00	-	20.12	0.00	3,571.88
MW - 37	12/06/16	3,592.00	-	20.00	0.00	3,572.00
MW - 37	02/22/17	3,592.00	-	20.03	0.00	3,571.97
MW - 37	03/16/17	3,592.00	-	20.06	0.00	3,571.94
MW - 37	05/30/17	3,592.00	-	20.06	0.00	3,571.94
MW - 38	08/01/02	3,592.14	-	26.28	0.00	3,565.86

TABLE 1**COMPREHENSIVE GROUNDWATER ELEVATION DATA**

**PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016**

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 38	09/23/02	3,592.14	-	20.21	0.00	3,571.93
MW - 38	03/03/03	3592.14	-	20.21	0.00	3571.93
MW - 38	09/09/04	3592.14	-	20.11	0.00	3572.03
MW - 38	12/23/04	3,592.14	-	17.90	0.00	3574.24
MW - 38	03/18/05	3,592.14	-	19.25	0.00	3572.89
MW - 38	06/17/05	3,592.14	-	19.57	0.00	3572.57
MW - 38	09/22/05	3,592.14	-	19.77	0.00	3572.37
MW - 38	12/20/05	3,592.14	-	19.97	0.00	3572.17
MW - 38	03/21/06	3,592.14	-	20.07	0.00	3572.07
MW - 38	06/22/06	3,592.14	-	20.10	0.00	3572.04
MW - 38	07/14/06	3,592.14	-	20.12	0.00	3572.02
MW - 38	07/28/06	3,592.14	-	19.14	0.00	3573.00
MW - 38	08/11/06	3,592.14	-	20.17	0.00	3571.97
MW - 38	09/07/06	3,592.14	-	17.63	0.00	3574.51
MW - 38	09/16/06	3,592.14	-	17.71	0.00	3574.43
MW - 38	10/04/06	3,592.14	-	17.67	0.00	3574.47
MW - 38	11/17/06	3,592.14	-	18.60	0.00	3573.54
MW - 38	01/11/07	3,592.14	-	19.55	0.00	3572.59
MW - 38	01/25/07	3,592.14	-	19.52	0.00	3572.62
MW - 38	02/08/07	3,592.14	-	19.59	0.00	3572.55
MW - 38	02/15/07	3,592.14	-	19.61	0.00	3572.53
MW - 38	03/08/07	3,592.14	-	20.69	0.00	3571.45
MW - 38	03/28/07	3,592.14	-	19.65	0.00	3572.49
MW - 38	05/11/07	3,592.14	-	19.70	0.00	3572.44
MW - 38	07/12/07	3,592.14	-	19.86	0.00	3572.28
MW - 38	08/27/07	3,592.14	-	19.94	0.00	3572.20
MW - 38	11/14/07	3,592.14	-	20.03	0.00	3572.11
MW - 38	02/20/08	3,592.14	-	20.06	0.00	3572.08
MW - 38	05/20/08	3,592.14	-	20.08	0.00	3572.06
MW - 38	08/20/08	3,592.14	-	20.12	0.00	3572.02
MW - 38	11/18/08	3,592.14	-	20.08	0.00	3572.06
MW - 38	02/17/09	3,592.14	-	20.09	0.00	3572.05
MW - 38	05/18/09	3,592.14	-	20.14	0.00	3572.00
MW - 38	08/17/09	3,592.14	-	20.13	0.00	3572.01
MW - 38	11/12/09	3,592.14	-	20.10	0.00	3572.04
MW - 38	11/13/09	3,592.14	-	20.10	0.00	3572.04
MW - 38	11/25/09	3,592.14	-	20.14	0.00	3572.00
MW - 38	12/01/09	3,592.14	-	20.14	0.00	3572.00
MW - 38	01/13/10	3,592.14	-	20.18	0.00	3571.96

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 38	01/20/10	3,592.14	-	20.04	0.00	3572.10
MW - 38	02/18/10	3,592.14	-	19.91	0.00	3572.23
MW - 38	03/03/10	3,592.14	-	20.04	0.00	3572.10
MW - 38	03/16/10	3,592.14	-	20.09	0.00	3572.05
MW - 38	04/05/10	3,592.14	-	20.03	0.00	3572.11
MW - 38	04/15/10	3,592.14	-	20.18	0.00	3571.96
MW - 38	04/19/10	3,592.14	-	20.21	0.00	3571.93
MW - 38	04/28/10	3,592.14	-	20.05	0.00	3572.09
MW - 38	05/19/10	3,592.14	-	19.96	0.00	3572.18
MW - 38	05/21/10	3,592.14	-	19.98	0.00	3572.16
MW - 38	08/18/10	3,592.14	-	19.94	0.00	3572.20
MW - 38	11/16/10	3,592.14	-	19.96	0.00	3572.18
MW - 38	02/24/11	3,592.14	-	19.94	0.00	3572.20
MW - 38	05/12/11	3,592.14	-	20.17	0.00	3571.97
MW - 38	05/16/11	3,592.14	-	20.20	0.00	3571.94
MW - 38	05/24/11	3,592.14	-	19.93	0.00	3572.21
MW - 38	05/26/11	3,592.14	-	20.30	0.00	3571.84
MW - 38	06/09/11	3,592.14	-	20.20	0.00	3571.94
MW - 38	06/29/11	3,592.14	-	20.19	0.00	3571.95
MW - 38	07/05/11	3,592.14	-	20.20	0.00	3571.94
MW - 38	08/04/11	3,592.14	-	20.15	0.00	3571.99
MW - 38	08/25/11	3,592.14	-	20.15	0.00	3571.99
MW - 38	09/08/11	3,592.14	-	20.32	0.00	3571.82
MW - 38	09/15/11	3,592.14	-	20.27	0.00	3571.87
MW - 38	09/22/11	3,592.14	-	20.95	0.00	3571.19
MW - 38	10/28/11	3,592.14	-	20.36	0.00	3571.78
MW - 38	11/02/11	3,592.14	-	20.78	0.00	3571.36
MW - 38	12/29/11	3,592.14	-	20.33	0.00	3571.81
MW - 38	01/11/12	3,592.14	-	20.31	0.00	3571.83
MW - 38	01/20/12	3,592.14	-	20.49	0.00	3571.65
MW - 38	02/13/12	3,592.14	-	20.33	0.00	3571.81
MW - 38	03/01/12	3,592.14	-	20.35	0.00	3571.79
MW - 38	03/19/12	3,592.14	-	20.35	0.00	3571.79
MW - 38	04/09/12	3,592.14	-	20.40	0.00	3571.74
MW - 38	04/23/12	3,592.14	-	20.39	0.00	3571.75
MW - 38	05/30/12	3,592.14	-	20.27	0.00	3571.87
MW - 38	06/11/12	3,592.14	-	20.28	0.00	3571.86
MW - 38	06/25/12	3,592.14	-	20.32	0.00	3571.82
MW - 38	07/09/12	3,592.14	-	20.41	0.00	3571.73

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 38	08/13/12	3,592.14	-	20.42	0.00	3571.72
MW - 38	09/04/12	3,592.14	-	20.47	0.00	3571.67
MW - 38	09/10/12	3,592.14	-	21.25	0.00	3570.89
MW - 38	09/24/12	3,592.14	-	20.50	0.00	3571.64
MW - 38	10/08/12	3,592.14	-	20.41	0.00	3571.73
MW - 38	10/24/12	3,592.14	-	20.31	0.00	3571.83
MW - 38	11/08/12	3,592.14	-	20.35	0.00	3571.79
MW - 38	12/04/12	3,592.14	-	20.35	0.00	3571.79
MW - 38	12/17/12	3,592.14	-	20.37	0.00	3571.77
MW - 38	01/24/13	3,592.14	-	20.35	0.00	3571.79
MW - 38	02/04/13	3,592.14	-	20.37	0.00	3571.77
MW - 38	02/19/13	3,592.14	-	20.31	0.00	3571.83
MW - 38	03/26/13	3,592.14	-	20.29	0.00	3571.85
MW - 38	04/01/13	3,592.14	-	20.62	0.00	3571.52
MW - 38	04/15/13	3,592.14	-	20.25	0.00	3571.89
MW - 38	04/29/13	3,592.14	-	20.24	0.00	3571.90
MW - 38	05/06/13	3,592.14	-	22.04	0.00	3570.10
MW - 38	05/20/13	3,592.14	-	20.49	0.00	3571.65
MW - 38	06/03/13	3,592.14	-	20.47	0.00	3571.67
MW - 38	06/13/13	3,592.14	-	20.49	0.00	3571.65
MW - 38	06/18/13	3,592.14	-	21.23	0.00	3570.91
MW - 38	06/25/13	3,592.14	-	23.22	0.00	3568.92
MW - 38	07/08/13	3,592.14	-	22.82	0.00	3569.32
MW - 38	07/16/13	3,592.14	-	20.59	0.00	3571.55
MW - 38	07/25/13	3,592.14	-	20.58	0.00	3571.56
MW - 38	07/30/13	3,592.14	-	20.56	0.00	3571.58
MW - 38	08/05/13	3,592.14	-	20.26	0.00	3571.88
MW - 38	08/16/13	3,592.14	-	20.22	0.00	3571.92
MW - 38	08/19/13	3,592.14	-	21.26	0.00	3570.88
MW - 38	08/27/13	3,592.14	-	20.30	0.00	3571.84
MW - 38	09/05/13	3,592.14	-	20.28	0.00	3571.86
MW - 38	09/09/13	3,592.14	-	21.63	0.00	3570.51
MW - 38	09/19/13	3,592.14	-	20.49	0.00	3571.65
MW - 38	09/25/13	3,592.14	-	20.73	0.00	3571.41
MW - 38	10/03/13	3,592.14	-	20.49	0.00	3571.65
MW - 38	10/09/13	3,592.14	-	20.35	0.00	3571.79
MW - 38	10/15/13	3,592.14	-	20.32	0.00	3571.82
MW - 38	10/22/13	3,592.14	-	20.30	0.00	3571.84
MW - 38	11/01/13	3,592.14	-	20.43	0.00	3571.71

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW - 38	11/04/13	3,592.14	-	21.00	0.00	3571.14
MW - 38	11/15/13	3,592.14	-	20.48	0.00	3571.66
MW - 38	11/19/13	3,592.14	-	20.70	0.00	3571.44
MW - 38	12/13/13	3,592.14	-	20.45	0.00	3571.69
MW - 38	12/24/13	3,592.14	-	20.39	0.00	3571.75
MW - 38	12/30/13	3,592.14	-	20.40	0.00	3571.74
MW - 38	01/07/14	3,592.14	-	20.31	0.00	3571.83
MW - 38	01/23/14	3,592.14	-	20.36	0.00	3571.78
MW - 38	01/31/14	3,592.14	-	20.32	0.00	3571.82
MW - 38	02/05/14	3,592.14	-	20.81	0.00	3571.33
MW - 38	02/18/14	3,592.14	-	20.34	0.00	3571.80
MW - 38	02/27/14	3,592.14	-	20.49	0.00	3571.65
MW - 38	03/05/14	3,592.14	-	20.34	0.00	3571.80
MW - 38	03/18/14	3,592.14	-	20.32	0.00	3571.82
MW - 38	03/26/14	3,592.14	-	20.37	0.00	3571.77
MW - 38	05/21/14	3,592.14	-	20.19	0.00	3571.95
MW - 38	07/23/14	3,592.14	-	20.19	0.00	3571.95
MW - 38	08/28/14	3,592.14	-	20.18	0.00	3571.96
MW - 38	10/29/14	3,592.14	-	18.64	0.00	3573.50
MW - 38	11/21/14	3,592.14	-	18.87	0.00	3573.27
MW - 38	02/24/15	3,592.14	-	19.56	0.00	3572.58
MW - 38	03/12/15	3,592.14	-	19.65	0.00	3572.49
MW - 38	04/30/15	3,592.14	-	19.80	0.00	3572.34
MW - 38	05/04/15	3,592.14	-	19.82	0.00	3572.32
MW - 38	07/23/15	3,592.14	-	19.80	0.00	3572.34
MW - 38	08/05/15	3,592.14	-	19.84	0.00	3572.30
MW - 38	09/29/15	3,592.14	-	19.93	0.00	3572.21
MW - 38	10/14/15	3,592.14	-	19.94	0.00	3572.20
MW - 38	11/23/15	3,592.14	-	19.97	0.00	3572.17
MW - 38	02/23/16	3,592.14	-	20.04	0.00	3572.10
MW - 38	04/28/16	3,592.14	-	20.08	0.00	3572.06
MW - 38	06/01/16	3,592.14	-	20.11	0.00	3572.03
MW - 38	08/10/16	3,592.14	-	20.12	0.00	3572.02
MW - 38	12/06/16	3,592.14	-	19.87	0.00	3,572.27
MW - 38	02/23/17	3,592.14	-	20.01	0.00	3,572.13
MW - 38	03/16/17	3,592.14	-	20.07	0.00	3,572.07
MW - 38	05/31/17	3,592.14	-	20.08	0.00	3,572.06
MW - 56	08/18/10	-	-	19.77	0.00	-

TABLE 1

COMPREHENSIVE GROUNDWATER ELEVATION DATA

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
AP-0016

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUND WATER ELEVATION
MW-56	11/15/10	-	-	19.77	0.00	-
MW-56	05/24/11	-	-	19.77	0.00	-
MW-56	08/24/11	-	-	20.09	0.00	-
MW-56	11/02/11	-	-	19.85	0.00	-
MW-56	03/01/12	-	-	19.83	0.00	-
MW-56	05/30/12	-	-	19.80	0.00	-
MW-56	08/13/12	-	-	19.81	0.00	-
MW-56	11/08/12	-	-	19.79	0.00	-
MW-56	02/19/13	-	-	19.81	0.00	-
MW-56	05/20/13	-	-	19.82	0.00	-
MW-56	08/19/13	-	-	19.61	0.00	-
MW-56	11/19/13	-	-	19.77	0.00	-
MW-56	02/18/14	-	-	19.81	0.00	-
MW-56	05/21/14	-	-	19.81	0.00	-
MW-56	07/23/14	-	-	19.90	0.00	-
MW-56	08/28/14	-	-	19.85	0.00	-
MW-56	10/29/14	-	-	17.93	0.00	-
MW-56	11/21/14	-	-	18.19	0.00	-
MW-56	02/24/15	-	-	19.27	0.00	-
MW-56	03/12/15	-	-	19.49	0.00	-
MW-56	04/30/15	-	-	19.72	0.00	-
MW-56	05/04/15	-	-	19.71	0.00	-
MW-56	07/23/15	-	-	19.71	0.00	-
MW-56	08/05/15	-	-	19.74	0.00	-
MW-56	09/29/15	-	-	19.78	0.00	-
MW-56	10/14/15	-	-	19.79	0.00	-
MW-56	11/23/15	-	-	19.82	0.00	-
MW-56	02/23/16	-	-	19.86	0.00	-
MW-56	04/28/16	-	-	19.88	0.00	-
MW-56	06/01/16	-	-	19.90	0.00	-
MW-56	08/11/16	-	-	19.91	0.00	-
MW-56	12/06/16	-	-	19.75	0.00	-
MW-56	02/23/17	-	-	19.85	0.00	-
MW-56	03/16/17	-	-	19.88	0.00	-
MW-56	05/31/17	-	-	19.88	0.00	-

Note: NM denotes well not gauged due to access restrictions.
Elevations based on North American Vertical Datum of 1929.

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-1	02/16/00	Not Sampled Due to PSH in Well				
MW-1	06/09/00	Not Sampled Due to PSH in Well				
MW-1	09/19/00	Not Sampled Due to PSH in Well				
MW-1	12/19/00	Not Sampled Due to PSH in Well				
MW-1	03/21/01	Not Sampled Due to PSH in Well				
MW-1	06/05/01	Not Sampled Due to PSH in Well				
MW-1	09/25/01	Not Sampled Due to PSH in Well				
MW-1	11/24/01	Not Sampled Due to PSH in Well				
MW-1	03/25/02	Not Sampled Due to PSH in Well				
MW-1	08/18/02	0.376	<0.001	0.151	0.418	0.0216
MW-1	09/23/02	Not Sampled Due to PSH in Well				
MW-1	12/02/02	Not Sampled Due to PSH in Well				
MW-1	03/04/03	Not Sampled Due to PSH in Well				
MW-1	09/09/04	0.184	<0.001	0.064	0.129	0.00313
MW-1	12/23/04	Not Sampled Due to PSH in Well				
MW-1	03/19/05	Not Sampled Due to PSH in Well				
MW-1	06/17/05	0.0890	<0.0100	0.0758	0.0791	
MW-1	09/22/05	0.0874	0.00130	0.0978	0.148	
MW-1	12/20/05	0.0459	<0.00100	0.0562	0.0639	
MW-1	03/21/06	0.0410	<0.0200	0.0657	0.104	
MW-1	06/22/06	0.0556	<0.00500	0.0555	0.0730	
MW-1	09/07/06	0.0429	<0.00100	0.0394	0.116	
MW-1	11/17/06	0.0427	<0.00100	0.0729	0.112	
MW-1	02/15/07	0.0232	<0.00500	0.0760	0.0593	
MW-1	05/12/07	0.0424	<0.00100	0.0994	0.0983	
MW-1	08/28/07	0.0683	<0.00100	0.118	0.0883	
MW-1	11/15/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-1	02/20/08	0.0310	<0.00100	0.108	0.0727	
MW-1	06/05/08	0.0466	<0.00100	0.0244	0.0208	
MW-1	08/20/08	0.0809	0.00250	0.0482	0.0763	
MW-1	11/18/08	0.0457	<0.00100	0.0145	0.0269	
MW-1	02/18/09	0.0152	<0.00100	0.0183	0.0164	
MW-1	05/18/09	0.0214	<0.00100	0.0153	0.0205	
MW-1	08/17/09	0.0151	<0.00100	0.0180	0.0151	
MW-1	11/13/09	0.0391	<0.00100	0.00440	0.00110	
MW-1	02/18/10	0.0298	<0.00100	0.00520	0.00410	
MW-1	05/18/10	0.0182	<0.00100	0.00390	0.00340	
MW-1	08/18/10	0.00200	<0.00100	0.00110	0.00300	
MW-1	11/15/10	0.0103	<0.00100	0.00530	0.0109	
MW-1	02/24/11	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030					
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE	
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62		
MW-1	05/24/11	0.0215	<0.00100	0.00830	0.0205		
MW-1	08/25/11	0.0185	<0.00100	<0.00100	0.0103		
MW-1	11/03/11	0.00330	<0.00100	<0.00100	0.00290		
MW-1	03/01/12	0.0146	<0.00100	0.00870	0.0234		
MW-1	05/31/12	<0.00100	<0.00100	<0.00100	<0.00100		
MW-1	08/14/12	<0.00100	<0.00100	<0.00100	<0.00100		
MW-1	11/08/12	<0.00500	<0.00500	<0.00500	<0.00500		
MW-1	02/19/13	<0.00100	<0.00100	<0.00100	<0.00100		
MW-1	05/21/13	<0.00100	<0.00100	<0.00100	<0.00100		
MW-1	08/19/13	<0.00100	<0.00100	<0.00100	<0.00100		
MW-1	11/19/13	**** 0.260	0.0029	0.291	0.648		
MW-1	12/08/13	0.00100	<0.00100	<0.00100	<0.00300		
MW-1	02/18/14	0.00120	<0.00100	<0.00100	<0.00300		
MW-1	05/22/14	0.00520	<0.00100	<0.00100	<0.00300		
MW-1	08/29/14	<0.00100	<0.00100	<0.00100	<0.00100		
MW-1	11/20/14	<0.00100	<0.00100	<0.00100	<0.00100		
MW-1	02/25/15	<0.00100	<0.00100	<0.00100	<0.00100		
MW-1	05/06/15	<0.00100	<0.00100	<0.00100	<0.00100		
MW-1	08/06/15	<0.00100	<0.00100	<0.00100	<0.00100		
MW-1	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100		
MW-1	02/22/16	<0.00100	<0.00100	<0.00100	<0.00100		
MW-1	06/01/16	<0.00100	<0.00100	<0.00100	<0.00100		
MW-1	08/10/16	<0.00100	<0.00100	<0.00100	<0.00100		
MW-1	12/06/16	<0.00200	<0.00200	<0.00200	<0.00200		
MW-1	02/22/17	<0.00200	<0.00200	<0.00200	<0.00200		
MW-1	05/31/17	<0.00200	<0.00200	<0.00200	<0.00400		
MW-2	02/16/00	Not Sampled Due to PSH in Well					
MW-2	06/09/00	Not Sampled Due to PSH in Well					
MW-2	09/19/00	Not Sampled Due to PSH in Well					
MW-2	12/19/00	Not Sampled Due to PSH in Well					
MW-2	03/21/01	Not Sampled Due to PSH in Well					
MW-2	06/05/01	Not Sampled Due to PSH in Well					
MW-2	09/25/01	Not Sampled Due to PSH in Well					
MW-2	11/24/01	Not Sampled Due to PSH in Well					
MW-2	03/25/02	Not Sampled Due to PSH in Well					
MW-2	08/16/02	0.335	<0.001	0.169	0.197	0.00113	
MW-2	09/23/02	Not Sampled Due to PSH in Well					
MW-2	12/02/02	Not Sampled Due to PSH in Well					
MW-2	03/04/03	Not Sampled Due to PSH in Well					

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-2	09/09/04	Not Sampled Due to PSH in Well				
MW-2	12/23/04	0.0656	<0.0200	<0.0200	<0.0200	
MW-2	03/20/05	0.0486	<0.00500	<0.00500	<0.00500	
MW-2	06/17/05	Not Sampled Due to PSH in Well				
MW-2	09/22/05	Not Sampled Due to PSH in Well				
MW-2	12/20/05	0.0538	<0.00100	0.0398	0.00340	
MW-2	03/21/06	0.0641	<0.00500	0.0451	<0.00500	
MW-2	06/22/06	0.0722	<0.00100	0.0543	0.00250	
MW-2	09/07/06	0.0369	<0.00100	0.0156	0.0141	
MW-2	11/16/06	0.0263	<0.00100	0.00840	0.00460	
MW-2	02/16/07	0.0297	<0.00500	0.0155	<0.00500	
MW-2	05/12/07	0.0235	<0.00100	0.0143	<0.00100	
MW-2	08/28/07	0.0256	<0.00100	0.0104	<0.00100	
MW-2	11/15/07	0.0229	<0.00100	0.00220	<0.00100	
MW-2	02/20/08	0.0219	<0.00100	0.00200	0.00120	
MW-2	05/20/08	0.0185	<0.00100	<0.00100	<0.00100	
MW-2	08/20/08	0.0177	<0.00100	0.00190	<0.00100	
MW-2	11/18/08	0.0119	<0.00100	<0.00100	<0.00100	
MW-2	02/18/09	0.00410	<0.00100	<0.00100	<0.00100	
MW-2	05/18/09	0.00710	<0.00100	0.00550	<0.00100	
MW-2	08/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-2	11/13/09	0.00830	<0.00100	<0.00100	<0.00100	
MW-2	02/18/10	0.0091	<0.00100	<0.00100	<0.00100	
MW-2	05/18/10	0.00650	<0.00100	0.00180	<0.00100	
MW-2	08/18/10	<0.00100	<0.00100	0.00190	0.00330	
MW-2	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-2	02/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-2	05/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-2	08/25/11	0.00680	<0.00100	<0.00100	<0.00100	
MW-2	11/03/11	0.00350	<0.00100	<0.00100	<0.00100	
MW-2	03/01/12	0.0107	<0.00100	<0.00100	<0.00100	
MW-2	05/31/12	<0.00100	<0.00100	<0.00100	0.00140	
MW-2	08/14/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-2	11/08/12	<0.00500	<0.00500	<0.00500	<0.00500	
MW-2	02/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-2	05/21/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-2	08/19/13	0.00120	<0.00100	<0.00100	<0.00100	
MW-2	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-2	02/18/14	0.00160	<0.00100	<0.00100	<0.00300	
MW-2	05/22/14	<0.00100	<0.00100	<0.00100	<0.00300	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-2	08/29/14	<0.00100	<0.00100	<0.00100	0.00110	
MW-2	11/20/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-2	02/25/15	0.00120	<0.00100	<0.00100	<0.00100	
MW-2	05/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-2	08/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-2	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-2	02/22/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-2	06/01/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-2	08/10/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-2	12/06/16	<0.00200	<0.00200	0.00257	0.00279	
MW-2	02/22/17	<0.00200	<0.00200	<0.00200	<0.00200	
MW-2	05/31/17	<0.00200	0.00421	<0.00200	<0.00400	
MW-3	02/03/00	0.480	0.235	0.153	0.611	
MW-3	06/09/00	0.433	0.016	0.119	0.151	
MW-3	09/20/00	0.138	0.004	0.120	0.129	
MW-3	12/20/00	0.117	0.002	0.044	0.041	
MW-3	03/21/01	0.130	<0.005	0.030	0.038	
MW-3	06/05/01	0.122	<0.005	0.0333	0.0266	
MW-3	09/26/01	0.117	0.0157	0.016	<0.001	
MW-3	11/24/01	0.113	0.018	0.0242	<0.001	
MW-3	03/25/02	0.112	0.0164	0.0186	<0.001	<0.001
MW-3	08/15/02	0.0653	<0.001	0.0205	0.0212	<0.001
MW-3	09/23/02	0.0744	<0.001	0.00836	0.00712	<0.001
MW-3	12/02/02	0.0605	<0.001	0.0241	0.0257	<0.001
MW-3	03/04/03	0.0694	<0.001	0.0283	0.0149	<0.001
MW-3	09/09/04	0.0289	<0.001	0.00398	<0.002	<0.001
MW-3	12/23/04	0.00470	<0.00100	0.00100	<0.00100	
MW-3	03/19/05	<0.00500	<0.00500	<0.00500	<0.00500	
MW-3	06/17/05	<0.00500	<0.00500	<0.00500	<0.00500	
MW-3	09/22/05	0.00540	<0.00100	0.00250	0.00170	
MW-3	12/20/05	0.00480	<0.00100	0.00240	0.00250	
MW-3	03/21/06	0.00630	<0.00100	0.00210	0.00350	
MW-3	06/22/06	0.00280	<0.00100	<0.00100	<0.00100	
MW-3	09/07/06	0.00910	<0.00100	0.0101	0.0104	
MW-3	11/17/06	0.00400	<0.00100	0.00420	0.00400	
MW-3	02/15/07	0.00370	<0.00100	0.00240	0.00260	
MW-3	05/12/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	08/27/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-3	02/20/08	0.00160	<0.00100	<0.00100	<0.00100	
MW-3	05/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	08/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	02/18/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	05/18/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	08/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	11/12/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	02/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	05/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	08/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	02/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	05/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	08/25/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	11/03/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	03/01/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	05/31/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	08/14/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	11/08/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	02/19/13	Not Sampled on Current Sample Schedule				
MW-3	05/21/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	08/19/13	Not Sampled on Current Sample Schedule				
MW-3	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	02/18/14	Not Sampled on Current Sample Schedule				
MW-3	05/22/14	<0.00100	<0.00100	<0.00100	<0.00300	
MW-3	08/29/14	Not Sampled on Current Sample Schedule				
MW-3	11/21/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	02/25/15	Not Sampled on Current Sample Schedule				
MW-3	05/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	08/06/15	Not Sampled on Current Sample Schedule				
MW-3	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	02/22/16	Not Sampled on Current Sample Schedule				
MW-3	05/31/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-3	08/10/16	Not Sampled on Current Sample Schedule				
MW-3	12/06/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-3	02/22/17	Not Sampled on Current Sample Schedule				
MW-3	05/30/17	<0.00200	<0.00200	<0.00200	<0.00400	
MW-4	02/16/00	Not Sampled Due to PSH in Well				

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-4	06/09/00	Not Sampled Due to PSH in Well				
MW-4	09/19/00	Not Sampled				
MW-4	12/19/00	Not Sampled Due to PSH in Well				
MW-4	03/21/01	Not Sampled Due to PSH in Well				
MW-4	06/05/01	Not Sampled Due to PSH in Well				
MW-4	09/26/01	Not Sampled Due to PSH in Well				
MW-4	11/24/01	Not Sampled Due to PSH in Well				
MW-4	03/25/02	Not Sampled Due to PSH in Well				
MW-4	09/23/02	No Access to Monitor Well, not sampled				
MW-4	12/02/02	Not Sampled Due to PSH in Well				
MW-4	03/04/03	Not Sampled Due to PSH in Well				
MW-4	09/09/04	Not Sampled Due to Obstruction in Well				
MW-4	12/23/04	Not Sampled Due to Obstruction in Well				
MW-4	03/19/05	Not Sampled Due to Obstruction in Well				
MW-4	06/17/05	Not Sampled Due to PSH in Well				
MW-4	09/22/05	Not Sampled Due to PSH in Well				
MW-4	12/20/05	Not Sampled Due to PSH in Well				
MW-4	03/21/06	Not Sampled Due to PSH in Well				
MW-4	06/22/06	Not Sampled Due to PSH in Well				
MW-4	09/07/06	Not Sampled Due to PSH in Well				
MW-4	11/17/06	Not Sampled Due to PSH in Well				
MW-4	02/15/07	Not Sampled Due to PSH in Well				
MW-4	05/12/07	Not Sampled Due to PSH in Well				
MW-4	08/28/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	11/15/07	0.00220	<0.00100	0.00340	0.00270	
MW-4	02/20/08	0.00360	<0.00100	0.0203	0.0344	
MW-4	05/20/08	Not Sampled Due to PSH in Well				
MW-4	08/20/08	Not Sampled Due to PSH in Well				
MW-4	11/18/08	0.00160	<0.00100	0.00340	0.00210	
MW-4	02/18/09	<0.00100	<0.00100	0.00150	<0.00100	
MW-4	05/18/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	08/17/09	<0.00100	0.00770	0.00860	0.0170	
MW-4	11/12/09	<0.00100	<0.00100	0.00130	<0.00100	
MW-4	02/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	05/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	08/18/10	0.00120	<0.00100	0.00460	0.00230	
MW-4	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	02/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	05/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	08/25/11	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-4	11/03/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	03/01/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	05/31/12	<0.00100	<0.00100	<0.00100	0.00100	
MW-4	08/14/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	11/08/12	<0.00500	<0.00500	<0.00500	<0.00500	
MW-4	02/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	05/21/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	08/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	02/18/14	<0.00100	<0.00100	<0.00100	<0.00300	
MW-4	05/22/14	<0.00100	<0.00100	<0.00100	<0.00300	
MW-4	08/29/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	11/21/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	02/25/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	05/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	08/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	02/23/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	06/01/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	08/11/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-4	12/06/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-4	02/23/17	<0.00200	<0.00200	<0.00200	<0.00200	
MW-4	05/31/17	<0.00200	<0.00200	<0.00200	<0.00400	
MW-5	02/16/00	Not Sampled Due to PSH in Well				
MW-5	06/09/00	Not Sampled Due to PSH in Well				
MW-5	09/19/00	Not Sampled Due to PSH in Well				
MW-5	12/19/00	Not Sampled Due to PSH in Well				
MW-5	03/21/01	Not Sampled Due to PSH in Well				
MW-5	06/05/01	Not Sampled Due to PSH in Well				
MW-5	09/26/01	Not Sampled Due to PSH in Well				
MW-5	11/24/01	Not Sampled Due to PSH in Well				
MW-5	03/25/02	Not Sampled Due to PSH in Well				
MW-5	08/16/02	0.451	0.00146	0.185	0.508	<0.001
MW-5	09/23/02	Not Sampled Due to PSH in Well				
MW-5	12/02/02	Not Sampled Due to PSH in Well				
MW-5	03/03/03	Not Sampled Due to PSH in Well				
MW-5	09/09/04	Not Sampled Due to PSH in Well				
MW-5	12/23/04	0.0437	<0.00100	0.0518	0.156	
MW-5	03/20/05	0.163	<0.00500	0.114	0.179	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-5	06/17/05	Not Sampled Due to PSH in Well				
MW-5	09/22/05	Not Sampled Due to PSH in Well				
MW-5	12/20/05	0.213	<0.0100	0.148	0.0944	
MW-5	03/21/06	Not Sampled Due to PSH in Well				
MW-5	06/22/06	0.103	<0.00500	0.0804	0.0694	
MW-5	09/07/06	0.00570	<0.00100	0.0145	0.0262	
MW-5	11/17/06	0.00690	<0.00100	0.00360	0.00270	
MW-5	02/15/07	0.111	<0.00100	0.0522	0.0395	
MW-5	05/12/07	0.105	<0.00100	0.0378	0.0319	
MW-5	08/28/07	0.108	<0.00500	0.0509	0.0176	
MW-5	11/15/07	Not Sampled Due to PSH in Well				
MW-5	02/20/08	Not Sampled Due to PSH in Well				
MW-5	05/20/08	0.0995	<0.00500	0.0170	<0.00500	
MW-5	08/20/08	Not Sampled Due to PSH in Well				
MW-5	11/18/08	0.114	<0.00100	0.0536	0.0304	
MW-5	02/18/09	0.0970	<0.00100	0.0273	0.0180	
MW-5	05/18/09	0.0486	<0.00100	0.0157	0.0220	
MW-5	08/17/09	0.0724	<0.00100	0.0180	0.0267	
MW-5	11/13/09	0.0597	<0.00100	0.00530	0.00230	
MW-5	02/18/10	0.0495	<0.00100	0.00500	0.00660	
MW-5	05/18/10	0.0386	<0.00100	0.00440	0.00510	
MW-5	08/18/10	0.00620	<0.00100	0.00350	0.00380	
MW-5	11/15/10	0.0355	<0.00100	0.00770	0.00850	
MW-5	02/24/11	0.0105	<0.00100	<0.00100	<0.00100	
MW-5	05/24/11	0.0283	<0.00100	0.00660	<0.00100	
MW-5	08/25/11	0.0513	<0.00100	<0.00100	<0.00100	
MW-5	11/03/11	0.0150	<0.00100	<0.00100	<0.00100	
MW-5	03/01/12	0.0227	<0.00100	<0.00100	<0.00100	
MW-5	05/31/12	<0.00100	<0.00100	0.00110	0.00170	
MW-5	08/14/12	0.00840	<0.00100	0.00580	<0.00100	
MW-5	11/08/12	<0.00500	<0.00500	<0.00500	<0.00500	
MW-5	02/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-5	05/21/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-5	08/19/13	0.00370	<0.00100	0.00120	<0.00100	
MW-5	11/19/13	<0.00100	<0.00100	<0.00100	<0.00300	
MW-5	02/18/14	0.00990	0.00110	0.00170	<0.00300	
MW-5	05/22/14	0.00800	<0.00100	<0.00100	<0.00300	
MW-5	08/29/14	0.00160	<0.00100	<0.00100	<0.00100	
MW-5	11/21/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-5	02/25/15	0.00120	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-5	05/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-5	08/06/15	<0.00100	<0.00100	0.00110	<0.00100	
MW-5	11/24/15	0.00100	<0.00100	<0.00100	0.00200	
MW-5	02/23/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-5	06/01/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-5	08/11/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-5	12/06/16	<0.00200	<0.00200	<0.00200	0.00433	
MW-5	02/23/17	<0.00200	<0.00200	0.00215	0.00755	
MW-5	05/31/17	<0.00200	0.00564	<0.00200	0.00684	
MW-6	02/16/00	Not Sampled Due to PSH in Well				
MW-6	06/09/00	Not Sampled Due to PSH in Well				
MW-6	09/19/00	Not Sampled Due to PSH in Well				
MW-6	12/19/00	Not Sampled				
MW-6	03/21/01	Not Sampled Due to PSH in Well				
MW-6	06/05/01	Not Sampled Due to PSH in Well				
MW-6	09/26/01	Not Sampled Due to PSH in Well				
MW-6	11/24/01	Not Sampled Due to PSH in Well				
MW-6	03/25/02	Not Sampled Due to PSH in Well				
MW-6	08/18/02	0.0582	<0.001	0.0431	0.0954	0.0161
MW-6	09/23/02	Not Sampled Due to PSH in Well				
MW-6	12/02/02	Not Sampled Due to PSH in Well				
MW-6	03/04/03	Not Sampled Due to PSH in Well				
MW-6	09/09/04	0.0152	<0.001	0.021	0.00947	<0.001
MW-6	12/23/04	<0.00500	<0.00500	0.00690	<0.00500	
MW-6	03/20/05	<0.00500	<0.00500	<0.00500	<0.00500	
MW-6	06/17/05	0.00940	<0.00500	0.00920	0.0114	
MW-6	09/22/05	0.00830	<0.00100	0.0105	0.0167	
MW-6	12/20/05	0.00830	<0.00100	0.0105	0.0175	
MW-6	03/21/06	0.00590	<0.00100	0.00830	0.0140	
MW-6	06/22/06	0.00230	<0.00100	0.00270	0.00350	
MW-6	09/07/06	0.0118	<0.00100	0.0420	0.0717	
MW-6	11/17/06	0.00630	<0.00100	0.0110	0.0161	
MW-6	02/15/07	0.0100	<0.00100	0.0158	0.0234	
MW-6	05/12/07	<0.00100	<0.00100	0.0111	0.0151	
MW-6	08/28/07	0.00530	<0.00100	0.00470	0.00700	
MW-6	11/14/07	0.00510	<0.00100	0.00460	0.00630	
MW-6	02/20/08	<0.00500	<0.00500	<0.00500	<0.00500	
MW-6	05/20/08	0.00380	<0.00100	0.00340	0.00320	
MW-6	08/20/08	0.00320	<0.00100	0.00270	0.00270	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-6	11/18/08	0.00470	<0.00100	0.00470	0.00850	
MW-6	02/18/09	0.00150	<0.00100	<0.00100	<0.00100	
MW-6	05/18/09	0.00580	<0.00100	<0.00100	<0.00100	
MW-6	08/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-6	11/13/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-6	02/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-6	05/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-6	08/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-6	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-6	02/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-6	05/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-6	08/25/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-6	11/03/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-6	03/01/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-6	05/31/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-6	08/14/12	<0.00100	<0.00100	<0.00100	0.00250	
MW-6	11/08/12	<0.00500	<0.00500	<0.00500	<0.00500	
MW-6	02/19/13	Not Sampled on Current Sample Schedule				
MW-6	05/21/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-6	08/19/13	Not Sampled on Current Sample Schedule				
MW-6	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-6	02/18/14	Not Sampled on Current Sample Schedule				
MW-6	05/22/14	<0.00100	<0.00100	<0.00100	<0.00300	
MW-6	08/29/14	Not Sampled on Current Sample Schedule				
MW-6	11/21/14	<0.00100	<0.00100	<0.00100	0.0116	
MW-6	02/25/15	Not Sampled on Current Sample Schedule				
MW-6	05/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-6	08/06/15	Not Sampled on Current Sample Schedule				
MW-6	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-6	02/22/16	Not Sampled on Current Sample Schedule				
MW-6	05/31/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-6	08/10/16	Not Sampled on Current Sample Schedule				
MW-6	12/06/16	<0.00200	<0.00200	<0.00200	0.00366	
MW-6	02/23/17	Not Sampled on Current Sample Schedule				
MW-6	05/30/17	<0.00200	<0.00200	<0.00200	<0.00400	
MW-7	02/16/00	Not Sampled Due to PSH in Well				
MW-7	06/09/00	Not Sampled Due to PSH in Well				
MW-7	09/19/00	Not Sampled Due to PSH in Well				
MW-7	12/19/00	Not Sampled Due to PSH in Well				

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-7	03/21/01	Not Sampled Due to PSH in Well				
MW-7	06/05/01	Not Sampled Due to PSH in Well				
MW-7	09/26/01	Not Sampled Due to PSH in Well				
MW-7	11/24/01	Not Sampled Due to PSH in Well				
MW-7	03/25/02	Not Sampled Due to PSH in Well				
MW-7	09/23/02	Not Sampled Due to PSH in Well				
MW-7	12/02/02	Not Sampled Due to PSH in Well				
MW-7	03/04/03	Not Sampled Due to PSH in Well				
MW-7	09/09/04	Not Sampled Due to PSH in Well				
MW-7	12/23/04	0.00990	<0.00100	0.0156	0.0252	
MW-7	03/20/05	0.00720	<0.00500	<0.00500	<0.00500	
MW-7	06/17/05	<0.00500	<0.00500	<0.00500	0.00580	
MW-7	09/22/05	0.00530	<0.00100	0.00690	0.0162	
MW-7	12/20/05	0.00310	<0.00100	0.00270	0.00350	
MW-7	03/21/06	0.00340	<0.00100	0.00400	0.0120	
MW-7	06/22/06	0.00170	<0.00100	0.00230	0.00360	
MW-7	09/07/06	0.00390	<0.00100	0.00660	0.00780	
MW-7	11/17/06	0.00110	<0.00100	0.00250	0.00460	
MW-7	02/15/07	0.00180	<0.00100	0.00110	<0.00100	
MW-7	05/12/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	08/27/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	02/20/08	<0.00100	<0.00100	<0.00100	0.00170	
MW-7	05/20/08	<0.00100	<0.00100	<0.00100	0.00120	
MW-7	08/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	02/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	05/18/09	0.00500	<0.00100	<0.00100	<0.00100	
MW-7	08/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	11/13/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	02/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	05/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	08/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	02/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	05/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	08/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	11/03/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	03/01/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	05/31/12	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-7	08/14/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	11/08/12	<0.00500	<0.00500	<0.00500	<0.00500	
MW-7	02/19/13	Not Sampled on Current Sample Schedule				
MW-7	05/21/13	<0.00100	<0.00100	<0.00100	<.000100	
MW-7	08/19/13	Not Sampled on Current Sample Schedule				
MW-7	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	02/18/14	Not Sampled on Current Sample Schedule				
MW-7	05/22/14	<0.00100	<0.00100	<0.00100	<0.00300	
MW-7	08/29/14	Not Sampled on Current Sample Schedule				
MW-7	11/21/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	02/25/15	Not Sampled on Current Sample Schedule				
MW-7	05/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	08/06/15	Not Sampled on Current Sample Schedule				
MW-7	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	02/22/16	Not Sampled on Current Sample Schedule				
MW-7	05/31/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-7	08/10/16	Not Sampled on Current Sample Schedule				
MW-7	12/06/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-7	02/23/17	Not Sampled on Current Sample Schedule				
MW-7	05/31/17	<0.00200	<0.00200	<0.00200	<0.00400	
MW-8	02/16/00	Not Sampled Due to PSH in Well				
MW-8	06/09/00	Not Sampled Due to PSH in Well				
MW-8	09/19/00	Not Sampled				
MW-8	12/19/00	Not Sampled				
MW-8	03/21/01	Not Sampled Due to PSH in Well				
MW-8	06/05/01	Not Sampled Due to PSH in Well				
MW-8	09/26/01	Not Sampled Due to PSH in Well				
MW-8	11/24/01	Not Sampled Due to PSH in Well				
MW-8	03/25/02	Not Sampled Due to PSH in Well				
MW-8	08/16/02	0.0516	<0.001	0.00252	0.00557	0.00163
MW-8	09/23/02	Not Sampled Due to PSH in Well				
MW-8	12/02/02	Not Sampled Due to PSH in Well				
MW-8	03/04/03	Not Sampled Due to PSH in Well				
MW-8	09/09/04	0.0139	<0.001	0.00247	0.00211	0.00281
MW-8	12/23/04	<0.00100	<0.00100	0.00100	0.00750	
MW-8	03/20/05	<0.00100	<0.00100	<0.00100	0.00100	
MW-8	06/17/05	Not Sampled Due to PSH in Well				
MW-8	09/22/05	0.00730	<0.00100	0.00150	<0.00100	
MW-8	12/20/05	0.00570	<0.00100	<0.00100	0.00140	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-8	03/21/06	0.00730	<0.00100	<0.00100	0.00250	
MW-8	06/22/06	0.00550	<0.00100	<0.00100	0.00180	
MW-8	09/07/06	0.00190	<0.00100	0.00260	0.0110	
MW-8	11/17/06	<0.00100	<0.00100	<0.00100	0.00210	
MW-8	02/15/07	0.00200	<0.00100	<0.00100	0.0010	
MW-8	05/12/07	0.0031	<0.00100	<0.00100	<0.00100	
MW-8	08/28/07	0.0040	<0.00100	<0.00100	<0.00100	
MW-8	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	02/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	05/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	08/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	02/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	05/18/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	08/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	11/12/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	02/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	05/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	08/18/10	<0.00100	<0.00100	0.00140	0.00180	
MW-8	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	02/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	05/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	08/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	11/03/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	03/01/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	05/31/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	08/14/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	11/08/12	<0.00500	<0.00500	<0.00500	<0.00500	
MW-8	02/19/13	Not Sampled on Current Sample Schedule				
MW-8	05/21/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	08/19/13	Not Sampled on Current Sample Schedule				
MW-8	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	02/18/14	Not Sampled on Current Sample Schedule				
MW-8	05/22/14	<0.00100	<0.00100	<0.00100	<0.00300	
MW-8	08/29/14	Not Sampled on Current Sample Schedule				
MW-8	11/21/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	02/25/15	Not Sampled on Current Sample Schedule				
MW-8	05/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	08/06/15	Not Sampled on Current Sample Schedule				
MW-8	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-8	02/22/16	Not Sampled on Current Sample Schedule				
MW-8	06/01/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-8	08/10/16	Not Sampled on Current Sample Schedule				
MW-8	12/06/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-8	02/23/17	Not Sampled on Current Sample Schedule				
MW-8	05/31/17	<0.00200	<0.00200	<0.00200	<0.00400	
MW - 9	02/02/00	0.020	0.007	0.001	0.006	
MW - 9	06/09/00	0.078	0.002	0.002	0.003	
MW - 9	09/20/00	0.012	<0.001	<0.001	<0.001	
MW - 9	12/20/00	0.022	<0.001	0.003	0.003	
MW - 9	03/21/01	0.008	<0.001	0.002	<0.001	
MW - 9	06/05/01	0.0098	<0.005	<0.005	<0.005	
MW - 9	09/26/01	0.00215	<0.001	<0.001	<0.001	
MW - 9	11/24/01	0.00252	<0.001	<0.001	<0.001	
MW - 9	03/25/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW - 9	08/09/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW - 9	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW - 9	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW - 9	03/04/03	<0.001	<0.001	<0.001	<0.001	<0.001
MW - 9	09/09/04	Not Sampled				
MW - 9	12/23/04	0.00110	<0.00100	<0.00100	<0.00100	
MW-9	03/19/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	06/17/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	09/22/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	12/20/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	03/21/06	<0.00100	<0.00100	<0.00100	0.00110	
MW-9	06/22/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	09/07/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	11/16/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	02/15/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	05/11/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	08/27/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	02/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	05/21/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	08/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	02/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	05/18/09	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-9	08/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	11/12/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	02/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	05/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-9	05/28/10	Plugged and Abandoned				
MW-10	02/02/00	0.009	0.004	<0.001	<0.001	
MW-10	06/09/00	<0.001	<0.001	<0.001	0.001	
MW-10	09/20/00	0.003	<0.001	<0.001	0.002	
MW-10	12/20/00	0.004	<0.001	<0.001	<0.001	
MW-10	03/21/01	0.018	<0.001	0.002	<0.001	
MW-10	06/05/01	0.0717	<0.005	<0.005	<0.005	
MW-10	09/26/01	0.164	<0.001	<0.001	<0.001	
MW-10	11/24/01	0.0935	0.0019	0.00159	<0.001	
MW-10	03/25/02	0.0292	<0.001	<0.001	<0.001	<0.001
MW-10	08/09/02	0.00688	<0.001	<0.001	<0.001	
MW-10	09/23/02	0.00352	<0.001	<0.001	<0.001	<0.001
MW-10	12/02/02	0.00166	<0.001	0.00154	<0.001	<0.001
MW-10	03/04/03	<0.001	<0.001	<0.001	<0.001	<0.001
MW-10	09/09/04	Not Sampled				
MW-10	12/23/04	0.0989	<0.00100	0.126	0.0937	
MW-10	03/19/05	0.0387	<0.00100	0.00760	0.00660	
MW-10	06/17/05	Not Sampled Due to PSH in Well				
MW-10	09/22/05	Not Sampled Due to PSH in Well				
MW-10	12/20/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	03/21/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	06/22/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	09/07/06	0.0449	<0.00100	0.0524	0.0627	
MW-10	11/17/06	0.00660	<0.00100	0.00480	0.00130	
MW-10	02/15/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	05/11/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	08/27/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	02/20/08	<0.00100	<0.00100	<0.00100	0.01100	
MW-10	05/21/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	08/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	02/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	05/18/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	08/17/09	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-10	11/12/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	02/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	05/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	08/18/10	0.00750	<0.00100	0.00470	0.00320	
MW-10	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	02/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	05/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	08/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	11/04/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	03/01/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	05/31/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	08/14/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	11/08/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	02/19/13	Not Sampled on Current Sample Schedule				
MW-10	05/21/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	08/19/13	Not Sampled on Current Sample Schedule				
MW-10	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	02/18/14	Not Sampled on Current Sample Schedule				
MW-10	05/22/14	<0.00100	<0.00100	<0.00100	<0.00300	
MW-10	08/29/14	Not Sampled on Current Sample Schedule				
MW-10	11/20/14	0.00440	<0.00100	0.00440	<0.00100	
MW-10	02/25/15	Not Sampled on Current Sample Schedule				
MW-10	05/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	08/06/15	Not Sampled on Current Sample Schedule				
MW-10	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	02/22/16	Not Sampled on Current Sample Schedule				
MW-10	06/01/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-10	08/10/16	Not Sampled on Current Sample Schedule				
MW-10	12/06/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-10	02/23/17	Not Sampled on Current Sample Schedule				
MW-10	05/31/17	<0.00200	<0.00200	<0.00200	<0.00400	
MW-11	02/02/00	0.027	0.009	0.002	0.005	
MW-11	06/09/00	0.006	<0.001	<0.001	<0.001	
MW-11	09/20/00	0.014	<0.001	<0.001	<0.001	
MW-11	12/20/00	0.005	<0.001	<0.001	<0.001	
MW-11	03/21/01	0.006	<0.001	<0.001	<0.001	
MW-11	06/05/01	<0.001	<0.001	0.0032	<0.001	
MW-11	09/26/01	0.00282	<0.001	<0.001	<0.001	
MW-11	11/24/01	0.00143	<0.001	<0.001	<0.001	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-11	03/25/02	0.00128	<0.001	<0.001	<0.001	<0.001
MW-11	08/09/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-11	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-11	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-11	03/04/03	<0.00100	<0.00100	<0.00100	<0.00100	
MW-11	09/09/04	Not Sampled				
MW-11	12/23/04	<0.00100	<0.00100	<0.00100	<0.00100	
MW-11	03/19/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-11	06/17/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-11	09/22/05	Not Sampled on Current Sample Schedule				
MW-11	12/20/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-11	03/21/06	Not Sampled on Current Sample Schedule				
MW-11	06/22/06	Not Sampled on Current Sample Schedule				
MW-11	09/07/06	Not Sampled on Current Sample Schedule				
MW-11	11/16/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-11	02/15/07	Not Sampled on Current Sample Schedule				
MW-11	05/11/07	Not Sampled on Current Sample Schedule				
MW-11	08/27/07	Not Sampled on Current Sample Schedule				
MW-11	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-11	02/20/08	Not Sampled on Current Sample Schedule				
MW-11	05/21/08	Not Sampled on Current Sample Schedule				
MW-11	08/20/08	Not Sampled on Current Sample Schedule				
MW-11	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-11	02/17/09	Not Sampled on Current Sample Schedule				
MW-11	05/18/09	Not Sampled on Current Sample Schedule				
MW-11	08/17/09	Not Sampled on Current Sample Schedule				
MW-11	11/12/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-11	02/18/10	Not Sampled on Current Sample Schedule				
MW-11	05/18/10	Not Sampled on Current Sample Schedule				
MW-11	08/18/10	Not Sampled on Current Sample Schedule				
MW-11	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-11	02/24/11	Not Sampled on Current Sample Schedule				
MW-11	05/24/11	Not Sampled on Current Sample Schedule				
MW-11	08/24/11	Not Sampled on Current Sample Schedule				
MW-11	11/04/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-11	03/01/12	Not Sampled on Current Sample Schedule				
MW-11	05/31/12	Not Sampled on Current Sample Schedule				
MW-11	08/14/12	Not Sampled on Current Sample Schedule				
MW-11	11/08/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-11	02/19/13	Not Sampled on Current Sample Schedule				

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-11	05/21/13	Not Sampled on Current Sample Schedule				
MW-11	08/19/13	Not Sampled on Current Sample Schedule				
MW-11	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-11	02/18/14	Not Sampled on Current Sample Schedule				
MW-11	05/22/14	Not Sampled on Current Sample Schedule				
MW-11	08/29/14	Not Sampled on Current Sample Schedule				
MW-11	11/20/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-11	02/25/15	Not Sampled on Current Sample Schedule				
MW-11	05/06/15	Not Sampled on Current Sample Schedule				
MW-11	08/06/15	Not Sampled on Current Sample Schedule				
MW-11	11/23/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-11	02/22/16	Not Sampled on Current Sample Schedule				
MW-11	05/31/16	Not Sampled on Current Sample Schedule				
MW-11	08/10/16	Not Sampled on Current Sample Schedule				
MW-11	12/05/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-11	02/23/17	Not Sampled on Current Sample Schedule				
MW-11	05/31/17	Not Sampled on Current Sample Schedule				
MW-12	02/02/00	Not Sampled Due to PSH in Well				
MW-12	06/09/00	Not Sampled Due to PSH in Well				
MW-12	09/20/00	Not Sampled Due to PSH in Well				
MW-12	12/20/00	Not Sampled Due to PSH in Well				
MW-12	03/21/01	Not Sampled Due to PSH in Well				
MW-12	06/05/01	Not Sampled Due to PSH in Well				
MW-12	09/26/01	Not Sampled Due to PSH in Well				
MW-12	11/24/01	Not Sampled Due to PSH in Well				
MW-12	03/25/02	Not Sampled Due to PSH in Well				
MW-12	08/09/02	Not Sampled Due to PSH in Well				
MW-12	09/23/02	Not Sampled Due to PSH in Well				
MW-12	12/02/02	Not Sampled Due to PSH in Well				
MW-12	03/04/03	Not Sampled Due to PSH in Well				
MW-12	09/09/04	Not Sampled Due to PSH in Well				
MW-12	12/23/04	Not Sampled Due to PSH in Well				
MW-12	03/20/05	0.0776	<0.0500	0.0550	0.0570	
MW-12	06/17/05	Not Sampled Due to PSH in Well				
MW-12	09/22/05	Not Sampled Due to PSH in Well				
MW-12	12/20/05	Not Sampled Due to PSH in Well				
MW-12	03/21/06	Not Sampled Due to PSH in Well				
MW-12	06/22/06	Not Sampled Due to PSH in Well				
MW-12	09/07/06	Not Sampled Due to PSH in Well				

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-12	11/16/06	Not Sampled Due to PSH in Well				
MW-12	02/15/07	Not Sampled Due to PSH in Well				
MW-12	05/11/07	Not Sampled Due to PSH in Well				
MW-12	08/27/07	Not Sampled Due to PSH in Well				
MW-12	11/14/07	Not Sampled Due to PSH in Well				
MW-12	02/20/08	Not Sampled Due to PSH in Well				
MW-12	05/21/08	Not Sampled Due to PSH in Well				
MW-12	08/20/08	Not Sampled Due to PSH in Well				
MW-12	11/18/08	0.0281	<0.0100	0.0672	0.144	
MW-12	02/17/09	Not Sampled Due to PSH in Well				
MW-12	05/18/09	Not Sampled Due to PSH in Well				
MW-12	08/17/09	Not Sampled Due to PSH in Well				
MW-12	11/13/09	0.0103	<0.0100	0.0224	<0.0100	
MW-12	02/18/10	Not Sampled Due to PSH in Well				
MW-12	05/18/10	Not Sampled Due to PSH in Well				
MW-12	08/18/10	Not Sampled Due to PSH in Well				
MW-12	11/15/10	Not Sampled Due to PSH in Well				
MW-12	02/24/11	Not Sampled Due to PSH in Well				
MW-12	05/24/11	Not Sampled Due to PSH in Well				
MW-12	08/24/11	Not Sampled Due to PSH in Well				
MW-12	11/04/11	Not Sampled Due to PSH in Well				
MW-12	03/01/12	Not Sampled Due to PSH in Well				
MW-12	05/31/12	Not Sampled Due to PSH in Well				
MW-12	08/14/12	Not Sampled Due to PSH in Well				
MW-12	11/08/12	Not Sampled Due to PSH in Well				
MW-12	02/19/13	Not Sampled Due to PSH in Well				
MW-12	05/23/13	0.0124	<0.00100	<0.00100	<0.00100	
MW-12	08/19/13	0.00140	<0.00100	<0.00100	<0.00100	
MW-12	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-12	02/18/14	0.0151	0.00220	<0.00100	0.0143	
MW-12	05/22/14	0.0104	<0.00100	<0.00100	<0.00300	
MW-12	08/29/14	Not Sampled Due to PSH in Well				
MW-12	11/20/14	Not Sampled Due to PSH in Well				
MW-12	02/25/15	Not Sampled Due to PSH in Well				
MW-12	05/06/15	0.00190	<0.00100	0.00430	<0.00100	
MW-12	08/06/15	<0.00100	<0.00100	0.00160	0.00150	
MW-12	11/24/15	<0.00100	<0.00100	0.00180	<0.00100	
MW-12	02/23/16	<0.00100	<0.00100	0.00360	<0.00100	
MW-12	06/01/16	0.00100	<0.00100	0.00100	<0.00100	
MW-12	08/11/16	0.00130	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-12	12/06/16	<0.00200	<0.00200	<0.00200	0.00411	
MW-12	02/22/17	0.00228	<0.00200	<0.00200	0.0107	
MW-12	05/31/17	<0.00200	0.00891	<0.00200	<0.00400	
MW-13	02/02/00	0.821	0.008	0.020	0.011	
MW-13	06/09/00	0.777	0.007	0.059	0.054	
MW-13	09/20/00	0.946	<0.002	0.076	0.207	
MW-13	12/20/00	0.673	0.002	0.092	0.212	
MW-13	03/21/01	0.517	<0.005	0.117	0.169	
MW-13	06/05/01	0.479	<0.005	0.143	0.236	
MW-13	09/26/01	0.399	0.134	0.227	<0.001	
MW-13	11/24/01	0.215	0.0716	0.103	<0.001	
MW-13	03/25/02	0.311	0.0971	0.143	<0.001	<0.001
MW-13	08/09/02	0.220	<0.001	0.108	0.0814	<0.001
MW-13	09/23/02	0.458	<0.001	0.113	0.0574	<0.001
MW-13	12/02/02	0.199	<0.001	0.0942	0.00388	<0.001
MW-13	03/04/03	0.216	<0.001	0.062	0.00283	<0.001
MW-13	09/09/04	Not Sampled				
MW-13	12/23/04	0.0325	<0.00500	<0.00500	<0.00500	
MW-13	03/19/05	0.0405	<0.00500	0.00710	<0.00500	
MW-13	06/17/05	0.0526	<0.00100	0.0170	0.00520	
MW-13	09/22/05	0.0373	<0.00100	0.0134	<0.00100	
MW-13	12/20/05	0.0412	<0.00100	0.0327	0.00260	
MW-13	03/21/06	0.0509	<0.00100	0.0357	<0.00100	
MW-13	06/22/06	0.0494	<0.00100	0.0360	<0.00100	
MW-13	09/07/06	0.00620	<0.00100	0.00230	<0.00100	
MW-13	11/17/06	0.00580	<0.00100	0.00230	<0.00100	
MW-13	02/15/07	<0.00100	<0.00100	0.00160	<0.00100	
MW-13	05/11/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	08/27/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	11/14/07	<0.00100	<0.00100	0.00110	0.00100	
MW-13	02/20/08	0.00240	<0.00100	0.00180	0.00130	
MW-13	05/21/08	0.0187	<0.00100	<0.00100	<0.00100	
MW-13	08/20/08	0.0121	<0.00100	0.00130	<0.00100	
MW-13	11/18/08	0.0110	<0.00100	0.00150	<0.00100	
MW-13	02/18/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	05/18/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	08/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	11/12/09	0.0101	<0.00100	<0.00100	<0.00100	
MW-13	02/18/10	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-13	05/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	08/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	02/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	05/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	08/25/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	11/04/11	0.00840	<0.00100	<0.00100	<0.00100	
MW-13	03/01/12	0.0120	<0.00100	<0.00100	<0.00100	
MW-13	05/31/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	08/14/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	11/08/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	02/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	05/21/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	08/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	02/18/14	0.0107	<0.00100	<0.00100	<0.00300	
MW-13	05/22/14	0.00840	<0.00100	<0.00100	<0.00300	
MW-13	08/29/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	11/20/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	02/25/15	0.00130	<0.00100	<0.00100	<0.00100	
MW-13	05/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	08/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	02/22/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	06/01/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	08/10/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-13	12/06/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-13	02/22/17	<0.00200	<0.00200	<0.00200	<0.00200	
MW-13	05/31/17	<0.00200	0.0046	<0.00200	<0.00400	
MW-14	02/03/00	0.004	0.001	<0.001	<0.001	
MW-14	06/09/00	0.003	<0.001	<0.001	<0.001	
MW-14	09/20/00	0.005	<0.001	<0.001	<0.001	
MW-14	12/20/00	<0.001	<0.001	<0.001	<0.001	
MW-14	03/21/01	<0.001	<0.001	<0.001	<0.001	
MW-14	06/05/01	<0.001	<0.001	<0.001	<0.001	
MW-14	09/26/01	<0.001	<0.001	<0.001	<0.001	
MW-14	11/24/01	<0.001	<0.001	<0.001	<0.001	
MW-14	03/25/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-14	08/07/02	<0.001	<0.001	<0.001	<0.001	<0.001

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030					
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE	
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62		
MW-14	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-14	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-14	03/04/03	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-14	09/09/04	Not Sampled					
MW-14	12/23/04	<0.00500	<0.00500	<0.00500	<0.00500		
MW-14	03/19/05	<0.00100	<0.00100	<0.00100	<0.00100		
MW-14	06/17/05	<0.00100	<0.00100	<0.00100	<0.00100		
MW-14	09/22/05	Not Sampled on Current Sample Schedule					
MW-14	12/20/05	<0.00100	<0.00100	<0.00100	<0.00100		
MW-14	03/21/06	Not Sampled on Current Sample Schedule					
MW-14	06/22/06	<0.00100	<0.00100	<0.00100	<0.00100		
MW-14	09/07/06	Not Sampled on Current Sample Schedule					
MW-14	11/16/06	<0.00100	<0.00100	<0.00100	0.00120		
MW-14	02/15/07	Not Sampled on Current Sample Schedule					
MW-14	05/11/07	<0.00100	<0.00100	<0.00100	<0.00100		
MW-14	08/27/07	Not Sampled on Current Sample Schedule					
MW-14	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100		
MW-14	02/18/08	Not Sampled on Current Sample Schedule					
MW-14	05/21/08	<0.00100	<0.00100	<0.00100	<0.00100		
MW-14	08/20/08	Not Sampled on Current Sample Schedule					
MW-14	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100		
MW-14	02/18/09	Not Sampled on Current Sample Schedule					
MW-14	05/18/09	Inadvertently Not Sampled					
MW-14	08/17/09	Not Sampled on Current Sample Schedule					
MW-14	11/12/09	<0.00100	<0.00100	<0.00100	<0.00100		
MW-14	02/18/10	Not Sampled on Current Sample Schedule					
MW-14	05/18/10	<0.00100	<0.00100	<0.00100	<0.00100		
MW-14	05/28/10	Plugged and Abandoned					
MW-15	02/03/00	<0.001	<0.001	<0.001	<0.001		
MW-15	06/09/00	0.010	<0.001	<0.001	<0.001		
MW-15	09/20/00	0.012	<0.001	<0.001	<0.001		
MW-15	12/20/00	0.004	<0.001	<0.001	<0.001		
MW-15	03/21/01	0.007	<0.001	<0.001	<0.001		
MW-15	06/05/01	0.002	<0.001	<0.001	<0.001		
MW-15	09/26/01	0.0014	<0.001	<0.001	<0.001		
MW-15	11/24/01	0.00135	<0.001	<0.001	<0.001		
MW-15	03/25/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-15	08/09/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-15	09/23/02	0.0022	<0.001	<0.001	<0.001	<0.001	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-15	12/02/02	0.00246	<0.001	<0.001	<0.001	<0.001
MW-15	03/04/03	0.0012	<0.001	<0.001	<0.001	<0.001
MW-15	09/09/04	Not Sampled				
MW-15	12/23/04	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	03/19/05	0.00170	<0.00100	<0.00100	<0.00100	
MW-15	06/17/05	0.00200	<0.00100	<0.00100	<0.00100	
MW-15	09/22/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	12/20/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	03/21/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	06/22/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	09/07/06	<0.00100	<0.00100	0.00170	0.00150	
MW-15	11/17/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	02/15/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	05/11/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	08/27/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	02/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	05/21/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	08/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	02/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	05/18/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	08/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	11/12/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	02/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	05/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	08/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	02/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	05/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	08/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	11/04/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	03/01/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	05/31/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	08/14/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	11/08/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	02/19/13	Not Sampled on Current Sample Schedule				
MW-15	05/21/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	08/19/13	Not Sampled on Current Sample Schedule				
MW-15	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-15	02/18/14	Not Sampled on Current Sample Schedule				
MW-15	05/22/14	<0.00100	<0.00100	<0.00100	<0.00300	
MW-15	08/29/14	Not Sampled on Current Sample Schedule				
MW-15	11/20/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	02/25/15	Not Sampled on Current Sample Schedule				
MW-15	05/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	08/06/15	Not Sampled on Current Sample Schedule				
MW-15	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	02/22/16	Not Sampled on Current Sample Schedule				
MW-15	05/31/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-15	08/10/16	Not Sampled on Current Sample Schedule				
MW-15	12/05/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-15	02/22/17	Not Sampled on Current Sample Schedule				
MW-15	05/30/17	<0.00200	<0.00200	<0.00200	<0.00400	
MW-16	06/09/00	Not Sampled Due to PSH in Well				
MW-16	09/20/00	Not Sampled Due to PSH in Well				
MW-16	12/20/00	Not Sampled Due to PSH in Well				
MW-16	03/21/01	Not Sampled Due to PSH in Well				
MW-16	06/05/01	Not Sampled Due to PSH in Well				
MW-16	09/26/01	Not Sampled Due to PSH in Well				
MW-16	11/24/01	Not Sampled Due to PSH in Well				
MW-16	03/25/02	Not Sampled Due to PSH in Well				
MW-16	08/09/02	Not Sampled Due to PSH in Well				
MW-16	08/19/02	0.182	0.00118	0.146	0.301	0.0256
MW-16	09/23/02	Not Sampled				
MW-16	12/02/02	Not Sampled				
MW-16	03/04/03	Not Sampled Due to PSH in Well				
MW-16	09/09/04	Not Sampled				
MW-16	12/23/04	Not Sampled Due to PSH in Well				
MW-16	03/20/05	0.0230	<0.00500	<0.00500	<0.00500	
MW-16	06/17/05	Not Sampled Due to PSH in Well				
MW-16	09/22/05	Not Sampled Due to PSH in Well				
MW-16	12/20/05	0.0475	<0.0100	0.0122	0.0120	
MW-16	03/21/06	0.0404	<0.0200	<0.0200	<0.0200	
MW-16	06/22/06	0.0411	<0.00100	0.0139	0.00750	
MW-16	09/07/06	0.0230	<0.00100	0.0326	0.0307	
MW-16	11/17/06	0.00840	<0.00100	0.00580	0.00610	
MW-16	02/16/07	<0.00500	<0.00500	0.00680	0.00970	
MW-16	05/12/07	<0.00500	<0.00500	<0.00500	<0.00500	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-16	08/28/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-16	11/14/07	<0.00100	<0.00100	0.00780	0.00340	
MW-16	02/20/08	0.00290	<0.00100	0.00480	0.00330	
MW-16	05/20/08	0.00210	<0.00100	0.00330	0.00220	
MW-16	08/20/08	0.00130	<0.00100	0.00140	<0.00100	
MW-16	11/18/08	0.00160	<0.00100	<0.00100	0.00100	
MW-16	02/18/09	0.00130	<0.00100	<0.00100	<0.00100	
MW-16	05/18/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-16	08/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-16	11/12/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-16	02/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-16	05/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-16	08/18/10	0.00300	<0.00100	0.00160	0.00120	
MW-16	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-16	02/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-16	05/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-16	08/25/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-16	11/03/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-16	03/01/12	0.00770	<0.00100	<0.00100	<0.00100	
MW-16	05/31/12	0.00360	<0.00100	0.00120	<0.00100	
MW-16	08/14/12	0.00150	<0.00100	<0.00100	<0.00100	
MW-16	11/08/12	<0.00500	<0.00500	<0.00500	<0.00500	
MW-16	02/19/13	Not Sampled on Current Sample Schedule				
MW-16	05/21/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-16	08/19/13	Not Sampled on Current Sample Schedule				
MW-16	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-16	02/18/14	Not Sampled on Current Sample Schedule				
MW-16	05/22/14	0.00100	<0.00100	<0.00100	<0.00300	
MW-16	08/29/14	Not Sampled on Current Sample Schedule				
MW-16	11/20/14	0.00480	<0.00100	<0.00100	<0.00100	
MW-16	02/25/15	Not Sampled on Current Sample Schedule				
MW-16	05/06/15	<0.00100	<0.00100	<0.00100	<0.000100	
MW-16	08/06/15	Not Sampled on Current Sample Schedule				
MW-16	11/24/15	0.00120	<0.00100	<0.00100	<0.00100	
MW-16	02/22/16	Not Sampled on Current Sample Schedule				
MW-16	06/01/16	0.00100	<0.00100	<0.00100	<0.00100	
MW-16	08/10/16	Not Sampled on Current Sample Schedule				
MW-16	12/06/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-16	02/22/17	Not Sampled on Current Sample Schedule				
MW-16	05/30/17	<0.00200	0.0035	<0.00200	<0.00400	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-17	02/17/00	<0.001	<0.001	<0.001	<0.001	
MW-17	06/09/00	<0.001	<0.001	<0.001	<0.001	
MW-17	09/20/00	0.001	<0.001	<0.001	<0.001	
MW-17	12/20/00	<0.001	<0.001	<0.001	<0.001	
MW-17	03/21/01	<0.001	<0.001	<0.001	<0.001	
MW-17	06/05/01	<0.005	<0.005	<0.005	<0.005	
MW-17	09/26/01	<0.001	<0.001	<0.001	<0.001	
MW-17	11/24/01	<0.001	<0.001	0.00279	0.00132	
MW-17	03/25/02	<0.001	<0.001	<0.001	<0.001	
MW-17	08/07/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-17	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-17	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-17	03/04/03	Not Sampled				
MW-17	09/09/04	Not Sampled				
MW-17	12/23/04	Not Sampled				
MW-17	12/23/04	<0.00100	<0.00100	<0.00100	<0.00100	
MW-17	03/20/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-17	06/17/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-17	09/13/05	Plugged and Abandoned				
MW-18	02/17/00	<0.001	<0.001	<0.001	<0.001	
MW-18	06/09/00	<0.001	<0.001	<0.001	<0.001	
MW-18	09/20/00	<0.001	0.001	0.001	0.009	
MW-18	12/20/00	Not Sampled				
MW-18	03/21/01	<0.001	<0.001	<0.001	<0.001	
MW-18	06/05/01	<0.005	<0.005	<0.005	<0.005	
MW-18	09/26/01	<0.001	<0.001	<0.001	<0.001	
MW-18	11/24/01	<0.001	<0.001	<0.001	<0.001	
MW-18	03/25/02	<0.001	<0.001	<0.001	<0.001	
MW-18	08/04/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-18	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-18	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-18	03/04/03	Not Sampled				
MW-18	09/09/04	Not Sampled				
MW-18	12/23/04	<0.00100	<0.00100	<0.00100	<0.00100	
MW-18	03/20/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-18	06/17/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-18	09/13/05	Plugged and Abandoned				

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030					
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE	
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62		
MW-19	02/17/00	<0.001	<0.001	<0.001	<0.001		
MW-19	06/09/00	<0.001	<0.001	<0.001	<0.001		
MW-19	09/20/00	<0.001	<0.001	<0.001	<0.001		
MW-19	12/20/00	<0.001	<0.001	<0.001	<0.001		
MW-19	03/21/01	<0.001	<0.001	<0.001	<0.001		
MW-19	06/05/01	<0.001	<0.001	<0.001	<0.001		
MW-19	09/26/01	<0.001	<0.001	<0.001	<0.001		
MW-19	11/24/01	<0.001	<0.001	<0.001	<0.001		
MW-19	03/25/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-19	08/16/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-19	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-19	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-19	03/04/03	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-19	09/09/04	Not Sampled					
MW-19	12/23/04	<0.00100	<0.00100	<0.00100	<0.00100		
MW-19	03/19/05	<0.00100	<0.00100	<0.00100	<0.00100		
MW-19	06/17/05	<0.00100	<0.00100	<0.00100	<0.00100		
MW-19	09/13/05	Plugged and Abandoned					
MW-20	06/09/00	0.004	0.001	0.001	0.003		
MW-20	09/20/00	0.002	<0.001	<0.001	<0.001		
MW-20	12/20/00	<0.001	<0.001	<0.001	<0.001		
MW-20	03/21/01	<0.001	<0.001	<0.001	<0.001		
MW-20	06/05/01	<0.005	<0.005	<0.005	<0.005		
MW-20	09/26/01	<0.001	<0.001	<0.001	<0.001		
MW-20	11/24/01	<0.001	<0.001	<0.001	<0.001		
MW-20	03/25/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-20	08/04/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-20	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-20	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-20	03/04/03	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-20	09/09/04	Not sampled					
MW-20	12/23/04	<0.00100	<0.00100	<0.00100	<0.00100		
MW-20	03/19/05	<0.00100	<0.00100	<0.00100	<0.00100		
MW-20	06/17/05	<0.00500	<0.00500	<0.00500	<0.00500		
MW-20	09/22/05	Not Sampled on Current Sample Schedule					
MW-20	12/20/05	<0.00100	<0.00100	<0.00100	<0.00100		
MW-20	03/21/06	Not Sampled on Current Sample Schedule					
MW-20	06/22/06	Not Sampled on Current Sample Schedule					
MW-20	09/07/06	Not Sampled on Current Sample Schedule					

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-20	11/17/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-20	02/16/07	Not Sampled on Current Sample Schedule				
MW-20	05/12/07	Not Sampled on Current Sample Schedule				
MW-20	08/28/07	Not Sampled on Current Sample Schedule				
MW-20	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-20	02/20/08	Not Sampled on Current Sample Schedule				
MW-20	05/20/08	Not Sampled on Current Sample Schedule				
MW-20	08/20/08	Not Sampled on Current Sample Schedule				
MW-20	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-20	02/18/09	Not Sampled on Current Sample Schedule				
MW-20	05/18/09	Not Sampled on Current Sample Schedule				
MW-20	08/17/09	Not Sampled on Current Sample Schedule				
MW-20	11/12/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-20	02/18/10	Not Sampled on Current Sample Schedule				
MW-20	05/18/10	Not Sampled on Current Sample Schedule				
MW-20	08/18/10	Not Sampled on Current Sample Schedule				
MW-20	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-20	02/24/11	Not Sampled on Current Sample Schedule				
MW-20	05/24/11	Not Sampled on Current Sample Schedule				
MW-20	08/25/11	Not Sampled on Current Sample Schedule				
MW-20	11/03/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-20	03/01/12	Not Sampled on Current Sample Schedule				
MW-20	05/31/12	Not Sampled on Current Sample Schedule				
MW-20	08/14/12	Not Sampled on Current Sample Schedule				
MW-20	11/08/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-20	02/19/13	Not Sampled on Current Sample Schedule				
MW-20	05/21/13	Not Sampled on Current Sample Schedule				
MW-20	08/19/13	Not Sampled on Current Sample Schedule				
MW-20	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-20	02/18/14	Not Sampled on Current Sample Schedule				
MW-20	05/22/14	Not Sampled on Current Sample Schedule				
MW-20	08/29/14	Not Sampled on Current Sample Schedule				
MW-20	11/20/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-20	02/25/15	Not Sampled on Current Sample Schedule				
MW-20	05/06/15	Not Sampled on Current Sample Schedule				
MW-20	08/06/15	Not Sampled on Current Sample Schedule				
MW-20	11/23/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-20	02/22/16	Not Sampled on Current Sample Schedule				
MW-20	05/31/16	Not Sampled on Current Sample Schedule				
MW-20	08/10/16	Not Sampled on Current Sample Schedule				

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030					
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE	
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62		
MW-20	09/01/16	Plugged and Abandoned					
MW-21	06/09/00	0.001	0.001	0.001	0.003		
MW-21	09/20/00	0.004	<0.001	<0.001	0.001		
MW-21	12/20/00	<0.001	<0.001	<0.001	0.001		
MW-21	03/21/01	0.002	<0.001	0.002	0.001		
MW-21	06/05/01	<0.005	<0.005	<0.005	<0.005		
MW-21	09/26/01	<0.001	<0.001	<0.001	<0.001		
MW-21	11/24/01	0.00121	<0.001	<0.001	<0.001		
MW-21	03/25/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-21	08/08/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-21	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-21	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-21	03/04/03	0.0018	<0.001	<0.001	<0.001	<0.001	
MW-21	09/09/04	Not Sampled					
MW-21	12/23/04	<0.00500	<0.00500	<0.00500	<0.00500		
MW-21	03/19/05	<0.00100	<0.00100	<0.00100	<0.00100		
MW-21	06/17/05	<0.00100	<0.00100	<0.00100	<0.00100		
MW-21	09/22/05	Not Sampled on Current Sample Schedule					
MW-21	12/20/05	<0.00100	<0.00100	<0.00100	<0.00100		
MW-21	03/21/06	Not Sampled on Current Sample Schedule					
MW-21	06/22/06	Not Sampled on Current Sample Schedule					
MW-21	09/07/06	Not Sampled on Current Sample Schedule					
MW-21	11/17/06	<0.00100	<0.00100	<0.00100	<0.00100		
MW-21	02/16/07	Not Sampled on Current Sample Schedule					
MW-21	05/12/07	Not Sampled on Current Sample Schedule					
MW-21	08/28/07	Not Sampled on Current Sample Schedule					
MW-21	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100		
MW-21	02/20/08	Not Sampled on Current Sample Schedule					
MW-21	05/20/08	Not Sampled on Current Sample Schedule					
MW-21	08/20/08	Not Sampled on Current Sample Schedule					
MW-21	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100		
MW-21	02/18/09	Not Sampled on Current Sample Schedule					
MW-21	05/18/09	Not Sampled on Current Sample Schedule					
MW-21	08/17/09	Not Sampled on Current Sample Schedule					
MW-21	11/12/09	<0.00100	<0.00100	<0.00100	<0.00100		
MW-21	02/18/10	Not Sampled on Current Sample Schedule					
MW-21	05/18/10	Not Sampled on Current Sample Schedule					
MW-21	08/18/10	Not Sampled on Current Sample Schedule					
MW-21	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100		

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-21	02/24/11	Not Sampled on Current Sample Schedule				
MW-21	05/24/11	Not Sampled on Current Sample Schedule				
MW-21	08/25/11	Not Sampled on Current Sample Schedule				
MW-21	11/03/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-21	03/01/12	Not Sampled on Current Sample Schedule				
MW-21	05/31/12	Not Sampled on Current Sample Schedule				
MW-21	08/14/12	Not Sampled on Current Sample Schedule				
MW-21	11/08/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-21	02/19/13	Not Sampled on Current Sample Schedule				
MW-21	05/21/13	Not Sampled on Current Sample Schedule				
MW-21	08/19/13	Not Sampled on Current Sample Schedule				
MW-21	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-21	02/18/14	Not Sampled on Current Sample Schedule				
MW-21	05/22/14	Not Sampled on Current Sample Schedule				
MW-21	08/29/14	Not Sampled on Current Sample Schedule				
MW-21	11/20/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-21	02/18/14	Not Sampled on Current Sample Schedule				
MW-21	05/06/15	Not Sampled on Current Sample Schedule				
MW-21	08/06/15	Not Sampled on Current Sample Schedule				
MW-21	11/23/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-21	02/22/16	Not Sampled on Current Sample Schedule				
MW-21	05/31/16	Not Sampled on Current Sample Schedule				
MW-21	08/10/16	Not Sampled on Current Sample Schedule				
MW-21	09/01/16	Plugged and Abandoned				
MW-22	02/17/00	<0.001	<0.001	<0.001	<0.001	
MW-22	06/09/00	<0.001	<0.001	<0.001	<0.001	
MW-22	09/20/00	<0.001	<0.001	<0.001	<0.001	
MW-22	12/20/00	<0.001	<0.001	<0.001	<0.001	
MW-22	03/21/01	<0.001	<0.001	<0.001	<0.001	
MW-22	06/05/01	<0.005	<0.005	<0.005	<0.005	
MW-22	09/26/01	<0.001	<0.001	<0.001	<0.001	
MW-22	11/24/01	<0.001	<0.001	<0.001	<0.001	
MW-22	03/25/02	<0.001	<0.001	<0.001	<0.001	
MW-22	08/08/02	Not Sampled				
MW-22	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-22	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-22	03/04/03	<0.001	<0.001	<0.001	<0.001	<0.001
MW-22	09/09/04	Not Sampled				
MW-22	12/23/04	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-22	03/19/05	<0.00100	<0.00100	<0.00100	0.00110	
MW-22	06/17/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-22	09/13/05	Plugged and Abandoned				
MW-23	08/15/02	0.00324	<0.001	<0.001	<0.001	<0.001
MW-23	09/23/02	Not Sampled Due to PSH in Well				
MW-23	12/02/02	Not Sampled Due to PSH in Well				
MW-23	03/04/03	Not Sampled Due to PSH in Well				
MW-23	09/09/04	Not Sampled				
MW-23	12/23/04	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	03/19/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	06/17/05	0.00180	<0.00100	<0.00100	<0.00100	
MW-23	09/22/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	12/20/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	03/21/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	06/22/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	09/07/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	11/16/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	02/15/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	05/12/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	08/27/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	02/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	05/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	08/20/08	0.00160	<0.00100	<0.00100	<0.00100	
MW-23	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	02/18/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	05/18/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	08/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	11/13/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	02/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	05/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	08/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	02/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	05/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	08/25/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	11/03/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	03/01/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	05/31/12	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-23	08/14/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	11/08/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	02/19/13	Not Sampled on Current Sample Schedule				
MW-23	05/21/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	08/19/13	Not Sampled on Current Sample Schedule				
MW-23	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	02/18/14	Not Sampled on Current Sample Schedule				
MW-23	05/22/14	<0.00100	<0.00100	<0.00100	<0.00300	
MW-23	08/29/14	Not Sampled on Current Sample Schedule				
MW-23	11/20/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	02/25/15	Not Sampled on Current Sample Schedule				
MW-23	05/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	08/06/15	Not Sampled on Current Sample Schedule				
MW-23	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-23	02/22/16	Not Sampled on Current Sample Schedule				
MW-23	05/31/16	Not Sampled				
MW-23	08/10/16	Not Sampled on Current Sample Schedule				
MW-23	12/05/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-23	02/22/17	Not Sampled on Current Sample Schedule				
MW-23	05/30/17	<0.00200	<0.00200	<0.00200	<0.00400	
MW-24	02/17/00	<0.001	<0.001	<0.001	<0.001	
MW-24	06/09/00	<0.001	<0.001	<0.001	<0.001	
MW-24	09/20/00	<0.001	<0.001	<0.001	<0.001	
MW-24	12/20/00	<0.001	<0.001	<0.001	<0.001	
MW-24	03/21/01	<0.001	<0.001	<0.001	<0.001	
MW-24	06/05/01	<0.001	<0.001	<0.001	<0.001	
MW-24	09/26/01	<0.001	<0.001	<0.001	<0.001	
MW-24	11/24/01	<0.001	<0.001	<0.001	<0.001	
MW-24	03/25/02	<0.001	<0.001	<0.001	<0.001	
MW-24	08/04/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-24	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-24	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-24	03/04/03	<0.001	<0.001	<0.001	<0.001	<0.001
MW-24	09/09/04	Not Sampled				
MW-24	12/23/04	<0.00100	<0.00100	<0.00100	<0.00100	
MW-24	03/20/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-24	06/17/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-24	09/22/05	Not Sampled on Current Sample Schedule				
MW-24	12/20/05	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-24	03/21/06	Not Sampled on Current Sample Schedule				
MW-24	06/22/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-24	09/07/06	Not Sampled on Current Sample Schedule				
MW-24	11/17/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-24	02/15/07	Not Sampled on Current Sample Schedule				
MW-24	05/12/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-24	08/27/07	Not Sampled on Current Sample Schedule				
MW-24	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-24	02/20/08	Not Sampled on Current Sample Schedule				
MW-24	05/21/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-24	08/20/08	Not Sampled on Current Sample Schedule				
MW-24	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-24	02/18/09	Not Sampled on Current Sample Schedule				
MW-24	05/18/09	Not Sampled on Current Sample Schedule				
MW-24	08/17/09	Not Sampled on Current Sample Schedule				
MW-24	11/12/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-24	02/18/10	Not Sampled on Current Sample Schedule				
MW-24	05/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-24	08/18/10	Not Sampled on Current Sample Schedule				
MW-24	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-24	02/24/11	Not Sampled on Current Sample Schedule				
MW-24	05/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-24	08/25/11	Not Sampled on Current Sample Schedule				
MW-24	11/03/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-24	03/01/12	Not Sampled on Current Sample Schedule				
MW-24	05/31/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-24	08/14/12	Not Sampled on Current Sample Schedule				
MW-24	11/08/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-24	02/19/13	Not Sampled on Current Sample Schedule				
MW-24	05/21/13	Not Sampled on Current Sample Schedule				
MW-24	08/19/13	Not Sampled on Current Sample Schedule				
MW-24	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-24	02/18/14	Not Sampled on Current Sample Schedule				
MW-24	05/22/14	Not Sampled on Current Sample Schedule				
MW-24	08/29/14	Not Sampled on Current Sample Schedule				
MW-24	11/21/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-24	02/25/15	Not Sampled on Current Sample Schedule				
MW-24	05/06/15	Not Sampled on Current Sample Schedule				
MW-24	08/06/15	Not Sampled on Current Sample Schedule				
MW-24	11/23/15	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-24	02/22/16	Not Sampled on Current Sample Schedule				
MW-24	06/01/16	Not Sampled on Current Sample Schedule				
MW-24	08/10/16	Not Sampled on Current Sample Schedule				
MW-24	09/01/16	Plugged and Abandoned				
MW-25	02/17/00	<0.001	<0.001	<0.001	<0.001	
MW-25	06/09/00	<0.001	<0.001	<0.001	<0.001	
MW-25	09/20/00	<0.001	<0.001	<0.001	<0.001	
MW-25	12/20/00	<0.001	<0.001	<0.001	<0.001	
MW-25	03/21/01	<0.001	<0.001	<0.001	<0.001	
MW-25	06/05/01	<0.001	<0.001	<0.001	<0.001	
MW-25	09/26/01	<0.001	<0.001	<0.001	<0.001	
MW-25	11/24/01	<0.001	<0.001	<0.001	<0.001	
MW-25	03/25/02	<0.001	<0.001	<0.001	<0.001	
MW-25	08/15/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-25	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-25	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-25	03/04/03	<0.001	<0.001	<0.001	<0.001	<0.001
MW-25	09/09/04	Not Sampled				
MW-25	12/23/04	<0.00100	<0.00100	<0.00100	<0.00100	
MW-25	03/19/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-25	06/17/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-25	09/22/05	Not Sampled on Current Sample Schedule				
MW-25	12/20/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-25	03/21/06	Not Sampled on Current Sample Schedule				
MW-25	06/22/06	Not Sampled on Current Sample Schedule				
MW-25	09/07/06	Not Sampled on Current Sample Schedule				
MW-25	11/16/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-25	02/15/07	Not Sampled on Current Sample Schedule				
MW-25	05/12/07	Not Sampled on Current Sample Schedule				
MW-25	08/27/07	Not Sampled on Current Sample Schedule				
MW-25	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-25	02/20/08	Not Sampled on Current Sample Schedule				
MW-25	05/21/08	Not Sampled on Current Sample Schedule				
MW-25	08/20/08	Not Sampled on Current Sample Schedule				
MW-25	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-25	02/18/09	Not Sampled on Current Sample Schedule				
MW-25	05/18/09	Not Sampled on Current Sample Schedule				
MW-25	08/17/09	Not Sampled on Current Sample Schedule				
MW-25	11/12/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-25	02/18/10	Not Sampled on Current Sample Schedule				

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-25	05/18/10	Not Sampled on Current Sample Schedule				
MW-25	08/18/10	Not Sampled on Current Sample Schedule				
MW-25	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-25	02/24/11	Not Sampled on Current Sample Schedule				
MW-25	05/24/11	Not Sampled on Current Sample Schedule				
MW-25	08/25/11	Not Sampled on Current Sample Schedule				
MW-25	11/03/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-25	03/01/12	Not Sampled on Current Sample Schedule				
MW-25	05/31/12	Not Sampled on Current Sample Schedule				
MW-25	08/14/12	Not Sampled on Current Sample Schedule				
MW-25	11/08/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-25	02/19/13	Not Sampled on Current Sample Schedule				
MW-25	05/21/13	Not Sampled on Current Sample Schedule				
MW-25	08/19/13	Not Sampled on Current Sample Schedule				
MW-25	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-25	02/18/14	Not Sampled on Current Sample Schedule				
MW-25	05/22/14	Not Sampled on Current Sample Schedule				
MW-25	08/29/14	Not Sampled on Current Sample Schedule				
MW-25	11/21/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-25	02/25/15	Not Sampled on Current Sample Schedule				
MW-25	05/06/15	Not Sampled on Current Sample Schedule				
MW-25	08/06/15	Not Sampled on Current Sample Schedule				
MW-25	11/23/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-25	02/22/16	Not Sampled on Current Sample Schedule				
MW-25	05/31/16	Not Sampled on Current Sample Schedule				
MW-25	08/10/16	Not Sampled on Current Sample Schedule				
MW-25	12/05/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-25	02/22/17	Not Sampled on Current Sample Schedule				
MW-25	05/30/17	Not Sampled on Current Sample Schedule				
MW-26	06/09/00	<0.001	<0.001	<0.001	<0.001	
MW-26	09/20/00	<0.001	<0.001	<0.001	<0.001	
MW-26	12/20/00	<0.001	<0.001	<0.001	<0.001	
MW-26	03/21/01	<0.001	<0.001	<0.001	<0.001	
MW-26	06/05/01	<0.001	<0.001	<0.001	<0.001	
MW-26	09/26/01	<0.001	<0.001	<0.001	<0.001	
MW-26	11/24/01	<0.001	<0.001	<0.001	<0.001	
MW-26	03/25/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-26	08/07/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-26	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-26	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-26	03/04/03	<0.001	<0.001	<0.001	<0.001	<0.001
MW-26	09/09/04	Not Sampled				
MW-26	12/23/04	Not Sampled				
MW-26	03/22/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-26	06/17/05	Not Sampled				
MW-26	09/22/05	Not Sampled				
MW-26	12/20/05	Not Sampled				
MW-26	03/21/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-26	06/22/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-26	09/07/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-26	11/17/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-26	02/16/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-26	05/12/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-26	08/27/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-26	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-26	02/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-26	05/21/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-26	08/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-26	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-26	02/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-26	05/18/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-26	08/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-26	11/13/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-26	02/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-26	05/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-26	05/28/10	Plugged and Abandoned				
MW-27	06/09/00	<0.001	<0.001	<0.001	<0.001	
MW-27	09/20/00	<0.001	<0.001	<0.001	<0.001	
MW-27	12/20/00	<0.001	<0.001	<0.001	<0.001	
MW-27	03/21/01	<0.001	<0.001	<0.001	<0.001	
MW-27	06/05/01	<0.005	<0.005	<0.005	<0.005	
MW-27	09/26/01	<0.001	<0.001	<0.001	<0.001	
MW-27	11/24/01	<0.001	<0.001	<0.001	<0.001	
MW-27	03/25/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-27	08/07/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-27	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-27	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-27	03/04/03	<0.001	<0.001	<0.001	<0.001	<0.001

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-27	09/09/04	<0.001	<0.001	<0.001	<0.002	<0.001
MW-27	12/23/04	Not sampled				
MW-27	03/22/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-27	06/17/05	Not Sampled				
MW-27	09/22/05	Not Sampled				
MW-27	12/20/05	Not Sampled				
MW-27	03/21/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-27	06/22/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-27	09/07/06	Not Sampled on Current Sample Schedule				
MW-27	11/17/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-27	02/16/07	Not Sampled on Current Sample Schedule				
MW-27	05/12/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-27	08/27/07	Not Sampled on Current Sample Schedule				
MW-27	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-27	02/20/08	Not Sampled on Current Sample Schedule				
MW-27	05/21/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-27	08/20/08	Not Sampled on Current Sample Schedule				
MW-27	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-27	02/18/09	Not Sampled on Current Sample Schedule				
MW-27	05/18/09	Not Sampled on Current Sample Schedule				
MW-27	08/17/09	Not Sampled on Current Sample Schedule				
MW-27	11/12/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-27	02/18/10	Not Sampled on Current Sample Schedule				
MW-27	05/18/10	Not Sampled on Current Sample Schedule				
MW-27	08/18/10	Not Sampled on Current Sample Schedule				
MW-27	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-27	02/24/11	Not Sampled on Current Sample Schedule				
MW-27	05/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-27	08/25/11	Not Sampled on Current Sample Schedule				
MW-27	11/07/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-27	03/01/12	Not Sampled on Current Sample Schedule				
MW-27	05/31/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-27	08/14/12	Not Sampled on Current Sample Schedule				
MW-27	11/08/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-27	02/19/13	Not Sampled on Current Sample Schedule				
MW-27	05/21/13	Not Sampled on Current Sample Schedule				
MW-27	08/19/13	Not Sampled on Current Sample Schedule				
MW-27	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-27	02/18/14	Not Sampled on Current Sample Schedule				
MW-27	05/22/14	Not Sampled on Current Sample Schedule				

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-27	08/29/14	Not Sampled on Current Sample Schedule				
MW-27	11/21/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-27	02/25/15	Not Sampled on Current Sample Schedule				
MW-27	05/06/15	Not Sampled on Current Sample Schedule				
MW-27	08/06/15	Not Sampled on Current Sample Schedule				
MW-27	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-27	02/22/16	Not Sampled on Current Sample Schedule				
MW-27	05/31/16	Not Sampled on Current Sample Schedule				
MW-27	08/10/16	Not Sampled on Current Sample Schedule				
MW-27	12/05/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-27	02/22/17	Not Sampled on Current Sample Schedule				
MW-27	05/30/17	Not Sampled on Current Sample Schedule				
MW-28	06/09/00	Insufficient Water to Sample				
MW-28	09/20/00	Insufficient Water to Sample				
MW-28	12/20/00	Insufficient Water to Sample				
MW-28	03/21/01	Insufficient Water to Sample				
MW-28	06/05/01	Insufficient Water to Sample				
MW-28	09/26/01	Insufficient Water to Sample				
MW-28	11/24/01	Insufficient Water to Sample				
MW-28	03/25/02	Insufficient Water to Sample				
MW-28	08/07/02	Insufficient Water to Sample				
MW-28	09/23/02	Insufficient Water to Sample				
MW-28	12/02/02	Insufficient Water to Sample				
MW-28	03/04/03	Insufficient Water to Sample				
MW-28	09/09/04	Insufficient Water to Sample				
MW-28	12/23/04	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	03/19/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	06/17/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	09/22/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	12/20/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	03/21/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	06/22/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	09/07/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	11/16/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	02/16/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	05/11/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	08/27/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	02/20/08	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-28	05/21/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	08/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	02/18/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	05/18/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	08/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	11/13/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	02/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	05/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	08/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	02/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	05/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	08/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	11/04/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	03/01/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	05/31/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	08/14/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	11/08/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	02/19/13	Not Sampled on Current Sample Schedule				
MW-28	05/21/13	Not Sampled on Current Sample Schedule				
MW-28	08/19/13	Not Sampled on Current Sample Schedule				
MW-28	11/19/13	Dry				
MW-28	02/18/14	Insufficient Water to Sample				
MW-28	05/22/14	Insufficient Water to Sample				
MW-28	08/29/14	Insufficient Water to Sample				
MW-28	11/20/14	Insufficient Water to Sample				
MW-28	02/25/15	Insufficient Water to Sample				
MW-28	05/06/15	Insufficient Water to Sample				
MW-28	08/06/15	Insufficient Water to Sample				
MW-28	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-28	02/22/16	Not Sampled on Current Sample Schedule				
MW-28	05/31/16	Not Sampled on Current Sample Schedule				
MW-28	08/10/16	Not Sampled on Current Sample Schedule				
MW-28	12/05/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-28	02/22/17	Not Sampled on Current Sample Schedule				
MW-28	05/30/17	Not Sampled on Current Sample Schedule				
MW-29	07/13/00	<0.001	<0.001	<0.001	<0.001	
MW-29	09/20/00	<0.001	<0.001	<0.001	<0.001	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030					
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE	
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62		
MW-29	12/20/00	<0.001	<0.001	<0.001	<0.001		
MW-29	03/21/01	<0.001	<0.001	<0.001	<0.001		
MW-29	06/05/01	<0.005	<0.005	<0.005	<0.005		
MW-29	09/26/01	<0.001	<0.001	<0.001	<0.001		
MW-29	11/24/01	<0.001	<0.001	<0.001	<0.001		
MW-29	03/25/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-29	08/07/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-29	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-29	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-29	03/04/03	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-29	09/09/04	Not Sampled					
MW-29	12/23/04	Not Sampled					
MW-29	03/19/05	Not Sampled					
MW-29	06/17/05	<0.00100	<0.00100	<0.00100	<0.00100		
MW-29	09/22/05	Not Sampled on Current Sample Schedule					
MW-29	12/20/05	<0.00100	<0.00100	<0.00100	<0.00100		
MW-29	03/21/06	Not Sampled on Current Sample Schedule					
MW-29	06/22/06	Not Sampled on Current Sample Schedule					
MW-29	09/07/06	Not Sampled on Current Sample Schedule					
MW-29	11/17/06	<0.00100	<0.00100	<0.00100	<0.00100		
MW-29	02/16/07	Not Sampled on Current Sample Schedule					
MW-29	05/11/07	Not Sampled on Current Sample Schedule					
MW-29	08/27/07	Not Sampled on Current Sample Schedule					
MW-29	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100		
MW-29	02/20/08	Not Sampled on Current Sample Schedule					
MW-29	05/21/08	Not Sampled on Current Sample Schedule					
MW-29	08/20/08	Not Sampled on Current Sample Schedule					
MW-29	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100		
MW-29	02/18/09	Not Sampled on Current Sample Schedule					
MW-29	05/18/09	Not Sampled on Current Sample Schedule					
MW-29	08/17/09	Not Sampled on Current Sample Schedule					
MW-29	11/12/09	<0.00100	<0.00100	<0.00100	<0.00100		
MW-29	02/18/10	Not Sampled on Current Sample Schedule					
MW-29	05/28/10	Plugged and Abandoned					
MW-30	07/13/00	<0.001	0.001	0.001	0.002		
MW-30	09/20/00	<0.001	<0.001	<0.001	<0.001		
MW-30	12/20/00	<0.001	<0.001	<0.001	<0.001		
MW-30	03/21/01	<0.001	<0.001	<0.001	<0.001		
MW-30	06/05/01	<0.005	<0.005	<0.005	<0.005		

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030					
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE	
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62		
MW-30	09/26/01	<0.001	<0.001	<0.001	<0.001		
MW-30	11/24/01	<0.001	<0.001	<0.001	<0.001		
MW-30	03/25/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-30	08/07/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-30	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-30	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-30	03/04/03	<0.001	<0.001	<0.001	<0.001	<0.001	
MW-30	09/09/04	Not Sampled					
MW-30	12/23/04	<0.00100	<0.00100	<0.00100	<0.00100		
MW-30	03/19/05	<0.00100	<0.00100	<0.00100	<0.00100		
MW-30	06/17/05	<0.00100	<0.00100	<0.00100	<0.00100		
MW-30	09/22/05	Not Sampled on Current Sample Schedule					
MW-30	12/20/05	<0.00100	<0.00100	<0.00100	<0.00100		
MW-30	03/21/06	Not Sampled on Current Sample Schedule					
MW-30	06/22/06	Not Sampled on Current Sample Schedule					
MW-30	09/07/06	Not Sampled on Current Sample Schedule					
MW-30	11/16/06	<0.00100	<0.00100	<0.00100	<0.00100		
MW-30	02/16/07	Not Sampled on Current Sample Schedule					
MW-30	05/11/07	Not Sampled on Current Sample Schedule					
MW-30	08/27/07	Not Sampled on Current Sample Schedule					
MW-30	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100		
MW-30	02/20/08	Not Sampled on Current Sample Schedule					
MW-30	05/21/08	Not Sampled on Current Sample Schedule					
MW-30	08/20/08	Not Sampled on Current Sample Schedule					
MW-30	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100		
MW-30	02/18/09	Not Sampled on Current Sample Schedule					
MW-30	05/18/09	Not Sampled on Current Sample Schedule					
MW-30	08/17/09	Not Sampled on Current Sample Schedule					
MW-30	11/12/09	<0.00100	<0.00100	<0.00100	<0.00100		
MW-30	02/18/10	Not Sampled on Current Sample Schedule					
MW-30	05/18/10	Not Sampled on Current Sample Schedule					
MW-30	08/18/10	Not Sampled on Current Sample Schedule					
MW-30	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100		
MW-30	02/24/11	Not Sampled on Current Sample Schedule					
MW-30	05/24/11	Not Sampled on Current Sample Schedule					
MW-30	08/24/11	Not Sampled on Current Sample Schedule					
MW-30	11/04/11	<0.00100	<0.00100	<0.00100	<0.00100		
MW-30	03/01/12	Not Sampled on Current Sample Schedule					
MW-30	05/31/12	Not Sampled on Current Sample Schedule					
MW-30	08/14/12	Not Sampled on Current Sample Schedule					

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-30	11/08/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-30	02/19/13	Not Sampled on Current Sample Schedule				
MW-30	05/21/13	Not Sampled on Current Sample Schedule				
MW-30	08/19/13	Not Sampled on Current Sample Schedule				
MW-30	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-30	02/18/14	Not Sampled on Current Sample Schedule				
MW-30	05/22/14	Not Sampled on Current Sample Schedule				
MW-30	08/29/14	Not Sampled on Current Sample Schedule				
MW-30	11/21/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-30	02/25/15	Not Sampled on Current Sample Schedule				
MW-30	05/06/15	Not Sampled on Current Sample Schedule				
MW-30	08/06/15	Not Sampled on Current Sample Schedule				
MW-30	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-30	02/22/16	Not Sampled on Current Sample Schedule				
MW-30	05/31/16	Not Sampled on Current Sample Schedule				
MW-30	08/10/16	Not Sampled on Current Sample Schedule				
MW-30	12/05/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-30	02/22/17	Not Sampled on Current Sample Schedule				
MW-30	05/30/17	Not Sampled on Current Sample Schedule				
MW-31	07/13/00	0.002	0.002	<0.001	<0.001	
MW-31	09/20/00	<0.001	<0.001	0.001	<0.001	
MW-31	12/20/00	0.004	<0.001	0.001	<0.001	
MW-31	03/21/01	0.006	<0.001	0.002	<0.001	
MW-31	06/05/01	<0.001	<0.001	0.001	<0.001	
MW-31	09/26/01	0.00782	<0.001	<0.001	<0.001	
MW-31	11/24/01	0.00755	<0.001	<0.001	<0.001	
MW-31	03/25/02	0.00291	<0.001	<0.001	<0.001	<0.001
MW-31	08/14/02	0.00196	<0.001	<0.001	<0.001	<0.001
MW-31	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-31	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-31	03/04/03	<0.001	<0.001	<0.001	<0.001	<0.001
MW-31	09/09/04	Not Sampled				
MW-31	12/23/04	0.00260	<0.00100	<0.00100	<0.00100	
MW-31	03/19/05	<0.00100	<0.00100	<0.00100	0.0020	
MW-31	06/17/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	09/22/05	0.00120	<0.00100	<0.00100	<0.00100	
MW-31	12/20/05	0.00140	<0.00100	<0.00100	<0.00100	
MW-31	03/21/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	06/22/06	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-31	09/07/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	11/17/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	02/16/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	05/11/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	08/27/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	02/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	05/21/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	08/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	02/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	05/18/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	08/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	11/13/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	02/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	05/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	08/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	02/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	05/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	08/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	11/04/11	0.00160	<0.00100	<0.00100	<0.00100	
MW-31	03/01/12	0.00730	<0.00100	<0.00100	<0.00100	
MW-31	05/31/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	08/14/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	11/08/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	02/19/13	Not Sampled on Current Sample Schedule				
MW-31	05/21/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	08/19/13	Not Sampled on Current Sample Schedule				
MW-31	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	02/18/14	Not Sampled on Current Sample Schedule				
MW-31	05/22/14	<0.00100	<0.00100	<0.00100	<0.00300	
MW-31	08/29/14	Not Sampled on Current Sample Schedule				
MW-31	11/21/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	02/25/15	Not Sampled on Current Sample Schedule				
MW-31	05/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	08/06/15	Not Sampled on Current Sample Schedule				
MW-31	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-31	02/22/16	Not Sampled on Current Sample Schedule				
MW-31	05/31/16	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-31	08/10/16	Not Sampled on Current Sample Schedule				
MW-31	12/06/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-31	02/22/17	Not Sampled on Current Sample Schedule				
MW-31	05/30/17	<0.00200	<0.00200	<0.00200	<0.00400	
MW-32	07/13/00	<0.001	0.003	<0.001	<0.001	
MW-32	09/20/00	Not Sampled Due to PSH in Well				
MW-32	12/20/00	Not Sampled Due to PSH in Well				
MW-32	03/21/01	Not Sampled Due to PSH in Well				
MW-32	06/05/01	Not Sampled Due to PSH in Well				
MW-32	09/26/01	Not Sampled Due to PSH in Well				
MW-32	11/24/01	Not Sampled Due to PSH in Well				
MW-32	03/25/02	Not Sampled Due to PSH in Well				
MW-32	08/19/02	Not Sampled Due to PSH in Well				
MW-32	09/23/02	Not Sampled Due to PSH in Well				
MW-32	12/02/02	Not Sampled Due to PSH in Well				
MW-32	03/04/03	Not Sampled Due to PSH in Well				
MW-32	09/09/04	Not Sampled Due to PSH in Well				
MW-32	12/23/04	<0.0200	<0.0200	<0.0200	<0.0200	
MW-32	03/20/05	0.00790	<0.00500	<0.00500	0.00720	
MW-32	06/17/05	<0.00500	<0.00500	<0.00500	<0.00500	
MW-32	09/22/05	Not Sampled Due to PSH in Well				
MW-32	12/20/05	0.00130	<0.00100	<0.00100	<0.00100	
MW-32	03/21/06	0.00120	<0.00100	<0.00100	<0.00100	
MW-32	06/22/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	09/07/06	0.00980	<0.00100	0.00860	0.0165	
MW-32	11/17/06	0.00680	<0.00100	0.00280	0.00290	
MW-32	02/16/07	0.00160	<0.00100	<0.00100	0.00160	
MW-32	05/11/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	08/27/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	02/20/08	<0.00100	<0.00100	<0.00100	0.00250	
MW-32	05/21/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	08/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	11/18/08	<0.00100	<0.00100	<0.00100	0.0023	
MW-32	02/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	05/18/09	<0.00100	<0.00100	0.00700	0.0165	
MW-32	08/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	11/13/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	02/18/10	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-32	05/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	08/18/10	<0.00100	<0.00100	0.00120	0.00280	
MW-32	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	02/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	05/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	08/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	11/04/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	03/01/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	05/31/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	08/14/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	11/08/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	02/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	05/21/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	08/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	02/18/14	<0.00100	<0.00100	<0.00100	<0.00300	
MW-32	05/22/14	<0.00100	<0.00100	<0.00100	<0.00300	
MW-32	08/29/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	11/21/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	02/25/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	05/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	08/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	02/22/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	06/01/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	08/10/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-32	12/06/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-32	02/23/17	<0.00200	<0.00200	<0.00200	<0.00200	
MW-32	05/31/17	<0.00200	<0.00200	<0.00200	<0.00400	
MW-33	07/13/00	0.008	0.002	<0.001	0.002	
MW-33	09/20/00	<0.001	<0.001	<0.001	<0.001	
MW-33	12/20/00	<0.001	<0.001	<0.001	<0.001	
MW-33	03/21/01	<0.001	<0.001	<0.001	<0.001	
MW-33	06/05/01	<0.005	<0.005	<0.005	<0.005	
MW-33	09/26/01	<0.001	<0.001	<0.001	0.00116	
MW-33	11/24/01	<0.001	<0.001	<0.001	<0.001	
MW-33	03/25/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-33	08/07/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-33	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-33	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-33	03/04/03	<0.001	<0.001	<0.001	<0.001	<0.001
MW-33	09/09/04	Not Sampled				
MW-33	12/23/04	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	03/20/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	06/17/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	09/22/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	12/20/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	03/21/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	06/22/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	09/07/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	11/17/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	02/16/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	05/11/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	08/27/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	02/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	05/21/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	08/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	02/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	05/18/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	08/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	11/13/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	02/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	05/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	08/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	02/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	05/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	08/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	11/04/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	03/01/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	05/31/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	08/14/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	11/08/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	02/19/13	Not Sampled on Current Sample Schedule				
MW-33	05/21/13	Not Sampled on Current Sample Schedule				
MW-33	08/19/13	Not Sampled on Current Sample Schedule				
MW-33	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-33	02/18/14	Not Sampled on Current Sample Schedule				
MW-33	05/22/14	Not Sampled on Current Sample Schedule				
MW-33	08/29/14	Not Sampled on Current Sample Schedule				
MW-33	11/21/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	02/25/15	Not Sampled on Current Sample Schedule				
MW-33	05/06/15	Not Sampled on Current Sample Schedule				
MW-33	08/06/15	Not Sampled on Current Sample Schedule				
MW-33	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-33	02/22/16	Not Sampled on Current Sample Schedule				
MW-33	05/31/16	Not Sampled on Current Sample Schedule				
MW-33	08/10/16	Not Sampled on Current Sample Schedule				
MW-33	12/05/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-33	02/23/17	Not Sampled on Current Sample Schedule				
MW-33	05/31/17	Not Sampled on Current Sample Schedule				
MW-34	07/13/00	<0.001	<0.001	<0.001	<0.001	
MW-34	09/20/00	<0.001	<0.001	<0.001	<0.001	
MW-34	12/20/00	<0.001	<0.001	<0.001	<0.001	
MW-34	03/21/01	<0.001	<0.001	<0.001	<0.001	
MW-34	06/05/01	<0.005	<0.005	<0.005	<0.005	
MW-34	09/26/01	<0.001	<0.001	<0.001	<0.001	
MW-34	11/24/01	<0.001	<0.001	<0.001	<0.001	
MW-34	03/25/02	<0.001	<0.001	<0.001	<0.001	
MW-34	08/08/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-34	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-34	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-34	03/04/03	Not Sampled				
MW-34	09/09/04	Not Sampled				
MW-34	12/23/04	<0.00100	<0.00100	<0.00100	<0.00100	
MW-34	03/20/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-34	06/17/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-34	09/13/05	Plugged and Abandoned				
MW-35	07/13/00	<0.001	<0.001	<0.001	<0.001	
MW-35	09/20/00	<0.001	<0.001	<0.001	<0.001	
MW-35	12/20/00	<0.001	<0.001	<0.001	<0.001	
MW-35	03/21/01	<0.001	<0.001	<0.001	<0.001	
MW-35	06/05/01	<0.005	<0.005	<0.005	<0.005	
MW-35	09/26/01	<0.001	<0.001	<0.001	<0.001	
MW-35	11/24/01	<0.001	<0.001	<0.001	<0.001	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-35	03/25/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-35	08/07/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-35	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-35	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-35	03/04/03	Not Sampled				
MW-35	09/09/04	Not Sampled				
MW-35	12/23/04	<0.00100	<0.00100	<0.00100	<0.00100	
MW-35	03/20/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-35	06/17/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-35	09/13/05	Plugged and Abandoned				
MW-36	07/31/00	<0.001	<0.001	<0.001	<0.001	
MW-36	09/20/00	<0.001	<0.001	<0.001	<0.001	
MW-36	12/20/00	<0.001	<0.001	<0.001	<0.001	
MW-36	03/21/01	<0.001	<0.001	<0.001	<0.001	
MW-36	06/05/01	<0.005	<0.005	<0.005	<0.005	
MW-36	09/26/01	<0.001	<0.001	<0.001	<0.001	
MW-36	11/24/01	<0.001	<0.001	<0.001	<0.001	
MW-36	03/25/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-36	08/04/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-36	09/23/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-36	12/02/02	<0.001	<0.001	<0.001	<0.001	<0.001
MW-36	03/04/03	Not Sampled				
MW-36	09/09/04	Not Sampled				
MW-36	12/23/04	<0.00100	<0.00100	<0.00100	<0.00100	
MW-36	03/20/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-36	06/17/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-36	09/13/05	Plugged and Abandoned				
MW-37	08/14/02	0.0217	<0.001	<0.001	<0.001	<0.001
MW-37	09/23/02	0.0417	<0.001	<0.001	<0.001	<0.001
MW-37	12/02/02	0.0224	<0.001	<0.001	<0.001	<0.001
MW-37	03/04/03	0.009	<0.001	<0.001	<0.001	<0.001
MW-37	12/23/04	<0.0200	<0.0200	<0.0200	<0.0200	
MW-37	03/19/05	0.0209	<0.00500	<0.00500	<0.00500	
MW-37	06/17/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	09/22/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	12/20/05	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	03/21/06	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	06/22/06	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-37	09/07/06	0.00580	<0.00100	0.00380	0.0135	
MW-37	11/17/06	0.00430	<0.00100	0.00390	0.00100	
MW-37	02/16/07	<0.00500	<0.00500	<0.00500	<0.00500	
MW-37	05/11/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	08/27/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	11/14/07	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	02/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	05/21/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	08/20/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	02/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	05/18/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	08/17/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	11/13/09	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	02/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	05/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	08/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	02/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	05/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	08/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	11/04/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	03/01/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	05/31/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	08/14/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	11/08/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	02/19/13	Not Sampled on Current Sample Schedule				
MW-37	05/21/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	08/19/13	Not Sampled on Current Sample Schedule				
MW-37	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	02/18/14	Not Sampled on Current Sample Schedule				
MW-37	05/22/14	<0.00100	<0.00100	<0.00100	<0.00300	
MW-37	08/29/14	Not Sampled on Current Sample Schedule				
MW-37	11/21/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	02/25/15	Not Sampled on Current Sample Schedule				
MW-37	05/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	08/06/15	Not Sampled on Current Sample Schedule				
MW-37	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-37	02/22/16	Not Sampled on Current Sample Schedule				
MW-37	05/31/16	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-37	08/10/16	Not Sampled on Current Sample Schedule				
MW-37	12/06/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-37	02/23/17	Not Sampled on Current Sample Schedule				
MW-37	05/30/17	<0.00200	<0.00200	<0.00200	<0.00400	
MW-38	08/13/02	<0.001	<0.001	0.0163	0.0338	<0.001
MW-38	09/23/02	0.0371	<0.001	0.0247	0.019	<0.001
MW-38	12/02/02	0.0279	<0.001	0.6540	0.166	<0.001
MW-38	03/04/03	0.0129	<0.001	0.0396	0.0184	
MW-38	09/10/04	0.0143	<0.001	0.0572	0.0142	<0.001
MW-38	12/23/04	0.0165	<0.00100	0.0459	0.0107	
MW-38	03/19/05	0.0281	<0.00500	0.0847	0.0164	
MW-38	06/17/05	0.0279	<0.00500	0.129	0.0371	
MW-38	09/22/05	0.0190	<0.00100	0.0914	0.0237	
MW-38	12/20/05	0.0196	<0.00100	0.245	0.0926	
MW-38	03/21/06	0.0249	<0.00100	0.136	0.0646	
MW-38	06/22/06	0.0238	<0.00100	0.170	0.0791	
MW-38	09/07/06	0.0230	<0.00100	0.0280	0.0512	
MW-38	11/17/06	0.0145	<0.00100	0.0348	0.00220	
MW-38	02/16/07	0.0161	<0.00100	0.0345	0.00720	
MW-38	05/11/07	0.0133	<0.00100	0.0405	0.00560	
MW-38	08/28/07	0.0142	<0.00100	0.0371	0.00330	
MW-38	11/15/07	0.0243	<0.00100	0.0879	0.00680	
MW-38	02/20/08	0.0242	<0.00100	0.125	0.00740	
MW-38	05/21/08	0.0121	<0.00100	0.0287	<0.00100	
MW-38	08/20/08	0.0258	<0.00100	0.0940	0.00340	
MW-38	11/18/08	0.0265	<0.00100	0.0860	0.00350	
MW-38	02/18/09	0.0123	<0.00100	0.00840	<0.00100	
MW-38	05/18/09	0.0172	<0.00100	0.00890	<0.00100	
MW-38	08/17/09	0.0131	<0.00100	0.00890	<0.00100	
MW-38	11/13/09	0.0181	<0.00100	0.00100	0.00630	
MW-38	02/18/10	0.0142	<0.00100	<0.00100	0.00370	
MW-38	05/18/10	0.0106	<0.00100	<0.00100	0.00400	
MW-38	08/18/10	0.0119	<0.00100	0.00290	0.00350	
MW-38	11/15/10	0.0141	<0.00100	<0.00100	<0.00100	
MW-38	02/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-38	05/24/11	0.00960	<0.00100	<0.00100	<0.00100	
MW-38	08/25/11	0.0129	<0.00100	<0.00100	<0.00100	
MW-38	11/04/11	0.00370	<0.00100	0.00330	<0.00100	
MW-38	03/01/12	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-38	05/31/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-38	08/14/12	0.00170	<0.00100	0.00230	<0.00100	
MW-38	11/08/12	<0.00500	<0.00500	<0.00500	<0.00500	
MW-38	02/19/13	0.00540	<0.00100	0.00710	<0.00100	
MW-38	05/21/13	0.00120	<0.00100	<0.00100	<0.00100	
MW-38	08/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-38	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-38	02/18/14	0.00250	<0.00100	<0.00100	<0.00300	
MW-38	05/22/14	0.00340	<0.00100	0.00100	<0.00300	
MW-38	08/29/14	0.00170	<0.00100	<0.00100	<0.00100	
MW-38	11/21/14	0.00530	<0.00100	<0.00100	<0.00100	
MW-38	02/25/15	0.00120	<0.00100	<0.00100	<0.00100	
MW-38	05/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-38	08/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-38	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-38	02/23/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-38	06/01/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-38	08/10/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-38	12/06/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-38	02/23/17	<0.00200	<0.00200	<0.00200	<0.00200	
MW-38	05/31/17	<0.00200	<0.00200	<0.00200	<0.00400	
MW-56	05/19/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	08/18/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	11/15/10	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	02/24/11	Not Sampled				
MW-56	05/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	08/24/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	11/04/11	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	03/01/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	05/31/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	08/14/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	11/08/12	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	02/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	05/21/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	08/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	11/19/13	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	02/18/14	<0.00100	<0.00100	<0.00100	<0.00300	
MW-56	05/22/14	<0.00100	<0.00100	<0.00100	<0.00300	
MW-56	08/29/14	<0.00100	<0.00100	<0.00100	<0.00100	

TABLE 2

COMPREHENSIVE CONCENTRATIONS OF BTEX IN GROUNDWATER

PLAINS MARKETING, L.P.
BOB DURHAM
MONUMENT, NEW MEXICO
NMOCD REFERENCE NUMBER AP-0016

Results are reported in mg/L.

SAMPLE LOCATION	SAMPLE DATE	SW 846-8021B, 5030				
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o-XYLENE
NMOCD REGULATORY GUIDELINE		0.01	0.75	0.75	0.62	
MW-56	11/21/14	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	02/25/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	05/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	08/06/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	11/24/15	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	02/23/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	06/01/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	08/11/16	<0.00100	<0.00100	<0.00100	<0.00100	
MW-56	12/06/16	<0.00200	<0.00200	<0.00200	<0.00200	
MW-56	02/23/17	<0.00200	<0.00200	<0.00200	<0.00200	
MW-56	05/31/17	<0.00200	<0.00200	<0.00200	<0.00400	

**** Lab Error - See Letter of Explanation from TraceAnalysis included with Laboratory Report.