

From: Tucker, Shelly
To: [Yu, Olivia, EMNRD](#)
Cc: [Barnhill, Amy D.](#)
Subject: Re: [EXTERNAL] RE: 1RP-4715 Salado Draw 5-28-17
Date: Monday, September 17, 2018 4:44:45 PM
Attachments: image001.png
image001.png

BLM accepts closure request.

If you have any questions or concerns, please do not hesitate to contact me.

Sincerely,

Shelly J Tucker

Environmental Protection Specialist
O&G Spill/Release Coordinator

575.234.5905 - Direct
575.361.0084 - Cellular
575.234.6235 - Emergency Spill Number

stucker@blm.gov

Bureau of Land Management
620 E. Greene St
Carlsbad, NM 88220

The **BLM acceptance/approval does not** relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment or if the location fails to reclaim properly. **In such an event a site does not achieve successful restoration, or future issues with contaminants are encountered, the operator will be asked to address these issues until they are fully mitigated and the location is successfully reclaimed.** In addition, BLM approval does not relieve the operator of responsibility for compliance with any other federal, state or local laws/regulations.

Confidentiality Warning: This message along with any attachments are intended only for use of the individual or entity to which it is addressed and may contain information that is privileged or confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately.

NOTE: LPC Timing Stipulations - from March 1st through June 15th. Please plan remedial activities accordingly. Check for African Rue...treat (before it gets out of control).

On Wed, Sep 5, 2018 at 11:33 AM Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us> wrote:

Ms. Barnhill:

Thank you for the reminder and your patience.

The available information indicates **OPERATOR** has met the requirements of 19.15.29 NMAC and no further corrective action is required. NMOCD considers **1RP-4715** closed. However, this determination by the Oil Conservation Division does not relieve Operator of responsibility should future information indicate a threat to ground water, surface water,

human health, or the environment. Furthermore, it does not relieve Operator of responsibility for compliance with any federal, state, or local laws and/or regulations.

Like approval from BLM required.

Thanks,

Olivia Yu

Environmental Specialist

NMOCD, District I

Olivia.yu@state.nm.us

575-393-6161 x113

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

From: Barnhill, Amy D. <ABarnhill@chevron.com>

Sent: Monday, August 6, 2018 8:29 AM

To: Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>; Brown, Maxey G, EMNRD <MaxeyG.Brown@state.nm.us>

Cc: Tucker, Shelly <stucker@blm.gov>

Subject: RE: 1RP-4715 Salado Draw 5-28-17

Hello Olivia and Shelly,

Can you tell me if this was accepted for closure?

From: Barnhill, Amy D.
Sent: Monday, June 25, 2018 3:01 PM
To: Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>; Brown, Maxey G, EMNRD <MaxeyG.Brown@state.nm.us>
Cc: Tucker, Shelly <stucker@blm.gov>; Barnhill, Amy D. <ABarnhill@chevron.com>
Subject: 1RP-4715 Salado Draw 5-28-17

Olivia and Shelly,

Please see the attached Closure Report and Final C-141 for 1RP-4715 Salado Draw spill which occurred on 5-28-17. Please let me know if there is anything else I need to do. I await your approval for closure of this spill.

Thank you,

Amy Barnhill

Waste and Water Specialist

MCBU

Office: 432-687-7108

Cell: 432-940-8524

E-Mail: ABarnhill@chevron.com

#OurEnvironmentMatters

"The highest performance you can expect is the lowest standard you set"



CONFIDENTIALITY NOTICE: This message is confidential and may be privileged. If you believe that this email has been sent to you in error, please reply to the sender that you received the message; then please delete this email.