

**From:** [Yu, Olivia, EMNRD](#)  
**To:** [Kyle Norman](#); [Hernandez, Christina, EMNRD](#); [Mann, Ryan](#)  
**Cc:** [Hack Conder Dcp](#); [Trujillo, Christopher M](#)  
**Subject:** RE: DCP Midstream, LP V-3-7-2 Initial C-141  
**Date:** Tuesday, October 16, 2018 3:59:00 PM  
**Attachments:** image001.png  
1RP5230\_V-3-7-2 DCP Initial C-141.pdf

---

Mr. Norman:

NMOCD databases indicate State surface and mineral ownerships. Please remember to include NMSLO in all correspondence and report submittals.

Please be advised that

1. The initial portion of the C-141 form does not include the calculations to determine the release volume. Visual estimation is not sufficient nor adequate. Please submit measurements in volume estimation; such as dimensions (L X W X depth of impact), soil parameters (porosity, texture, bulk density, soil moisture), meter readings, waste manifests, etc.
2. Per 19.15.29.13 NMAC, regulations of corresponding agencies supersede NMOCD's. Please note that release occurred on area under CCA agreement. Contact NMSLO for specific concerns or stipulations.
3. Dated, geo-referenced photo documentation for verification that the initial response activities have been employed to contain the release is requested.

The 1RP for this incident is

<b>5230</b>	10/16/2018	A	DCP	V-3-7-2 line		19S-32E-32F	9/30/2018
-------------	------------	---	-----	--------------	--	-------------	-----------

Please remember to include this 1RP identifier to all communications. Delineate and remediate per regulation. Mind the timelines for submittal of requisite information.

Please be advised that NMOCD recommends a completed site characterization/delineation report be reviewed or approved by NMOCD BEFORE any significant remediation work towards closure.

Thanks,

Olivia Yu  
Environmental Specialist  
NMOCD, District I  
[Olivia.yu@state.nm.us](mailto:Olivia.yu@state.nm.us)  
575-393-6161 x113

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

---

**From:** Kyle Norman <[knorman@tasman-geo.com](mailto:knorman@tasman-geo.com)>  
**Sent:** Friday, October 12, 2018 3:10 PM  
**To:** Yu, Olivia, EMNRD <[Olivia.Yu@state.nm.us](mailto:Olivia.Yu@state.nm.us)>; Hernandez, Christina, EMNRD <[Christina.Hernandez@state.nm.us](mailto:Christina.Hernandez@state.nm.us)>  
**Cc:** Hack Conder Dcp <[hpconder@dcpmidstream.com](mailto:hpconder@dcpmidstream.com)>; Trujillo, Christopher M <[CMTrujillo@dcpmidstream.com](mailto:CMTrujillo@dcpmidstream.com)>  
**Subject:** [EXT] DCP Midstream, LP V-3-7-2 Initial C-141

Ms. Yu and Ms. Hernandez,

Please find attached the initial C-141 for a release that DCP Midstream , LP on V-3-7-2 Line. Please feel free to contact me or Hack should you have any questions.

Thank you,

Kyle Norman  
Tasman Geosciences  
Cell: 575-318-5017

Hobbs, NM 88240

[knorman@tasman-geo.com](mailto:knorman@tasman-geo.com)

