

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party	Ameredev Operating LLC	OGRID	372224
Contact Name	Zachary Boyd	Contact Telephone	737-300-4725
Contact email	zboyd@ameredev.com	Incident # (assigned by OCD)	
Contact mailing address	5707 Southwest Parkway, Building 1 Suite 275, Austin, TX 78735		

Location of Release Source

Latitude 32.02083 Longitude -103.27610
(NAD 83 in decimal degrees to 5 decimal places)

Site Name	Azalea Central Tank Battery	Site Type	Production
Date Release Discovered	9-1-2018	API# (if applicable)	30-025-44104

Unit Letter	Section	Township	Range	County
D	28	26S	36E	Lea

Surface Owner: ☒ State ☐ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input checked="" type="checkbox"/> Crude Oil	Volume Released (bbls) 20	Volume Recovered (bbls) 0
<input type="checkbox"/> Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of total dissolved solids (TDS) in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release
Crude gathering truck overfilled tanks

Volume determined from gathering meter on truck minus tank capacity.

23


State of New Mexico
Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why: Full excavation of the contaminated area will not be performed with the proposed remediation technique. (Attached)	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: <u>Zachary W. Boyd</u>	Title: <u>Operations Superintendent</u>
Signature: 	Date: <u>9-2-2018</u> <u>10-1-18</u>
email: <u>zboyd@ameredev.com</u>	Telephone: <u>737-300-4725</u>
<u>OCD Only</u> Received by: _____ Date: _____	

Incident ID	
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>144</u> (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☒ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Zachary W. Boyd Title: Operations Superintendent

Signature:  Date: 10-1-2018

email: zboyd@ameredev.com Telephone: 737-300-4725

OCD Only


Received by: _____ Date: _____



Ameredev II, LLC

1RP5200_C141 SPILL DATA

SPILL OCCURRENCE 9-1-2018




Azalea State Com 26-36-28 111H

- Spill Occurrence – 9/1/2018
- Part 1 of 4 Submitted – 9/13/2018
- NMOCD Reviewed and Assigned 1RP – 9/24/2018
- 1RP5200 issued to Azalea CTB Spill – 9/24/2018
- 1RP5200: Reply to Sep,24th Email – 10/1/2018

REVIEWED

By Olivia Yu at 2:51 pm, Nov 09, 2018

Azalea State Com 26-36-28 111H



Azalea State Com 26-36-28 111H (Spill Pictures)





Ryan Millunzi
Microbiologist
Remediation & Environmental Xperts, LLC
2903 North Birdwell Ln
Big Spring, TX, 79720

September 10, 2018

Mr. Bradley Dodson
Operations Manager
Heart River Logistics, LLC
Andrews, TX, 79714

Mr. Bradley Dodson:

RE: Crude Oil Release / Azelea 111

Please find below Remediation & Environmental Xperts (REX) responses to the questions appearing on New Mexico Oil Conservation Division Form C-141.

1. Detailed description of proposed remediation technique:

Remediation & Environmental Xperts takes pride in being a sustainable and environmentally friendly bioremediation company performing in situ treatment of hydrocarbon contaminated soils. We use naturally occurring bacteria supplemented by biosurfactants to degrade hydrocarbon contaminants from the environment. We have used this process on over 2,000+ projects and have found great success treating an array of hydrocarbon contaminated soils. Our process involves the implementation of bacteria and necessary biosurfactants into the soil through the use of both high and low pressure sprayer systems. Please see attached SDS for all corresponding safety data sheets.

2. *Estimated volume of material to be remediated:*

REX personnel were informed by Mr. Bradley Dodson of Heart River Logistics that the volume of the unintended release was 20 barrels. This volume was released into an area approximately 60 ft x 20 ft equaling 1,200 square feet. Upon initial arrival at the site of release, two soil samples were collected prior to any clean up activities being conducted. Please see the table below for analytical data:

<i>Soil Sample</i>	<i>Total TPH (mg/kg) *</i>
<i>Sample #1 – Surface</i>	21,300
<i>Sample #2 – 12 in bgs</i>	17,600

*Please see attached *Analytical Report 597861* for full analytical data.

Based on the data above (high concentration of hydrocarbons at 1 ft bgs) and visual observations at the release site, it is our estimation that contaminants are present down to 2 ft bgs. With an area of 1,200 square feet and a depth of 2 ft, the estimated volume of material to be remediated is 2,400 cubic feet. For a more accurate delineation, further sampling and analytical testing would need to be done.

3. *Proposed Schedule for Remediation:*

REX's remediation technique involves thoroughly saturating the contaminated soil with biosurfactants and microbial products, followed by a period of 21 days to allow time for biodegradation to occur. After this 21 day period, soil samples will be collected within the release area to assess current levels of contaminants. Based upon these levels, a new remediation plan will be established to treat any remaining contaminants. This typically involves a plan similar to the first treatment, but on a smaller scale more focused on the areas that still contain contaminants.

4. *Detailed Soil Testing Technique:*

All soil testing was performed by Xenco Laboratories of Midland, TX using TPH by SW8015 Mod. Please see *Analytical Report 597861* for more details.

I hope these prove helpful, and if there is anything else you need from us please don't hesitate to ask.

Kind Regards,

Ryan Millunzi
Microbiologist
Remediation & Environmental Xperts, LLC
2903 North Birdwell Ln
Big Spring, TX, 79720



Certificate of Analysis Summary 597861

Remediation and Environmental Xperts, LLC, Big Spring, TX



Project Name: Heart River Logistics

Project Id:

Date Received in Lab: Tue Sep-04-18 10:15 am

Contact: Ryan Millunzi

Report Date: 06-SEP-18

Project Location: Jal New Mexico

Project Manager: Holly Taylor

Analysis Requested	Lab Id:	597861-001	597861-002				
	Field Id:	Sample #1	Sample #2				
	Depth:	Surface-	12- In				
	Matrix:	SOIL	SOIL				
	Sampled:	Sep-03-18 09:00	Sep-03-18 09:05				
TPH by SW8015 Mod	Extracted:	Sep-05-18 13:00	Sep-05-18 13:00				
	Analyzed:	Sep-05-18 22:18	Sep-05-18 22:38				
	Units/RL:	mg/kg RL	mg/kg RL				
Gasoline Range Hydrocarbons (GRO)		11100 74.8	9760 74.9				
Diesel Range Organics (DRO)		10200 74.8	7830 74.9				
Motor Oil Range Hydrocarbons (MRO)		<74.8 74.8	<74.9 74.9				
Total TPH		21300 74.8	17600 74.9				

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.
The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.
XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.
Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Holly Taylor
Project Manager

Analytical Report 597861

for

Remediation and Environmental Xperts, LLC

Project Manager: Ryan Millunzi

Heart River Logistics

06-SEP-18

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-18-27), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-13)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-17)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-16)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)
Xenco-Atlanta (LELAP Lab ID #04176)
Xenco-Tampa: Florida (E87429)
Xenco-Lakeland: Florida (E84098)



06-SEP-18

Project Manager: **Ryan Millunzi**
Remediation and Environmental Xperts, LLC
P.O. Box 2699
Big Spring, TX 79720

Reference: XENCO Report No(s): **597861**
Heart River Logistics
Project Address: Jal New Mexico

Ryan Millunzi:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 597861. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 597861 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Holly Taylor
Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 597861



Remediation and Environmental Xperts, LLC, Big Spring, TX

Heart River Logistics

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
Sample #1	S	09-03-18 09:00	Surface	597861-001
Sample #2	S	09-03-18 09:05	12 In	597861-002



CASE NARRATIVE

Client Name: Remediation and Environmental Xperts, LLC

Project Name: Heart River Logistics

Project ID:

Work Order Number(s): 597861

Report Date: 06-SEP-18

Date Received: 09/04/2018

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None



Certificate of Analytical Results 597861



Remediation and Environmental Xperts, LLC, Big Spring, TX Heart River Logistics

Sample Id: **Sample #1** Matrix: Soil Date Received: 09.04.18 10.15
Lab Sample Id: 597861-001 Date Collected: 09.03.18 09.00 Sample Depth: Surface
Analytical Method: TPH by SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 09.05.18 13.00 Basis: Wet Weight
Seq Number: 3062279

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	11100	74.8	mg/kg	09.05.18 22.18		5
Diesel Range Organics (DRO)	C10C28DRO	10200	74.8	mg/kg	09.05.18 22.18		5
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<74.8	74.8	mg/kg	09.05.18 22.18	U	5
Total TPH	PHC635	21300	74.8	mg/kg	09.05.18 22.18		5
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	124	%	70-135	09.05.18 22.18		
o-Terphenyl	84-15-1	127	%	70-135	09.05.18 22.18		



Certificate of Analytical Results 597861



Remediation and Environmental Xperts, LLC, Big Spring, TX Heart River Logistics

Sample Id: **Sample #2** Matrix: Soil Date Received: 09.04.18 10.15
Lab Sample Id: 597861-002 Date Collected: 09.03.18 09.05 Sample Depth: 12 In
Analytical Method: TPH by SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 09.05.18 13.00 Basis: Wet Weight
Seq Number: 3062279

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	9760	74.9	mg/kg	09.05.18 22.38		5
Diesel Range Organics (DRO)	C10C28DRO	7830	74.9	mg/kg	09.05.18 22.38		5
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<74.9	74.9	mg/kg	09.05.18 22.38	U	5
Total TPH	PHC635	17600	74.9	mg/kg	09.05.18 22.38		5
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	108	%	70-135	09.05.18 22.38		
o-Terphenyl	84-15-1	109	%	70-135	09.05.18 22.38		

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit

SDL Sample Detection Limit

LOD Limit of Detection

PQL Practical Quantitation Limit

MQL Method Quantitation Limit

LOQ Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample

BLK

Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample

BKSD/LCSD

Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate

MS

Matrix Spike

MSD: Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



Remediation and Environmental Xperts, LLC
Heart River Logistics

Analytical Method: TPH by SW8015 Mod

Seq Number: 3062279

MB Sample Id: 7661747-1-BLK

Matrix: Solid

LCS Sample Id: 7661747-1-BKS

Prep Method: TX1005P

Date Prep: 09.05.18

LCSD Sample Id: 7661747-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	919	92	878	88	70-135	5	20	mg/kg	09.05.18 15:20	
Diesel Range Organics (DRO)	<8.13	1000	962	96	925	93	70-135	4	20	mg/kg	09.05.18 15:20	
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date	Flag		
1-Chlorooctane	98		117		118		70-135	%	09.05.18 15:20			
o-Terphenyl	108		103		101		70-135	%	09.05.18 15:20			

Analytical Method: TPH by SW8015 Mod

Seq Number: 3062279

Parent Sample Id: 597793-004

Matrix: Soil

MS Sample Id: 597793-004 S

Prep Method: TX1005P

Date Prep: 09.05.18

MSD Sample Id: 597793-004 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<7.98	997	858	86	829	83	70-135	3	20	mg/kg	09.05.18 16:20	
Diesel Range Organics (DRO)	<8.10	997	921	92	898	90	70-135	3	20	mg/kg	09.05.18 16:20	
Surrogate			MS %Rec	MS Flag		MSD %Rec	MSD Flag		Limits	Units	Analysis Date	
1-Chlorooctane			125			110			70-135	%	09.05.18 16:20	
o-Terphenyl			98			95			70-135	%	09.05.18 16:20	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $Log\ Diff. = Log(Sample\ Duplicate) - Log(Original\ Sample)$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



Setting the Standard since 1990
Stafford, Texas (281-240-4200)
Dallas Texas (214-902-0300)

CHAIN OF CUSTODY

Page 1 of 2

San Antonio, Texas (210-509-3334)
Midland, Texas (432-704-5251)

www.xenoco.com

Phoenix, Arizona (480-355-0900)

Client / Reporting Information				Project Information				Analytical Information				Matrix Codes			
Company Name / Branch: REMEDIATION AND ENVIRONMENTAL XPERTS, LLC (REX, LLC)				Project Name/Number: Heart River Logistics											
Company Address: P. O. BOX 2699 BIG SPRING, TX 79720				Project Location: JAL New Mexico											
Email: REX@OILANDSALTREMEDIATION.COM RYAN@OILANDSALTREMEDIATION.COM ADMIN@OILANDSALTREMEDIATION.COM				Phone No: 432-213-3111 Invoice To:											
Sample's Name: Tosh a oil and salt Remediation				Invoice Number:											
No.	Field ID / Point of Collection	Sample Depth	Date	Time	Matrix	# of bottles	Number of preserved bottles:	TPH	CHLORIDES						
1	SAMPLE #1	5' to 9' 3/4	9:00		1			X							
2	SAMPLE #1	12"	9:31	9:05	1			X							
3															
4															
5															
6															
7															
8															
9															
10															
Turnaround Time (Business days)				Data Deliverable Information				Notes:							
<input type="checkbox"/> Same Day TAT				<input checked="" type="checkbox"/> 6 Day TAT				<input type="checkbox"/> Level II Std QC				<input type="checkbox"/> Level IV (Full Data Pkg /raw data)			
<input type="checkbox"/> Next Day EMERGENCY				<input type="checkbox"/> 7 Day TAT				<input type="checkbox"/> Level III Std QC+ Forms				<input type="checkbox"/> TRRP Level IV			
<input type="checkbox"/> 2 Day EMERGENCY				<input type="checkbox"/> Contract TAT				<input type="checkbox"/> Level 3 (CLP Forms)				<input type="checkbox"/> UST / RG -411			
<input type="checkbox"/> 3 Day EMERGENCY								<input type="checkbox"/> TRRP Checklist							
TAT Starts Day received by Lab, if received by 5:00 pm															
Relinquished by Sampler:				SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY				FED-EX / UPS: Tracking #							
Relinquished By: [Signature]				Date Time: 9-4-18 9:21				Received By: [Signature]				Date Time: 9/4/18 1:43			
Relinquished By: [Signature]				Date Time:				Received By: [Signature]				Date Time:			
Relinquished By:				Date Time:				Received By:				Date Time:			
Custody Seal #				Preserved where applicable				On Ice				Cooler Temp			
												Temp. Corr. Factor			

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenoco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenoco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the Client if such losses are due to circumstances beyond the control of Xenoco. A minimum charge of \$75 will be applied to each project. Xenoco's liability will be limited to the cost of samples. Any samples received by Xenoco but not analyzed will be invoiced at \$5 per sample. These terms will be enforced unless previously negotiated under a fully executed client contract.



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In



Client: Remediation and Environmental Xperts,

Date/ Time Received: 09/04/2018 10:15:00 AM

Work Order #: 597861

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Brianna Teel

Brianna Teel

Date: 09/04/2018

Checklist reviewed by:

Holly Taylor

Holly Taylor

Date: 09/04/2018

1. IDENTIFICATION

Product Name (as labeled): ***TerraSolve-100TM (TS-100TM)***

Description: TerraSolve is a 100% natural fatty acid methyl ester and ethyl ester biodegradable in 28 days.

Manufacturer's Name: TerraHydroChem, Inc.
Address: 217 Deborah Drive, New Braunfels, TX 78130
Emergency Phone: For Hazardous Materials Incident Call CHEMTREC – 1-800-424-9300
Email: info@terrahydrochem.com

Recommended Use: Solvent
Recommended Restrictions: None known

2. HAZARD(S) IDENTIFICATION

Physical Hazards: Not classified

Health Hazards: Skin Irritant Category 2 H315
Causes eye irritation Category 2B H320

Label Elements:

GHS Label Elements:

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard Pictogram:



GHS07


Signal Word: Warning
Hazard Statement: May cause skin and eye irritation.
Precautionary Statement:

Prevention: Wear protective gloves and safety glasses as needed. Wash thoroughly after handling.

Response: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see supplementary first aid instructions on this Safety Data Sheet. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

Unknown Acute Toxicity: 100% of the mixture consists of ingredient(s) of unknown toxicity.

Version 1.1
Revision Date: 12/7/2015
Product Name (as labeled): TerraSolve-100™ (TS-100™)

Classification System:
NFPA Ratings (scale 0-4)

 Health = 1
 Fire = 1
 Reactivity = 0

Hazard(s) Not Otherwise Classified (HNOC): None known

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS-NO.	CONCENTRATION*
Proprietary	Proprietary	Proprietary

4. FIRST AID MEASURES

Inhalation:	Not a normal route of entry
Skin Contact:	If irritation occurs, wash area with soap and water.
Eye Contact:	Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.
Ingestion:	Call a doctor if irritation or symptoms develop.
Most Important Symptoms/Effects, Acute and Delayed:	No further relevant information available.
Indication of Immediate Medical Attention and Special Treatment Needed:	No further relevant information available.

5. FIRE FIGHT MEASURES

Suitable Extinguishing Media:	Use firefighting measures that suit the environment.
Specific Hazards Arising From the Chemical:	Rags soaked with any solvent present a fire hazard and should always be stored in UL listed or Factory Mutual approved covered containers. Improperly stored rags can create conditions that lead to oxidation. Oxidation, under certain conditions, can lead to spontaneous combustion.
Special Protective Equipment and Precautions for Firefighters:	Treat as an oil fire.
Fire Fighting Equipment and Instructions:	As in any fire, wear self-contained apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

Version 1.1

Revision Date: 12/7/2015

Product Name (as labeled): TerraSolve-100TM (TS-100TM)

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear protective equipment. Keep unprotected persons away.

SPILL CLEANUP METHODS: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Large Spillages: Flush area with water. Prevent runoff from entering drains, sewers, or streams. Dike for later disposal.

ENVIRONMENTAL PRECAUTIONS: Contain spilled material. Transfer to secure containers. Where necessary, collect using absorbent material. Prevent entry into waterways, sewers or basements or confined areas.

7. HANDLING AND STORAGE

Precautions for Safe Handling: Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Information about protection

against explosions and fires: No special measures required.

Conditions for Safe Storage,

Including any Incompatibilities: Store in cool, dry, well ventilated area away from direct sunlight and any incompatible materials (see section 10)

Further Information: Keep receptacle tightly sealed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Additional information about design of technical systems: No further data; see section 7.

Control parameters

Components with occupational exposure limits:

Additional information: The lists that were valid during the creation of this SDS were used as basis.

Exposure controls

Personal Protective Equipment:

General Protective and Hygienic Measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse. Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Not required

Breathing Equipment:

Protection of Hands:



Protective Gloves

The glove material has to be impermeable and resistant to the product/the substance/the preparation. Due to missing tests no recommendation to the glove material can be given for the product/the preparation/the chemical mixture. Select glove material based on penetration times, rates of diffusion and degradation.

Version 1.1
Revision Date: 12/7/2015
Product Name (as labeled): TerraSolve-100™ (TS-100™)

Material of Gloves: The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration Time of Glove Material: The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

Eye Protection:


Safety Glasses

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Liquid
Color:	Light yellow
Odor:	Light vegetable oil/citrus oil
Odor Threshold:	Not determined.
pH-value:	6.5-7
Kauri-Butanol Values:	61
Boiling point/Boiling range:	632 °F
Flash Point:	>300 °F
Flammability (solid, gaseous):	Not applicable.
Percent VOC:	7.29
Decomposition Temperature:	Not determined.
Auto igniting:	Not determined.
Danger of Explosion:	Product does not present an explosion hazard.
Explosion Limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor Pressure:	0.4 mm Hg @ 25° C
Density @ 20 °C (68 °F):	<1.0
Relative density:	Not determined.
Vapor density:	<1.0
Evaporation rate:	<0.006 @ 25° C (NBAC = 1.00)

Solubility in / Miscibility with

Water: Insoluble.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:	4.50 @ 25° C
Dynamic:	Not determined.
Kinematic:	Not determined.

Other information: No further relevant information available.

Version 1.1

Revision Date: 12/7/2015

Product Name (as labeled): TerraSolve-100™ (TS-100™)

10. STABILITY AND REACTIVITY

Reactivity: No further relevant information available.
Chemical stability: Stable under normal conditions.
Thermal decomposition / conditions to be avoided: Thermal decomposition will produce toxic oxides of carbon.
Possibility of hazardous reactions: No dangerous reactions known.
Conditions to avoid: Strong oxidizers, acids and alkalis.
Incompatible materials:
Hazardous decomposition products: Oxides of carbon (COx)

11. TOXICOLOGICAL INFORMATION

Acute Toxicity:
Primary Irritant Effect:
On the Skin: May be irritating.
On the Eye: May be irritating.
Additional Toxicological Information:
Carcinogenic Categories
IARC (International Agency for Research on Cancer) Substance is not listed.
NTP (National Toxicology Program) Substance is not listed.
OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12. ECOLOGICAL INFORMATION

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability: No further relevant information available.
Behavior in environmental systems:
Bioaccumulative potential: No further relevant information available.
Mobility in soil: No further relevant information available.
Additional ecological information:
General notes: Not known to be hazardous to water.
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects: No further relevant information available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods
Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Uncleaned Packagings:
Recommendation: Disposal must be made according to official regulations.

Version 1.1
Revision Date: 12/7/2015
Product Name (as labeled): TerraSolve-100™ (TS-100™)

14. TRANSPORT INFORMATION

UN-Number	
DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material
UN Proper Shipping Name:	
DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material
Transport hazard class(es):	
DOT, ADR, ADN, IMDG, IATA	
Class:	Non-Regulated Material
Packing group:	
DOT, ADR, IMDG, IATA	Non-Regulated Material
Environmental hazards:	Not applicable.
Special precautions for user:	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable.
UN "Model Regulation":	-

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act):

Substance is listed.

California Proposition 65

Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

Carcinogenic Categories

EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements:

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Version 1.1

Revision Date: 12/7/2015

Product Name (as labeled): TerraSolve-100TM (TS-100TM)

Hazard Pictograms:



GHS07

Signal Word:

Warning

Hazard Statements:

May cause skin and eye irritation.

Precautionary Statements:

Wear protective gloves and safety glasses as needed. Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.


If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Non-regulated material.

National Regulations:

State Right to Know:

67762-37-2 Methyl ester  Skin Irrit.2, H315; Eye Irrit.2B, H320 100%

Chemical Safety Assessment:

A chemical Safety Assessment has not been carried out.

16. ADDITIONAL INFORMATION

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

Date of preparation / last revision
12/29/2015 / 5

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

1. IDENTIFICATION

Product Name (as labeled): **TerraCleanse-WBS™ (TC-WBS™)**

Description: TerraCleanse WBS is a natural, 100% biodegradable in 28 days, active-colloid based formulation, consisting of natural surfactants, emulsifying agents and sequestrates derived from vegetable fatty-acids, other nutrients, and natural non-toxic proprietary formulas.

Manufacturer's Name: TerraHydroChem, Inc.
Address: 217 Deborah Drive, New Braunfels, TX 78130
Emergency Phone: CHEMTREC – 1-800-424-9300
Email: info@terrahidrochem.com

Recommended Use: Surfactant
Recommended Restrictions: None known

2. HAZARDOUS IDENTIFICATION

Physical Hazards: Not classified.
Health Hazards: Acute toxicity, oral Category 4
 Acute toxicity, inhalation Category 4
 Skin Corrosion/irritation Category 2
 Serious eye damage/eye irritation Category 2
 Specific target organ toxicity, single exposure Category 3

Environmental Hazards: Hazardous to the aquatic environment, acute hazard Category 2

OSHA Defined Hazards: Not classified



Signal Word: Warning Flammable Marine Pollutant
Hazard Statement: Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.
 Harmful if inhaled. May cause respiratory irritation. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Prevention: Use only outdoors or in a well-ventilated area. Avoid breathing mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves. Wear eye/face protection.

Response: Collect spillage. If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor. Rinse mouth. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.


Storage: Store away from incompatible materials.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

Environmental Hazards: Hazardous to aquatic environment, acute hazard Category 2

Hazard(S) Not Otherwise Classified (HNOC): None known.

Supplemental Information: Not applicable.



3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	%
N,N-dimethyl 9-decenamide	1356964-77-6	36-54
Terpene hydrocarbons	68956-56-9	32-48
Polyoxethylene (20) Sorbitan monooleate	9005-65-6	4-12
*Other components below reportable levels or trade secret		0 - <2

* Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a POISON CENTER or doctor/physician. Move to fresh air. Call a physician if symptoms develop or persist.
Skin Contact:	Wash off with plenty of soap and water. If skin irritation occurs: Get medical attention if irritation develops and persists. Take off contaminated clothing and wash before reuse.
Eye Contact:	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion:	Rinse mouth. If SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Do not induce vomiting without advice from a poison control center.
Most Important Symptoms/Effects, Acute and Delayed:	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
Indication of Immediate Medical Attention and Special Treatment Needed:	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General Information:	Ensure that medical personnel are aware of the materials(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media:	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable Extinguishing:	Do not use water jet as an extinguisher, as this will spread the fire.
Specific Hazards Arising from the Chemical:	During fire, gases hazardous to health may be formed.
Special Protective Equipment and precautions for firefighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire Fighting Equipment/Instructions:	Move containers from fire area if you can do so without risk.
Specific Methods:	Use standard firefighting procedures and consider the hazards of other involved materials.
General Fire Hazards:	No unusual fire or explosion hazards noted.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

**Protective Equipment and
Emergency Procedures:**

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see Section 8 of the SDS.

**Methods and Materials for
Containment and Clean Up:**

Large Spills: Stop the flow of material if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal see section 13 of the SDS.

Environmental Precautions:

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. HANDLING AND STORAGE

Precautions for Safe Handling: Do not taste or swallow. Avoid breathing vapor. Avoid contact with skin. Avoid contact with eyes. Avoid contact with clothing. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains.

Conditions for Safe Storage,

Including any Incompatibilities: Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see section 10)

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure Limits:

No exposure limits noted for ingredients.

Biological Limit Values:

No biological exposure limits noted for the ingredients.

Appropriate Engineering

Ensure adequate ventilation, especially in confined areas. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment:

Eye/Face protection:

Wear safety glasses with side shields (goggles). Wear a full face respirator, if needed.

Hand Protection:

Wear appropriate chemical resistant gloves.

Skin Protection – Other:

Wear appropriate chemical resistant clothing. Use impervious gloves. Avoid nitrile rubber gloves.

Respiratory Protection:


In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal Hazards:

Wear appropriate thermal protective clothing when necessary.

General Hygiene Measures:

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Physical State: Liquid.
Form: Liquid.
Color: Amber

Odor: Mild

Odor Threshold: Not available.

pH: 4.8 at 25°C

Melting/Freezing Point: 14.9 °F (-9.5 °C) / 3.2 °F (-16 °C)

Initial Boiling Point and Range: 232°F (111.11 °C)

Flash Point: 176.2 °F (80.0 °C) Pensky-Martens Closed Cup

Evaporation Rate: Not available.

Flammability (solid, gas): Not available.

Upper/Lower Flammability or explosive limits:

Flammability limit – Lower (%): Not available.

Flammability limit – Upper (%): Not available.

Explosive limit – Lower (%): Not available.

Explosive limit- Upper (%): Not available.

Vapor Pressure: 0.002500 mm Hg @ 20C

Vapor Density: Not available.

Relative Density: Not available.

Solubility(ies):

Solubility (Water) Not available.

Partition Coefficient: Not available.
(n-octanol/water)

Auto-Ignition Temperature: 464 °F (240 °C)

Decomposition temperature: Not available.

Viscosity: 4 cP @ 25C

Other Information:

Density: 7.40 lb/gal
Pour Point: 6.8 °F (-14 °C)

Version 1.1
11/7/2015
Revision Date:
10. STABILITY AND REACTIVITY

Reactivity:	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical Stability:	Material is stable under normal conditions.
Possibility of Hazardous Reactions:	No dangerous reaction known under conditions of normal use.
Conditions to avoid:	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials:	Strong oxidizing agents. Strong acids.
Hazardous Decomposition ammonia, Products:	Upon decomposition, this product may yield oxides of nitrogen and carbon dioxide, carbon monoxide and other low molecular weight hydrocarbons.

11. TOXICOLOGICAL INFORMATION
Information on Likely Routes of Exposure

Inhalation:	Harmful if inhaled.
Skin Contact:	Causes skin irritation.
Eye Contact:	Causes serious eye irritation.
Ingestion:	Harmful if swallowed.

Symptoms Related to the Physical, Chemical and Toxicological

Symptoms may include stinging, tearing, redness, swelling and blurred vision. Skin irritation. May cause redness and pain.

Characteristics:
Information of
Toxicological Effects
Acute Toxicity: Harmful if inhaled. Harmful if swallowed. May be harmful in contact with skin.

	Species	Test Results
Acute		
<i>Dermal</i>		
LD50	Rabbit	>2000 mg/kg
<i>Inhalation</i>		
LD50		>3500 mg/kg
<i>Oral</i>		
LD50	Rat	550 mg/kg

Skin Corrosion/Irritation:	Causes skin irritation
Serious Eye Damage/Eye Irritation:	Causes serious eye irritation.

Respiratory or Skin Sensitization
Respiratory Sensitization: Not available

Germ Cell Mutagenicity: No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity: This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)
Not listed.



SAFETY DATA SHEET

Version 1.1
11/7/2015

Revision Date:

Reproductive Toxicity: This product is not expected to cause reproductive or developmental effects.

Specific Target Organ Toxicity - Single Exposure: Respiratory tract irritation.

Specific Target Organ Toxicity - Repeated Exposure: Not applicable.

Aspiration Hazard: Not applicable.

12. ECOLOGICAL INFORMATION

Ecotoxicity: Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Product	Species	Test Results
TC-TEM <i>Acute</i>		
Algae	EC50	Algae 5.6 mg/l, 72 hours
Crustacea	EC50	Daphnia 2.8 mg/l, 48 hours
Fish	LC50	Fish 5.6 mg/l, 96 hours

Persistence and Degradability: Readily biodegradable.

Bioaccumulative potential: No data available.

Mobility in Soil: No data available.

Other Adverse Effects: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal Instructions: Dispose of contents/container in accordance with local, regional, national international regulations.

Hazardous Waste Code: The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from Residues/Unused: may Products Dispose of in accordance with local regulations. Empty containers or liners retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated Packaging: Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Version 1.1
11/7/2015

Revision Date:

14. TRANSPORT INFORMATION

UN Number

US DOT/ADR/RID: UN2319
IMDG: UN2319
IATA/ICAO: UN2319

Transport hazard class: 3

Label: 3 Flammable Liquid, Symbol fish and tree

Label/Placard: exception §173.150 (f) applies (US DOT only)

Packing Group: III

Environmental hazards: Marine pollutant

15. REGULATORY INFORMATION

US Federal Regulations

Hazard

This product is a "Hazardous Chemical" as defined by the OSHA

Communication Standard, 29 CFR 1910.1200.

CERCLA Hazardous Substance List (40 CFR 302.4):

Not Listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

Not listed.

**Superfund Amendments and Reauthorization Act of
1986(SARA) Hazard Categories:**

Immediate Hazard –

Yes

Delayed

Hazard –

No Fire

Hazard –

No

Pressure

Hazard –

No

Reactivity

Hazard –

No

SARA 302 Extremely Hazardous Substance:

No

SARA 311/312 Hazardous

Yes

Chemical:

SARA 313 (TRI reporting):

Not regulated.

Other Federal Regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List:

Not regulated.

Clean Air Act (CAA) Section 112® Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated

US State Regulations**US. Massachusetts RTK - Substance List:**

Not regulated.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

or other WARNING: This product contains a chemical known to the State of California to cause birth defects or reproductive harm.

US. California Proposition 65 – CRT: Listed date/Developmental toxin

Methanol (CAS 67-56-1)

Listed March 16, 2012

International Inventories

Country(s) or Region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. OTHER INFORMATION**Further information****NFPA Ratings:**

Health: 2

Flammability: 1

Instability: 0

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in text.

1. IDENTIFICATION

Product Name (as labeled): TerraCleanse-1200™ (TC-1200™)
Description: TerraCleanse is a natural, 100% biodegradable in 28 days, active-colloid based formulation, consisting of natural surfactants, emulsifying agents and sequestrants derived from vegetable fatty-acids, other nutrients, and natural non-toxic proprietary formulas.

Manufacturer's Name: TerraHydroChem, Inc.
Address: 217 Deborah Drive, New Braunfels, TX 78130
Emergency Phone: 888-567-4374
Email: info@terraphydrochem.com

Recommended Use: Surfactant
Recommended Restrictions: None known

2. HAZARDOUS IDENTIFICATION

Physical Hazards: Not classified
Health Hazards: Acute toxicity, oral Category 4
 Serious eye damage/eye irritation Category 2A
Environmental Hazards: Not classified
OSHA Defined Hazards: Not classified
Label Elements:



Signal Word: Warning
Hazard Statement: Harmful if swallowed. Causes serious eye irritation.

Precautionary Statement:

Prevention: Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye/face protection.
Response: If swallowed: Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse mouth. If eye irritation persists: Get medical advice/attention.
Storage: Store away from incompatible materials.
Disposal: Dispose of contents/container in accordance with local, regional, national, and/or international regulations.

Environmental Hazards: Hazardous to aquatic environment, acute hazard Category 2
Hazard(S) Not Otherwise Classified (HNOC): Toxic to aquatic life.
Supplemental Information: None



3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	%
Benzenesulfonic Acid, C10-16-alkyl Derivs., Compds. With 2-propanamine	68584-24-7	40-60
Polyoxyethylene (20) Sorbitan Monooleate	9005-65-6	30-40
*Other components below reportable levels or trade secret		0 - <15

* Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Composition comments Occupational Exposure Limits for impurities are listed in Section 8.

4. FIRST AID MEASURES

Inhalation:	Move to fresh air. Call a physician if symptoms develop or persist.
Skin Contact:	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye Contact:	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion:	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most Important Symptoms/Effects, Acute and Delayed:	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of Immediate Medical Attention and Special Treatment Needed:	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General Information:	Ensure that medical personnel are aware of the materials(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable Extinguishing: Do not use water jet as an extinguisher, as this will spread the fire.

Specific Hazards Arising From the Chemical:	During fire, gases hazardous to health may be formed.
Special Protective Equipment and Precautions for Firefighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire Fighting Equipment and Instructions:	Move containers from fire area if you can do so without risk.
Specific Methods:	Use standard firefighting procedures and consider the hazards of other involved materials.
General Fire Hazards:	No unusual fire or explosion hazards noted.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Protective Equipment and Emergency Procedures:	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see Section 8 of the SDS.
Methods and Materials for Containment and Cleaning Up:	This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover the plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental Precautions:	Never return spills to original containers for re-use. For waste disposal, see Section 13 of the SDS. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. HANDLING AND STORAGE

Precautions for Safe Handling:	Avoid contact with eyes. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly and handling. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for Safe Storage, Including any Incompatibilities:	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits: No exposure limits noted for ingredient(s).

Biological limit values: No biological exposure limits noted for the ingredient(s).

Engineering Controls: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Personal Protective Equipment

Eye/Face Protection: Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin Protection/Hand Protection: Wear appropriate chemical resistant gloves.

Other: Wear suitable protective clothing.

Respiratory Protection: Not required for properly ventilated areas.

Thermal Hazards: Wear appropriate thermal protective clothing, when necessary.

General Hygiene Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear Viscous.

Physical State: Liquid.

Form: Liquid.

Color: Reddish.

Odor: Slight Amine-like

Odor Threshold: Not available.

pH: 7.11

Melting/Freezing Point: Not available

Initial Boiling Point and Range: >212 °F (>100 °C)

Flash Point: Cleveland Open Cup, None to decomposition

Evaporation Rate: Not available.

Flammability (solid, gas): Not applicable.

Upper/Lower Flammability or explosive limits:

Flammability limit – Not available.

Lower (%):

Flammability limit – Not available.

Upper (%):

SAFETY DATA SHEET

Explosive limit – Lower (%):	Not available.
Explosive limit- Upper (%):	Not available.
Vapor Pressure:	Not available.
Vapor Density:	Not available.
Relative Density:	Not available.
Solubility(ies):	
Solubility (Water)	Completely soluble.
Partition Coefficient: (n-octanol/water)	Not available.
Auto-Ignition Temperature:	Not available.
Decomposition temperature:	Not available.
Viscosity:	2400 – 3600 cP @ 25 deg C
Other Information:	
Density:	8.40 lb/gal
Molecular Weight:	379
Specific Gravity:	1.01

10. STABILITY AND REACTIVITY

Reactivity:	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical Stability:	Material is stable under normal conditions.
Possibility of Hazardous Reactions:	No dangerous reaction known under conditions of normal use.
Conditions to avoid:	Contact with incompatible materials.
Incompatible materials:	Strong oxidizing agents.
Hazardous Decomposition Products:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation:	No adverse effects due to inhalation are expected.
Skin Contact:	No adverse effects due to skin contact are expected.
Eye Contact:	Causes serious eye irritation.
Ingestion:	Harmful if swallowed.
Symptoms Related to the Physical, Chemical and Toxicological Characteristics:	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling and blurred vision.

Information of Toxicological Effects

Acute Toxicity:	Harmful if swallowed.
------------------------	-----------------------



Components	Species	Test Results
Benzenesulfonic Acid, C10-16 Alkyl Derivs., Compds. With 2 propanamine (CAS 68584-24-7)		
Acute		
Oral		
LD50	Rat	1300 mg/kg
Dermal		
LD50	Rabbit	>5000 mg/kg
Oral		
Rat	Rat	>5000 mg/kg

*Estimates for product may be based on additional component data not shown.

Skin Corrosion/Irritation Prolonged skin contact may cause temporary irritation.
Serious Eye Damage/Eye Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitization

Respiratory Sensitization: Not a respiratory sensitizer

Germ Cell Mutagenicity: No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity: This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive Toxicity: This product is not expected to cause reproductive or developmental effects.

Specific Target Organ Toxicity- Single Exposure Not classified

Specific Target Organ Toxicity- Repeated Exposure Not classified

Aspiration Hazard: Not an aspiration hazard.

12. ECOLOGICAL INFORMATION

Components	Species	Test Results
Benzenesulfonic Acid, C10-16-alkyl Derivs., Compds. With 2-propanamine (CAS 68584-24-7)		
Aquatic		
Acute		
Crustacea	EC50	Daphnia 0.009 mg/l, 48 h
Fish	LC50	Fathead minnow (Pimephales Promelas) 22 mg/l, 96 h
Sorbitan Monooleate		
Toxicity to Fish	LC50	Rainbow Trout (Oncorhynchus mykiss) 471 mg/l 96 h
Toxicity to Crustacea	LC50	Daphnia 165 mg/l 96 h
Toxicity to Bacteria		ICO (Pseudomonas Putida) >10,000 mg/l

Persistence and Degradability: This product is expected to be readily biodegradable.

Bioaccumulative potential

Mobility in Soil: No data available.

Other Adverse Effects: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal Instructions: Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local, regional, national international regulations.

Local Disposal Regulations: Dispose in accordance with all applicable regulations.

Hazardous Waste Code: The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from Residues/Unused Products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated Packaging: Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

DOT

UN Number: UN3082

UN Proper Shipping Name: Environmentally hazardous substances, liquid, n.o.s. (Alkylbenzene sulfonate, Alcohols, ethoxylated)

Transport Hazard Class(es)

Class: 9

Subsidiary Risk: -

Label(s): 9

Packing Group: III

Environmental Hazards

Marine Pollutant: Yes

Special precautions for user: Read safety instructions, SDS and emergency procedures before handling.

Special provisions: 8, 146, 335, IB3, T4, TP1, TP29

Packaging exceptions: 155

Packaging non bulk: 203

Packaging bulk: 241

DOT NON-BULK Not regulated as dangerous goods.



IATA

UN Number UN3082
UN Proper Shipping Name: Environmentally hazardous substances, liquid, n.o.s. (Alkylbenzene sulfonate, Alcohols, ethoxylated)
Transport Hazard Class(es)
 Class: 9
 Subsidiary Risk: -
Packing Group: III
Environmental Hazards: No.
ERG Code: 9L
Special precautions for user: Read safety instructions, SDS and emergency procedures before handling.
Other Information
 Passenger and Cargo Aircraft: Allowed.
 Cargo Aircraft Only: Allowed.

IMDG

UN Number UN3082
UN Proper Shipping Name: Environmentally hazardous substances, liquid, n.o.s. (Alkylbenzene sulfonate, Alcohols, ethoxylated)
Transport Hazard Class(es)
 Class: 9
 Subsidiary Risk: -
Packing Group: III
Environmental Hazards:
 Marine Pollutant: Yes
EmS: F-A, S-F
Special precautions for user: Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not established.
DOT; IATA; IMDG





General Information: DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

15. REGULATORY INFORMATION

US Federal Regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D):

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4):

Not Listed.

SARA 304 Emergency Release Notification:

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories: Immediate Hazard – Yes

Delayed Hazard – No

Fire Hazard – No

Pressure Hazard – No

Reactivity Hazard – No

SARA 302 Extremely Hazardous Substance:

Not listed.

SARA 311/312 Hazardous Chemical: No

SARA 313 (TRI reporting):

Not regulated.

Other Federal Regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List:

Not regulated.

Clean Air Act (CAA) Section 112® Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.



US State Regulations

US. California controlled substances. CA Department of Justice (California Health and Safety Code Section 11100):

Not listed.

US. Massachusetts RTK - Substance List:

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act:

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law:

Not listed.

US. Rhode Island RTK

Not regulated.

International Inventories

Country(s) or Region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. OTHER INFORMATION

Further information

NFPA Ratings:

Health: 2

Flammability: 1

Instability: 0

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in text.

MicroTex II, Earth Brew Safety Data Sheet

Version: 1.1

Revision Date: 07/04/2018



Section 1 - Product and Company Identification:

Product Identifier:

Name as Labeled: MicroTex II, Earth Brew

WHMIS Classification:

Non-corrosive, non-flammable, nontoxic soil borne microorganisms.

Product Use:

This product is suitable for bioremediation of contaminated soils via hydrocarbon degradation. This product may also be used as a soil amendment to enhance the vitality and viability of soil as it pertains to plant growth.

Restrictions:

No known restricted uses.

Manufacturer:

Lone Star Microbial Sciences
8956 Dilly Road
San Angelo, TX, 76901
Emergency Contact: Steven W. Hines ND, (325) 947-5266

Supplier:

Remediation & Environmental Xperts, LLC
2903 North Birdwell Lane
Big Spring, TX, 79720
Emergency Contact: Ryan Millunzi, (432) 213-3105, ryan@oilsaltsremediation.com
MSDS Preparation Date: 07/04/2018
MSDS Prepared by: Ryan Millunzi

MicroTex II, Earth Brew Safety Data Sheet

Version: 1.1

Revision Date: 07/04/2018



Section 2 – Hazardous Identification:

OSHA/HCS Status:

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.


Label Elements:

GHS Label Elements: This substance is classified and labeled according to the Globally Harmonized System (GHS).

Signal Word: No Signal Word.

Classification System: NFPA Rating (Scale 0-4)

Health = 1
Fire = 0
Reactivity = 0



Hazard Statements:

Hazard Statements: No known significant effects or critical hazards.

Precautionary statements: Not applicable.

Hazards not otherwise classified: None Known.

Environmental Hazards: Does not pose any hazards to environments.

Section 3 – Composition/Information on Ingredients:

Chemical Name	CAS-NO.	Concentration
*Proprietary	*Proprietary	*Proprietary
Water	7732-18-5	80% - 90%

Information withheld as a trade secret

MicroTex II, Earth Brew Safety Data Sheet

Version: 1.1

Revision Date: 07/04/2018



Section 4 – First Aid Measures:

Routes of Entry:

Skin Contact: No known toxicity to skin. If contact occurs, wash area well with water and antimicrobial soap.

Skin Absorption: Nonabsorbable by skin, same properties as water.

Eye Contact: No known adverse effects from eye contact. Recommend to rinse thoroughly with water if contact does occur.

Inhalation: No known inhalation hazard, if irritation occurs after inhalation move to fresh air and consult your physician.

Ingestion: If ingested consult your physician. No known hazards, but there is potential for adverse side effects in immunocompromised individuals.

Section 5 – First Aid Measures:

Extinguishing Media:

Suitable Extinguishing Media: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable Extinguishing Media: None known.

Specific Hazards Arising from the Product:

No specific fire or explosion hazard. Comparable properties to water.

Hazardous Thermal Decomposition Products: None Known.

Special Protective Actions/Equipment:

No special measures or equipment needed by fire-fighters, other than the ones suitable for the surrounding fire.

MicroTex II, Earth Brew Safety Data Sheet

Version: 1.1

Revision Date: 07/04/2018



Section 6 – Accidental Release Measures:

Precautions and Protective Equipment:

Personnel Precautions: Keep unnecessary personnel away from release. Avoid ingestion/inhalation of product if able to.

Protective Equipment: If unable to avoid ingestion/inhalation of product, recommend use of a mask to minimize exposure.

Methods and Materials for Containment and Clean Up:

Large Spills: Make all possible efforts to first stop the cause of the spill. Dike or create berms where possible to prevent further spread of material. Dilute product with fresh water and flush area thoroughly with more fresh water. Product will readily biodegrade with the only remnants left behind being trace amounts of organic matter.

Small Spills: Make all possible efforts to first stop the cause of the spill. Wipe up with absorbent material and clean the surface thoroughly to remove residual product. If possible, clean area with antimicrobial soap.

Environmental Precautions:

No known hazards to environment. Product is comprised of naturally occurring, soil borne microorganisms that will readily degrade, with the only remnants left behind being trace amounts of organic matter.

Section 7 – Handling And Storage:

Precautions for Safe Handling:

Do not taste or swallow. Cover all open cuts or sores before handling.

Conditions for Safe Storage, Including Incompatibilities:

For maximum shelf life store in a cool dry place, avoid direct sunlight.

No Known incompatible materials.

MicroTex II, Earth Brew Safety Data Sheet

Version: 1.1

Revision Date: 07/04/2018



Section 8 – Exposure Controls/Personal Protections:

Occupational Exposure Limits: No exposure limits known.

Biological Limit Values: No known values.

Appropriate Engineering: None needed.

Individual Protection Measures, Personal Protective Equipment (PPE):

Eye/Face Protection: Recommend safety glasses, mask if necessary to prevent ingestion.

Hand Protection: Recommend gloves.

Skin Protection: Recommend covering all open cuts or sores before handling. Nonabsorbent through skin.

Section 9 – Physical and Chemical Properties:

Information on Basic Physical and Chemical Properties:

Appearance: Clear, brown liquid.

Form: Liquid

Color: Light to Dark Brown.

Odor: None to slightly foul-smelling odor.

pH: 8.51

Boiling Point: 212 F

Flash Point: >180 F

Flammability: None, similar to water.

Percent VOC: 0%

Decomposition Temperature: Not known.

Auto Igniting: None, similar to water.

Density: 1.0 g/cm³

Solubility in Water: Soluble.

MicroTex II, Earth Brew Safety Data Sheet

Version: 1.1

Revision Date: 07/04/2018



Section 10 – Stability and Reactivity:

Reactivity: Not Known.

Chemical Stability: Stable

Thermal Decomposition/Conditions to Avoid: Not Known.

Possibility of hazardous reactions: None Known.

Conditions to avoid: None Known.

Incompatible materials: None Known.

Hazardous Decomposition Products: None Known.

Section 11 – Toxicological Information:

Toxicological Effects:

Acute Toxicity: No Data Available.

Irritation/Corrosion: No Data Available.

Sensitization: No Data Available.

Mutagenicity: No Data Available.

Carcinogenicity: No Data Available.

Reproductive Toxicity: No Data Available.

Teratogenicity: No Data Available.

Specific Target Organ Toxicity (Single and Repeated Exposure): No Data Available.

Aspiration Hazard: No Data Available.

Section 12 – Ecological Information:

Toxicological Effects:

Aquatic Toxicity: No Data Available.

Persistence and Degradability: No Data Available.

Behavior in Environmental Systems: No Data Available.

Bioaccumulative Potential: No Data Available.

Mobility in Soil: No Data Available.

Additional Ecological Information: No Data Available.

MicroTex II, Earth Brew Safety Data Sheet

Version: 1.1

Revision Date: 07/04/2018



Section 13 – Disposal Considerations:

Waste Treatment Methods:

Recommended to be disposed of in a dilute form of at least 10% concentration.

Uncleaned Packaging:

Recommended disposal made according to official regulations.

Section 14 – Transport Information:

UN-Number: Non-Regulated Material.

UN Proper Shipping Name: Non-Regulated Material.

Transport hazard class(es): Non-Regulated Material.

Class: Non-Regulated Material.

Packing Group: Non-Regulated Material.

Environmental hazards: Not applicable.

Special Precautions for User: Not Applicable.

Transport in Bulk According to Annex II of MARPOL73/78 and IBC Code: Not Applicable.

UN "Model Regulation": -

Section 15 – Regulatory Information:

Safety, Health and Environmental Regulations/Legislation Specific for the Substance/Mixture:

SARA:

Section 355 (Extremely Hazardous Substances): Substance is not listed.

Section 313 (Specific Toxic Chemical Listings): Substance is not listed.

TSCA (Toxic Substances Control Act): Substance is not listed.

MicroTex II, Earth Brew Safety Data Sheet



Version: 1.1

Revision Date: 07/04/2018

California Proposition 65:

Chemicals Known to Cause Cancer: Substance is not listed.

Chemicals Known to Cause Reproductive Toxicity for Females: Substance is not listed.

Chemicals Known to Cause Reproductive Toxicity for Males: Substance is not listed.

Chemicals Known to Cause Developmental Toxicity: Substance is not listed.

Carcinogenic Categories:

EPA (Environmental Protection Agency): Substance is not listed.

TLV (Threshold Limit Value Established by ACGIH): Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health): Substance is not listed.

GHS Label Elements: This product is classified and labeled according to the Globally Harmonized System (GHS).

Section 16 – Additional Information:

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.