District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

)

Incident ID	
District RP	
Facility ID	
Application ID	

# **Release Notification**

### **Responsible Party**

Responsible Party	OGRID
Contact Name	Contact Telephone
Contact email	Incident # (assigned by OCD)
Contact mailing address	

### **Location of Release Source**

Latitude	Longitude
	(NAD 83 in decimal degrees to 5 decimal places)
Site Name	Site Type

Site Name	Site Type
Date Release Discovered	API# (if applicable)

Unit Letter	Section	Township	Range	County

Surface Owner: State Federal Tribal Private (Name: \_

### Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	Yes No
Condensate	Volume Released (bbls)	Volume Recovered (bbls)
Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)
Cause of Release		

Page 2

#### State of New Mexico Oil Conservation Division

I II ID	
Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC?	If YES, for what reason(s) does the responsible party consider this a major release?
Yes No	
If YES, was immediate no	otice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?
, , , , , , , , , , , , , , , , , , , ,	

## **Initial Response**

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

The source of the release has been stopped.

The impacted area has been secured to protect human health and the environment.

Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.

All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name:	Title:
Signature:	Date:
email:	Telephone:
OCD Only Received by:	<b>RECEIVED</b> By CHernandez at 2:32 pm, Feb 05, 2019
•	

If spil volumes from mease If "known" spill volumes a Total Area C Total Surface Area width Rectangle Area #1 0 ft Rectangle Area #2 0 ft X Rectangle Area #3 0 ft X Rectangle Area #4 0 ft X Rectangle Area #5 0 ft X Rectangle Area #6 0 ft X Rectangle Area #7 0 ft X Rectangle Area #8 0 ft X	flowline, tank battery, p surement, i.e. metering, re given, input data for calculations length 0 ft X 0 ft X 0 ft	roduction vessel, transfer Input tank volumes, etc. are H or the following "Area ( wet soil depth oil (% 0 in 09 0 in 09	Standing Liquid Area         Rectangle Area #1         Rectangle Area #2         Rectangle Area #3         Rectangle Area #3         Rectangle Area #3         Rectangle Area #4         Rectangle Area #5         Rectangle Area #6         Rectangle Area #6         Rectangle Area #6         Rectangle Area #7         Rectangle Area #8         Procentage Area #8         D)         Total Hydrocarbon Corr         H2S Content in Pro         H2S Content in Ta         Percentage of Oil in         rains of the soil.       O         per gal. volume of soil.       *	n "X" here: X OIL: 0.0 BBL above will override Standing Liquid width 42 ft X 0	Calculations	liquid depth 1.50 in 0 in 0 in 0 in 0 in 0 in 0 in 0 in 0 an 0 in 0 an 0	
If spil volumes from mease If "known" spill volumes a Total Area C Total Surface Area width Rectangle Area #1 0 ft Rectangle Area #2 0 ft X Rectangle Area #3 0 ft X Rectangle Area #6 0 ft X Rectangle Area #6 0 ft X Rectangle Area #7 0 ft X Rectangle Area #8 0 ft X Re	aurement, i.e. metering, re given, input data for calculations length 0 ft X 0 ft X 0 ft X 0 ft X 0 ft X 0 ft X 0	Inpu tank volumes, etc. are H or the following "Area ( wet soil depth oil (% 0 in 09 0 in 09 8 galon (gal.) liquid per gal. v liche) loam = 0.14 gal liquid per som soil = 0.14 gal liquid per	att Data:         scrown enter the volumes here:         Calculations" is optional. The         Calculations" is optional. The         Standing Liquid Area         Rectangle Area #1         Rectangle Area #2         Rectangle Area #3         Rectangle Area #4         Rectangle Area #5         Rectangle Area #6         Rectangle Area #7         Rectangle Area #8         D)         Total Hydrocarbon Cor         H2S Content in Pro         H2S Content in Ta         Percentage of Oil in         tains of the soil.         gal. volume of soil.	OIL: 0.0 BBL above will override Standing Liquid width 42 ft X 0	0.0 BBL the calculated volu Calculations length 160 ft X 0 ft S 0 ft X 0 ft S 0 ft X 0 ft S 0 ft S	liquid depth 1.50 in 0 in 0 in 0 in 0 in 0 in 0 in 0 in 0 an 0 in 0 an 0	4( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (
If "known" spill volumes a         Total Area O         Rectangle Area #1       0       ft         Rectangle Area #2       0       ft       X         Rectangle Area #3       0       ft       X         Rectangle Area #4       0       ft       X         Rectangle Area #3       0       ft       X         Rectangle Area #6       0       ft       X         Rectangle Area #6       0       ft       X         Rectangle Area #6       0       ft       X         Rectangle Area #7       0       ft       X         Rectangle Area #8       0       ft       X         Rectangle Area #8       0       ft       X         Average Daily Production:       Oil       0       BBL         Did leak occur before the separator?:	re given, input data fo calculations length 0 ft X 0 ft X	tank volumes, etc. are F r the following "Area ( wet soil depth oil (% 0 in 09 0 in 09	Arrown enter the volumes here:  Calculations" is optional. The  Standing Liquid Area  Rectangle Area #1 Rectangle Area #2 Rectangle Area #3 Rectangle Area #4 Rectangle Area #4 Rectangle Area #6 Rectangle Area #7 Rectangle Area #8  Total Hydrocarbon Cor H2S Content in Pro H2S Content in Ta Percentage of Oil in  rains of the soil. gal. volume of soil.	0.0 BBL above will override Standing Liquid width 42 ft X 0 ft X	0.0 BBL the calculated volu Calculations length 160 ft X 0 ft S 0 ft X 0 ft S 0 ft X 0 ft S 0 ft S	liquid depth 1.50 in 0 in 0 in 0 in 0 in 0 in 0 in 0 in 0 an 0 in 0 an 0	40 0 0 0 0 0 0 0 0 0 0 0
If "known" spill volumes a         Total Area O         Total Surface Area       width         Rectangle Area #1       0       ft         Rectangle Area #2       0       ft         Rectangle Area #3       0       ft         Rectangle Area #3       0       ft         Rectangle Area #4       0       ft         Rectangle Area #5       0       ft         Rectangle Area #6       0       ft         Rectangle Area #6       0       ft         Rectangle Area #6       0       ft         Rectangle Area #8       0       ft         Average Daily Production:       Oil       0       BBL         Id leak occur before the separator?:	re given, input data fo calculations length 0 ft X 0 ft X	or the following "Area (           wet soil           depth         oil (%           0 in         0%           0 gas (MCFE         (place an "X")           ving when the spill wets the grid of per gal. ving the per gal. ving the per gal. ving allon (gal.) liquid per gal. ving allon (gal.) liquid per gal. ving an soil = 0.14 gal liquid per gal. ving an soil = 0.14 gal liquid per gal. ving an soil = 0.14 gal liquid per gal. ving an soil = 0.14 gal liquid per gal. Ving an soil = 0.14 gal liquid per gal. Ving an soil = 0.14 gal liquid per gal. Ving an soil = 0.14 gal liquid per gal. Ving an soil = 0.14 gal liquid per gal. Ving an soil = 0.14 gal liquid per gal. Ving an soil = 0.14 gal liquid per gal. Ving an soil = 0.14 gal liquid per gal. Ving an soil = 0.14 gal liquid per gal. Ving an soil = 0.14 gal liquid per gal. Ving an soil = 0.14 gal liquid per gal. Ving an soil = 0.14 gal liquid per gal. Ving an soil = 0.14 gal liquid per gal. Ving an soil = 0.14 gal liquid per gal. Ving an soil = 0.14 gal liquid per gal. Ving an soil = 0.14 gal liquid per gal. Ving an	Calculations" is optional. The Standing Liquid Area Rectangle Area #1 Rectangle Area #3 Rectangle Area #3 Rectangle Area #3 Rectangle Area #4 Rectangle Area #4 Rectangle Area #6 Rectangle Area #7 Rectangle Area #7 Rectangle Area #8 N Total Hydrocarbon Cor H2S Content in Tra Percentage of Oil in rains of the soil. gal. volume of soil.	above will override Standing Liquid width 42 ft X 0 ft X	the calculated volu Calculations length 160 ft X 0 ft S 0 ft X 0 ft S 0 ft X 0 ft S 0	liquid depth 1.50 in 0 in 0 in 0 in 0 in 0 in 0 in 0 in 0 an 0 in 0 an 0	4( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (
Total Surface Area       width         Rectangle Area #1       0 ft         Rectangle Area #2       0 ft         X       Rectangle Area #3       0 ft         X       Rectangle Area #4       0 ft         X       Rectangle Area #6       0 ft         X       Rectangle Area #7       0 ft         X       Rectangle Area #7       0 ft         Average Daily Production:       Oil       0 BBL         Did leak occur before the separator?:       Image: Color of the area of the area of the area area area of the area of the area of the area area of the area of the area of the area of the area area of the area of the area of the area of the area	length           0 ft         X           Vater         0           PES         N/A           okay         Sand = 0.00           * Sand = 0.00         * Sand very (cal	depth         oil (%           0         in         0%           0         Gas (MCFE           (place an "X")	Standing Liquid Area         Rectangle Area #1         Rectangle Area #2         Rectangle Area #3         Rectangle Area #3         Rectangle Area #3         Rectangle Area #4         Rectangle Area #5         Rectangle Area #6         Rectangle Area #6         Rectangle Area #6         Rectangle Area #7         Rectangle Area #8         Procentage Area #8         D)         Total Hydrocarbon Corr         H2S Content in Pro         H2S Content in Ta         Percentage of Oil in         rains of the soil.       0         per gal. volume of soil.       *	width         42 ft         0 ft	length 160 ft X 0 ft	1.50 in 0 in 0 in 0 in 0 in 0 in 0 in 0 in	4( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (
Rectangle Area #1       0       ft         Rectangle Area #2       0       ft       X         Rectangle Area #3       0       ft       X         Rectangle Area #4       0       ft       X         Rectangle Area #4       0       ft       X         Rectangle Area #5       0       ft       X         Rectangle Area #5       0       ft       X         Rectangle Area #7       0       ft       X         Rectangle Area #7       0       ft       X         Rectangle Area #7       0       ft       X         Rectangle Area #8       0       ft       X         Average Daily Production:       Oil       0       BBL         Did leak occur before the separator?:            Arnount of Free Liquid Recovered:       0       BBL          Liquid holding factor *:       0.00       gal per g         Total Solid/Liquid Volume:       sq. ft.          Estimated Volumes Spilled            Liquid in Soil:       Free Liquid:           Totals: <th>0 ft X 0 ft A 0 ft X 0 ft A 0 ft A</th> <th>depth         oil (%           0         in         0%           0         Gas (MCFE           (place an "X")</th> <th>Rectangle Area #1         Rectangle Area #2         Rectangle Area #3         Rectangle Area #3         Rectangle Area #4         Rectangle Area #4         Rectangle Area #5         Rectangle Area #6         Rectangle Area #7         Rectangle Area #8         Rectangle Area #8         D)         Total Hydrocarbon Cor         H2S Content in Pro         H2S Content in Ta         Percentage of Oil in         Noilme of soil.       O         oper gal. volume of soil.       *</th> <th>42 ft X 0 ft</th> <th>160 ft X 0 ft X 0 ft X 0 ft X</th> <th>1.50 in 0 in 0 in 0 in 0 in 0 in 0 in 0 in</th> <th>4( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (</th>	0 ft X 0 ft A 0 ft X 0 ft A 0 ft A	depth         oil (%           0         in         0%           0         Gas (MCFE           (place an "X")	Rectangle Area #1         Rectangle Area #2         Rectangle Area #3         Rectangle Area #3         Rectangle Area #4         Rectangle Area #4         Rectangle Area #5         Rectangle Area #6         Rectangle Area #7         Rectangle Area #8         Rectangle Area #8         D)         Total Hydrocarbon Cor         H2S Content in Pro         H2S Content in Ta         Percentage of Oil in         Noilme of soil.       O         oper gal. volume of soil.       *	42 ft X 0 ft	160 ft X 0 ft X 0 ft X 0 ft X	1.50 in 0 in 0 in 0 in 0 in 0 in 0 in 0 in	4( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (
Rectangle Area #2       0       ft       X         Rectangle Area #3       0       ft       X         Rectangle Area #3       0       ft       X         Rectangle Area #4       0       ft       X         Rectangle Area #5       0       ft       X         Rectangle Area #6       0       ft       X         Rectangle Area #7       0       ft       X         Rectangle Area #7       0       ft       X         Rectangle Area #7       0       ft       X         Rectangle Area #8       0       ft       X         Average Daily Production:       Oil       0       BBL         Did leak occur before the separator?:	0 ft X 0 ft A 0 ft A	0 in 09 0 in 0	Image: Control of the soll.       Image: Control of soil.         Image: Control of soil.       Image: Control of soil.	0 ft X 0 ft 0 0 ft X 0 ft 0 0 ft X 0 ft 0 0 ft X 0 ft 0 0 ft 0 0 ft 0 ft 0 0 ft 0 0 ft 0 ft 0	0 ft X 0 ft X 0 ft X 0 ft X 0 ft X 0 ft X 0 ft X 0 ft X 0 ft X 0	0 in 0 in 0 in 0 in 0 in 0 in 0 in 2 pore space of the s arriers, natural (or no	50il:
Rectangle Area #3       0 ft       X         Rectangle Area #4       0 ft       X         Rectangle Area #5       0 ft       X         Rectangle Area #6       0 ft       X         Rectangle Area #6       0 ft       X         Rectangle Area #7       0 ft       X         Rectangle Area #8       0 ft       X         Rectangle Area #8       0 ft       X         Rectangle Area #8       0 ft       X         Average Daily Production:       Oil       0 BBL         Did leak occur before the separator?:       Image: Comparison of the separator image: Comp	0 ft X 0 ft X	0 in 09 0 in 0	Kectangle Area #3         Rectangle Area #4         Rectangle Area #4         Rectangle Area #5         Rectangle Area #5         Rectangle Area #6         Rectangle Area #7         Rectangle Area #7         Rectangle Area #8         No         Total Hydrocarbon Cor         H2S Content in Pro         H2S Content in Tra         Percentage of Oil in         rains of the soil.       O         olume of soil.       O         gal. volume of soil.       *1	0 ft X 0 ft X	0 ft X 0 ft X	0 in 0 in 0 in 0 in 0 in 0 in 2 pore space of the s arriers, natural (or no	() () () () () () () () () () () () () (
Rectangle Area #5       0       ft       X         Rectangle Area #6       0       ft       X         Rectangle Area #7       0       ft       X         Rectangle Area #7       0       ft       X         Rectangle Area #7       0       ft       X         Rectangle Area #8       0       ft       X         Average Daily Production:       Oil       0       BBL         Did leak occur before the separator?:	0 ft X 0 ft X 0 ft X 0 ft X 0 ft X Water 0 BBL YES N/A vert stand = 0.00 ° Gravelly (cal ° Sandy clay I	0 in 09 0 in 09 0 in 09 0 in 09 . 0 Gas (MCFE (place an "X") ving when the spill wets the gr g gallon (gal.) liquid per gal. v liche) loam = 0.14 gal. liquid oam soil = 0.14 gal. liquid per	Kectangle Area #5         Rectangle Area #6         Rectangle Area #7         Rectangle Area #7         Rectangle Area #7         Rectangle Area #7         Rectangle Area #8         O)         Total Hydrocarbon Cor         H2S Content in Pro         H2S Content in Ta         Percentage of Oil in         volume of soil.       O         per gal. volume of soil.       *	0 ft X 0 ft X	0 ft X 0 ft X 0 ft X 0 ft X 0 ft X (percentage) PPM PPM (percentage) e liquid completely fills the ked soil is contained by be uid per gal. volume of soil.	0 in 0 in 0 in 0 in	() () () () () () () () () () () () () (
Rectangle Area #6       0 ft       X         Rectangle Area #7       0 ft       X         Rectangle Area #7       0 ft       X         Rectangle Area #7       0 ft       X         Average Daily Production:       Oil       0 BBL         Did leak occur before the separator?:       Image: Comparison of the separator i	0 ft X 0 ft X 0 ft X Water 0 BBL YES N/A Ves the follow * Sand = 0.00 * Sandy clay I	0 in 09 0 in 09 0 in 09 . 0 Gas (MCFE (place an "X") ung when the spill wets the gr 3 gallon (gal.) liquid per gal. v liche) loam = 0.14 gal. liquid oam soil = 0.14 gal. liquid per	Rectangle Area #6     Rectangle Area #7     Rectangle Area #7     Rectangle Area #8	0 ft X 0 ft X 0 ft X 0 ft X intent in gas: 0% duced Gas: 0 ank Vapors: 0 Free Liquid Recovered: 0% se the following when the cours when the spill soal Clay loam = 0.20 gal. liqu	0 ft X 0 ft X 0 ft X 0 ft X	0 in 0 in 0 in 0 in	( ( ( ( ) () () () () () () () () () ()
Rectangle Area #7 Rectangle Area #8       0       ft       X         Average Daily Production:       Oil       0       BBL         Did leak occur before the separator?:       0       BBL         Did leak occur before the separator?:       0       BBL         Liquid holding factor *:       0,00       gal per g         Total Solid/Liquid Volume:       sq. ft.         Estimated Volumes Spilled       Liquid in Soil:         Free Liquid:       Totals:	0 ft X 0 ft X Water 0 BBL YES N/A Value the follow * Sand = 0.00 * Sandy clay I	0 in 09 0 in 09 0 a of 09 0 Gas (MCFE (place an "X") 0 Gas (mCFE (place an "X") 0 Gas (mCFE (place an "X")	Rectangle Area #7     Rectangle Area #7     Rectangle Area #8	0 ft X 0 ft X 0 ft X htent in gas: 0% duced Gas: 0 ank Vapors: 0 Free Liquid Recovered: 0% se the following when the ccurs when the spill soai Clay loam = 0.20 gal. liq	0 ft X 0 ft X (percentage) PPM PPM (percentage) e liquid completely fills the ked soil is contained by be uid per gal. volume of soil.	0 in 0 in	c c soil:
Average Daily Production: Oil 0 BBL Did leak occur before the separator?: Amount of Free Liquid 0 BBL Liquid holding factor *: 0.00 gal per g Total Solid/Liquid Volume: sq. ft. Estimated Volumes Spilled Liquid in Soil: Free Liquid: Totals:	Water 0 BBL YES N/A okay al <u>Use the follow</u> * Sand = 0.00 * Gravelly (cal * Sandy cay I	. 0 Gas (MCFD (place an "X") sing when the spill wets the gr gallon (gal.) liquid per gal. v liche) loam = 0.14 gal liquid per oam soil = 0.14 gal liquid per	<ul> <li>Rectangle Area #8</li> <li>Total Hydrocarbon Cor H2S Content in Pro H2S Content in Ta Percentage of Oil in</li> <li>rains of the soil.</li> <li>oolume of soil.</li> <li>gal. volume of soil.</li> </ul>	ntent in gas: 0% duced Gas: 0 ank Vapors: 0 Free Liquid Recovered: 0% se the following when the sours when the spill soal Clay loam = <b>0.20</b> gal. liq	(percentage) PPM PPM (percentage) e liquid completely fills the ked soil is contained by be uid per gal. volume of soil.	e pore space of the s	<u>soil:</u>
Did leak occur before the separator?:  Amount of Free Liquid 0 BBL Eiquid holding factor *: 0.00 gal per g  Total Solid/Liquid Volume: sq. ft.  Estimated Volumes Spilled  Liquid in Soil: Free Liquid: Totals:	YES N/A okay al <u>Use the follow</u> * Sand = 0.00 * Gravelly (cal * Sandy clay I	(place an "X") ving when the spill wets the gr 8 gallon (gal.) liquid per gal. v liche) loam = 0.14 gal. liquid per oam soil = 0.14 gal liquid per	Total Hydrocarbon Cor H2S Content in Pro H2S Content in Ta Percentage of Oil in entropy of the soil.	duced Gas: 0 ank Vapors: 0 Free Liquid Recovered: 0% se the following when the cours when the spill soal Clay loam = <b>0.20</b> gal. liqu	PPM PPM (percentage) e liquid completely fills the ked soil is contained by ba uid per gal. volume of soil.	arriers, natural (or no	
Liquid holding factor *: 0.00 gal per g Total Solid/Liquid Volume: sq. ft. <u>Estimated Volumes Spilled</u> Liquid in Soil: Free Liquid: Totals:	* Sand <b>= 0.08</b> * Gravelly (cal * Sandy clay I	8 gallon (gal.) liquid per gal. v liche) loam = 0.14 gal. liquid   oam soil = 0.14 gal liquid per	rains of the soil. U olume of soil. O per gal. volume of soil. * gal. volume of soil. *	se the following when the ccurs when the spill soal Clay loam = <b>0.20</b> gal. liqu	e liquid completely fills the ked soil is contained by ba uid per gal. volume of soil.	arriers, natural (or no	
<u>Estimated Volumes Spilled</u> Liquid in Soil: Free Liquid: Totals:		erre gan inquia por gan voian		Sandy loam = 0.5 gal. liq	= 0.25 gal. liquid per gal. v quid per gal. volume of soil	olume of soil.	
Liquid in Soil: Free Liquid: Totals:	cu. ft.	cu. ft.	Total Free Liquid Volume:	6,720 sq. ft.	504 cu. ft.	336 cu.	ft.
Free Liquid: Totals:	1120	011	Estimated Production	Volumes Lost	1120	011	
Free Liquid: Totals:	<u>H2O</u> 0.0 BBL	OIL 0.0 BBL	Estimated Produc	tion Spilled:	H2O 0.0 BBL	OIL 0.0 BBL	_
	89.8 BBL	<u>59.8</u> BBL		·			
Total Liquid Spill Liquid:	89.8 BBL	59.8 BBL	Estimated Surface Surface Area:	<u>• Damage</u> 6,720 sq. ft.			
	89.8 BBL	59.8 BBL	Surface Area:	.1543 acre			
Recovered Volumes			Estimated Weights, a	nd Volumes			
Estimated oil recovered: BBL	check - ol	kav	Saturated Soil =	lbs	cu. ft.	cu.	vds
Estimated water recovered: BBL	check - ol		Total Liquid =	150 BBL	6,283 gallon	52,276 lbs	,
Air Emission from flowline leaks:			Air Emission of Reporting	a Requirements:			
Volume of oil spill: - BBL				lew Mexico	Texas		
Separator gas calculated: - MCF			HC gas release reportable?		NO		
Separator gas released: - MCF Gas released from oil: - Ib			H2S release reportable? N	10	NO		
Gas released from oil: - Ib H2S released: - Ib							
Total HC gas released: - Ib							