

Submit 1 Copy To Appropriate District Office  
 District I - (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II - (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III - (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV - (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised August 1, 2011

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

HOBBS OCD  
 OCT 11 2012

WELL API NO. 30-025-06322
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: EUNICE MONUMENT SOUTH UNIT
8. Well Number #176
9. OGRID Number 005380
10. Pool name or Wildcat EUNICE MONUMENT; GRAYBURG/SAN ANDRES
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,532' - GR

**SUNDRY NOTICES AND REPORTS ON WELLS**  
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well  Gas Well  Other INJECTION

2. Name of Operator  
XTO ENERGY, INC. ATTN: STEPHANIE RABADUE

3. Address of Operator  
200 N. LORRAINE, SUITE 800, MIDLAND, TEXAS 79701

4. Well Location  
 Unit Letter O : 660 feet from the SOUTH line and 1980 feet from the EAST line  
 Section 32 Township 20S Range 37E NMPM County IEA

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK  PLUG AND ABANDON   
 TEMPORARILY ABANDON  CHANGE PLANS   
 PULL OR ALTER CASING  MULTIPLE COMPL   
 DOWNHOLE COMMINGLE

SUBSEQUENT REPORT OF:

- REMEDIAL WORK  ALTERING CASING   
 COMMENCE DRILLING OPNS.  P AND A   
 CASING/CEMENT JOB

OTHER:

OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC.. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- TAG EXISTING 7" CIBP @ +/-3,525'; CIRC. WELL W/ PXA MUD; PRES. TEST 7" CSG. TO 500#.
- PUMP A 35 SX. CMT. PLUG @ 3,525'-3,385'.
- PUMP A 65 SX. CMT. PLUG @ 2,510'-2,260' (SQZ.PERFS. X B/SALT); WOC X TAG CMT. PLUG.
- PUMP AN 85 SX. CMT. PLUG @ 1,450'-1,120' (SQZ.PERFS., T/SALT X 9-5/8"CSG.SHOE); WOC X TAG CMT. PLUG.
- MIX X CIRC. TO SURF. A 65 SX. CMT. PLUG @ 250'-3'.
- DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David A. Eyer TITLE AGENT DATE 10/09/12  
 Type or print name DAVID A. EYLER E-mail address: DEYLER@MILAGRO-RES.COM PHONE (432) 687-3033

For State Use Only  
 APPROVED BY Mark Whitaker TITLE Compliance Officer DATE 10-18-2012

Conditions of Approval (if any):  
 Oil Conservation Division - Hobbs office **Must be Notified**  
**24 hours prior to the beginning of Plugging Operations begin.**

OCT 18 2012

WELL NAME: EMSU 176  
LOCATION: 660' FNL & 1980' FEL, SEC 32, T21S R36E  
FORMATION: GRBG  
SPUD DATE: 11/26/36  
IP:

COUNTY/STATE: LEA, NM  
LEASE: EUNICE MONUMENT  
CURRENT STATS: TA'D  
COMPL DATE: 01/03/37  
API No: 30-025-06322 U/L 0



660 FSL x 1980 FEL

ELEV  
GL: 3532'  
KB: 3541

17 1/2" HOLE  
12 1/2", 40# CSG @ 197'  
CMT W/150 SX  
CIRC TO SURF  
  
12" HOLE  
9 5/8" 36# CSG SET @ 1210'  
CMT W/375 SX  
CIRC TO SURF (CALC)

2 SHOTS @ 1400' SQZD W/ 1000 SX,  
CIRC. TO SURF. RESQZD W/ 250 SX.  
  
2 SHOTS @ 2000' SQZD W/ 500 SX,  
TOC @ 1826' (TS).  
  
2 SHOTS @ 2460' SQZD W/ 800 SX,  
TOC @ 2200' (TS).


ORIGINAL TOC @ 2550  
(CBL)

CIBP SET @ 3525'

PERFS: GRBG  
3599'-3601'  
3604'-3606'  
3617'-3619'  
3625'-3627'  
3631'-3633'  
3638'-3640'  
3644'-3646'

8 3/4" HOLE  
7", 24# CSG @ 3691'  
CMT W/225 SX  
CIRC TO 2550' (CBL)

OH SNDR



PBTD: 3525'  
TD: 3851'

WELL NAME: EMSU 176  
 LOCATION: 660' FNL & 1980' FEL, SEC 32, T21S R36E  
 FORMATION: GRBG  
 SPUD DATE: 11/26/36  
 IP:

COUNTY/STATE: LEA, NM  
 LEASE: EUNICE MONUMENT  
 CURRENT STATS: TA'D  
 COMPL DATE: 01/03/37  
 API No: 30-025-06322



ELEV  
 GL: 3532'  
 KB: 3541


17 1/2" HOLE  
 12 1/2", 40# CSG @ 197'  
 CMT W/150 SX  
 CIRC TO SURF

12" HOLE  
 9 5/8" 36# CSG SET @ 1210'  
 CMT W/375 SX  
 CIRC TO SURF (CALC)

ORIGINAL TOC @ 2550  
 (CBL)

CIBP SET @ 3525'

8 3/4" HOLE  
 7", 24# CSG @ 3691'  
 CMT W/225 SX  
 CIRC TO 2550' (CBL)



CIRC. 65 sxs. cmt. @ 250'-3'

Pump 85 sxs. cmt. @ 1,450'-1,120' TAG

2 SHOTS @ 1400' SQZD W/ 1000 SX,  
 CIRC. TO SURF. RESQZD W/ 250 SX.

2 SHOTS @ 2000' SQZD W/ 500 SX,  
 TOC @ 1826' (TS).

2 SHOTS @ 2460' SQZD W/ 800 SX,  
 TOC @ 2200' (TS).

Pump 65 sxs. cmt. @ 2,970'-2,260' TAG

Pump 35 sxs. cmt. @ 3,525'-3,385'

PERFS: GRBG  
 3599'-3601'  
 3604'-3606'  
 3617'-3619'  
 3625'-3627'  
 3631'-3633'  
 3638'-3640'  
 3644'-3646'

OH SNDR

PBTD: 3525'  
 TD: 3851'

DATE 10/09/12