

HOBBS OCD

OIL CONSERVATION DIVISION

MAR 08 2013

1220 South St. Francis Dr.

Santa Fe, NM 87505

RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-40576
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator Yates Petroleum Corporation		6. State Oil & Gas Lease No. VO-3524/VO-8239
3. Address of Operator 105 S. Fourth St., Artesia, NM 88210		7. Lease Name or Unit Agreement Name September Grass BSG State Com.
4. Well Location Unit Letter <u>J</u> : <u>2480</u> feet from the <u>S</u> line and <u>1980</u> feet from the <u>E</u> line Section <u>5</u> Township <u>21S</u> Range <u>34E</u> NMPM County <u>Lea</u>		8. Well Number: #1H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3667		9. OGRID Number 25575
		10. Pool name or Wildcat 3 rd Bone Spring/Wildcat

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☒
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Yates Petroleum Corporation is requesting to change the target zone from the 2nd Bone Springs to the 3rd Bone Springs. The TVD was 10804' and it is now 11657', the TD was 15388' and it is now 16237'.

Spud Date:

5/1/2013

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE Land Regulatory Agent

DATE 03/7/2013

Type or print name Travis Hahn

E-mail address: thahn@yatespetroleum.com

PHONE: 575-748-4120

For State Use Only

APPROVED BY:

TITLE

DATE

MAR 08 2013

Conditions of Approval (if any):

Petroleum Engineer

MAR 13 2013

Chm

Operator Co.

Your Co.

Survey/Planning Report									
Operator	Yates Petroleum Corp.			North				Date	5-Mar-13
Dir. Co.	Yates Petroleum Corp.			Easting				System	2 - St. Plane
Well Name	September #1H Survey			Elevation				Datum	1983 - NAD83
Location	Sec. 5, 21S-34E			Latitude				Zone	4302 - Utah Central
Rig				Longitude				Scale Fac.	
Job				Units	Feet			Converg.	
MD	INC	AZI	TVD	+N/S-	+E/W-	VS@179.81°	BR	TR	DLS
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1833.00	0.00	0.00	1833.00	0.00	0.00	0.00	0.00	0.00	0.00
1833: RUSTLER, 1833'									
1963.00	0.00	0.00	1963.00	0.00	0.00	0.00	0.00	0.00	0.00
1963: TOS, 1963'									
3554.00	0.00	0.00	3554.00	0.00	0.00	0.00	0.00	0.00	0.00
3554: BOS, 3554'									
3555.00	0.00	0.00	3555.00	0.00	0.00	0.00	-0.01	-0.01	0.01
3555: TANSILL, 3555'									
3736.00	0.00	0.00	3736.00	0.00	0.00	0.00	0.00	0.00	0.00
3736: YATES, 3736'									
4137.00	0.00	0.00	4137.00	0.00	0.00	0.00	0.00	0.00	0.00
4137: CAPITAN, 4137'									
5820.00	0.00	0.00	5820.00	0.01	0.00	-0.01	0.00	0.00	0.00
5820: CHERRY CANYON, 5820'									
6902.00	0.00	0.00	6902.00	0.01	0.00	-0.01	0.00	0.00	0.00
6902: BRUSHY CANYON, 6902'									
8612.00	0.00	0.00	8612.00	0.01	0.00	-0.01	0.00	0.00	0.00
8612: BONE SPRINGS LM, 8612'									
8812.00	0.00	0.00	8812.00	0.01	0.00	-0.01	0.00	0.00	0.00
8812: AVALON SAND, 8812'									
9102.00	0.00	0.00	9102.00	0.01	0.00	-0.01	0.00	0.00	0.00
9102: MIDDLE AVALON, 9102'									
9352.00	0.00	0.00	9352.00	0.01	0.00	-0.01	0.00	0.00	0.00
9352: LOWER AVALON, 9352'									
9792.00	0.00	0.00	9792.00	0.01	0.00	-0.01	0.00	0.00	0.00
9792: FBSG, 9792'									
10577.00	0.00	0.00	10577.00	0.01	0.00	-0.01	0.00	0.00	0.00
10577: SBSG, 10577'									
10822.00	0.00	0.00	10822.00	0.01	0.00	-0.01	0.00	0.00	0.00
10822: BASE SBSG, 10822'									
11175.02	0.00	179.81	11175.02	0.01	0.00	-0.01	0.00	1.61	0.00
11175.02: KOP, 11175'									
11200.00	3.00	179.81	11199.99	-0.64	0.00	0.64	12.00	0.00	12.00
11300.00	15.00	179.81	11298.58	-16.25	0.06	16.25	12.00	0.00	12.00
11400.00	27.00	179.81	11391.77	-52.02	0.18	52.02	12.00	0.00	12.00
11495.53	38.46	179.81	11471.99	-103.59	0.35	103.59	12.00	0.00	12.00
11495.53: TBSG, 11496' MD (11472' TVD)									
11500.00	39.00	179.81	11475.48	-106.39	0.36	106.39	12.00	0.00	12.00
11600.00	51.00	179.81	11546.06	-176.97	0.60	176.97	12.00	0.00	12.00
11700.00	63.00	179.81	11600.43	-260.68	0.88	260.68	12.00	0.00	12.00
11800.00	75.00	179.81	11636.20	-353.86	1.20	353.87	12.00	0.00	12.00
11900.00	87.00	179.81	11651.82	-452.45	1.53	452.45	12.00	0.00	12.00
11924.52	89.94	179.81	11652.48	-476.95	1.61	476.96	12.00	0.00	12.00
11924.52: TARGET TBSG, 11925' MD (11652' TVD)									
16236.76	89.94	179.81	11657.00	-4789.17	16.21	4789.20	0.00	0.00	0.00
16236.76: LATERAL TD, 16237' MD (11657' TVD)									



