

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD Hobbs

FORM APPROVED
OMB NO. 1004-0137
Expires: July 31, 2010

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

HOBBS OCD

JAN 07 2014

RECEIVED

1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry ☐ Other
b. Type of Completion: ☐ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resrv.,
Other: Recompletion

2. Name of Operator
DEVON ENERGY PRODUCTION COMPANY, L.P.3. Address Attn: DAVID H. COOK,
333 W. SHERIDAN AVE., OKLAHOMA CITY, OKLAHOMA 73102-50103a. Phone No. (include area code)
(405) 552-7848

4. Location of Well (Report location clearly and in accordance with Federal requirements)*

At surface NESW, 1980 FSL & 1980 FWL

At top prod. interval reported below

At total depth

14. Date Spudded 01/31/1992 15. Date T.D. Reached 03/02/1992 16. Date Completed 11/08/2013
☐ D & A ☒ Ready to Prod.17. Elevations (DF, RKB, RT, GL)*
3,972' GL18. Total Depth: MD 11,500'
TVD19. Plug Back T.D.: MD 9,280'
TVD20. Depth Bridge Plug Set: MD 8,950'
TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)

DLL/MSFL/GR; LDT/CNL/GR

22. Was well cored? ☒ No ☐ Yes (Submit analysis)
Was DST run? ☒ No ☐ Yes (Submit report)
Directional Survey? ☒ No ☐ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
17-1/2"	13-3/8	48	0	478'		500 sx		Surface	
12 1/4"	8-5/8	32	0	3,100'		1650 sx		Surface	
7"	5-1/2"	17	0	11,500'		800 sx		7,640' CBL	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2-7/8"	8,908'	8,736'						

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) 2ND Bone Spring	8,802'	9,090' 74 hls	9,320' - 9,330'		30	CIBP @ 9,280' w/40' cmt
B)			9,623' - 9,757'		49	CIBP @ 9,600' w/2.3 bbls cmt
C)			10,736' - 11,263'		232	CIBP @ 10,676' w/35' cmt
D)			11,354' - 11,384'		62	CIBP @ 11,340' w/30' cmt

27. Acid, Fracture, Treatment, Cement Squeeze, etc.

Depth Interval	Amount and Type of Material
8,802' - 9,090'	Acidize w/ 11,184 gals 15% HCL, Frac w/ 102,000 30/50 WS/20/40 CRC

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
11/8/13	11/19/13	24	→	50	7	55			PUMPING
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
	300		→	50	7	55	140	PRODUCING	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→						

*(See instructions and spaces for additional data on page 2)

ACCEPTED FOR RECORD

DEC 30 2013

BUREAU OF LAND MANAGEMENT
CARLSBAD FIELD OFFICE

FEB 20 2014

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→						

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→						

29. Disposition of Gas (Solid, used for fuel, vented, etc.)

SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
				Rustler	1460
				7 Rivers	3377
				Queen	4179
				Premier	4798
				Delaware	5399
				Bone Spring	6330
				2nd Bone Spring Carb	9114
				3rd Bone Spring Sand	9464

32. Additional remarks (include plugging procedure):

9,623' - 11,384'; Wolfcamp; Abandoned
 9320' - 9,330'; 3rd Bone Spring; Abandoned
 8,802' - 9,090'; 2nd Bone Spring; Producing

33. Indicate which items have been attached by placing a check in the appropriate boxes:

- ☒ Electrical/Mechanical Logs (1 full set req'd.)
 ☐ Geologic Report
 ☐ DST Report
 ☐ Directional Survey
☐ Sundry Notice for plugging and cement verification
 ☐ Core Analysis
 ☐ Other:

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) DAVID H. COOKTitle REGULATORY SPECIALISTSignature Date 12/04/2013

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 3)

(Form 3160-4, page 2)