Office	State of New Mexico	Form C-103
District I - (575) 393-6161 Energy, Minerals and Natural Resources 1625 N. French Dr., Hobbs, NM 88240		Revised July 18, 2013 WELL API NO.
District II - (575) 748-1283 811 S. First St., Artesia, NM 88210 OIL CO	ONSERVATION DIVISION	30-025-42500
<u>District III</u> – (505) 334-6178	20 South St. Francis Dr.	5. Indicate Type of Lease STATE FEE
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505		
SUNDRY NOTICES AND REPORTS ON WELLS		7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH		Dragon 36 State
PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other Water Injection OBBS OCD		8. Well Number 501H
2. Name of Operator	7	9. OGRID Number
EOG Resources, Inc.	MAY 0 4 2015	7377
3. Address of Operator P.O. Box 2267 Midland, TX 7970	12	10. Pool name or Wildcat Red Hills; Lower Bone Spring
4 Well Location	RECEIVED	
Unit Letter A : 555 Seet from the North Line and 1115 Feet from the Line		
Section 36 Tov	vnship 24S Range 33E	NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		
3499' GR		
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data		
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:		
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS P AND A		
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB		
DOWNHOLE COMMINGLE		
CLOSED-LOOP SYSTEM OTHER:	□ OTHER:	
13. Describe proposed or completed operations		d give pertinent dates, including estimated date
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of		
proposed completion or recompletion.		
4/23/15 Spud 17-1/2" hole.		
Ran 31 jts 13-3/8", 68#, J55 STC casing set at 1287'. Cement lead w/ 700 sx Class C, 13.5 ppg, 1.73 CFS yield;		
tail w/ 395 sx Class C, 14.8 ppg, 1.33 CFS yield.		
Circulated 200 bbls cement to surface. WOC 24+ hrs.		
Rig down to change rigs. 4/24/15 Moving spudder rig.		
4/25/15 MIRU.		
4/26/15 Resume drilling operations.		
Tested casing 13-3/8" casing Resumed drilling 12-1/4" hole	to 1500 psi for 30 minutes. Test go	od.
Nesumed drining 12-1/4 Hole	•	AGU INEW VVEII
		Canci Well Create Pool
Spud Date: 4/23/15	Rig Release Date:	— E-PERMITTING New Well
		CompP&ATA
acale MK Loc Ching		
I hereby certify that the information above is true and complete to the best of my knowledge an CSNG/IIIS		
SIGNATURE Stan Way	TITLE Regulatory Analyst	DATE 04/30/2015
	THEE	DATE 432-686-3689
Type or print name E-mail address: PHONE:		
For State Use Only		
APPROVED BY: TITLE Petroleum Engineer DATE 05/76/15		
Conditions of Approval (If any):		