

EOG RESOURCES, INC. STREETCAR 15 FED #2H

Hydrogen Sulfide Plan Summary

- A. All personnel shall receive proper H2S training in accordance with Onshore Order III.C.3.a.
- B. Briefing Area: two perpendicular areas will be designated by signs and readily accessible.
- C. Required Emergency Equipment:
 - Well control equipment
 - a. Flare line 150' from wellhead to be ignited by flare gun.
 - b. Choke manifold with a remotely operated choke.
 - c. Mud/gas separator
 - Protective equipment for essential personnel.

Breathing apparatus:

- Rescue Packs (SCBA) 1 unit shall be placed at each breathing area, 2 shall be stored in the safety trailer.
- b. Work/Escape packs —4 packs shall be stored on the rig floor th sufficient air hose not to restrict work activity.
- Emergency Escape Packs —4 packs shall be stored in the doghouse for emergency evacuation.

Auxiliary Rescue Equipment:

a. Stretcher

A - 24.2

- b. Two OSHA full body harness
- c. 100 ft 5/8 inch OSHA approved rope
- d. 1-20# class ABC fire extinguisher
- H2S detection and monitoring equipment:

The stationary detector with three sensors will be placed in the upper dog house if equipped, set to visually alarm @ 10 ppm and audible @ 14 ppm. Calibrate a minimum of every 30 days or as needed. The sensors will be placed in the following places: Rig floor / Bell nipple / End of flow line or where well bore fluid is being discharged.

(Gas sample tubes will be stored in the safety trailer)

- Visual warning systems.
 - a. One color code condition sign will be placed at the entrance to the site reflecting the possible conditions at the site.
 - A colored condition flag will be on display, reflecting the current condition at the site at the time.
 - c. Two wind socks will be placed in strategic locations, visible from all angles.

EOG RESOURCES, INC. STREETCAR 15 FED #2H

■ Mud program:

The mud program has been designed to minimize the volume of H2S circulated to surface. The operator will have the necessary mud products to minimize hazards while drilling in H2S bearing zones.

■ Metallurgy:

All drill strings, casings, tubing, wellhead, blowout preventer, drilling spool, kill lines, choke manifold and lines, and valves shall be suitable for H2S service.

■ Communication:

Communication will be via cell phones and land lines where available.

EOG RESOURCES, INC. STREETCAR 15 FED #2H

Emergency Assistance Telephone List

PUBLIC SAFETY:	911 or
Lea County Sheriff's Department	(575) 396-3611
Rod Coffman	
Fire Department:	
Carlsbad	(575) 885-3125
Artesia	(575) 746-5050
Hospitals:	
Carlsbad	(575) 887-4121
Artesia	(575) 748-3333
Hobbs	(575) 392-1979
Dept. of Public Safety/Carlsbad	(575) 748-9718
Highway Department	(575) 885-3281
New Mexico Oil Conservation	(575) 476-3440
U.S. Dept. of Labor	(575) 887-1174
EOG Resources, Inc.	
EOG / Midland	Office (432) 686-3600
Company Drilling Consultants:	
Jeremy Rickels	Cell (432) 894-3417
Josh Potts	
Drilling Engineer	
Kirby Castille	Office (432) 686-3657
	Cell (432) 559-4987
Drilling Manager	
Lee Lohoefer	Office (432) 686-6716
	Cell (817) 374-9686
Drilling Superintendent	(017)3713000
Jason Richey	Office (432) 686-3665
	Cell (817) 879-6521
Cactus Drilling	Cell (817) 879-0321
Cactus Drilling	
Cactus Drilling	Office (580) 799-2752
	Office (580) 799-2752 Rig (432) 894-3417
Cactus Drilling Cactus 123 Drilling Rig Tool Pusher:	Office (580) 799-2752 Rig (432) 894-3417
Cactus Drilling Cactus 123 Drilling Rig Tool Pusher: Jack Herndon	Office (580) 799-2752 Rig (432) 894-3417
Cactus Drilling Cactus 123 Drilling Rig Tool Pusher: Jack Herndon	Office (580) 799-2752 Rig (432) 894-3417
Cactus Drilling Cactus 123 Drilling Rig Tool Pusher: Jack Herndon Larry Slife	Office (580) 799-2752 Rig (432) 894-3417
Cactus Drilling Cactus 123 Drilling Rig	Office (580) 799-2752 Rig (432) 894-3417