

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-27765
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-2229
7. Lease Name or Unit Agreement Name Philmex
8. Well Number 17
9. OGRID Number 217817
10. Pool name or Wildcat Leamex (Paddock)
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4154' GL

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other

2. Name of Operator
ConocoPhillips Company

3. Address of Operator
P.O. Box 51810 Midland, TX 79710

4. Well Location
 Unit Letter **O** : **660** feet from the **South** line and **1980** feet from the **East** line
 Section **27** Township **17-S** Range **33-E** NMPM County **Lea**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4154' GL

HOBBS OCD
FEB 19 2016
RECEIVED

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT ON:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	INT TO PA <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPI <input type="checkbox"/>	P&A NR <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	P&A R <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

--MIRU. ND WH, NU BOP. POOH w/ Prod. Equipment
 --RIH WL - Set CIBP @ 4,158'
 --RIH Tbg Tag BP @ 4,158'. Circ hole w/ MLF. Spot 70sx cmt to 3,200'. WOC-Tag
 --Spot 25sx cmt @ 2,824' - 2,700'. WOC-Tag
 --Spot 25sx cmt @ 1,663' - 1,363', WOC-Tag
 --Spot 10sx cmt @ 60' - 3' **350' to surface**
 --POOH. Fill wellbore. Verify cmt @ surface in all annuli

****A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17****

Spud Date: **4/10/82**

Rig Release Date: **4/28/82**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE **GB** TITLE **P&A Tech - Basic Energy Services** DATE **2/17/16**

Type or print name **Greg Bryant** E-mail address: _____ PHONE: **432-563-3355**

For State Use Only

APPROVED BY: **Mark Whitaker** TITLE **Petroleum Engr. Specialist** DATE **02/22/2016**
 Conditions of Approval (if any): _____

FEB 23 2016


3002527265

WELLBORE SKETCH
ConocoPhillips Company -- Lower 48 Mid-Continent BU / Odessa

Date: February 3, 2016

RKB @ 4165'
 DF @ _____
 GL @ 4154'

Subarea : Buckeye
 Lease & Well No. : Philmex No. 17
 Legal Description : 660' FSL & 1980' FEL, Sec. 27, T-17-S, R-33-E
 County : Lea State : New Mexico
 Field : Maljamar Grayburg/San Andres
 Date Spudded : 4/10/1982 Rig Released: 4/28/1982
 API Number : 30-025-27765
 Status: Producing



12 1/4" Hole

8-5/8" 24# K-55 @ 1457'
 Cmt'd w/ 750 sxs, circ 240 sxs
 TOC @ Surface
Top Salt @ 1457'

Base Salt @ 3513'

4258-4263'
 4307-4396'
 4424-4466'
 4503-4614'

Sqz'd 6138-6148' w/ 175 sxs cmt

7-7/8" Hole
4-1/2" 11.6# N-80 @ 6198'
 Cmt'd w 1550 sxs, Circ 250 sxs
 TOC @ Surface

PBTD @ 6100'
 TD @ 6200'

Stimulation History:			State Lease	B-2229					
Interval	Date	Type	OGRID	217817	Lbs. Sand	Max Press	ISIP	Max Rate	Down
6138-6148	6/10/1982	Perf 6138-6148 w/ 2 SPF							
	6/10/1982	15% NEFE	1000						
	6/22/1982	Sqz'd 6138-6148 w/ 175 sxs cmt							
	6/22/1982	Perf 4503-4509, 4518-4522, 4529-4559, 4562-4570, 4591-4614 w/ 2 SPF							
4503-4614	6/22/1982	15% NEFE	5000						
	6/22/1982	Perf 4258-4263, 4307-4314, 4378-4389, 4393-4396, 4424-4426, 4446-4450, 4452-4454, 4463-4466, w/ 2 SPF							
4258-4466	6/22/1982	15% NEFE	2500						
4258-4466	6/22/1982	RO	32,000		54,000				
4258-4614	4/17/1997	Ferck	6000						
4258-4614	4/4/2005	15% HCL	1000						

Formation Tops:

Top Salt	
Base Salt	
Rustler	1413'
Salado	1613'
Yates	2774'
Seven Rivers	3244'
Queen	3757'
Penrose	3935'
Grayburg	4117'
San Andres	4483'
Glorieta	5955'
Paddock	6038'

WELLBORE SKETCH
ConocoPhillips Company -- Lower 48 Mid-Continent BU / Odessa

Date: February 3, 2016


RKB @ 4165'
 DF @ _____
 GL @ 4154'

Subarea : Buckeye
 Lease & Well No. : Philmex No. 17
 Legal Description : 660' FSL & 1980' FEL, Sec. 27, T-17-S, R-33-E
 County : Lea State : New Mexico
 Field : Majamar Grayburg/San Andres
 Date Spudded : 4/10/1982 Rig Released: 4/28/1982
 API Number : 30-025-27765
 Status: Producing

State Lease **B-2229**
 OGRID **217817**

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
6138-6148	6/10/1982	Perf 6138-6148 w/ 2 SPF						
	6/10/1982	15% NEFE	1000					
	6/22/1982	Sqz'd 6138-6148 w/ 175 sxs cmt						
	6/22/1982	Perf 4503-4509, 4518-4522, 4529-4559, 4562-4570, 4591-4614 w/ 2 SPF						
4503-4614	6/22/1982	15% NEFE	5000					
	6/22/1982	Perf 4258-4263, 4307-4314, 4378-4389, 4393-4396, 4424-4426, 4446-4450, 4452-4454, 4463-4466, w/ 2 SPF						
4258-4466	6/22/1982	15% NEFE	2500					
4258-4466	6/22/1982	RO	32,000	54,000				
4258-4614	4/17/1997	Ferck	6000					
4258-4614	4/4/2005	15% HCL	1000					



12 1/4" Hole
Spot 10sx cmt @ 60'-3'

8-5/8" 24# K-55 @ 1457'
 Cmt'd w/ 750 sxs, circ 240 sxs
 TOC @ Surface
Top Salt @ 1457'
Spot 25sx cmt @ 1663'-1363' - Tag

Spot 25sx cmt @ 2824'-2700' - Tag

Base Salt @ 3513'
Spot 70sx cmt @ 4158'-3200' - Tag
Set CIBP @ 4158'

4258-4263'

4307-4396'

4424-4466'

4503-4614'

Sqz'd 6138-6148' w/ 175 sxs cmt

7-7/8" Hole
4-1/2" 11.6# N-80 @ 6198'
 Cmt'd w 1550 sxs, Circ 250 sxs
 TOC @ Surface

PBTD @ 6100'
 TD @ 6200'

Formation Tops:

Top Salt	
Base Salt	
Rustler	1413'
Salado	1613'
Yates	2774'
Seven Rivers	3244'
Queen	3757'
Penrose	3935'
Grayburg	4117'
San Andres	4483'
Glorieta	5955'
Paddock	6038'