





Name: Jeanette 1-31-13 Working Pressure: # 21073221





-







Fluid Technology

Quality Document

QUAL INSPECTION	ITY CONT		ICATE		CERT.	Nº:	746				
PURCHASER:	Phoenix Bea				P,O. Nº	: 00	2491				
CONTITECH ORDER N°:	412638	HOSE TYPE:	3"	ID	Ch	oke and Kil	l Hose				
HOSE SERIAL Nº:	52777	NOMINAL / A	CTUAL I	ENGTH:	10,67 m						
W.P. 68,96 MPa	10000 psi	T.P. 103,4	MPa	15000	psl	Duration:	60 ~	min			
Pressure test with water at ambient temperature											
	See	attachmen	t /1 ns	(an							
	000	attaomnon	. (i pe	ge)							
				-							
10 mm = 10 Min	ı.							.*			
→ 10 mm = 25 MP	a										
		COU	PLINGS								
Туре		Serial N°		Q	uality		Heat N°				
3" coupling with	917	913		AISI	4130	100	T7998A				
4 1/16" Flange end				AISI	4130		26984				
INFOCHIP INSTALL	ED	,				Al	PI Spec 16	Spec 16 C			
						Tem	perature ra	te:"B"			
All metal parts are flawless											
VE CERTIFY THAT THE ABOVE PRESSURE TESTED AS ABOVE				ACCORDA	NCE WI	THE TERM	S OF THE ORDE	R AND			
Date:	Inspector		Qualit	y Control							
					Conti	Tech Rubber					
04. April. 2008			7	Daca (Quality	Control Dept.	Jasci 1				
		-	-		-57	2	40100				

Coflex Hose Certification

Page: 1/1

	Щ			4	1	,	1			1		L	,	-		-		1	-		and and the see	-	1	1	-	-	H	4	1	Ch			-)				
2		1	7	2	0 17 9							-							-		-		1	or Phillipson Coats will		6	0	di di	T	CKS edn R etrial entrial	in Ki	it.	ند	1	4				
是四十	,	N. 12. C	1 1 15	Janhan (TE	12.2	-						H			1			-		de Are sen faith				-	- Francisco	6	OH .		7	(1)	al D	epi							
20	4 4.	STATE OF THE PARTY	12 703	11/1	20 20 3				S. Total and contrasts		-		1					1		and the same of the	1		1	1			-	The real least land and and and and and and and and and	-										
2 印色		. K. J.		1							1						1			-	-				-		-												
15:17:	+	1	E		30	15		Ī	-							-	1			-	-																		
- M	4		4		1				O					1	ó	0	1			-		-	0	-			-	- manual Branco	0	(
18	4	7. 1.0			+	İ						1		-		1						İ		1		T		-										,	
	*			ŀ						-		1	-			-							Money of the same		M			1											
7	737	5	IT		1											1		1	1	-		-	of many		-		Manufallian 7 18	-									:		
							-	ı		***************************************			1		-	-		1	1		-	4	-		-		1	-									•		
6	,,	-	T								1		1		1	-		-			-	A COLUMN TOWNS TO THE PERSON T		The state of the s			-												
	+	+	1				-		1		70		1		1		1	-		-			1		-		1		-										

Form No 100/12

PHOENIX Beattie

Phoenix Beattie Corp 11535 Brittmoore Park Drive Houston, TX 77041 Tel: (832) 327-0141 Fax: (832) 327-0148 E-mail mail@phoenixbeattie.com

www.phoenixbeattie.com

Delivery Note

Customer Order Number	370-369-001	Delivery Note Number	003078	Page	1
Customer / Invoice Address HELMERICH & PAYNE INT'L II 1437 SOUTH BOULDER TULSA, OK 74119		Delivery / Address HELMERICH & PAYNE IDC ATTN: JOE STEPHENSON - RIG 13609 INDUSTRIAL ROAD HOUSTON, TX 77015	370		

Customer Acc No	Phoenix Beattie Contract Manager	Phoenix Beattle Reference	Date
H01	JJL	006330	05/23/2008

Item No	Beattie Part Number / Description	Oty Ordered	Oty Sent	Oty To Follow
1	HP10CK3A-35-4F1 3" 10K 16C C&K HOSE x 35ft OAL CW 4.1/16" API SPEC FLANGE E/ End 1: 4.1/16" 10Kpsi API Spec 6A Type 6BX Flange End 2: 4.1/16" 10Kpsi API Spec 6A Type 6BX Flange c/w BX155 Standard ring groove at each end Suitable for H2S Service Working pressure: 10.000psi Test pressure: 15.000psi Standard: API 16C Full specification Armor Guarding: Included Fire Rating: Not Included Temperature rating: -20 Deg C to +100 Deg C	1	1	0
2	SECK3-HPF3 LIFTING & SAFETY EQUIPMENT TO SUIT HP10CK3-35-F1 2 x 160mm ID Safety Clamps 2 x 244mm ID Lifting Collars & element C's 2 x 7ft Stainless Steel wire rope 3/4" OD 4 x 7.75t Shackles	1	1	0
3	SC725-200CS SAFETY CLAMP 200MM 7.25T C/S GALVANISED	1	1	0

Continued...

All goods remain the property of Phoenix Beattle until paid for in full. Any damage or shortage on this delivery must be advised within 5 days. Returns may be subject to a handling charge.

Form No 100/12

--- PHOENIX Beattie

Phoenix Beattie Corp 11535 Brittmoore Park Drive Houston, TX 77041 Tel: (832) 327-0141 Fax: (832) 327-0148 E-mail mail@phoenixbeattie.com www.phoenixbeattie.com

Delivery Note

Customer Order Number	370-369-001	Delivery Note Number	003078	Page	2
Customer / Invoice Addres HELMERICH & PAYNE INT'L D 1437 SOUTH BOULDER TULSA, OK 74119		Delivery / Address HELMERICH & PAYNE IDC ATTN: JOE STEPHENSON - 13609 INDUSTRIAL ROAD HOUSTON, TX 77015	RIG 370		

Customer Acc No	Phoenix Beattie Contract Manager	Phoenix Beattle Reference	Date
H01	JJL	006330	05/23/2008

item No	Beattie Part Number / Description	Oty Ordered	Oty Sent	Oty To Follow
4	SC725-132CS	1	1	0
	SAFETY CLAMP 132MM 7.25T C/S GALVANIZED C/W BOLTS			
5	OOCERT-HYDRO HYDROSTATIC PRESSURE TEST CERTIFICATE	1	1	0
6	OOCERT-LOAD	1	1	0
	LOAD TEST CERTIFICATES			
7	00FREIGHT	1	1	0
	INBOUND / OUTBOUND FREIGHT PRE-PAY & ADD TO FINAL INVOICE			
	NOTE: MATERIAL MUST BE ACCOMPANIED BY PAPERWORK INCLUDING			
1	THE PURCHASE ORDER, RIG NUMBER TO ENSURE PROPER PAYMENT			
			^	
		0.		
	0	# A	111	

Phoenix Beattle Inspection Signature:

Received In Good Condition:

Signature

Print Name

All goods remain the property of Phoenix Beattle until paid for in full. Any damage or shortage on this delivery must be advised within 5 days. Returns may be subject to a handling charge.

Coflex Hose Certification

Part No CO6330 Part No C SCK3-HPF3 SCK3-HPF3 SKFETY SC725-132CS SAFETY SC725-132CS SAFETY SK725-132CS SK725-	Description 3. 10k 16c cak HDE x 35rt cat. LIFTING & SAFETY EDUPHENT TO SAFETY CLAPP 2004H 7.257 SAFETY CLAPP 1329H 7.257	LMERICH & PAY	HELMERICH & PAYNE INT'L DRILLING Cont Ref	Count	1	200 000 070			Page	1
0 4		Martonial Dans			1	100-600-0				
Ľ.		WELETIBI DESC	Material Spec	Otto	WO NO	Botch No.	-	1 1		
		_		†	-	DAICH NO	I est Cert No	1	Drg No	Issue No
	-			-	2491	52777H884		WATER		
		CARBON STEFI				002440		N/STK		
		CARRON STEE		1		H665		220		
					2242	H139		83		

We hereby certify that these goods have been inspected by our Quality Management System, and to the best of our knowledge are found to conform to relevant industry standards within the requirements of the purchase order as issued to Phoenix Beattle Corporation.

05/23/09.



Fluid Technology

Quality Document

CERTIFICATE OF CONFORMITY

Supplier: CONTITECH RUBBER INDUSTRIAL KFT.

Equipment: 6 pcs. Choke and Kill Hose with installed couplings

3" x 10,67 m WP: 10000 psi

Supplier File Number : 412638

Date of Shipment

: April. 2008

Customer

: Phoenix Beattie Co.

Customer P.o.

: 002491

Referenced Standards

/ Codes / Specifications: API Spec 16 C

Serial No.: 52754,52755,52776,52777,52778,52782

STATEMENT OF CONFORMITY


We hereby certify that the above items/equipment supplied by us are in conformity with the terms, conditions and specifications of the above Purchaser Order and that these items/equipment were fabricated inspected and tested in accordance with the referenced standards, codes and specifications and meet the relevant acceptance criteria and design requirements.


COUNTRY OF ORIGIN HUNGARY/EU


ontiTech Rubber Industrial Kft. Quality Control Dept.

Position: Q.C. Manager

Date: 04. April. 2008










Permian Drilling Hydrogen Sulfide Drilling Operations Plan Red Tank 33 Federal #3H

Open drill site. No homes or buildings are near the proposed location.

1. Escape

Personnel shall escape upwind of wellbore in the event of an emergency gas release. Escape can take place through the lease road on the Southwest side of the location. Personnel need to move to a safe distance and block the entrance to location. If the primary route is not an option due to the wind direction, then a secondary egress route should be taken.



Secondary Briefing Area

sign placed here.