	UNITED STATE EPARTMENT OF THE I	NTERIOR Hobbs		FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010	
HOBBS OCCUPIENT BUREAU OF LAND MANAGEMENT FLOODS SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an NOV abandoned well. Use form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on reverse side. 1. Type of Well Oil Well Gas Well Other				5. Lease Serial No. NMLC060821A 6. If Indian, Allottee or Tribe Name 7. If Unit or CA/Agreement, Name and/or No. 8910084860 8. Well Name and No. WEST CAP QUEEN SAND UNIT 25	
			6. If Inc		
2. Name of Operator LEGACY RESERVES OPERA	Contact:	LAURA PINA acylp.com		Well No. 005-01118-00-S1	
3a. Address PO BOX 10848 MIDLAND, TX 79702-7848		3b. Phone No. (include area co Ph: 432-689-5200			
 Location of Well (Footage, Sec., T., R., M., or Survey Description, Sec 21 T14S R31E SWSE Tract 11 660FSL 1980FEL 		i)		11. County or Parish, and State CHAVES COUNTY, NM	
12. CHECK APP	OPRIATE BOX(ES) TO	O INDICATE NATURE O	F NOTICE, REPORT.	OR OTHER DATA	
TYPE OF SUBMISSION			OF ACTION		
□ Notice of Intent	 Acidize Alter Casing 	□ Deepen □ Fracture Treat	□ Production (Stat	INT TO PA P&A NR	
🛛 Subsequent Report	Casing Repair	New Construction	Recomplete		
Final Abandonment Notice	□ Change Plans □ Convert to Injection	☑ Plug and Abandon □ Plug Back	 Temporarily Ab Water Disposal 		
10/20/16 MIRU. NOTIFIED BL 10/21/16 TEST CSG @ 650#.	TEST WITNESSED BY	OSCAR TORRES-BLM. RI	H. TAG CEMENT @ 28	71' ON EXISTING	
	TEST WITNESSED BY O VELL WITH 10# SALT GE PLUG ON TOP OF CIBI UNABLE TO GET AN INJ NO TAG REQUIRED AS I PM @ 600#. SQUEEZE 3 ILATE 150 SX CLASS 'C'	EL MUD. P BECAUSE THERE IS AL IECTION RATE. PRESSUF PER OSCAR TORRES-BL 5 SX + 3% CALCIUM CHL ' CEMENT FROM 212' TO	READY CEMENT ON RE UP ON PLUG WITH M. PERFORATE CSG ORIDE @ 1350'-1200'. SURFACE.	TOP OF CIBP. I PACKER TO 1500# . @ 1350'. ESTABLISH	
10/21/16 TEST CSG @ 650#. CIBP @ 2916'. CIRCULATE V 10/22/16 BLM WAIVED 25 SX PERFORATE CSG @ 2015'. U SPOT 35 SX @ 2077'-1873'. N AN INJECTION RATE @ 1 BF 1224'. PERFORATE & CIRCU 10/23/16 NDBOP. VERIFY TO	TEST WITNESSED BY O VELL WITH 10# SALT GE PLUG ON TOP OF CIBI JNABLE TO GET AN INJ O TAG REQUIRED AS PM @ 600#. SQUEEZE 3 JLATE 150 SX CLASS 'C' OP OF CEMENT IN ALL O True and correct. Electronic Submission # For LEGACY RE mmitted to AFMSS for prov	EL MUD. P BECAUSE THERE IS AL JECTION RATE. PRESSUF PER OSCAR TORRES-BL 5 SX + 3% CALCIUM CHL ' CEMENT FROM 212' TO CSG's. RDP&A EQUIPMEN 357524 verified by the BLM V SERVES OPERATING, sent cessing by DAVID GLASS or	READY CEMENT ON RE UP ON PLUG WITH M. PERFORATE CSG ORIDE @ 1350'-1200'. SURFACE. IT. MOVE OUT. Well Information System to the Roswell	TOP OF CIBP. I PACKER TO 1500# . @ 1350'. ESTABLISH WOC & TAG @	
10/21/16 TEST CSG @ 650#. CIBP @ 2916'. CIRCULATE V 10/22/16 BLM WAIVED 25 SX PERFORATE CSG @ 2015'. U SPOT 35 SX @ 2077'-1873'. N AN INJECTION RATE @ 1 BF 1224'. PERFORATE & CIRCU 10/23/16 NDBOP. VERIFY TO 4. I hereby certify that the foregoing is Con Name (Printed/Typed) LAURA PI	TEST WITNESSED BY O VELL WITH 10# SALT GE PLUG ON TOP OF CIBI JNABLE TO GET AN INJ NO TAG REQUIRED AS I PM @ 600#. SQUEEZE 3 JLATE 150 SX CLASS 'C' OP OF CEMENT IN ALL O True and correct. Electronic Submission # For LEGACY RE mmitted to AFMSS for prod NA	EL MUD. P BECAUSE THERE IS AL JECTION RATE. PRESSUF PER OSCAR TORRES-BL 5 SX + 3% CALCIUM CHL ' CEMENT FROM 212' TO CSG's. RDP&A EQUIPMEN 357524 verified by the BLM V SERVES OPERATING, sent cessing by DAVID GLASS or Title COM	READY CEMENT ON RE UP ON PLUG WITH M. PERFORATE CSG ORIDE @ 1350'-1200'. SURFACE. IT. MOVE OUT. Well Information System to the Roswell 11/10/2016 (16DRG0330 PLIANCE COORDINA	TOP OF CIBP. I PACKER TO 1500# . @ 1350'. ESTABLISH WOC & TAG @	
10/21/16 TEST CSG @ 650#. CIBP @ 2916'. CIRCULATE V 10/22/16 BLM WAIVED 25 SX PERFORATE CSG @ 2015'. U SPOT 35 SX @ 2077'-1873'. N AN INJECTION RATE @ 1 BF 1224'. PERFORATE & CIRCU 10/23/16 NDBOP. VERIFY TO	TEST WITNESSED BY O VELL WITH 10# SALT GE CPLUG ON TOP OF CIBI JNABLE TO GET AN INJ NO TAG REQUIRED AS I PM @ 600#. SQUEEZE 3 JLATE 150 SX CLASS 'C' OP OF CEMENT IN ALL O True and correct. Electronic Submission # For LEGACY RE mmitted to AFMSS for prov NA	EL MUD. P BECAUSE THERE IS AL JECTION RATE. PRESSUF PER OSCAR TORRES-BL 5 SX + 3% CALCIUM CHL ' CEMENT FROM 212' TO CSG's. RDP&A EQUIPMEN 357524 verified by the BLM V SERVES OPERATING, sent cessing by DAVID GLASS or Title COM	READY CEMENT ON RE UP ON PLUG WITH M. PERFORATE CSG ORIDE @ 1350'-1200'. SURFACE. IT. MOVE OUT. Well Information System to the Roswell 11/10/2016 (16DRG0330 PLIANCE COORDINA 0/2016	TOP OF CIBP. I PACKER TO 1500# . @ 1350'. ESTABLISH WOC & TAG @	
10/21/16 TEST CSG @ 650#. CIBP @ 2916'. CIRCULATE V 10/22/16 BLM WAIVED 25 SX PERFORATE CSG @ 2015'. U SPOT 35 SX @ 2077'-1873'. N AN INJECTION RATE @ 1 BF 1224'. PERFORATE & CIRCU 10/23/16 NDBOP. VERIFY TO 4. I hereby certify that the foregoing is Con Name (Printed/Typed) LAURA PH Signature (Electronic S ACCEPTED FOF /S/ DAVID	TEST WITNESSED BY O VELL WITH 10# SALT GE CPLUG ON TOP OF CIBI JNABLE TO GET AN INJ NO TAG REQUIRED AS I PM @ 600#. SQUEEZE 3 JLATE 150 SX CLASS 'C' OP OF CEMENT IN ALL O True and correct. Electronic Submission # For LEGACY RE mmitted to AFMSS for prov NA	EL MUD. P BECAUSE THERE IS AL JECTION RATE. PRESSUF PER OSCAR TORRES-BL 5 SX + 3% CALCIUM CHL ' CEMENT FROM 212' TO CSG's. RDP&A EQUIPMEN 357524 verified by the BLM V SERVES OPERATING, sent cessing by DAVID GLASS or Title COM Date 11/09 DR FEDERAL OR STAT	READY CEMENT ON RE UP ON PLUG WITH M. PERFORATE CSG ORIDE @ 1350'-1200'. SURFACE. IT. MOVE OUT. Well Information System to the Roswell 11/10/2016 (16DRG0330 PLIANCE COORDINA 0/2016	TOP OF CIBP. PACKER TO 1500#. @ 1350'. ESTABLISH WOC & TAG @ DSE) TOR	
10/21/16 TEST CSG @ 650#. CIBP @ 2916'. CIRCULATE V 10/22/16 BLM WAIVED 25 SX PERFORATE CSG @ 2015'. U SPOT 35 SX @ 2077'-1873'. N AN INJECTION RATE @ 1 BF 1224'. PERFORATE & CIRCU 10/23/16 NDBOP. VERIFY TO 4. I hereby certify that the foregoing is Con Name (Printed/Typed) LAURA PI	TEST WITNESSED BY O VELL WITH 10# SALT GE PLUG ON TOP OF CIBI JNABLE TO GET AN INJ O TAG REQUIRED AS PM @ 600#. SQUEEZE 3 JLATE 150 SX CLASS 'C' OP OF CEMENT IN ALL O True and correct. Electronic Submission # For LEGACY RE mmitted to AFMSS for prov NA CLEASE FOR CONSTRUCTION NA	EL MUD. P BECAUSE THERE IS AL JECTION RATE. PRESSUF PER OSCAR TORRES-BL 5 SX + 3% CALCIUM CHL ' CEMENT FROM 212' TO CSG's. RDP&A EQUIPMEN 357524 verified by the BLM V SERVES OPERATING, sent cessing by DAVID GLASS or Title COM Date 11/09 DR FEDERAL OR STAT	READY CEMENT ON RE UP ON PLUG WITH M. PERFORATE CSG ORIDE @ 1350'-1200'. SURFACE. IT. MOVE OUT. Well Information System to the Roswell 11/10/2016 (16DRG0330 PLIANCE COORDINA 0/2016	DSE)	
10/21/16 TEST CSG @ 650#. CIBP @ 2916'. CIRCULATE V 10/22/16 BLM WAIVED 25 SX PERFORATE CSG @ 2015'. U SPOT 35 SX @ 2077'-1873'. N AN INJECTION RATE @ 1 BF 1224'. PERFORATE & CIRCU 10/23/16 NDBOP. VERIFY TO 4. I hereby certify that the foregoing is Con Name (Printed/Typed) LAURA PI Signature (Electronic S ACCEPTED FOF NGV 10-2 nditions of approval, if any, are attached if what the applicant holds legal or con	TEST WITNESSED BY O VELL WITH 10# SALT GE PLUG ON TOP OF CIBI UNABLE TO GET AN INJ O TAG REQUIRED AS M @ 600#. SQUEEZE 3 OP OF CEMENT IN ALL O True and correct. Electronic Submission # For LEGACY RE mmitted to AFMSS for prov NA COMMISSION COM	EL MUD. P BECAUSE THERE IS AL JECTION RATE. PRESSUF PER OSCAR TORRES-BL 5 SX + 3% CALCIUM CHL ' CEMENT FROM 212' TO CSG's. RDP&A EQUIPMEN 357524 verified by the BLM V SERVES OPERATING, sent cessing by DAVID GLASS or Title COM Date 11/09 DR FEDERAL OR STAT	READY CEMENT ON TRE UP ON PLUG WITH M. PERFORATE CSG ORIDE @ 1350'-1200'. SURFACE. IT. MOVE OUT. Well Information System to the Roswell 11/10/2016 (16DRG0330 PLIANCE COORDINA 0/2016 E OFFICE USE ROSWELL FIELD and willfully to make to any	DSE) DATE DATE DATE DATE DATE DATE DATE DATE	
10/21/16 TEST CSG @ 650#. CIBP @ 2916'. CIRCULATE V 10/22/16 BLM WAIVED 25 SX PERFORATE CSG @ 2015'. U SPOT 35 SX @ 2077'-1873'. N AN INJECTION RATE @ 1 BF 1224'. PERFORATE & CIRCU 10/23/16 NDBOP. VERIFY TO 4. I hereby certify that the foregoing is Com Name (Printed/Typed) LAURA PH Signature (Electronic S COM ACCEPTED FOF S/ DAVID pproved ByNOV TO S/ DAVID pproved ByNOV TO 10/23/16 approval, if any, are attached the applicant holds legal or equication of approval, if any, are attached to would entitle the applicant for combined tates any false, firstitious or fraudulent s	TEST WITNESSED BY O VELL WITH 10# SALT GE PLUG ON TOP OF CIBI UNABLE TO GET AN INJ O TAG REQUIRED AS M @ 600#. SQUEEZE 3 OP OF CEMENT IN ALL O True and correct. Electronic Submission # For LEGACY RE mmitted to AFMSS for prov NA COMMISSION COM	EL MUD. P BECAUSE THERE IS AL JECTION RATE. PRESSUP PER OSCAR TORRES-BL 5 SX + 3% CALCIUM CHL 'CEMENT FROM 212' TO CSG'S. RDP&A EQUIPMEN 357524 verified by the BLM V SERVES OPERATING, sent cessing by DAVID GLASS or Title COM Date 11/09 DR FEDERAL OR STAT	READY CEMENT ON TRE UP ON PLUG WITH M. PERFORATE CSG ORIDE @ 1350'-1200'. SURFACE. IT. MOVE OUT. Well Information System to the Roswell 11/10/2016 (16DRG0330 PLIANCE COORDINA 0/2016 E OFFICE USE ROSWELL FIELD and willfully to make to any	DSE) TOR Date OFFICE Idepartment or agency of the United	

Additional data for EC transaction #357524 that would not fit on the form

32. Additional remarks, continued

INSTALLED CLOSED-LOOP SYSTEM WITH STEEL TANKS. HAULED CONTENTS FROM CLOSED-LOOP SYSTEM TO APPROVED NMOCD DISPOSAL LOCATION ACCORDING TO RULE 19.15.17.