

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTFORM APPROVED  
OMB NO. 1004-0137  
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.  
NNNM18306

6. Indian, Allottee or Tribe Name

7. BLM/BLM Agreement, Name and/or No.

**SUBMIT IN TRIPLICATE - Other instructions on page 2**

## 1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other8. Well Name and No.  
STRATOCASTER 20 FEDERAL 1H2. Name of Operator  
ENDURANCE RESOURCES LLCContact: WESLEY RANDALL  
E-Mail: WESLEY@ENDURANCERESOURCESLLC.COM9. API Well No.  
30-025-372953a. Address  
203 WEST WALL SUITE 1000  
MIDLAND, TX 797013b. Phone No. (include area code)  
Ph: 432-242-4680  
Fx: 432-242-468910. Field and Pool or Exploratory Area  
ANTELOPE RIDGE BS WEST

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

/ Sec 20 T23S R34E 660FSL 660FWL

11. County or Parish, State

LEA COUNTY, NM

## 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

Endurance Resources LLC requests permission to install a Vapor Combustor Unit (VCU) at the Stratocaster 1H & 2H Tank Battery. This request is due to the fact that the cost of installing and operating equipment necessary to capture the gas exceeds the value of the gas over the life of the facility. Endurance Resources LLC understands that the following conditions apply:

1. Endurance Resources LLC may be required to provide economic justification and provide volume verification to the Authorized Officer upon request.
2. Endurance Resources LLC will comply with NTL-4A requirements
3. If volume being combusted is less than 50 MCF of gas per day, it is considered ?unavoidably lost?, therefore no royalty obligation shall be accrued and will not be required to be reported.
  - a. ?Unavoidably Lost? production shall mean (1) those vapors which are released (in this case combusted) from low-pressure storage tanks.
4. Essentially all measured combusted volumes over 50 MCF will require payment of royalties and

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #359142 verified by the BLM Well Information System  
For ENDURANCE RESOURCES LLC, sent to the Hobbs  
Committed to AFMSS for processing by DEBORAH MCKINNEY on 01/17/2017 ()

Name (Printed/Typed) WESLEY RANDALL

Title PRODUCTION MANAGER

Signature (Electronic Submission)

Date 11/29/2016

## THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By <i>J. D. W. Rutledge</i>	Title <i>TLPET</i>	Date <i>2/23/17</i>
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		
Office <i>CFD</i>		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**\*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\***

**Additional data for EC transaction #359142 that would not fit on the form**

**32. Additional remarks, continued**

volumes need to be reported on OGOR ?B? reports as disposition code ?08?.

5. Per 43 CFR 3162.7-5(d)/Onshore Order No.3.III.I.1, site facility diagram must be submitted within 60 days of equipment installation.

6. This approval does not authorize any additional surface disturbance.

7. Subject to like approval from NMOCD.

Attached are the following:

? Site security diagram of the current tank battery as well as the location of the VCU and the manifold line connecting the tanks to the VCU.

? Contact name and number to retrieve information on volumes being combusted.

? Specification sheet(s) for the VCU.

## Stratocaster 1H & 2H Tank Battery - VCU Specification Sheet

### Edge Manufacturing & Technology

Edge XXV 18" LP Combustor. 99.9% Destruction removal efficiency and surpasses the requirements of EPA NSPS40 CFR Subpart OOOO and AER directive 60.

18"x15' Free Standing

Maximum LP Volume 25 Mscfd

Electronic Ignition Control with Data Logging

3" Threaded Standard Flame Arrestor


Edge 600 Burner Management System


Solar or 110v power

Concrete Block

Pilot Gas Scrubber Pot – 8" x 36" volume pot







**Contact Information for Volumes Combusted**

Richard Joy / 575-703-7635 (c) / 575-308-0722 (o)

Tim Houghtaling / 575-200-6717 (c) / 575-308-0722 (o)