☐ Subsequent Report

☐ Final Abandonment Notice

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

■ Well Integrity

Change to Original A

Other

	BUREAU OF LAND MANAGEMENT	WEEL	C T CONTRACTOR
MAY	2 5 2015 UNDRY NOTICES AND REPORTS ON WELLS	OOD	NIMMA 44
	Do not use this form for proposals to drill or to re enter	UCI	Hobban

☐ Alter Casing

Casing Repair

□ Change Plans

□ Convert to Injection

RECEIVED	II. Use form 3160-3 (API	D) for such proposals.	6. And dian, Allottee or Tribe Name
SUBMIT IN	7. If Unit or CA/Agreement, Name and/or No.		
Type of Well	8. Well Name and No. REBEL 20 FED 7H		
Name of Operator DEVON ENERGY PROD CO.	9. API Well No. 30-025-42996		
3a. Address 333 WEST SHERIDAN AVE. OKLAHOMA CITY, OK 73102	10. Field and Pool or Exploratory Area COTTON DRAW;BONE SPRG, E		
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description)	11. County or Parish, State
Sec 20 T24S R32E Mer NMP	NWNE 260FNL 1980FEL	-	LEA COUNTY, NM
12. CHECK THE AF	PPROPRIATE BOX(ES)	TO INDICATE NATURE OF NO	TICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF AC	TION
Notice of Intent	☐ Acidize	□ Deepen □	Production (Start/Resume)

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

☐ Plug Back

☐ Hydraulic Fracturing

■ New Construction

☐ Plug and Abandon

Devon Energy Production Co., LP respectfully requests to change the casing grade from HCL-55 to J-55. The design safety factors are attached.

> SEE ATTACHED FOR CONDITIONS OF APPROVAL

☐ Reclamation

□ Recomplete

■ Water Disposal

☐ Temporarily Abandon

14. I hereby certify that the	ne foregoing is true and correct. Electronic Submission #375514 ver For DEVON ENERGY PRO Committed to AFMSS for processing	DD CO., L.I	., se	nt to th	he Hobbs		
Name (Printed/Typed)	LINDA GOOD	Title	RE	GULA	TORY SPECIALIST		
Signature	(Electronic Submission)	Date	05/	09/201	APPROVED	,	
	THIS SPACE FOR FEDE	RAL OR	STA		111V 4 0 0047		
Approved By Mustafa Hague				Pl	TROLEUM ENGINEER		Date 5/18/2017
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.				BU	JREAU OF LAND MANAGEME CARLSBAD FIELD OFFICE	NT	
							The second secon

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Devon Energy, Rebel 20 Fed 7H

2. Casing Program

Hole Size	Casing Interval Cs		Csg.	g. Weight	Grade	Conn	SF	SF Burst	SF
	From	To	Size	(lbs)		•	Collapse		Tension
17.5"	0	975'	13.375"	48	H-40	STC	1.67	3.21	2.29
12.25"	0	4,600'	9.625"	40	J-55	BTC	1.15	1.56	2.45
8.75"	0	15,542'	5.5"	17	P-110	BTC	1.41	1.25	2.13
				BLM Min	imum Safet	y Factor	1.125	1.00	1.6 Dry
									1.8 Wet

All casing strings will be tested in accordance with Onshore Oil and Gas Order #2 III.B.1.h

Must have table for contingency casing

	Y or N
Is casing new? If used, attach certification as required in Onshore Order #1	Y
Does casing meet API specifications? If no, attach casing specification sheet.	Y
Is premium or uncommon casing planned? If yes attach casing specification sheet.	N
Does the above casing design meet or exceed BLM's minimum standards? If not provide justification (loading assumptions, casing design criteria).	Y
Will the intermediate pipe be kept at a minimum 1/3 fluid filled to avoid approaching the collapse pressure rating of the casing?	Y
	2
Is well located within Capitan Reef?	N
If yes, does production casing cement tie back a minimum of 50' above the Reef?	
Is well within the designated 4 string boundary.	
T 111 - 4-1'- CODA 1-4-4'- D 111 D0	A STATE OF THE STA
Is well located in SOPA but not in R-111-P?	N
If yes, are the first 2 strings cemented to surface and 3 rd string cement tied back 500' into previous casing?	
Is well located in R-111-P and SOPA?	NT
	N
If yes, are the first three strings cemented to surface?	
Is 2 nd string set 100' to 600' below the base of salt?	
Is well located in high Cave/Karst?	N
If yes, are there two strings cemented to surface?	
(For 2 string wells) If yes, is there a contingency casing if lost circulation occurs?	
Is well located in critical Cave/Karst?	N
If yes, are there three strings cemented to surface?	

PECOS DISTRICT CONDITIONS OF APPROVAL

OPERATOR'S NAME: Devon Energy Production Company, L.P.

LEASE NO.: NMNM-116575

WELL NAME & NO.: Rebel 20 Fed 7H

SURFACE HOLE FOOTAGE: 0250' FNL & 1980' FEL BOTTOM HOLE FOOTAGE 0330' FSL & 2200' FEL

LOCATION: Section 20, T. 24 S., R 32 E., NMPM

COUNTY: Lea County, New Mexico

A. CASING

All previous COAs still apply except the following:

Intermediate casing shall be kept fluid filled while running into hole to meet BLM minimum collapse requirements.

MHH 05182017