

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR REENTER

FORM APPROVED
OMB No. 1004-0137
Expires October 31, 2014

1a. Type of work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		5. Lease Serial No. NMNM15091
1b. Type of Well: <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone		6. If Indian, Allottee or Tribe Name
2. Name of Operator BTA OIL PRODUCERS LLC (260297)		7. If Unit or CA Agreement, Name and No.
3a. Address 104 S. Pecos Midland TX 79701		8. Lease Name and Well No. ROJO AE 7811 JV-P FED COM 3H (317130)
3b. Phone No. (include area code) (432)682-3753		9. API Well No. 30-025-43844
4. Location of Well (Report location clearly and in accordance with any State requirements.) At surface NENW / 200 FNL / 1845 FWL / LAT 32.108237 / LONG -103.562832 At proposed prod. zone SENW / 2590 FNL / 2310 FWL / LAT 32.087146 / LONG -103.561282		10. Field and Pool, or Exploratory RED HILLS / UPPER BN SPR SHALE 97900
14. Distance in miles and direction from nearest town or post office* 24 miles		11. Sec., T. R. M. or Blk. and Survey or Area SEC 27 / T25S / R33E / NMP
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 200 feet	16. No. of acres in lease 840	17. Spacing Unit dedicated to this well 240
18. Distance from proposed location* to nearest well, drilling, completed, 645 feet applied for, on this lease, ft.	19. Proposed Depth 9313 feet / 16952 feet	20. BLM/BIA Bond No. on file FED: NM1195
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 3344 feet	22. Approximate date work will start* 03/01/2017	23. Estimated duration 45 days

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, must be attached to this form:

- | | |
|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the BLM. |

25. Signature (Electronic Submission)	Name (Printed/Typed) Kayla McConnell / Ph: (432)682-3753	Date 12/14/2016
Title Regulatory Analyst		
Approved by (Signature) (Electronic Submission)	Name (Printed/Typed) Cody Layton / Ph: (575)234-5959	Date 05/26/2017
Title Supervisor Multiple Resources		
Office HOBBS		

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

*(Instructions on page 2)

APPROVED WITH CONDITIONS

Ka
06/02/17



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Operator Certification Data Report

05/26/2017

Operator Certification

I hereby certify that I, or someone under my direct supervision, have inspected the drill site and access route proposed herein; that I am familiar with the conditions which currently exist; that I have full knowledge of state and Federal laws applicable to this operation; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed in conformity with this APD package and the terms and conditions under which it is approved. I also certify that I, or the company I represent, am responsible for the operations conducted under this application. These statements are subject to the provisions of 18 U.S.C. 1001 for the filing of false statements.

NAME: Kayla McConnell

Signed on: 12/14/2016

Title: Regulatory Analyst

Street Address: 104 S. Pecos

City: Midland

State: TX

Zip: 79701

Phone: (432)682-3753

Email address: kmcconnell@btaoil.com

Field Representative

Representative Name: Nick Eaton

Street Address: 104 South Pecos

City: Midland

State: TX

Zip: 79701

Phone: (432)682-3753

Email address: neaton@btaoil.com



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Application Data Report

05/26/2017

APD ID: 10400009070

Submission Date: 12/14/2016

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

Well Type: OIL WELL

Well Work Type: Drill

Section 1 - General

APD ID: 10400009070

Tie to previous NOS?

Submission Date: 12/14/2016

BLM Office: HOBBS

User: Kayla McConnell

Title: Regulatory Analyst

Federal/Indian APD: FED

Is the first lease penetrated for production Federal or Indian? FED

Lease number: NMNM15091

Lease Acres: 840

Surface access agreement in place?

Allotted?

Reservation:

Agreement in place? NO

Federal or Indian agreement:

Agreement number:

Agreement name:

Keep application confidential? YES

Permitting Agent? NO

APD Operator: BTA OIL PRODUCERS LLC

Operator letter of designation:

Keep application confidential? YES

Operator Info

Operator Organization Name: BTA OIL PRODUCERS LLC

Operator Address: 104 S. Pecos

Zip: 79701

Operator PO Box:

Operator City: Midland

State: TX

Operator Phone: (432)682-3753

Operator Internet Address: pinskeep@btaoil.com

Section 2 - Well Information

Well in Master Development Plan? NO

Master Development Plan name:

Well in Master SUPO? NO

Master SUPO name:

Well in Master Drilling Plan? NO

Master Drilling Plan name:

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

Well API Number:

Field/Pool or Exploratory? Field and Pool

Field Name: RED HILLS

Pool Name: UPPER BN SPR
SHALE

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

Is the proposed well in an area containing other mineral resources? USEABLE WATER

Describe other minerals:

Is the proposed well in a Helium production area? N **Use Existing Well Pad?** NO **New surface disturbance?**

Type of Well Pad: MULTIPLE WELL

Multiple Well Pad Name: ROJO **Number:** 2-3

Well Class: HORIZONTAL

AE 7811 JV-P FED COM

Number of Legs:

Well Work Type: Drill

Well Type: OIL WELL

Describe Well Type:

Well sub-Type: EXPLORATORY (WILDCAT)

Describe sub-type:

Distance to town: 24 Miles

Distance to nearest well: 645 FT

Distance to lease line: 200 FT

Reservoir well spacing assigned acres Measurement: 240 Acres

Well plat: Rojo AE 7811 JV-P Fed Com 3H - C102_02-17-2017.pdf

Well work start Date: 03/01/2017

Duration: 45 DAYS

Section 3 - Well Location Table

Survey Type: RECTANGULAR

Describe Survey Type:

Datum: NAD83

Vertical Datum: NGVD29

Survey number:

STATE: NEW MEXICO

Meridian: NEW MEXICO PRINCIPAL **County:** LEA

Latitude: 32.108237

Longitude: -103.562832

SHL

Elevation: 3344

MD: 0

TVD: 0

Leg #: 1

Lease Type: FEDERAL

Lease #: NMNM15091

NS-Foot: 200

NS Indicator: FNL

EW-Foot: 1845

EW Indicator: FWL

Twsp: 25S

Range: 33E

Section: 27

Aliquot: NENW

Lot:

Tract:

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

	STATE: NEW MEXICO	Meridian: NEW MEXICO PRINCIPAL	County: LEA
	Latitude: 32.108237	Longitude: -103.562832	
KOP	Elevation: -5396	MD: 8765	TVD: 8740
Leg #: 1	Lease Type: FEDERAL	Lease #: NMNM15091	
	NS-Foot: 200	NS Indicator: FNL	
	EW-Foot: 1845	EW Indicator: FWL	
	Twsp: 25S	Range: 33E	Section: 27
	Aliquot: NENW	Lot:	Tract:
	STATE: NEW MEXICO	Meridian: NEW MEXICO PRINCIPAL	County: LEA
	Latitude: 32.10788	Longitude: -103.56133	
PPP	Elevation: -5969	MD: 9665	TVD: 9313
Leg #: 1	Lease Type: FEDERAL	Lease #: NMNM15091	
	NS-Foot: 330	NS Indicator: FNL	
	EW-Foot: 2310	EW Indicator: FWL	
	Twsp: 25S	Range: 33E	Section: 27
	Aliquot: NENW	Lot:	Tract:
	STATE: NEW MEXICO	Meridian: NEW MEXICO PRINCIPAL	County: LEA
	Latitude: 32.08792	Longitude: -103.561283	
EXIT	Elevation: -5959	MD: 16622	TVD: 9303
Leg #: 1	Lease Type: FEDERAL	Lease #: NMNM05792	
	NS-Foot: 2309	NS Indicator: FNL	
	EW-Foot: 2310	EW Indicator: FWL	
	Twsp: 25S	Range: 33E	Section: 34
	Aliquot: SENW	Lot:	Tract:
	STATE: NEW MEXICO	Meridian: NEW MEXICO PRINCIPAL	County: LEA
	Latitude: 32.087146	Longitude: -103.561282	
BHL	Elevation: -5969	MD: 16952	TVD: 9313
Leg #: 1	Lease Type: FEDERAL	Lease #: NMNM05792	
	NS-Foot: 2590	NS Indicator: FNL	
	EW-Foot: 2310	EW Indicator: FWL	

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

Twsp: 25S

Range: 33E

Section: 34

Aliquot: SENW

Lot:

Tract:



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Drilling Plan Data Report

05/26/2017

APD ID: 10400009070

Submission Date: 12/14/2016

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

Well Type: OIL WELL

Well Work Type: Drill

Section 1 - Geologic Formations

ID: Surface formation

Name: ---

Lithology(ies):

ALLUVIUM

Elevation: 3344

True Vertical Depth: 0

Measured Depth: 0

Mineral Resource(s):

NONE

Is this a producing formation? N

ID: Formation 1

Name: RUSTLER

Lithology(ies):

Elevation: 2325

True Vertical Depth: 1019

Measured Depth: 1019

Mineral Resource(s):

NONE

Is this a producing formation? N

ID: Formation 2

Name: TOP OF SALT

Lithology(ies):

SALT

Elevation: 1967

True Vertical Depth: 1377

Measured Depth: 1377

Mineral Resource(s):

NONE

Is this a producing formation? N

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

ID: Formation 3

Name: BASE OF SALT

Lithology(ies):

SALT

Elevation: -1389

True Vertical Depth: 4733

Measured Depth: 4981

Mineral Resource(s):

NONE

Is this a producing formation? N

ID: Formation 4

Name: DELAWARE

Lithology(ies):

Elevation: -1631

True Vertical Depth: 4975

Measured Depth: 4981

Mineral Resource(s):

NATURAL GAS

OIL

Is this a producing formation? N

ID: Formation 5

Name: BRUSHY CANYON

Lithology(ies):

Elevation: -4332

True Vertical Depth: 7676

Measured Depth: 7697

Mineral Resource(s):

NATURAL GAS

OIL

Is this a producing formation? N

ID: Formation 6

Name: BONE SPRING LIME

Lithology(ies):

Elevation: -5805

True Vertical Depth: 9149

Measured Depth: 9221

Mineral Resource(s):

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

NATURAL GAS

OIL

Is this a producing formation? N

ID: Formation 7

Name: AVALON

Lithology(ies):

Elevation: -5969

True Vertical Depth: 9313

Measured Depth: 16952

Mineral Resource(s):

NATURAL GAS

OIL

Is this a producing formation? Y

Section 2 - Blowout Prevention

Pressure Rating (PSI): 3M

Rating Depth: 11000

Equipment: The blowout preventer equipment (BOP) shown in Exhibit A will consist of a (3M system) double ram type (3000 psi WP) preventer and a bag-type (Hydril) preventer (3000 psi WP). Both units will be hydraulically operated and the ram type preventer will be equipped with blind rams on top and 4-½" drill pipe rams on bottom. The BOP's will be installed on the 13 3/8" surface casing and utilized continuously until total depth is reached. All BOP's and associated equipment will be tested as per BLM drilling Operations Order No. 2. A 2" kill line and 3" choke line will be incorporated in the drilling spool below the ram-type BOP. Other accessory BOP equipment will include a Kelly cock, floor safety valve, choke lines, and choke manifold having a 3000 psi WP rating.

Requesting Variance? YES

Variance request: A choke hose variance is requested. See attached test chart and spec.

Testing Procedure: Pipe rams will be operated and checked each 24-hour period and each time the drill pipe is out of the hole. These functional tests will be documented on the daily driller's log.

Choke Diagram Attachment:

Choke Hose - Test Chart and Specs_12-08-2016.pdf

BLM 3k Choke sundry_08-01-2016.pdf

BOP Diagram Attachment:

BLM 3k BOP sundry_08-01-2016.pdf

Section 3 - Casing

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

String Type: SURFACE

Other String Type:

Hole Size: 17.5

Top setting depth MD: 0

Top setting depth TVD: 0

Top setting depth MSL: 3344

Bottom setting depth MD: 1085

Bottom setting depth TVD: 1085

Bottom setting depth MSL: 2259

Calculated casing length MD: 1085

Casing Size: 13.375

Other Size

Grade: J-55

Other Grade:

Weight: 54.5

Joint Type: STC

Other Joint Type:

Condition: NEW

Inspection Document:

Standard: API

Spec Document:

Tapered String?: N

Tapered String Spec:

Safety Factors

Collapse Design Safety Factor: 2.5

Burst Design Safety Factor: 5.9

Joint Tensile Design Safety Factor type: DRY

Joint Tensile Design Safety Factor: 9

Body Tensile Design Safety Factor type: DRY

Body Tensile Design Safety Factor: 14.9

Casing Design Assumptions and Worksheet(s):

Rojo_AE_JV_P_Fed_Com_3H___Casing_Assumption_Worksheet_04-24-2017.pdf

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

String Type: INTERMEDIATE

Other String Type:

Hole Size: 12.25

Top setting depth MD: 0

Top setting depth TVD: 0

Top setting depth MSL: 3344

Bottom setting depth MD: 4976

Bottom setting depth TVD: 4970

Bottom setting depth MSL: -1626

Calculated casing length MD: 4976

Casing Size: 9.625

Other Size

Grade: J-55

Other Grade:

Weight: 40

Joint Type: LTC

Other Joint Type:

Condition: NEW

Inspection Document:

Standard: API

Spec Document:

Tapered String?: N

Tapered String Spec:

Safety Factors

Collapse Design Safety Factor: 1.7

Burst Design Safety Factor: 2.6

Joint Tensile Design Safety Factor type: DRY

Joint Tensile Design Safety Factor: 2.6

Body Tensile Design Safety Factor type: DRY

Body Tensile Design Safety Factor: 3.2

Casing Design Assumptions and Worksheet(s):

Rojo_AE_JV_P_Fed_Com_3H___Casing_Assumption_Worksheet_04-24-2017.pdf

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

String Type: PRODUCTION

Other String Type:

Hole Size: 8.75

Top setting depth MD: 0

Top setting depth TVD: 0

Top setting depth MSL: 3344

Bottom setting depth MD: 16952

Bottom setting depth TVD: 9313

Bottom setting depth MSL: -5969

Calculated casing length MD: 16952

Casing Size: 5.5

Other Size

Grade: P-110

Other Grade:

Weight: 17

Joint Type: LTC

Other Joint Type:

Condition: NEW

Inspection Document:

Standard: API

Spec Document:

Tapered String?: N

Tapered String Spec:

Safety Factors

Collapse Design Safety Factor: 1.6

Burst Design Safety Factor: 2.4

Joint Tensile Design Safety Factor type: DRY

Joint Tensile Design Safety Factor: 2.8

Body Tensile Design Safety Factor type: DRY

Body Tensile Design Safety Factor: 3.4

Casing Design Assumptions and Worksheet(s):

Rojo_AE_JV_P_Fed_Com_3H___Casing_Assumption_Worksheet_04-24-2017.pdf

Section 4 - Cement

Casing String Type: SURFACE

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

Stage Tool Depth:

Lead

Top MD of Segment: 0

Bottom MD Segment: 793

Cement Type: Class C

Additives: 4% Gel

Quantity (sks): 570

Yield (cu.ff./sk): 1.75

Density: 13.5

Volume (cu.ft.): 997

Percent Excess: 81

Tail

Top MD of Segment: 793

Bottom MD Segment: 1085

Cement Type: Class C

Additives: 2% CaCl₂

Quantity (sks): 200

Yield (cu.ff./sk): 1.34

Density: 14.8

Volume (cu.ft.): 268

Percent Excess: 50

Casing String Type: INTERMEDIATE

Stage Tool Depth:

Lead

Top MD of Segment: 0

Bottom MD Segment: 4077

Cement Type: Class C

Additives: 6% Gel

Quantity (sks): 1210

Yield (cu.ff./sk): 2.08

Density: 12.9

Volume (cu.ft.): 2516

Percent Excess: 97

Tail

Top MD of Segment: 4077

Bottom MD Segment: 4976

Cement Type: Class C

Additives: 0.004 GPS cf-41L

Quantity (sks): 250

Yield (cu.ff./sk): 1.33

Density: 14.8

Volume (cu.ft.): 332

Percent Excess: 25

Casing String Type: PRODUCTION

Stage Tool Depth:

Lead

Top MD of Segment: 2800

Bottom MD Segment: 6820

Cement Type: 50:50 H

Additives: 1/4 #/sk Cello Flake

Quantity (sks): 265

Yield (cu.ff./sk): 4.41

Density: 10.5

Volume (cu.ft.): 1168

Percent Excess: 15

Tail

Top MD of Segment: 6820

Bottom MD Segment: 16952

Cement Type: 50:50 H

Additives: 50:50 Class H POZ 0.004
GPS cf-41L

Quantity (sks): 2425

Yield (cu.ff./sk): 1.22

Density: 14.4

Volume (cu.ft.): 2958

Percent Excess: 15

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

Section 5 - Circulating Medium

Mud System Type: Closed

Will an air or gas system be Used? NO

Description of the equipment for the circulating system in accordance with Onshore Order #2:

Diagram of the equipment for the circulating system in accordance with Onshore Order #2:

Describe what will be on location to control well or mitigate other conditions: Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept on location at all times.

Describe the mud monitoring system utilized: PVT/Pason/Visual Monitoring

Circulating Medium Table

Top Depth: 0

Bottom Depth: 1085

Mud Type: SPUD MUD

Min Weight (lbs./gal.): 8.3

Max Weight (lbs./gal.): 8.4

Density (lbs/cu.ft.):

Gel Strength (lbs/100 sq.ft.):

PH:

Viscosity (CP):

Filtration (cc):

Salinity (ppm):

Additional Characteristics:

Top Depth: 1085

Bottom Depth: 4970

Mud Type: SALT SATURATED

Min Weight (lbs./gal.): 10

Max Weight (lbs./gal.): 10.2

Density (lbs/cu.ft.):

Gel Strength (lbs/100 sq.ft.):

PH:

Viscosity (CP):

Filtration (cc):

Salinity (ppm):

Additional Characteristics:

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

Top Depth: 4970

Bottom Depth: 9313

Mud Type: WATER-BASED MUD

Min Weight (lbs./gal.): 8.6

Max Weight (lbs./gal.): 9.2

Density (lbs/cu.ft.):

Gel Strength (lbs/100 sq.ft.):

PH:

Viscosity (CP):

Filtration (cc):

Salinity (ppm):

Additional Characteristics:

Section 6 - Test, Logging, Coring

List of production tests including testing procedures, equipment and safety measures:

No DST Planned

List of open and cased hole logs run in the well:

GR

Coring operation description for the well:

No cores are currently planned

Section 7 - Pressure

Anticipated Bottom Hole Pressure: 4378

Anticipated Surface Pressure: 2329.14

Anticipated Bottom Hole Temperature(F): 130

Anticipated abnormal pressures, temperatures, or potential geologic hazards? NO

Describe:

Contingency Plans geohazards description:

Contingency Plans geohazards attachment:

Hydrogen Sulfide drilling operations plan required? NO

Hydrogen sulfide drilling operations plan:

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

Section 8 - Other Information

Proposed horizontal/directional/multi-lateral plan submission:

Rojo AE 7811 JV-P Fed Com 3H - Directional Plan_12-14-2016.pdf

Rojo AE 7811 JV-P Fed Com 3H Wall plot_12-14-2016.pdf

Other proposed operations facets description:

A variance is requested for a Multi Bowl Wellhead. See the attached schematic and running procedure. In section 1 of the drilling plan the surface formation is Quaternary.

Other proposed operations facets attachment:

H2S Equipment Schematic _12-08-2016.pdf

H2S Plan m_12-08-2016.pdf

Other Variance attachment:

Multi Bowl Wellhead Schematic_12-08-2016.pdf

Wellhead System and Testing_12-08-2016.pdf

Choke Hose - Test Chart and Specs_12-08-2016.pdf



APD ID: 10400009070

Submission Date: 12/14/2016

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

Well Type: OIL WELL

Well Work Type: Drill

Section 1 - Existing Roads

Will existing roads be used? YES

Existing Road Map:

Rojo AE 7811 JV-P Fed Com - Existing Road Map_12-12-2016.pdf

Existing Road Purpose: ACCESS,FLUID TRANSPORT

Row(s) Exist? NO

ROW ID(s)

ID:

Do the existing roads need to be improved? NO

Existing Road Improvement Description:

Existing Road Improvement Attachment:

Section 2 - New or Reconstructed Access Roads

Will new roads be needed? YES

New Road Map:

Rojo AE 7811 JV-P Fed Com - Proposed Road Map_12-12-2016.pdf

New road type: RESOURCE

Length: 808

Feet

Width (ft.): 25

Max slope (%): 2

Max grade (%): 2

Army Corp of Engineers (ACOE) permit required? NO

ACOE Permit Number(s):

New road travel width: 15

New road access erosion control: Road construction requirements and regular maintenance would alleviate potential impacts to the access road from water erosion damage.

New road access plan or profile prepared? NO

New road access plan attachment:

Access road engineering design? NO

Access road engineering design attachment:

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

Access surfacing type: OTHER

Access topsoil source: BOTH

Access surfacing type description: Native Caliche

Access onsite topsoil source depth: 6

Offsite topsoil source description: Material will be obtained from the closest existing caliche pit as designated by the BLM.

Onsite topsoil removal process: The top 6 inches of topsoil is pushed off and stockpiled along the side of the location. An approximate 160' X 160' area is used within the proposed well site to remove caliche. Subsoil is removed and stockpiled within the pad site to build the location and road. Then subsoil is pushed back in the hole and caliche is spread accordingly across proposed access road.

Access other construction information:

Access miscellaneous information:

Number of access turnouts:

Access turnout map:

Drainage Control

New road drainage crossing: OTHER

Drainage Control comments: Proposed access road will be crowned and ditched and constructed of 6 inch rolled and compacted caliche. Water will be diverted where necessary to avoid ponding, maintain good drainage, and to be consistent with local drainage patterns.

Road Drainage Control Structures (DCS) description: Any ditches will be at 3:1 slope and 3 feet wide.

Road Drainage Control Structures (DCS) attachment:

Access Additional Attachments

Additional Attachment(s):

Section 3 - Location of Existing Wells

Existing Wells Map? YES

Attach Well map:

Rojo AE 7811 JV-P Fed Com 3H - MILE DATA_12-14-2016.pdf

Rojo AE 7811 JV-P Fed Com 3H - MILE MAP_12-14-2016.pdf

Existing Wells description:

Section 4 - Location of Existing and/or Proposed Production Facilities

Submit or defer a Proposed Production Facilities plan? SUBMIT

Estimated Production Facilities description:

Production Facilities description: Production from the well will be processed at the Rojo AE Central Tank Battery. The proposed 3 inch steel surface flowline will be approximately 161.3' in length. See the attached proposed flowline plat. If any plans change regarding the production flow lines, production facility, or other infrastructure, we will submit a sundry notice or right of way (if applicable) prior to installation or construction. If well is successfully completed for production, BTA plans to utilize the approved power line referenced on the location plat.

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

Production Facilities map:

Rojo AE 7811 JV-P Fed Com - Production Facilities_12-12-2016.pdf

Rojo_AE_7811_JV_P_Fed_Com___Central_Tank_Battery___Flowline_Plat_04-24-2017.pdf

Section 5 - Location and Types of Water Supply

Water Source Table

Water source use type: DUST CONTROL,
INTERMEDIATE/PRODUCTION CASING, STIMULATION, SURFACE
CASING

Water source type: OTHER

Describe type: Sec 1, T26S, R32E

Source longitude: -103.71602

Source latitude: 31.999126

Source datum: NAD83

Water source permit type: PRIVATE CONTRACT

Source land ownership: COMMERCIAL

Water source transport method: PIPELINE

Source transportation land ownership: COMMERCIAL

Water source volume (barrels): 100000

Source volume (acre-feet): 12.88931

Source volume (gal): 4200000

Water source use type: DUST CONTROL,
INTERMEDIATE/PRODUCTION CASING, STIMULATION, SURFACE
CASING

Water source type: OTHER

Describe type: Sec 22, T25S, R33E

Source longitude: -103.55306

Source latitude: 32.1507

Source datum: NAD83

Water source permit type: OTHER

Source land ownership: COMMERCIAL

Water source transport method: PIPELINE,TRUCKING

Source transportation land ownership: COMMERCIAL

Water source volume (barrels): 100000

Source volume (acre-feet): 12.88931

Source volume (gal): 4200000

Water source use type: DUST CONTROL,
INTERMEDIATE/PRODUCTION CASING, STIMULATION, SURFACE
CASING

Water source type: OTHER

Describe type: Sec 22, T25S, R33E

Source longitude:

Source latitude:

Source datum:

Water source permit type:

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

Source land ownership:

Water source transport method:

Source transportation land ownership:

Water source volume (barrels): 100000

Source volume (acre-feet): 12.88931

Source volume (gal): 4200000

Water source and transportation map:

ROJO AE 7811 JV-P FED COM 3H - WATER SOURCE TRANSPORTATION ROUTE_08-01-2016_12-14-2016.pdf

Water source comments:

New water well? NO

New Water Well Info

Well latitude:

Well Longitude:

Well datum:

Well target aquifer:

Est. depth to top of aquifer(ft):

Est thickness of aquifer:

Aquifer comments:

Aquifer documentation:

Well depth (ft):

Well casing type:

Well casing outside diameter (in.):

Well casing inside diameter (in.):

New water well casing?

Used casing source:

Drilling method:

Drill material:

Grout material:

Grout depth:

Casing length (ft.):

Casing top depth (ft.):

Well Production type:

Completion Method:

Water well additional information:

State appropriation permit:

Additional information attachment:

Section 6 - Construction Materials

Construction Materials description: Caliche used for construction of the drilling pad and access road will be obtained from the closest existing caliche pit as approved by the BLM or from prevailing deposits found under the location. If there is not sufficient material available, caliche will be purchased from the nearest caliche pit located in Section 3, T26S, R33E Lea County, NM. Alternative location if original location closes will be located in Section 23, T25S, R33E.

Construction Materials source location attachment:

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

Section 7 - Methods for Handling Waste

Waste type: DRILLING

Waste content description: Drilling fluids and cuttings.

Amount of waste: 3990 barrels

Waste disposal frequency : One Time Only

Safe containment description: All drilling fluids will be stored safely and disposed of properly.

Safe containmant attachment:

Waste disposal type: HAUL TO COMMERCIAL FACILITY **Disposal location ownership:** COMMERCIAL

Disposal type description:

Disposal location description: Trucked to an approved disposal facility.

Waste type: SEWAGE

Waste content description: Human waste and grey water

Amount of waste: 1000 gallons

Waste disposal frequency : One Time Only

Safe containment description: Waste material will be stored safely and disposed of properly.

Safe containmant attachment:

Waste disposal type: HAUL TO COMMERCIAL FACILITY **Disposal location ownership:** COMMERCIAL

Disposal type description:

Disposal location description: Trucked to an approved disposal facility.

Waste type: GARBAGE

Waste content description: Trash

Amount of waste: 500 pounds

Waste disposal frequency : One Time Only

Safe containment description: Trash produced during drilling and completion operations will be collected in a trash container and disposed of properly.

Safe containmant attachment:

Waste disposal type: HAUL TO COMMERCIAL FACILITY **Disposal location ownership:** COMMERCIAL

Disposal type description:

Disposal location description: Trucked to an approved disposal facility.

Reserve Pit

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

Reserve Pit being used? NO

Temporary disposal of produced water into reserve pit?

Reserve pit length (ft.)

Reserve pit width (ft.)

Reserve pit depth (ft.)

Reserve pit volume (cu. yd.)

Is at least 50% of the reserve pit in cut?

Reserve pit liner

Reserve pit liner specifications and installation description

Cuttings Area

Cuttings Area being used? NO

Are you storing cuttings on location? NO

Description of cuttings location

Cuttings area length (ft.)

Cuttings area width (ft.)

Cuttings area depth (ft.)

Cuttings area volume (cu. yd.)

Is at least 50% of the cuttings area in cut?

WCuttings area liner

Cuttings area liner specifications and installation description

Section 8 - Ancillary Facilities

Are you requesting any Ancillary Facilities?: NO

Ancillary Facilities attachment:

Comments: It is possible that a mobile home will be used at the well site during drilling operations.

Section 9 - Well Site Layout

Well Site Layout Diagram:

Rojo AE 7811 JV-P Fed Com 3H - Location Plat_12-14-2016.pdf

Comments:

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

Section 10 - Plans for Surface Reclamation

Type of disturbance: NEW

Recontouring attachment:

Drainage/Erosion control construction: During construction proper erosion control methods will be used to control erosion, runoff and siltation of the surrounding area.

Drainage/Erosion control reclamation: Proper erosion control methods will be used on the area to control erosion, runoff and siltation of the surrounding area.

Wellpad long term disturbance (acres): 3.21

Wellpad short term disturbance (acres): 3.67

Access road long term disturbance (acres): 0.27

Access road short term disturbance (acres): 0.46

Pipeline long term disturbance (acres): 0

Pipeline short term disturbance (acres): 0

Other long term disturbance (acres): 0

Other short term disturbance (acres): 0

Total long term disturbance: 3.48

Total short term disturbance: 4.13

Reconstruction method: The areas planned for interim reclamation will then be recontoured to the original contour if feasible, or if not feasible, to an interim contour that blends with the surrounding topography as much as possible. Where applicable, the fill material of the well pad will be backfilled into the cut to bring the area back to the original contour. The interim cut and fill slopes prior to re-seeding will not be steeper than a 3:1 ratio, unless the adjacent native topography is steeper. Note: Constructed slopes may be much steeper during drilling, but will be recontoured to the above ratios during interim reclamation.

Topsoil redistribution: Topsoil will be evenly respread and aggressively revegetated over the entire disturbed area not needed for all-weather operations.

Soil treatment: To seed the area, the proper BLM seed mixture, free of noxious weeds, will be used. Final seedbed preparation will consist of contour cultivating to a depth of 4 to 6 inches within 24 hours prior to seeding, dozer tracking, or other imprinting in order to break the soil crust and create seed germination micro-sites.

Existing Vegetation at the well pad: The historic climax plant community is a grassland dominated by black grama, dropseeds, and blue stems with sand sage and shinnery oak distributed evenly throughout. Current landscape displays mesquite, shinnery oak, yucca, desert sage, fourwing saltbush, snakeweed, and bunch grasses.

Existing Vegetation at the well pad attachment:

Existing Vegetation Community at the road: Refer to "Existing Vegetation at the well pad"

Existing Vegetation Community at the road attachment:

Existing Vegetation Community at the pipeline: Refer to "Existing Vegetation at the well pad"

Existing Vegetation Community at the pipeline attachment:

Existing Vegetation Community at other disturbances: Refer to "Existing Vegetation at the well pad"

Existing Vegetation Community at other disturbances attachment:

Non native seed used? NO

Non native seed description:

Seedling transplant description:

Will seedlings be transplanted for this project? NO

Seedling transplant description attachment:

Will seed be harvested for use in site reclamation? NO

Seed harvest description:

Seed harvest description attachment:

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

Seed Management

Seed Table

Seed type:

Seed source:

Seed name:

Source name:

Source address:

Source phone:

Seed cultivar:

Seed use location:

PLS pounds per acre:

Proposed seeding season:

Seed Summary

Total pounds/Acre:

Seed Type	Pounds/Acre
-----------	-------------

Seed reclamation attachment:

Operator Contact/Responsible Official Contact Info

First Name:

Last Name:

Phone:

Email:

Seedbed prep:

Seed BMP:

Seed method:

Existing invasive species? NO

Existing invasive species treatment description:

Existing invasive species treatment attachment:

Weed treatment plan description: No invasive species present. Standard regular maintenance to maintain a clear location and road.

Weed treatment plan attachment:

Monitoring plan description: Identify areas supporting weeds prior to construction; prevent the introduction and spread of weeds from construction equipment during construction; and contain weed seeds and propagules by preventing segregated topsoil from being spread to adjacent areas. No invasive species present. Standard regular maintenance to maintain a clear location and road.

Monitoring plan attachment:

Success standards: To maintain all disturbed areas as per Gold Book standards.

Pit closure description: N/A

Pit closure attachment:

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

Section 11 - Surface Ownership

Disturbance type: WELL PAD

Describe:

Surface Owner: BUREAU OF LAND MANAGEMENT

Other surface owner description:

BIA Local Office:

BOR Local Office:

COE Local Office:

DOD Local Office:

NPS Local Office:

State Local Office:

Military Local Office:

USFWS Local Office:

Other Local Office:

USFS Region:

USFS Forest/Grassland:

USFS Ranger District:

Disturbance type: NEW ACCESS ROAD

Describe:

Surface Owner: BUREAU OF LAND MANAGEMENT

Other surface owner description:

BIA Local Office:

BOR Local Office:

COE Local Office:

DOD Local Office:

NPS Local Office:

State Local Office:

Military Local Office:

USFWS Local Office:

Operator Name: BTA OIL PRODUCERS LLC

Well Name: ROJO AE 7811 JV-P FED COM

Well Number: 3H

Other Local Office:

USFS Region:

USFS Forest/Grassland:

USFS Ranger District:

Section 12 - Other Information

Right of Way needed? YES

Use APD as ROW? YES

ROW Type(s): 281001 ROW - ROADS, 288101 ROW – O&G Facility Sites, 289001 ROW- O&G Well Pad

ROW Applications

SUPO Additional Information: BTA has entered into a PBPA (MOA) agreement with the BLM for the cultural resources examination for this project. Federal leases involved are: NMNM15091 840 acres & NMNM005792 680 acres. A Frac Pond will be constructed in the North West quarter of section 27 as depicted on the frac pond location plat and imagery plat.

Use a previously conducted onsite? YES

Previous Onsite information: Onsite was conducted on November 1, 2016 by Jeffery Robertson

Other SUPO Attachment

Rojo AE 7811 JV-P Fed Com - Proposed Frac Pond Location Plat_12-14-2016.pdf

Rojo AE 7811 JV-P Fed Com - Proposed Frac Pond Imagery Plat_12-14-2016.PDF



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

PWD Data Report

05/26/2017

Section 1 - General

Would you like to address long-term produced water disposal? NO

Section 2 - Lined Pits

Would you like to utilize Lined Pit PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Lined pit PWD on or off channel:

Lined pit PWD discharge volume (bbl/day):

Lined pit specifications:

Pit liner description:

Pit liner manufacturers information:

Precipitated solids disposal:

Describe precipitated solids disposal:

Precipitated solids disposal permit:

Lined pit precipitated solids disposal schedule:

Lined pit precipitated solids disposal schedule attachment:

Lined pit reclamation description:

Lined pit reclamation attachment:

Leak detection system description:

Leak detection system attachment:

Lined pit Monitor description:

Lined pit Monitor attachment:

Lined pit: do you have a reclamation bond for the pit?

Is the reclamation bond a rider under the BLM bond?

Lined pit bond number:

Lined pit bond amount:

Additional bond information attachment:

Section 3 - Unlined Pits

Would you like to utilize Unlined Pit PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Unlined pit PWD on or off channel:

Unlined pit PWD discharge volume (bbl/day):

Unlined pit specifications:

Precipitated solids disposal:

Describe precipitated solids disposal:

Precipitated solids disposal permit:

Unlined pit precipitated solids disposal schedule:

Unlined pit precipitated solids disposal schedule attachment:

Unlined pit reclamation description:

Unlined pit reclamation attachment:

Unlined pit Monitor description:

Unlined pit Monitor attachment:

Do you propose to put the produced water to beneficial use?

Beneficial use user confirmation:

Estimated depth of the shallowest aquifer (feet):

Does the produced water have an annual average Total Dissolved Solids (TDS) concentration equal to or less than that of the existing water to be protected?

TDS lab results:

Geologic and hydrologic evidence:

State authorization:

Unlined Produced Water Pit Estimated percolation:

Unlined pit: do you have a reclamation bond for the pit?

Is the reclamation bond a rider under the BLM bond?

Unlined pit bond number:

Unlined pit bond amount:

Additional bond information attachment:

Section 4 - Injection

Would you like to utilize Injection PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Injection PWD discharge volume (bbl/day):

Injection well mineral owner:

Injection well type:

Injection well number:

Injection well name:

Assigned injection well API number?

Injection well API number:

Injection well new surface disturbance (acres):

Minerals protection information:

Mineral protection attachment:

Underground Injection Control (UIC) Permit?

UIC Permit attachment:

Section 5 - Surface Discharge

Would you like to utilize Surface Discharge PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Surface discharge PWD discharge volume (bbl/day):

Surface Discharge NPDES Permit?

Surface Discharge NPDES Permit attachment:

Surface Discharge site facilities information:

Surface discharge site facilities map:

Section 6 - Other

Would you like to utilize Other PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Other PWD discharge volume (bbl/day):

Other PWD type description:

Other PWD type attachment:

Have other regulatory requirements been met?

Other regulatory requirements attachment:



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Bond Info Data Report

05/26/2017

Bond Information

Federal/Indian APD: FED

BLM Bond number: NM1195

BIA Bond number:

Do you have a reclamation bond? NO

Is the reclamation bond a rider under the BLM bond?

Is the reclamation bond BLM or Forest Service?

BLM reclamation bond number:

Forest Service reclamation bond number:

Forest Service reclamation bond attachment:

Reclamation bond number:

Reclamation bond amount:

Reclamation bond rider amount:

Additional reclamation bond information attachment: