

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Form C-101
Revised July 18, 2013

Energy Minerals and Natural Resources

HOBBS OCD

Oil Conservation Division

☐ AMENDED REPORT

JUN 20 2017

1220 South St. Francis Dr.

Santa Fe, NM 87505

RECEIVED

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

¹ Operator Name and Address John R. Stearns, dba Stearns HC65 Box 988, Crossroads, NM 88114		² OGRID Number 21566
		³ API Number 30-025-34070
⁴ Property Code 28926	⁵ Property Name State 16	⁶ Well No. 001Y

⁷ Surface Location

UL - Lot P	Section 16	Township 9S	Range 37E	Lot Idn	Feet from 330	N/S Line South	Feet From 940	E/W Line East	County Lea
---------------	---------------	----------------	--------------	---------	------------------	-------------------	------------------	------------------	---------------

⁸ Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
----------	---------	----------	-------	---------	-----------	----------	-----------	----------	--------

⁹ Pool Information

Pool Name Sawyer, Devonian, West	Pool Code 96744
-------------------------------------	--------------------

Additional Well Information

¹¹ Work Type Re-Enter	¹² Well Type Oil	¹³ Cable/Rotary Rotary	¹⁴ Lease Type State	¹⁵ Ground Level Elevation 3989'
¹⁶ Multiple	¹⁷ Proposed Depth 12551'-12585'	¹⁸ Formation Devonian	¹⁹ Contractor J&B Well Servicing, LLC	²⁰ Spud Date 7/24/1997
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☒ We will be using a closed-loop system in lieu of lined pits

²¹ Proposed Casing and Cement Program



Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
	17 1/2"	13 2/8"	48#	399'	390 sx	Surface
	12 1/4"	8 5/8"	32#	4300'	1650 sx	Surface
	7 7/8"	5 1/2"	17# & 20#	12,551'	675 sx	9826' CBL

Casing/Cement Program: Additional Comments

--

²² Proposed Blowout Prevention Program

Type Manual	Working Pressure 5000#	Test Pressure 5000#	Manufacturer Townsend
----------------	---------------------------	------------------------	--------------------------

²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that I have complied with 19.15.14.9 (A) NMAC <input type="checkbox"/> and/or 19.15.14.9 (B) NMAC <input type="checkbox"/> , if applicable. Signature: 		OIL CONSERVATION DIVISION	
Printed name: John R. Stearns, Jr.		Approved By: 	
Title: Partner		Title: Petroleum Engineer	
E-mail Address: bobbysteams1@yahoo.com		Approved Date: 06/20/17 Expiration Date: 06/20/19	
Date: 6/16/2017	Phone: 575-760-2482	Conditions of Approval Attached	