Form 3160-5 (June 2015)  UNITED STATES DEPARTMENT OF THE INTERIOR PURE ALOF LAND MANAGEMENT					FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018	
UNITED STATES  UNITED STATES  DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT  SUNDRY NOTICES AND REPORTS ON WELLS  Point use this form for proposals to drill or to re-enter an					5. Lease Serial No. NMLC063798  6. If Imlian, Allottee or Tribe Name	
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					A Jeffindian, Allottee of	r Tribe Name
RECEIMENT IN TRIPLICATE - Other instructions on page 2					Tobbitor CA/Agree	Name and/or No.
1. Type of Well  ☑ Oil Well ☐ Gas Well ☐ Other					8. Well Name and No. BLUE KRAIT 23-1	
Name of Operator     Contact: REBECCA DEAL     DEVON ENERGY PRODUCTION CONT-Mail: REBECCA.DEAL@DVN.COM					9. API Well No. 30-025-43012-00-X1	
3a. Address 6488 SEVEN RIVERS HIGHW ARTESIA, NM 88211	3b. Phone No. (include area code) Ph: 405-228-8429			10. Field and Pool or Exploratory Area RED HILLS		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  Sec 23 T24S R33E SWSW 200FSL 710FWL				11. County or Parish  LEA COUNTY		
12. CHECK THE AF	PROPRIATE BOX(ES)	TO INDICA	TE NATURE C	F NOTICE,	REPORT, OR OTH	HER DATA
TYPE OF SUBMISSION			ТҮРЕ О	F ACTION		
<ul><li>☑ Notice of Intent</li><li>☐ Subsequent Report</li><li>☐ Final Abandonment Notice</li></ul>	☐ Acidize ☐ Alter Casing ☐ Casing Repair ☐ Change Plans ☐ Convert to Injection	□ Nev	draulic Fracturing v Construction g and Abandon	☐ Reclam	olete arily Abandon	<ul> <li>□ Water Shut-Off</li> <li>□ Well Integrity</li> <li>☑ Other</li> <li>Change to Original A</li> <li>PD</li> </ul>
13. Describe Proposed or Completed Ope If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fit Devon Energy respectfully reciplan:  1. Utilize a spudder rig to presult on the Blue Krait 23-14 Fed 51 a. After drilling the surface hol applicable rules and regulation b. Rig will utilize fresh water be	ally or recomplete horizontally, it will be performed or provide to operations. If the operation repandoment Notices must be filinal inspection.  Quests approval for the following the	give subsurface the Bond No. o sults in a multip led only after all llowing chang nole section a casing and co	locations and measin file with BLM/BL le completion or rec requirements, includes and additions and pre-set surfacement following ulations).	ured and true vol.  Required su A. Required su ompletion in a oding reclamation  s to the drilling  ce casing  all of the	ertical depths of all pertin bsequent reports must be new interval, a Form 316 n, have been completed a	ent markers and zones. filed within 30 days 0-4 must be filed once
14. I hereby certify that the foregoing is	true and correct. Electronic Submission # For DEVON ENER itted to AFMSS for process	GY PRODUCT	ON COM LP, se	nt to the Hob	bs	
Name (Printed/Typed) REBECCA DEAL			Title REGUI	LATORY AN	ALYST	

Name (Printed/Typed) REBECCA DEAL Title REGULATORY ANALYST							
Signature (Electronic Submission) Date 06/01/2017							
THIS SPACE FOR FEDERAL OR STATE OFFICE USE							
Approved_By_TEUNGKU_MUCHLIS_KRUENG	Date 06/16/2017						

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

## Additional data for EC transaction #377720 that would not fit on the form

## 32. Additional remarks, continued

handled entirely on a closed loop basis.

- 2. The wellhead will be installed and tested once the 13-3/8? surface casing is cut off and the WOC time has been reached.
- 3. A blind flange with the same pressure rating as the wellhead will be installed to seal the wellbore. Pressure will be monitored with a pressure gauge installed on the wellhead.

  a. A means for intervention will be maintained while the drilling rig is not over the well.

4. Spudder rig operations is expected to take 8-10 days on a multi well pad.

5. The BLM will be contacted and notified 24 hours prior to commencing spudder rig operations.

6. Drilling operations will be performed with the drilling rig. At that time an approved BOP stack will be nippled up and tested on the wellhead before drilling operations commences on each well.

a. The BLM will be contacted / notified 24 hours before the drilling rig moves back on to the pad

with the pre-set surface casing.

7. Devon Energy will have supervision over the rig to ensure compliance with all BLM regulations and to oversee operations.

8. Once the rig is removed, Devon Energy will secure the wellhead area by placing a guard rail around the cellar area.

All previous COA still apply