
# Triste Draw 25 Federal 12H.13H,14H,15H - Frac Water Route Water supply from Cimarex Diamondtail Frac Pit to Well Pad

Exhibit K




1 10" Layflat water line 2.72 miles or 14361.6 Feet in length



0	0.25	0.5	1	1.5	2
de pri	11.5		April 18 San B	Fred in the said	Miles


Winds Access Road C-0.9' ONA L 14H E 90.3" C-0.8' 100' ±1. 90.2' 12H 20' C-1.0' (15H) £/ 180' 1.7' | 87. C-0.9' 13H Et 90.3 0.9 C-0.1' 20 **18H** El. 89.5' C-0.5' 100 Future Well 180' Sta. 100 C-0.4 26H Future Wei c-0.6 35H E/ 90.0' 100' Future Well Cut/Fill Transition Line (Typ)


Pad will be reclaimed after cessation of drilling operations. Please see Surface Use Plan for pad reclamation plans.




N

Exhibit D-1
Interim Reclamation Diagram
Triste Draw 25 Federal Com 12H, 13H, 14H, 15H
Cimarex Energy Co.
25-23S-32E
Lea County, NM







TRISTE DRAW 25 FEDERAL 12H, 13H, 14H, 15H, 17H, 18H, 26H & 35H								
SECTION CORNER	SECTION CORNER DESC.	LATITUDE (NAD 83)	LONGITUDE (NAD 83)					
NW COR. SEC. 25, T23S, R32E	2" IRON PIPE WITH BRASS CAP	N 32°16'58.67"	W 103°38'12.79"					
N 1/4 COR. SEC. 25, T23S, R32E	1" IRON PIPE WITH BRASS CAP	N 32°16'58.75"	W 103°37'41.99"					
NE COR. SEC. 25, T23S, R32E	3" IRON PIPE WITH BRASS CAP	N 32°16'58.84"	W 103°37'11.18"					
E 1/4 COR. SEC. 25, T23S, R32E	1" IRON PIPE WITH BRASS CAP	N 32°16'32.81"	W 103°37'11.26"					
SE COR. SEC. 25, T23S, R32E	3" IRON PIPE WITH BRASS CAP	N 32°16'06.57"	W 103°37'11.09"					
S 1/4 COR. SEC. 25, T23S, R32E	1" IRON PIPE WITH BRASS CAP	N 32°16'06.45"	W 103°37'41.91"					
SW COR. SEC. 25, T23S, R32E	2" IRON PIPE WITH BRASS CAP	N 32°16'06.36"	W 103°38'12.75"					
W 1/4 COR. SEC. 25, T23S, R32E	1" IRON PIPE WITH BRASS CAP	N 32°16'32.50"	W 103°38'12.77"					

TRISTE DRAW 25 FEDERAL 12H, 13H, 14H, 15H, 17H, 18H, 26H & 35H ACCESS ROAD						
NUMBER STATION LATITUDE (NAD 83) LONGITUDE (NAD 83)						
BEGIN	0+00	N 32°16′13.71"	W 103°37'47.72"			
END	0+20.07	N 32°16'13.71"	W 103°37'47.49"			

CERTIFICATE
THIS IS TO CERTIFY THAT THIS EASEMENT PLAT AND
THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT
IS BASED WERP PERFORMED BY BY OR UNDER MY
DIRECT SUBFRYSION; THAT I AMPRESONSIBLE FOR
THIS SURVEY, SHAT THIS SURVEY MEETS THE
MINIMULI STAYDARDS POR SURVEY MEETS THE
BEST OF MY INOWICED CAND BELIEF.

234 82

03-13-17 03-13-17 00 ONAL SU

FILE: 61476-A2

Sheet 2 of 2

CIMAREX ENERGY CO.


TRISTE DRAW 25 FEDERAL 12H, 13H, 14H, 15H, 17H, 18H, 26H & 35H SECTION 25, T23S, R32E, N.M.P.M. LEA COUNTY, NEW MEXICO


 SURVEYED BY DRAWN BY
 B.H., B.D. B.H., B.D. DRAWN BY
 02-21-17 SCALE N/A

 ACCESS ROAD R-O-W
 EXHIBIT C-2



UELS, LLC Corporate Office \* 85 South 200 East Vernal, UT 84078 \* (435) 789-1017








UELS, LLC Corporate Office \* 85 South 200 East Vernal, UT 84078 \* (435) 789-1017 TRISTE DRAW 25 FEDERAL CTB WEST E 1/2 SW 1/4, SECTION 25, T23S, R32E, N.M.P.M. LEA COUNTY, NEW MEXICO

LOCATI	ON LAYOUT	EX	HIBIT P		
DRAWN BY	S.F.	03-06-17	1" = 100'		
SURVEYED BY	B.H., B.D.	02-25-17	SCALE		



APPROXIMATE EARTHWORK QUANTITIES								
(4") TOPSOIL STRIPPING	3,140 Cu. Yds.							
REMAINING LOCATION	7,250 Cu. Yds.							
TOTAL CUT	10,390 Cu. Yds.							
FILL	7,250 Cu. Yds.							
EXICEOC MARRIETA	2 1 40 0 771							

TOTAL CUT	10,390 Cu. Yds.			
FILL	7,250 Cu. Yds.			
EXCESS MATERIAL	3,140 Cu. Yds.			
TOPSOIL	3,140 Cu. Yds.			
EXCESS UNBALANCE (After Interim Rehabilitation)	0 Cu. Yds.			

	DISTANCE	ACRES
WELL SITE DISTURBANCE	NA	±6.075
30' WIDE ACCESS ROAD R-O-W DISTURBANCE	±1,667.13'	±1.148
30' WIDE SALES PIPELINE OPTION 1 R-O-W DISTURBANCE	±4,127.48'	±2.843
30' WIDE SALES PIPELINE OPTION 2 R-O-W DISTURBANCE	±4,424.64'	±3.047
30' WIDE SWD PIPELINE OPTION 1 R-O-W DISTURBANCE	±1,411.12'	±0.972
30' WIDE SWD PIPELINE OPTION 2 R-O-W DISTURBANCE	±31,638.75'	±21.790
30' WIDE POWER LINE R-O-W DISTURBANCE	±2,732.04'	±1.882
TOTAL SURFACE USE AREA		±37.757

#### NOTES

- Fill quantity includes 5% for compaction.
- Cut/Fill slopes 1 1/2:1 (Typ. except where noted)

## UINTAH ENGINEERING & LAND SURVEYING

UELS, LLC Corporate Office \* 85 South 200 East Vernal, UT 84078 \* (435) 789-1017

### CIMAREX ENERGY CO.

TRISTE DRAW 25 FEDERAL CTB WEST E 1/2 SW 1/4, SECTION 25, T23S, R32E, N.M.P.M. LEA COUNTY, NEW MEXICO

SURVEYED BY	B.H., B.D.	02-25-17	SCALE
DRAWN BY	S.F.	03-06-17	AS SHOWN
TYPICAL CH	ROSS SECTI	ONS EX	HIBIT P

Prevailing	N	Winds		650' Archaeold	ogical	Survey Bound	dary		(	Par Distriction of the second	23/82	achty 17
						Proposed	/ Acce	ess Road				
i												1
	Topsoil Stockpile											
NOTES:						(	CIM	AREX EN	VER	GY CC	).	
						TRIST E 1/2 SW 1 L	TE DR 1/4, SI LEA C	AW 25 FE ECTION 25 COUNTY, N	DER 5, T23 NEW	AL CTB 3S, R32E MEXIC	WES , N.M O	T .P.M.
3500	M	Cort	UELS,	LLC 35 South 200 East	[	SURVEYED B DRAWN BY	BY /	B.H., B.D. S.F.	-	02-25-17 03-06-17		SCALE 1" = 100'

Corporate Office \* 85 South 200 East Vernal, UT 84078 \* (435) 789-1017

ARCHAEOLOGICAL SURVEY BOUNDARY EXHIBIT P

BEGINNING AT THE INTERSECTION OF JAL HIGHWAY/HIGHWAY 128 AND AN EXISTING ROAD TO THE NORTHWEST (LOCATED IN THE SW 1/4 OF SECTION 17, T24S, R33E, N.M.P.M.), PROCEED IN A NORTHWESTERLY DIRECTION APPROXIMATELY 4.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN RIGHT AND PROCEED IN A N EASTERLY, THEN NORTHEASTERLY DIRECTION APPROXIMATELY 0.3 MILES TO THE BEGINNING OF THE PROPOSED ACCESS ROAD TO THE NORTH; FOLLOW ROAD FLAGS IN A NORTHERLY, THEN WESTERLY, THEN SOUTHERLY DIRECTION APPROXIMATELY 1,667' TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM JAL HIGHWAY/HIGHWAY 128 AND AN EXISTING ROAD TO THE NORTHWEST (LOCATED IN THE SW 1/4 OF SECTION 7, T24S, R33E, N.M.P.M.) TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 5.1 MILES.

### CIMAREX ENERGY CO.

TRISTE DRAW 25 FEDERAL CTB WEST E 1/2 SW 1/4, SECTION 25, T23S, R32E, N.M.P.M. LEA COUNTY, NEW MEXICO



UELS, LLC Corporate Office \* 85 South 200 East Vernal, UT 84078 \* (435) 789-1017

SURVEYED BY	B.H., B.D.	02-21-17	
DRAWN BY	T.E.	03-02-17	
RO	AD DESCI	RIPTION	Exhibit P-1

