Submit 1 Copy To Appropriate District Office	State of New I		Form C-103 Pavised July 18, 2013
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and N	atural Resources	Revised July 18, 2013
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATIO	ON DIVISION	30-025-44384
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. F		5. Indicate Type of Lease STATE FEE
District IV - (505) 476-3460	Santa Fe, NM	87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505		C*	
SUNDRY NOT (DO NOT USE THIS FORM FOR PROPO	ICES AND REPORTS ON WEL DSALS TO DRILL OR TO DEEPEN OR	LS BACK SO A	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPO DIFFERENT RESERVOIR. USE "APPL PROPOSALS.)	CATION FOR PERMIT" (FORM C-10	FOR SUCH	Bandit 29 State Com
1. Type of well: Oil well	Gas Well 🗌 Other 💉	or we	8. Well Number 502H
2. Name of Operator EOG Resources, Inc.		ALCEN	9. OGRID Number 7377
3. Address of Operator P.O. Box 2267 Midla		R	10. Pool name or Wildcat Triste Draw; Bone Spring, East
4 Well Location		70	
Unit Letter:	423feet from theNorth	line and	4feet from the Eastline
Section 29	Township 24S	Range 33E	NMPM County Lea
	11. Elevation (Show whether 1 3528' GR	DR, RKB, RT, GR, etc.)	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:			
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WOR	
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRI CASING/CEMEN	
DOWNHOLE COMMINGLE		CASING/CEMEN	130B M
CLOSED-LOOP SYSTEM		OTHER	
OTHER: OTHER: OTHER: OTHER: OTHER: OTHER:			
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of			
proposed completion or recompletion.			
3/29/18 Resumed drilling 12-1/4" hole. 3/31/18 Ran 9-5/8", 40#, J55 LTC (0'-3741')			
Ran 9-5/8", 40#, HCK55 LTC (3741'-5002')			
4/01/18 Cement lead w/ 1135 sx Class C, 12.7 ppg, 2.32 CFS yield; tail w/ 290 sx Class C, 14.8 ppg, 1.42 CFS yield.			
Circulated 206 bbls cement to surface. Good casing test to 2200 psi.			
WOC 8 hrs. Released surface rig.			
Spud Date: 3/18/18	Rig Release	Date:	
I hereby certify that the information above is true and complete to the best of my knowledge and belief.			
		, , , , , , , , , , , , , , , , , , , ,	
SIGNATURE Atom W	TITLE R	egulatory Analyst	4/03/2018
Type or print name Stan Wagne	E-mail addr	ess:	PHONE: 432-686-3689
For State Use Only Petroleum Engineer			
APPROVED BY	TITLE	i cuotonin migu	DATE DATE
Conditions of Approval (if any):			