

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-105  
Revised June 10, 2003

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit To Appropriate District Office  
State Lease - 6 copies  
Fee Lease - 5 copies  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

WELL API NO.  
30/025/37281  
5. Indicate Type of Lease  
STATE  FEE   
State Oil & Gas Lease No. 23000

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER _____	7. Lease Name or Unit Agreement Name EUNICE MONUMENT SOUTH UNIT
b. Type of Completion: NEW <input checked="" type="checkbox"/> WORK <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG <input type="checkbox"/> DIFF. WELL OVER BACK RESVR. <input type="checkbox"/> OTHER	
2. Name of Operator XTO ENERGY INC.	8. Well No. 681
3. Address of Operator 200 LORAIN STE. 800 MIDLAND, TX 79701	9. Pool name or Wildcat EUNICE MONUMENT; GRAYBURG-SAN ANDRES

4. Well Location  
Unit Letter B : 1210 Feet From The NORTH Line and 1340 Feet From The EAST Line  
Section 7 Township 21-S Range 36-E NMPM County LEA

10. Date Spudded 10/29/2005	11. Date T.D. Reached 11/05/2005	12. Date Compl. (Ready to Prod.) 3/10/2006	13. Elevations (DF& RKB, RT, GR, etc.) KB 3611 GL 3594	14. Elev. Casinghead
15. Total Depth 4442'	16. Plug Back T.D. CIBP @4050	17. If Multiple Compl. How Many Zones?	18. Intervals Drilled By	Rotary Tools Cable Tools X
19. Producing Interval(s), of this completion - Top, Bottom, Name 3892-3960 GRAYBURG			20. Was Directional Survey Made YES	
21. Type Electric and Other Logs Run GR/CAL/CNL/FDC/DLL/MSFL LOGGERS TD @4440'			22. Was Well Cored NO	

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24#	1183	12 1/4	625 CL C	138' SXS TO SURF
5 1/2"	17#	4442	7 7/8	730 CL C	TOC 72' BY TS

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD SIZE	DEPTH SET	PACKER SET
					2 7/8	3771.70	

26. Perforation record (interval, size, and number) 4118-4170, 3 JSPF, 36 HOLES CIBP @4050' 3892-3960, 6 JSPF, 168 HOLES GRAYBURG	27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL   AMOUNT AND KIND MATERIAL USED 4118-4170   900 GALS 15% NEFE HCL 3892-3960   600 GALS 15% NEFE HCL
---	---

28. PRODUCTION

Date First Production 3/10/2006	Production Method (Flowing, gas lift, pumping - Size and type pump) 2.5" X 2" X 24' RXBC PMP W/4' PLNGR SN# DC 862	Well Status (Prod. or Shut-in) PRODUCING					
Date of Test 03/10/2006	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 3	Gas - MCF 13	Water - Bbl. 407	Gas - Oil Ratio
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)  
SOLD

Test Witnessed By

30. List Attachments

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief

Signature M LYN MARR Printed Name M. LYN MARR Title REGULATORY ANALYST Date 4/3/2006

E-mail Address

# EMSU #681 INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy _____ 1285 _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____ 1455 _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____ 2575 _____	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____ 2785 _____	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____ 3380 _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____ 3661 _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____ 3905 _____	T. Simpson _____	T. Gallup _____	T. Ignacio Otzte _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Delaware Sand _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Bone Springs _____	T. Entrada _____	T. _____
T. Abo _____	T. _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn "A" _____	T. _____

### OIL OR GAS SANDS OR ZONES

No. 1, from...3735.....to.....3936 Oil.....  
 from.....to.....  
 No. 2, from.....to..... No. 4, from.....to.....  
 No. 3, .....

### IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.  
 No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

### LITHOLOGY RECORD (Attach additional sheet if necessary)


From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
1285	2785	1500'	Evaporites				
2780	3661	881'	Sand and Dolomite				
3661	4365	704'	Dolomite				



# WELLBORE DIAGRAM

LEASE: EUNICE MONUMENT SOUTH UNIT  
 WELL # 681 PERMIT # \_\_\_\_\_  
 SECTION LINES: 1210' FNL & 1340' FEL PMT DATE \_\_\_\_\_  
 LEASE LINES: \_\_\_\_\_ 6/10/2005  
 SEC-BLK-TWN-RNG B-SEC 7, TWN 21-S, RNG 36-E  
 COUNTY: LEA  
 STATE: NEW MEXICO

FIELD NAME: EUNICE MONUMENT;GRAYBURG-SAN ANDRES  
 API #: 30-025-37281  
 LEASE #: 23000  
 POOL #: \_\_\_\_\_  
 SPUD DATE: 10/29/2005  
 COMP DATE: 3/10/2006  
 GL: 3594  
 DF: \_\_\_\_\_  
 KB: 3611



HOLE SIZE: 12 1/4"  
 SURF CSG.: 8 5/8" 24# J-55  
 DEPTH: 1183  
 SXS CMT: 625 SXS CL C  
 TOC: 138 SXS TO SURF  
 DET BY: \_\_\_\_\_

HOLE SIZE: 7 7/8"  
 PROD CSG.: 5 1/2", 17#, J-55  
 DEPTH: 4442  
 SXS CMT: 730 CL C CMT  
 TOC: 72'  
 DET BY: TEMP SVY

TBG SIZE: 2 7/8" 6.5", J-55  
 DEPTH: 3972  
 PKR \_\_\_\_\_

PERFS:  
 3892-3960 600 GLS 15% HCL  
CIBP @4050'  
 4118-4170 900 GALS 15% HCL  
 PBD 4050'  
 TD 4442'

PREPARED BY: LYN MARR /REGULATORY SPEC.