Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

5	Lease Serial No.
J.	Lease Bellai 140.
	NMNM093223
	MINIMINIOSSEES

SUNDRY NOTICES AND REPORTS ON WELLS	
On not use this form for proposals to drill or to re-enter an	

If Indian, Allottee or Tribe Name

apandoned we	ii. USB IOIIII 3 IOU-3 (APL) for such propusa	OBB	500				
SUBMIT IN	TRIPLICATE - Other inst	ructions on page 2	AUG	0 6 2018	7. If Unit or CA/Agreen	nent, Name and/or No.		
1. Type of Well ☑ Oil Well ☐ Gas Well ☐ Oth				EIVE	8. Well Name and No. MADERA 19 FEDE	ERAL 26 35 19 TB 1H		
Name of Operator MARATHON OIL PERMIAN L	Contact: , LC E-Mail: jvancuren@	JENNIFER VAN CU marathonoil.com	K 171/27 (2000)	Tiens	9. API Well No. 30-025-44899-00)-X1		
3a. Address 5555 SAN FELIPE STREET HOUSTON, TX 77056 3b. Phone North Street Code Ph. 713.286.2500 WC-025 G08 S263412K								
4. Location of Well (Footage, Sec., T				11. County or Parish, S	tate			
Sec 19 T26S R35E SESW 35 32.022404 N Lat, 103.410240				LEA COUNTY, N	IM			
12. CHECK THE AI	PPROPRIATE BOX(ES)	TO INDICATE NA	TURE OF	F NOTICE,	REPORT, OR OTH	ER DATA		
TYPE OF SUBMISSION			TYPE OF	ACTION				
■ Notice of Intent	☐ Acidize	□ Deepen		☐ Product	ion (Start/Resume)	☐ Water Shut-Off		
	☐ Alter Casing	☐ Hydraulic F	raulic Fracturing		ation	■ Well Integrity		
☐ Subsequent Report	Casing Repair	■ New Constr	action	☐ Recomplete		Other		
☐ Final Abandonment Notice	☐ Change Plans	Plug and Ab	andon	□ Tempor	arily Abandon	Change to Original A PD		
	☐ Convert to Injection	Plug Back	■ Water Disposal		Disposal			
13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. Marathon Oil Permian LLC is submitting the following change to the APD: -Change 9-5/8 in. casing thread from BTC to LTC. String Type: Intermediate I Hole Size: 12-1/4 in. Csg Size: 9-5/8 in. Top Set MD: 5400 ft. Bottom Set MD: 5400 ft. Bottom Set TVD: 0 ft. Bottom Set TVD: 5330 ft. Weight: 40 lbs./ft. Marathon Set MD: 5400 ft. Weight: 40 lbs./ft. Marathon Set MD: 5400 ft. Weight: 40 lbs./ft.								
Electronic Submission #425195 verified by the BLM Well Information System For MARATHON OIL PERMAN LLC, sent to the Hobbs Committed to AFMSS for processing by PRISCILLA PEREZ on 06/26/2018 (18PP1318SE) Name (Printed/Typed) JENNIFER VAN CUREN Title SR. REGULATORY COMPLIANCE REP								
Signature (Electronic S	Submission)	Date	06/25/20	110				
THIS SPACE FOR FEDERAL OR STATE OFFICE USE								
_Approved By _ZOTA STEVENS _		ETROLEI	<u>JM ENGINI</u>	EER	Date 08/03/2018			
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to conductive th	iitable title to those rights in the	subject lease	Office Hobbs					

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional data for EC transaction #4251 tl would not fit on the form

32. Additional remarks, continued

Grade: J55 Conn.: LTC SF Collapse: 1.15 SF Burst: 1.24 SF Tension: 1.98

Marathon Oil Permian LLC will be batch drilling these wells. Please see the attachment.

Batch Drilling Plan

- Marathon Oil Permian LLC. respectfully requests the option to "batch" drill sections of a well with intentions of returning to the well for later completion.
- When it is determined that the use of a "batch" drilling process to increase overall efficiency and reduce rig time on location, the following steps will be utilized to ensure compliant well control before releasing drilling rig during the batch process.
- Succeeding a successful cement job, fluid levels will be monitored in both the annulus and casing string to be verified static.
- A mandrel hanger packoff will be ran and installed in the multi-bowl wellhead isolating and creating a barrier on the annulus. This packoff will be tested to 5,000 PSI validating the seals.
- At this point the well is secure and the drilling adapter will be removed from the wellhead.
- A 13-5/8" 5M temporary abandonment cap will be installed on the wellhead by stud and nut flange. The seals of the TA cap will then be pressure tested to 5,000 PSI.
- The drilling rig will skid to the next well on the pad to continue the batch drilling process.
- When returning to the well with the TA cap, the TA cap will be removed and the BOP will be nippled up on the wellhead.
- A BOP test will then be conducted according to Onshore Order #2 and drilling operations will resume on the subject well.

Request for Surface Rig

 Marathon Oil Permian LLC. Requests the option to contract a surface rig to drill, set surface casing and cement on the subject well. If the timing between rigs is such that Marathon Oil Permian LLC. would not be able to preset the surface section, the primary drilling rig will drill the well in its entirety per the APD.