District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico ergy, Minerals and Natural Resources Department	Submit Original to Appropriate District Office
		Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	
	JCD		
	SEP 192018	GAS CAPTURE PLAN	
 Original Amended Reason for Amendment: 	RECEIVED	Operator & OGRID No.: <u>Devon Production Co., I</u> Date: <u>6/22/2016</u>	<u>P. (6137)</u>

This Gas Capture Plan outlines actions to be taken by the Operator to reduce well/production facility flaring/venting for new completion (new drill, recomplete to new zone, re-frac) activity.

Note: A C-129 must be submitted and approved prior to exceeding 60 days allowed by Rule 19.15.18.12.A

Well(s)/Production Facility - Thistle 22 BS CTB 1

The well(s) that will be located at the production facility are shown in the table below.

			p				
	Well Name	API	Well Location (ULSTR)	Footages	Expected MCF/D	Flared or Vented	Comments
	Thistle Unit 110H	30-025-43311	Sec 22-T23S-R33E	335'FNL 1340' FWL			Will connect to Thistle 22 BS CTB 1
	Thistle Unit 125H	30-025-44080	Sec 22-T23S-R33E	335'FNL 1370' FWL			Will connect to Thistle 22 BS CTB 1
	Thistle Unit 86H	30-025-44079	Sec 22-T23S-R33E	335'FNL 1400' FWL			Will connect to Thistle 22 BS CTB 1
V	- Thistle Unit 133H	30-025-44069	Sec 22-T23S-R33E	335'FNL 1730' FWL			Will connect to Thistle 22 BS CTB 1
	Thistle Unit 99H	30-025-44416	Sec 22-T23S-R33E	335'FNL 1760' FWL			Will connect to Thistle 22 BS CTB 1

Gathering System and Pipeline Notification

Well(s) will be connected to a production facility after flowback operations are complete, if gas transporter system is in place. The gas produced from production facility is dedicated to <u>DCP</u> and will be connected to <u>DCP</u> low/high pressure gathering system located in <u>Lea</u> County, New Mexico. It will require <u>0</u>' of pipeline to connect the facility to low/high pressure gathering system. <u>Devon</u> provides (periodically) to <u>DCP</u> a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition, <u>Devon</u> and <u>DCP</u> have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at <u>DCP</u> Processing Plant located in Sec. <u>19</u>, TWN <u>19S</u>, RNG <u>32S</u>, <u>Lea</u> County, New Mexico. The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on <u>DCP</u> system at that time. Based on current information, it is <u>Devon's</u> belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and nonpipeline quality gas be vented and/or flared rather than sold on a temporary basis.

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
 - Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
 - Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
 - Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines