

Submit to Appropriate  
 District Office  
 State Lease - 6 copies  
 Fee Lease - 5 copies  
**DISTRICT I**  
 P.O. Box 1980, Hobbs, NM 88240

**DISTRICT II**  
 P.O. Drawer DD, Artesia, NM 88210

**DISTRICT III**  
 1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico  
 Energy, Minerals and Natural Resources Department

Form C-105  
 Revised 1-1-89

**OIL CONSERVATION DIVISION**  
 P.O. Box 2088  
 Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-36313
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.

**WELL COMPLETION OR RECOMPLETION REPORT AND LOG**

1a. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER _____	7. Lease Name or Unit Agreement Name Burrus
b. Type of Completion: NEW WELL <input checked="" type="checkbox"/> WORK OVER <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> DIFF RESVR <input type="checkbox"/> OTHER _____	

2. Name of Operator Concho Exploration, Inc.	8. Well No. 8
3. Address of Operator 550 West Texas Avenue, Suite 1300, Midland, Texas 79701	9. Pool name or Wildcat <del>Gladiola</del> Wolfcamp <i>Trinity</i>
4. Well Location Unit Letter <u>A</u> : <u>330</u> Feet From The <u>North</u> Line and <u>330</u> Feet From The <u>East</u> Line Section <u>27</u> Township <u>12S</u> Range <u>38E</u> NMPM <u>Lea</u> County	

10. Date Spudded 07/16/2003	11. Date T.D. Reached 08/05/2003	12. Date Compl. (Ready to Prod.) 08/18/2003	13. Elevations (DF & RKB, RT, GR, etc.) 3793'	14. Elev. Casinghead
--------------------------------	-------------------------------------	--	--	----------------------

15. Total Depth 9163.72	16. Plug Back T.D. 9196	17. If Multiple Compl. How Many Zones?	18. Intervals Drilled By Rotary Tools Rotary	Cable Tools
----------------------------	----------------------------	--	--	-------------

19. Producing Interval(s), of this completion - Top, Bottom, Name 'Wolfcamp 9044 - 9088'	20. Was Directional Survey Made Yes
---	--

21. Type Electric and Other Logs Run HRI & SD/DSNML	22. Was Well Cored no
--	--------------------------

23. **CASING RECORD (Report all strings set in well)**

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8"	48#	430'	17 1/2"	475 sx Cl. C	
8 5/8"	32#	4500'	11"	1450 sx Poz C	
5 1/2"	17#	9250'	7 7/8"	1025 sx Poz H	

24. LINER RECORD				25. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 7/8"	9163.72'	-

26. Perforation record (interval, size, and number) 9044 - 9088	27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.	
	DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
	9044 - 9088	4500 gals 15% 90/10 acidtr+ 1316 RCNBS

28. **PRODUCTION**

Date First Production 08/20/2003	Production Method (Flowing, gas lift, pumping - Size and type pump) 2.5 x 1.75 x 30' RHBM pump	Well Status (Prod. or Shut-in) producing					
Date of Test 08/26/2003	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl. 289	Gas - MCF 302	Water - Bbl. 0	Gas - Oil Ratio 1045
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl. 289	Gas - MCF 302	Water - Bbl. 0	Oil Gravity - API - (Corr.) 41.5	

29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold	Test Witnessed By
--	-------------------

30. List Attachments  
 Logs, C-104, deviation report

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Brenda Coffman Printed Name Brenda Coffman Title Regulatory Analyst Date 08/29/2003

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

### Southeastern New Mexico

### Northwestern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____ 4450	T. Simpson _____	T. Gallup _____	T. Ignacio Otzte _____
T. Glorieta _____ 5350	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____ 7180	T. Delaware Sand _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Bone Springs _____	T. Entrada _____	T. _____
T. Abo _____ 7850	T. _____	T. Wingate _____	T. _____
T. Wolfcamp _____ 9110	T. _____	T. Chinle _____	T. _____
T. Penn _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn "A" _____	T. _____

### OIL OR GAS SANDS OR ZONES

No. 1, from..... to..... No. 3, from..... to.....  
 No. 2, from..... to..... No. 4, from..... to.....

### IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from ..... to..... feet.....  
 No. 2, from..... to..... feet.....  
 No. 3, from..... to..... feet.....

### LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
0	2957	2957	Surf. rock & red bed				
2957	4075	1118	Salt & anhy				
4075	4475	400	Anhy				
4475	7449	2974	Dolomite				
7449	9164	1715	Lm/Dolo				