

COUNTY	LEA	FIELD	Undesignated	STATE	NM
OPR	PAN AMERICAN PETROLEUM CORP.				MAP
5 Federal "A"					
Sec. 13, T-9-S, R-35-E				CO-ORD	
810' fr S Line & 1980' fr W Line of Sec.					
Spd 5-13-65		CLASS		EL [REDACTED]	
Cmp 7-15-65		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING	LOG:	Rust	2203		
13 3/8" 460' 475		Yates	2747		
9 5/8" 4902' 1925		SA	4018		
5 1/2" 12018' 250		Glor	5442		
		Drkd	6843		
		Abo	7646		
LOGS EL GR RA IND HC A		Wolfc	8851		
TD 12018', PBD 12012'					

IP Devonian Perfs 12002-012' Flwd 239 BOPD. Pot. Based on 24 hr test thru 10/64" chk., TP 405#, gravity 43.4.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Marcum Drlg. Co. PROP DEPTH 12,100' TYPE
 DATE

F.R. 5-13-65; Oper's Elev. 4118' Df.
 PD 12,100' - Devonian
 Contractor - Marcum Drlg. Co.

5-17-65	Drlg. 2790'.
5-24-65	Drlg. 4761'.
6-1-65	Drlg. 6880'.
6-7-65	Drlg. 8432'.
6-14-65	Drlg. 9420'.
6-21-65	Drlg. 10568'.
6-28-65	Drlg. 11429'.
7-6-65	TD 11713', fshg.
7-12-65	TD 12018', prep to run csg. DST 11999-12018', open 3 hrs 12 mins, GTS 40 mins, OTS 55 mins, Flwd 42 BO in 2 hrs 17 mins thru 30/64" chk., FTP 400#, Rev out 12,000' oil & gas, 1 hr ISIP 4505#, FP 2000-2000#, 1 hr 30 min FSIP 4591#.

7-19-65

LOG TOPS: Bough "C" 9575', Cisco 9647',
Canyon 10032', Strawn 10509', Atoka 10929',
Lower Mississippian 11348', Kinderhook-Woodford
11866', Devonian 11999'.
TD 12018', PBD 12012', COMPLETED.
Perf (Devonian) 12002-012' W/2 SPF
Ac. 500 gals.,
Flwd 202 BO in 20 hrs thru 9/64" chk.,
TP 950#.

COUNTY LEA DIST BOHLEN STATE NM
 OPR AMOCO PRODUCTION CO. API 30-025-21304
 NO WI-5 LEASE Federal "A" MAP
 Sec 13, T9S, R35E CO-ORD
 810 FSL, 1980 FWL of Sec 7-4-25 NM
 2 3/4 mi NE/Caprock RE-SPD 2-13-83 RE-CMP 2-20-83

CSC

13 3/8-460-475 sx
 9 5/8-4902-1925 sx
 5 1/2-12,018-250 sx

WELL CLASS: INIT IWDFIN IW LSE CODE			
FORMATION	DATUM	FORMATION	DATUM
ID 12,062 (DVNN)		PBD	

(Devonian) Perfs & OH 12,002-062 WATER INJECTION WELL

CONTR OPRSELEV 4113 GL sub-s

7-18-83 F.R.C. 7-23-83 DWDD
 PD 12,062 RT
 (Orig. Pan American Petroleum Corp., Cmp.
 7-15-63 thru (Devonian) Perfs 12,002-012,
 OTD 12,018, OPB 12,012)
 WATER INJECTION WELL
 TD 12,062; Complete
 Deepened 12,018 to 12,062
 Acid (12,002-062) 3000 gals
 7-23-83 COMPLETION ISSUED

7-4-25 NM
 IC 30-025-70450-83