

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

OIL CONS. COMMISSION  
DRAWN DD  
Artesia, NM

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well  gas well  other

2. NAME OF OPERATOR  
Exxon Corporation

3. ADDRESS OF OPERATOR  
P. O. Box 1600, Midland, Texas 79702

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 660' FNL & 1980' FEL of Sec.  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

882 LEASE NO. NM - 15016

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
-

7. UNIT AGREEMENT NAME RECEIVED

8. FARM OR LEASE NAME NOV 17 1981  
Wattam Federal

9. WELL NO. O. C. D.  
1 ARTESIA, OFFICE

10. FIELD OR WILDCAT NAME  
Tomahawk

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 6, 8S, 31E

12. COUNTY OR PARISH Chaves 13. STATE N.M.

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input checked="" type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) <input type="checkbox"/>	<input type="checkbox"/>

NOV 18 1981

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Drilled 7 7/8" hole to 4300 T.D.  
Ran 103 Jts 4310' 5 1/2" 14# K-55 csg set at 4300'.  
Cmt w/1400 sx Halilite, Tailed w/250 sx C1 "C" cmt.  
Plug down 4:30 p.m. 10-27-81. Circ 222 sx.  
Preparing to perf.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED ROBERT A. CHAPMAN TITLE Sr. Administrator DATE 11-10-81

(This space for Federal or State office use)  
APPROVED BY NOV 16 1981 TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY

U.S. GEOLOGICAL SURVEY  
POSWELL, NEW MEXICO

\*See Instructions on Reverse Side

